ExamGOAL
PYQ PDF

Free · With answer key

NEET · BIOLOGY · CHAPTER-WISE PYQS

Digestion and Absorption

NEET Biology · Previous Year Questions with Answer Key

89	44	1988 – 2023	89	English
QUESTIONS	PAPERS COVERED	YEARS	OUT OF SYLLABUS	LANGUAGE

INSIDE THIS PDF

Out of syllabus	89 questions
Answer key	at the end

Practise online

Every question with its full solution, free on **questions.examside.com**

1. **Solve**
   Print it, or work through it on screen.
2. **Check**
   The answer key is on the last pages.
3. **Understand**
   Scan the QR code beside any question for its full solution.

Out of syllabus 89 questions

These questions are on topics no longer in the current syllabus. They are kept for practice, after everything else.

Q1. NEET 2023 Manipur · MCQ (Single Correct Answer)

Select the correct sequential steps regarding absorption of fatty acids and glycerol, in intestine.

(A) Micelles are reformed into small protein coated fat globules called chylomicrons.

(B) Micelles move into intestinal mucosa.

(C) Fatty acids and glycerol are incorporated into small droplets called micelles.

(D) Lacteals release the absorbed substances into blood stream.

(E) Chylomicrons are transported into lacteals.

Choose the correct answer from the options given below :

(A) (A), (E), (B), (D), (C)

(B) (D), (E), (B), (C), (A)

(C) (C), (B), (A), (E), (D)

(D) (B), (C), (E), (A), (D)

Open solution

Q2. NEET 2023 · MCQ (Single Correct Answer)

Match List I with List II

	List I (Cells)		List II (Secretion)
(A)	Peptic cells	(I)	Mucus
(B)	Goblet cells	(II)	Bile juice
(C)	Oxyntic cells	(III)	Proenzyme pepsinogen
(D)	Hepatic cells	(IV)	HCl and intrinsic factor for absorption of vitamin B_{12}

Choose the correct answer from the options given below:

(A) A-II, B-I, C-III, D-IV

(B) A-III, B-I, C-IV, D-II

(C) A-II, B-IV, C-I, D-III

(D) A-IV, B-III, C-II, D-I

Open solution

Q3. NEET 2023 · MCQ (Single Correct Answer)

Once the undigested and unabsorbed substances enter the caecum, their backflow is prevented by

(A) Ileo-caecal valve

(B) Gastro-oesophageal sphincter

(C) Pyloric sphincter

(D) Sphincter of Oddi

Open solution

Q4. NEET 2022 Phase 2 · MCQ (Single Correct Answer)

Role of enamel is to

(A) Give basic shape to the teeth

(B) Connect crown of tooth with its root

(C) Masticate the food

(D) Form bolus

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q5. NEET 2022 Phase 2 · MCQ (Single Correct Answer)

Open solution

Choose the incorrect enzymatic reaction:

(A) Dipeptides $\xrightarrow{\text{Dipeptidases}}$ Amino acids

(B) Maltose $\xrightarrow{\text{Maltase}}$ Glucose + Fructose

(C) Sucrose $\xrightarrow{\text{Sucrase}}$ Glucose + Fructose

(D) Lactose $\xrightarrow{\text{Lactase}}$ Glucose + Galactose

Q6. NEET 2022 Phase 1 · MCQ (Single Correct Answer)

Open solution

Given below are two statements:

Statement I : Fatty acids and glycerols cannot be absorbed into the blood.

Statement II : Specialized lymphatic capillaries called lacteals carry chylomicrons into lymphatic vessels and ultimately into the blood.

In the light of the above statements, choose the most appropriate answer from the options given below:

(A) Both Statement I and Statement II are correct

(B) Both Statement I and Statement II are incorrect

(C) Statement I is correct but Statement II is incorrect

(D) Statement I is incorrect but Statement II is correct

Q7. NEET 2022 Phase 1 · MCQ (Single Correct Answer)

Open solution

Which of the following functions is not performed by secretions from salivary glands?

(A) Control bacterial population in mouth

(B) Digestion of complex carbohydrates

(C) Lubrication of oral cavity

(D) Digestion of disaccharides

Q8. NEET 2021 · MCQ (Single Correct Answer)

Open solution

Succus entericus is referred to as :

(A) Chyme

(B) Pancreatic juice

(C) Intestinal juice

(D) Gastric juice

Q9. NEET 2021 · MCQ (Single Correct Answer)

Open solution

Sphincter of Oddi is present at :

(A) Junction of jejunum and duodenum

(B) Ileo-caecal junction

(C) Junction of hepato-pancreatic duct and duodenum

(D) Gastro-oesophageal junction

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q10. NEET 2020 Phase 2 · MCQ (Single Correct Answer)

Intrinsic factor that helps in the absorption of vitamin B_{12} is secreted by :

(A) Chief cells (B) Goblet cells (C) Hepatic cells (D) Oxyntic cells

Open solution

Q11. NEET 2020 Phase 2 · MCQ (Single Correct Answer)

The proteolytic enzyme rennin is found in :

(A) Pancreatic juice (B) Intestinal juice (C) Bile juice (D) Gastric juice

Open solution

Q12. NEET 2020 Phase 1 · MCQ (Single Correct Answer)

Identify the correct statement with reference to human digestive system.

(A) Ileum opens into small intestine

(B) Vermiform appendix arises from duodenum

(C) Serosa is the innermost layer of the alimentary canal

(D) Ileum is a highly coiled part

Open solution

Q13. NEET 2020 Phase 1 · MCQ (Single Correct Answer)

The enzyme enterokinase helps in conversion of

(A) pepsinogen into pepsin (B) protein into polypeptides

(C) trypsinogen into trypsin (D) caseinogen into casein

Open solution

Q14. NEET 2019 (Odisha) · MCQ (Single Correct Answer)

Match the items given in Column-I with those in Column-II and choose the correct option.

Column-I	Column-II
(a) Rennin	(i) Vitamin B_{12}
(b) Enterokinase	(ii) Facilitated transport
(c) Oxyntic cells	(iii) Milk proteins
(d) Fructose	(iv) Trypsinogen

(A) (a)-(iii), (b)-(iv), (c)-(i), (d)-(ii) (B) (a)-(iii), (b)-(iv), (c)-(ii), (d)-(i)

(C) (a)-(iv), (b)-(iii), (c)-(i), (d)-(ii) (D) (a)-(iv), (b)-(iii), (c)-(ii), (d)-(i)

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q15. NEET 2019 (Odisha) · MCQ (Single Correct Answer)

Kwashiorkor disease is due to -

(A) protein deficiency not accompanied by calorie deficiency

(B) simultaneous deficiency of proteins and fats

(C) simultaneous deficiency of proteins and calories

(D) deficiency of carbohydrates

Open solution

Q16. NEET 2019 · MCQ (Single Correct Answer)

Identify the cells whose secretion protects the lining of gastro-intestinal tract from various enzymes.

(A) Oxyntic Cells (B) Duodenal Cells (C) Chief Cells (D) Goblet Cells

Open solution

Q17. NEET 2019 · MCQ (Single Correct Answer)

Match the following structures with their respective location in organs :

(a) Crypts of Lieberkuhn	(i) Pancreas
(b) Glisson's capsule	(ii) Duodenum
(c) Islets of Langerhans	(iii) Small intestine
(d) Brunner's Glands	(iv) Liver

Open solution

Select the **correct** option

(A)

(a)	(b)	(c)	(d)
(iii)	(iv)	(i)	(ii)

(B)

(a)	(b)	(c)	(d)
(iii)	(ii)	(i)	(iv)

(C)

(a)	(b)	(c)	(d)
(iii)	(i)	(ii)	(iv)

(D)

(a)	(b)	(c)	(d)
(ii)	(iv)	(i)	(iii)

Q18. NEET 2018 · MCQ (Single Correct Answer)

Which of the following terms describe human dentition?

(A) Pleurodont, Monophyodont, Homodont (B) Thecodont, Diphyodont, Homodont

(C) Pleurodont, Diphyodont, Heterodont (D) Thecodont, Diphyodont, Heterodont

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q19. NEET 2018 · MCQ (Single Correct Answer)

Which of the following gastric cells indirectly help in erythropoiesis?

(A) Mucous cells (B) Parietal cells (C) Chief cells (D) Goblet cells

Open solution

Q20. NEET 2017 · MCQ (Single Correct Answer)

Which cells of 'Crypts of Lieberkuhn' secrete antibacterial lysozyme?

(A) Paneth cells (B) Zymogen cells

(C) Kupffer cells (D) Argentaffin cells

Open solution

Q21. NEET 2017 · MCQ (Single Correct Answer)

Which of the following options best represents the enzyme composition of pancreatic juice?

(A) Amylase, Pepsin, Trypsinogen, Maltase

(B) Peptidase, Amylase, Pepsin, Rennin

(C) Lipase, Amylase, Trypsinogen, Procarbo-xypeptidase

(D) Amylase, Peptidase, Trypsinogen, Rennin

Open solution

Q22. NEET 2017 · MCQ (Single Correct Answer)

A baby boy aged two years is admitted to play school and passes through a dental check-up. The dentist observed that the boy had twenty teeth. Which teeth were absent?

(A) Canines (B) Pre-molars (C) Molars (D) Incisors

Open solution

Q23. NEET 2016 Phase 2 · MCQ (Single Correct Answer)

Which hormones do stimulate the production of pancreatic juice and bicarbonate?

(A) Angiotensin and epinephrine (B) Gastrin and insulin

(C) Cholecystokinin and secretin (D) Insulin and glucagon

Open solution

Q24. NEET 2016 Phase 1 · MCQ (Single Correct Answer)

Which of the following guards the opening of hepatopanjcreatic duct into the duodenum?

(A) Pyloric sphincter (B) Sphincter of Oddi

(C) Semilunar valve (D) Ileocaecal valve

Open solution

Q25. NEET 2016 Phase 1 · MCQ (Single Correct Answer)

In the stomach, gastric acid is secreted by the

(A) peptic cells (B) acidic cells

(C) gastrin secreting cells (D) parietal cells.

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q26. AIPMT 2015 · MCQ (Single Correct Answer)

The enzyme that is not present in succus entericus is

(A) nucleosidase (B) lipase (C) maltase (D) nuclease.

Open solution

Q27. AIPMT 2015 · MCQ (Single Correct Answer)

The primary dentition in human differs from permanent dentition in not having one of the following type of teeth.

(A) Molars (B) Incisors (C) Canines (D) Premolars

Open solution

Q28. AIPMT 2015 Cancelled Paper · MCQ (Single Correct Answer)

Gastric juice of infants contains

(A) pepsinogen, lipase, rennin
(B) amylase, rennin, pepsinogen
(C) maltase, pepsinogen, rennin
(D) nuclease, pepsinogen

Open solution

Q29. AIPMT 2015 Cancelled Paper · MCQ (Single Correct Answer)

Which of the following statements is not correct?

(A) Oxyntic cells are present in the mucosa of stomach and secrete HCl.
(B) Acini are present in the pancreas and secrete carboxypeptidase.
(C) Brunner's glands are present in the submucosa of stomach and secrete pepsinogen.
(D) Goblet cells are present in the mucosa of intestine and secrete mucus.

Open solution

Q30. AIPMT 2014 · MCQ (Single Correct Answer)

The initial step in the digestion of milk in humans is carried out by

(A) lipase (B) trypsin (C) rennin (D) pepsin.

Open solution

Q31. AIPMT 2014 · MCQ (Single Correct Answer)

Fructose is absorbed into the blood through mucosa cells of intesine by the process called

(A) active transport
(B) facilitated transport
(C) simple diffusion
(D) co-transport mechanism.

Open solution

Q32. NEET 2013 (Karnataka) · MCQ (Single Correct Answer)

A healthy person eats the following diet-5 gm raw sugar, 4 gm albumin, 10 gm pure buffalo ghee adultrated with 2 gm vegetable ghee (hydrogenated vegetable oil) and 5 gm lignin. How many calories he is likely to get?

(A) 126 (B) 164 (C) 112 (D) 144

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q33. NEET 2013 (Karnataka) · MCQ (Single Correct Answer)

Which enzymes are likely to act on the baked potatoes eaten by a man, starting from the mouth and as it moves down the alimentary canal?

(A) Pancreatic amylase → Salivary amylase → Lipases

(B) Disaccharidase like maltase → Lipases → Nucleases

(C) Salivary amylase → Pancreatic amylase → Disaccharidases

(D) Salivary maltase → Carboxy peptidase → Trypsinogen

Open solution

Q34. NEET 2013 · MCQ (Single Correct Answer)

Select the correct match of the digested products in humans given in **column** I with their absorption site and mechanism in **column** II.

(A)

Column I		**Column** II
Glycerol, fatty acids		Duodenum, move as chylomicrons

(B)

Column I		**Column** II
Cholesterol, maltose		Large intestine, active absorption

(C)

Column I		**Column** II
Glycine, glucose		Small intestine, active absorption

(D)

Column I		**Column** II
Fructose, Na^+		Small intestine, passive absorption

Open solution

Q35. AIPMT 2012 Mains · MCQ (Single Correct Answer)

Where do certain symbiotic microorganisms normally occur in human body?

(A) Caecum

(B) Oral lining and tongue surface

(C) Vermiform appendix and rectum

(D) Duodenum

Open solution

Q36. AIPMT 2012 Prelims · MCQ (Single Correct Answer)

Anxiety and eating spicy food together in an otherwise normal human, may lead to

(A) indigestion (B) jaundice (C) diarrhoea (D) vomiting.

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q37. AIPMT 2011 Mains · MCQ (Single Correct Answer)

One of the constituents of the pancreatic juice which is poured into the duodenum in humans is

(A) trypsinogen (B) chymotrypsin (C) trypsin (D) enterokinase.

Open solution

Q38. AIPMT 2011 Mains · MCQ (Single Correct Answer)

Which one of the following correctly represents the normal adult human dental formula?

(A) $\frac{3}{3}, \frac{1}{1}, \frac{3}{2}, \frac{1}{1}$ (B) $\frac{2}{2}, \frac{1}{1}, \frac{3}{2}, \frac{3}{3}$

(C) $\frac{2}{2}, \frac{1}{1}, \frac{2}{2}, \frac{3}{3}$ (D) $\frac{3}{3}, \frac{1}{1}, \frac{3}{3}, \frac{3}{3}$

Open solution

Q39. AIPMT 2011 Prelims · MCQ (Single Correct Answer)

Two friends are eating together on a dining table. One of them suddenly starts coughing while swallowing some food. This coughing would have been due to improper movement of

(A) epiglottis (B) diaphragm (C) neck (D) tounge.

Open solution

Q40. AIPMT 2011 Prelims · MCQ (Single Correct Answer)

Which one of the following enzymes carries out the initial step in the digestion of milk in humans?

(A) Trypsin (B) Pepsin (C) Rennin (D) Lipase

Open solution

Q41. AIPMT 2010 Mains · MCQ (Single Correct Answer)

If for some reason the parietal cells of the gut epithelium become partially non-functional, what is likely to happen?

(A) The pancreatic enzymes and specially the trypsin and lipase will not work efficiently.

(B) The pH of stomach will fall abruptly.

(C) Steapsin will be more effective.

(D) Proteins will not be adequately hydrolysed by pepsin into proteoses and peptones.

Open solution

Q42. AIPMT 2010 Mains · MCQ (Single Correct Answer)

Jaundice is a disorder of

(A) excretory system (B) skin and eyes

(C) digestive system (D) circulatoy system.

Open solution

Q43. AIPMT 2010 Prelims · MCQ (Single Correct Answer)

Carrier ions like Na^+ facilitate the absorption of substances like

(A) amino acids and glucose (B) glucose and fatty acids

(C) fatty acids and glycerol (D) fructose and some amino acids.

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q44. AIPMT 2010 Prelims · MCQ (Single Correct Answer)

If for some reason our goblet cells are nonfunctional, this will adversely affect.

(A) production of somatostain

(B) secretion of sebum from the sebaceous glands

(C) maturation of sperms

(D) smooth movement of food down the intestine.

Open solution

Q45. AIPMT 2009 · MCQ (Single Correct Answer)

When breast feeding is replaced by less nutritive food low in proteins and calories; the infants below the age of one year are likely to suffer from

(A) rickets (B) kwashiorkor (C) pellagra (D) marasmus.

Open solution

Q46. AIPMT 2009 · MCQ (Single Correct Answer)

A young infant may be feeding entirely on mother's milk which is white in colour but the stools which the infant passes out is quite yellowish. What is this yellow colour due to?

(A) Bile pigments passed through bile juice

(B) Undigested milk protein casein

(C) Pancreatic juice poured into duodenum

(D) Intestinal juice

Open solution

Q47. AIPMT 2009 · MCQ (Single Correct Answer)

Which one of the following statements is true regarding digestion and absorption of food in humans?

(A) Fructose and amino acids are absorbed through intestinal mucosa with the help of carrier ions like Na^+.

(B) Chylomicrons are small lipoprotein particles that are transported from intestine into blood capillaries.

(C) About 60% of starch is hydrolysed by salivary amylase in our mouth.

(D) Oxyntic cells in our stomach secrete the proenzyme pepsinogen.

Open solution

Q48. AIPMT 2009 · MCQ (Single Correct Answer)

Which one of the following pairs of food components in humans reaches the stomach totally undigested?

(A) Starch and fat

(B) Fat and cellulose

(C) Starch and cellulose

(D) Protein and starch.

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q49. AIPMT 2008 · MCQ (Single Correct Answer)

Which one of the following is the correct matching of the site of action on the given substrate, the enzyme acting upon it and the end product?

(A) Small intestine : Proteins $\xrightarrow{Pepsin}$ amino acids

(B) Stomach : Fats $\xrightarrow{Lipase}$ micelles

(C) Duodenum : Triglycerides $\xrightarrow{Trypsin}$ monoglycerides

(D) Small intestine : Starch $\xrightarrow{\alpha-Amylase}$ disaccharide (maltose)

Open solution

Q50. AIPMT 2008 · MCQ (Single Correct Answer)

What will happen if the secretion of parietal cells of gastric glands is blocked with an inhibitor?

(A) In the absence of HCl secretion, inactive pepsinogen is not converted into the active enzyme pepsin.

(B) Enterokinase will not be released from the duodenal mucosa and so trypsinogen is not converted to trypsin.

(C) Gastric juice will be deficient in chymosin.

(D) Gastric juice will be deficient in pepsinogen.

Open solution

Q51. AIPMT 2007 · MCQ (Single Correct Answer)

Which one of the following is a fat-soluble vitamin and its related deficiency disease?

(A) Retinol - Xerophthalmia

(B) Cobalamine - Beri-beri

(C) Calciferol - Pellagra

(D) Ascorbic acid - Scurvy

Open solution

Q52. AIPMT 2006 · MCQ (Single Correct Answer)

Examination of blood of a person suspected of having anaemia shows large, immature, nucleated erythrocytes without haemoglobin. Supplementing his diet with which of the following is likely to alleviate his symptoms?

(A) Iron compounds

(B) Thiamine

(C) Folic acid and cobalamine

(D) Riboflavin

Open solution

Q53. AIPMT 2005 · MCQ (Single Correct Answer)

Secretin and cholecystokinin are digestive hormones. They are secreted in

(A) pyloric stomach

(B) duodenum

(C) ileum

(D) oesophagus.

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q54. AIPMT 2005 · MCQ (Single Correct Answer)

Epithelial cells of the intestine involved in food absorption have on their surface

(A) pinocytic vesicles (B) microvilli

(C) zymogen granules (D) phagocytic vesicles.

Open solution

Q55. AIPMT 2005 · MCQ (Single Correct Answer)

A patient is generally advised to specially consume more meat, lentils, milk and eggs in diet only when he suffers from

(A) scurvy (B) kwashiorkar (C) rickets (D) anaemia.

Open solution

Q56. AIPMT 2005 · MCQ (Single Correct Answer)

Which group of three of the following five statements (1 - 5) contain all three correct statements regarding beri-beri?

1. A crippling disease prevalent among the native population of sub-Saharan Africa
2. A deficiency disease caused by lack of thiamine (vitamin B_1)
3. A nutritional disorder in infants and young children when the diet is persistently deficient in essential protein
4. Occurs in those countries where the staple diet is polished rice
5. The symptoms are pain from neuritis, paralysis, muscle wasting, progressive oedema, mental deterioration and finally heart failure.

(A) 2, 4 and 5 (B) 1, 2 and 4 (C) 1, 3 and 5 (D) 2, 3 and 5

Open solution

Q57. AIPMT 2004 · MCQ (Single Correct Answer)

The richest sources of vitamin B_{12} are

(A) goat's liver and *Spirulina* (B) chocolate and green gram

(C) rice and hen's egg (D) carrot and chicken's breast.

Open solution

Q58. AIPMT 2004 · MCQ (Single Correct Answer)

Duodenum has characteristics Brunner's gland which secrete two hormones called

(A) kinase, estrogen (B) secretin, cholecystokinin

(C) prolactin, parathormone (D) estradiol, progesterone.

Open solution

Q59. AIPMT 2004 · MCQ (Single Correct Answer)

Which one of the following pairs is not correctly matched?

(A) Vitamin B_{12} - Pernicious anaemia (B) Vitamin B_6 - Convulsions

(C) Vitamin B_1 - Beri-beri (D) Vitamin B_2 - Pellagra

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q60. AIPMT 2003 · MCQ (Single Correct Answer)

During prolonged fastings, in what sequence are the following organic compounds used up by the body?

(A) First carbohydrates, next fats and lastly proteins

(B) First fats, next carbohydrates and lastly proteins

(C) First carbohydrates, next proteins and lastly lipids

(D) First proteins, next lipids and lastly carbohydrates.

Open solution

Q61. AIPMT 2002 · MCQ (Single Correct Answer)

Stool of a person is whitish grey coloured due to malfunction of which of the following organs?

(A) Pancreas (B) Spleen (C) Kidney (D) Liver

Open solution

Q62. AIPMT 2002 · MCQ (Single Correct Answer)

Hydrolytic enzymes which act on low pH called as

(A) proteases (B) α-amylases (C) hydrolases (D) peroxidases.

Open solution

Q63. AIPMT 2002 · MCQ (Single Correct Answer)

Continuous bleeding from an injured part of body is due to deficiency of

(A) vitamin A (B) vitamin B (C) vitamin K (D) vitamin E.

Open solution

Q64. AIPMT 2001 · MCQ (Single Correct Answer)

Which one of the following is correctly matched?

(A) Vitamin E - Tocopherol (B) Vitamin D - Riboflavin

(C) Vitamin B - Calciferol (D) Vitamin A - Thiamine

Open solution

Q65. AIPMT 2000 · MCQ (Single Correct Answer)

Essential amino acid is

(A) phenylalanine (B) glycine (C) aspartic acid (D) serine.

Open solution

Q66. AIPMT 2000 · MCQ (Single Correct Answer)

Which food should be eaten during deficiency of rhodopsin in eyes?

(A) Carrot and ripe papayas (B) Guava, banana

(C) Mango and potato (D) None of the above

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q67. AIPMT 2000 · MCQ (Single Correct Answer)

In mammals milk is digested by the action of

(A) rennin (B) amylase

(C) intestinal bacteria (D) invertase.

Open solution

Q68. AIPMT 2000 · MCQ (Single Correct Answer)

A person who is eating boiled potato, his food contains the component

(A) cellulose which is digested by cellulase

(B) starch which is not digested

(C) lactose which is not digested

(D) DNA which can be digested by pancreatic DNase.

Open solution

Q69. AIPMT 1999 · MCQ (Single Correct Answer)

Brunner's glands are present in

(A) stomach (B) duodenum (C) oesophagus (D) ileum

Open solution

Q70. AIPMT 1999 · MCQ (Single Correct Answer)

An average person not doing hard work requires energy per day about :

(A) 2800 kcal (B) 2000 kcal (C) 1000 kcal (D) 750 kcal

Open solution

Q71. AIPMT 1998 · MCQ (Single Correct Answer)

Which one of the following is a protein deficiency disease?

(A) Eczema (B) Cirrhosis (C) Kwashiorkor (D) Night blindness

Open solution

Q72. AIPMT 1998 · MCQ (Single Correct Answer)

The layer of cells that secrete enamel of tooth is

(A) dentoblast (B) ameloblast (C) osteoblast (D) odontoblast

Open solution

Q73. AIPMT 1998 · MCQ (Single Correct Answer)

In vertebrates lacteals are found in

(A) ileum (B) ischium (C) oesophagus (D) ear

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q74. AIPMT 1997 · MCQ (Single Correct Answer)

If pancreas is removed, the compound which remain undigested is

(A) proteins (B) carbohydrates (C) fats (D) all of these

Open solution

Q75. AIPMT 1997 · MCQ (Single Correct Answer)

What is common among amylase, rennin and trypsin?

(A) These are produced in stomach.
(B) These act at a pH lower than 7.
(C) These all are proteins.
(D) These all are proteolytic enzymes.

Open solution

Q76. AIPMT 1996 · MCQ (Single Correct Answer)

Choose the correct enzyme - substrate pair.

(A) Carbohydrate - Lipase
(B) Maltase - Lactose
(C) Rennin - Caesin
(D) Protein - Amylase

Open solution

Q77. AIPMT 1994 · MCQ (Single Correct Answer)

Which of the following is correct pairing of site of action and substrate of rennin?

(A) Mouth - Starch
(B) Small intestine - Protein
(C) Stomach - Casein
(D) Stomach - Fat

Open solution

Q78. AIPMT 1993 · MCQ (Single Correct Answer)

Most of the fat digestion occurs in

(A) rectum (B) stomach (C) duodenum (D) small intestine

Open solution

Q79. AIPMT 1993 · MCQ (Single Correct Answer)

Kupffer's cells occur in

(A) spleen (B) kidney (C) brain (D) liver

Open solution

Q80. AIPMT 1992 · MCQ (Single Correct Answer)

Brunner's glands occur in

(A) submucosa of duodenum
(B) submucosa of stomach
(C) mucosa of oesophagus
(D) mucosa of ileum

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q81. AIPMT 1991 · MCQ (Single Correct Answer)

Pancreas produces

(A) three digestive enzymes and one hormone

(B) three types of digestive enzymes and two hormones

(C) two digestive enzymes and one hormone

(D) three digestive enzymes and no hormone

Open solution

Q82. AIPMT 1991 · MCQ (Single Correct Answer)

Where is protein digestion accomplished?

(A) Stomach (B) Ileum (C) Rectum (D) Duodenum

Open solution

Q83. AIPMT 1990 · MCQ (Single Correct Answer)

Pancreatic juice and hormones of pancreas are produced by

(A) same cells

(B) same cells at different times

(C) statment is wrong

(D) different cells

Open solution

Q84. AIPMT 1990 · MCQ (Single Correct Answer)

In man the zymogen or chief cells are mainly found in

(A) cardiac part of stomach

(B) pyloric part of stomach

(C) duodenum

(D) fundic part of stomach

Open solution

Q85. AIPMT 1990 · MCQ (Single Correct Answer)

Emulsification of fat is carried out by

(A) bile pigments (B) bile salts (C) HCl (D) pancreatic juice

Open solution

Q86. AIPMT 1988 · MCQ (Single Correct Answer)

Wharton's duct is associated with

(A) sublingual salivary gland

(B) parotid salivary gland

(C) submaxillary salivary gland

(D) Brunner's glands

Open solution

Q87. AIPMT 1988 · MCQ (Single Correct Answer)

Duct leading from parotid gland and opening into vestibule is

(A) Haversian duct

(B) Stenson's duct

(C) Wolffian duct

(D) infra-orbital duct

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q88. AIPMT 1988 · MCQ (Single Correct Answer)

Lamina propria is connected with

(A) acini
(B) liver
(C) Graafian follicle
(D) intestine

Open solution

Q89. AIPMT 2003 · MCQ (More than One Correct Answer)

Which one of the following pairs is not correctly matched?

(A) Vitamin C - Scurvy
(B) Vitamin B_2 - Pellagra
(C) Vitamin B_{12} - Pernicious anaemia
(D) Vitamin B_6 - Beri-beri

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Answer Key

1. **C**	2. **B**	3. **A**	4. **C**	5. **B**
6. **A**	7. **D**	8. **C**	9. **C**	10. **D**
11. **D**	12. **D**	13. **C**	14. **A**	15. **A**
16. **D**	17. **A**	18. **D**	19. **B**	20. **A**
21. **C**	22. **B**	23. **C**	24. **B**	25. **D**
26. **D**	27. **D**	28. **A**	29. **C**	30. **C**
31. **B**	32. **D**	33. **C**	34. **C**	35. **A**
36. **A**	37. **A**	38. **C**	39. **A**	40. **C**
41. **D**	42. **C**	43. **A**	44. **D**	45. **D**
46. **A**	47. **A**	48. **B**	49. **D**	50. **A**
51. **A**	52. **C**	53. **B**	54. **B**	55. **B**
56. **A**	57. **A**	58. **B**	59. **D**	60. **A**
61. **D**	62. **A**	63. **C**	64. **A**	65. **A**
66. **A**	67. **A**	68. **D**	69. **B**	70. **A**
71. **C**	72. **B**	73. **A**	74. **D**	75. **C**
76. **C**	77. **C**	78. **D**	79. **D**	80. **A**
81. **B**	82. **B**	83. **D**	84. **D**	85. **B**
86. **C**	87. **B**	88. **D**	89. **B, D**	

For numerical answers given as a range, any value within the range is correct. Full solutions: scan the QR code next to each question, or visit questions.examside.com.

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

ExamGOAL
PYQ PDF

Your Exam. Our Responsibility.

From first chapter to exam day.

Practise with the questions your exam has already asked, then test yourself under real exam conditions.

PAST YEAR QUESTIONS

Every past paper, chapter-wise.

Previous year questions sorted the way you study, each with a full solution.

- Chapter-wise and year-wise
- Weightage and topic tags on every chapter
- Your progress on each one, at a glance

MOCK TESTS

Mock tests with a real exam feel.

Practise under the same pressure as the real paper, on your phone or on the big screen.

- Timed sections, just like exam day
- Mark questions for review and come back

ANALYSIS

Know your score. Know your rank.

A full report after every test, so you know exactly where you stand.

- Your percentile among everyone who took it
- Predicted real-exam percentile and All India Rank
- Subject breakdown and time analysis

PRACTICE

Solve. Check. Understand.

Learn from every question, not just the ones you get right.

- Instant answers as you practise
- Step-by-step explanations
- See how everyone else answered

NCERT Exemplar
With full solutions

Exam syllabus
Subject and chapter-wise

Bookmarks
Organised in groups

Your notes
On any question

ExamGOAL
LEARNING APP

ExamGOAL: Exam Preparation App

One app for every exam. Free trial for new users, on Android and the web.

GET IT ON Google Play

Scan to get the app

www.examgoal.com
Practice and mock tests

questions.examside.com
Free solutions

pdf.questions.examgoal.com
Free PYQ PDFs