ExamGOAL
PYQ PDF

Free · With answer key

NEET · BIOLOGY · CHAPTER-WISE PYQS

Evolution

NEET Biology · Previous Year Questions with Answer Key

189	49	1988 – 2026	English
QUESTIONS	PAPERS COVERED	YEARS	LANGUAGE

INSIDE THIS PDF

MCQ (Single Correct Answer)	188 questions
MCQ (More than One Correct Answer)	1 question
Answer key	at the end

Practise online

Every question with its full solution, free on **questions.examside.com**

1. **Solve**
   Print it, or work through it on screen.
2. **Check**
   The answer key is on the last pages.
3. **Understand**
   Scan the QR code beside any question for its full solution.

MCQ (Single Correct Answer) 188 questions

Q1. RE-NEET 2026

Adaptive radiation in placental mammals and Australian Marsupials leading to similarity between distant species is an example of ____ .

(A) genetic drift
(B) divergent evolution
(C) convergent evolution
(D) founder effect

Open solution

Q2. RE-NEET 2026

Given below are two statements :

Statement I : Modern Homo sapiens arose in Australia and moved across continents.

Statement II: Homo sapiens arose around 75000 to 10000 years ago.

In the light of the above statements, choose the most appropriate answer from the options given below:

(A) Statement I is incorrect but Statement II is correct
(B) Both Statement I and Statement II are correct
(C) Both Statement I and Statement II are incorrect
(D) Statement I is correct but Statement II is incorrect

Open solution

Q3. RE-NEET 2026

Which of the following is not evidence for evolution?

(A) Divergent evolution of anatomical structures such as forelimbs
(B) Convergent evolution of traits like wings of birds and butterflies
(C) Paleontological evidence from fossil records
(D) Embryological support for evolution as proposed by Ernst Heckel

Open solution

Q4. RE-NEET 2026

A population of diploid organisms is at Hardy-Weinberg equilibrium. If the frequency of allele A is 0.1 , the frequency of AA is ____ .

(A) 0.99
(B) 0.01
(C) 0.02
(D) 0.10

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q5. RE-NEET 2026

Open solution

Given below are two statements : one is labelled as Assertion A and the other is labelled as Reason **R**.

Assertion A : Forelimbs of human and bats are homologous.

Reason R : Forelimbs of humans and bats have similar anatomical structure.

In the light of the above statements, choose the most appropriate answer from the options given below.

(A) **A** is false but **R** is true

(B) Both **A** and **R** are correct and **R** is the correct explanation of **A**

(C) Both **A** and **R** are true, but **R** is not the correct explanation of **A**

(D) **A** is true but **R** is false

Q6. RE-NEET 2026

Open solution

Natural selection can lead to ____ .

(a) stabilisation

(b) genetic drift

(c) directional change

(d) disruption

Choose the correct answer from the options given below :

(A) (a) and (c) only

(B) (a) only

(C) (a), (c) and (d) only

(D) (a), (b), (c) and (d)

Q7. NEET 2026

Open solution

Which of the following is not an example of convergent evolution?

(A) Flippers of penguins and dolphins

(B) Eyes of octopuses and mammals

(C) Fore limbs of whales and bats

(D) Wings of butterflies and birds

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q8. NEET 2026

Open solution

Match List I with List II with respect to chronology of evolution of life forms

List-I		List-II	
A.	About 65 mya	I.	Jawless fish probably evolved
B.	About 500 mya	II.	The dinosaurs suddenly disappeared from the earth
C.	About 350 mya	III.	Seaweeds and few plants probably existed
D.	About 320 mya	IV.	Invertebrates were formed and became active

Choose the correct answer from the options given below:

(A) $A(III), B(IV), C(I), D(II)$

(B) $A(I), B(II), C(III), D(IV)$

(C) $A(II), B(IV), C(III), D(I)$

(D) $A(II), B(IV), C(I), D(III)$

Q9. NEET 2026

Open solution

Evolution of human appears parallel to the progressive development of brain and language skills. As such, the evolution of individual species in the sequence of their appearance is:

(A) Ramapithecus → Homo habilis → Homo erectus → Neanderthal → Homo sapiens

(B) Homo sapiens → Ramapithecus → Homo habilis → Neanderthal → Homo erectus

(C) Homo habilis → Homo erectus → Ramapithecus → Neanderthal → Homo sapiens

(D) Neanderthal → Ramapithecus → Homo habilis → Homo erectus → Homo sapiens

Q10. NEET 2025

Open solution

Sweet potato and potato represent a certain type of evolution. Select the correct combination of terms to explain the evolution.

(A) Homology, convergent

(B) Analogy, divergent

(C) Analogy, convergent

(D) Homology, divergent

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q11. NEET 2024 (Re-Examination)

Open solution

Match List-I with List-II :

	List - I		List - II
(A)	Gene pool	(I)	Stable within a generation
(B)	Genetic drift	(II)	Change in gene frequency by chance
(C)	Gene flow	(III)	Transfer of genes into or out of population
(D)	Gene frequency	(IV)	Total number of genes and their alleles

Choose the correct answer from the options given below :

(A) A-III, B-II, C-I, D-IV

(B) A-IV, B-II, C-III, D-I

(C) A-I, B-II, C-III, D-IV

(D) A-II, B-III, C-IV, D-I

Q12. NEET 2024 (Re-Examination)

Open solution

Which evolutionary phenomenon is depicted by the sketch given in figure?



(A) Artificial selection

(B) Genetic drift

(C) Convergent evolution

(D) Adaptive radiation

Q13. NEET 2024 (Re-Examination)

Open solution

Match List-I with List-II with respect to convergent evolution:

	List - I		List - II
(A)	Lemur	(I)	Flying phalanger
(B)	Bobcat	(II)	Numbat
(C)	Anteater	(III)	Spotted cuscus
(D)	Flying squirrels	(IV)	Tasmanian tiger cat

Choose the correct answer from the options given below:

(A) A-III, B-IV, C-II, D-I

(B) A-III, B-II, C-IV, D-I

(C) A-IV, B-III, C-II, D-I

(D) A-IV, B-II, C-III, D-I

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q14. NEET 2024 (Re-Examination)

Open solution

Match List I with List II:

	List - I		List - II
(A)	Living Fossil	(I)	Elongated canine teeth
(B)	Connecting Link	(II)	Vermiform appendix
(C)	Vestigial Organ	(III)	Echidna
(D)	Atavism	(IV)	Latimeria

Choose the correct answer from the options given below:

(A) A-IV, B-III, C-II, D-I
(B) A-IV, B-II, C-III, D-I
(C) A-IV, B-III, C-I, D-II
(D) A-III, B-IV, C-I, D-II

Q15. NEET 2024 (Re-Examination)

Open solution

What is the correct order (old to recent) of periods in Paleozoic era?

(A) Silurian, Devonian, Permian, Carboniferous
(B) Silurian, Devonian, Carboniferous, Permian
(C) Permian, Devonian, Silurian, Carboniferous
(D) Silurian, Carboniferous, Permian, Devonian

Q16. NEET 2024

Open solution

The flippers of the Penguins and Dolphins are the example of the

(A) Adaptive radiation
(B) Natural selection
(C) Convergent evolution
(D) Divergent evolution

Q17. NEET 2024

Open solution

Given below are some stages of human evolution.

Arrange them in correct sequence. (Past to Recent)

A. Homo habilis
B. Homo sapiens
C. Homo neanderthalensis
D. Homo erectus

Choose the correct sequence of human evolution from the options given below:

(A) D-A-C-B
(B) B-A-D-C
(C) C-B-D-A
(D) A-D-C-B

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q18. NEET 2024

Which one of the following factors will not affect the Hardy-Weinberg equilibrium?

(A) Genetic recombination
(B) Genetic drift
(C) Gene migration
(D) Constant gene pool

Open solution

Q19. NEET 2024

Match List I with List II:

	List - I		List - II
A.	Mesozoic Era	I.	Lower invertebrates
B.	Proterozoic Era	II.	Fish & Amphibia
C.	Cenozoic Era	III.	Birds & Reptiles
D.	Paleozoic Era	IV.	Mammals

Choose the correct answer from the options given below :

(A) A-II, B-I, C-III, D-IV
(B) A-III, B-I, C-II, D-IV
(C) A-I, B-II, C-IV, D-III
(D) A-III, B-I, C-IV, D-II

Open solution

Q20. NEET 2023 Manipur

Identify the fossil of man who showed the following characteristics.

(A) Brain capacity of 1400 cc

(B) Used hides to protect their body

(C) Buried their dead bodies

In the light of above statements, choose the correct answer from the options given below :

(A) Homo erectus (B) Neanderthal man (C) Homo habilits (D) Australopithecus

Open solution

Q21. NEET 2023

Select the correct group/set of Australian Marsupials exhibiting adaptive radiation.

(A) Numbat, Spotted cuscus, Flying phalanger

(B) Mole, Flying squirrel, Tasmanian tiger cat

(C) Lemur, Anteater, Wolf

(D) Tasmanian wolf, Bobcat, Marsupial mole

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q22. NEET 2022 Phase 2

Panspermia, an idea that is still a favourite for some astronomers, means:

(A) Transfer of spores as unit of life from other planets to Earth

(B) Creation of life from dead and decaying matter

(C) Creation of life from chemicals

(D) Origin of sperm in human testes

Open solution

Q23. NEET 2022 Phase 2

Select the correct statement regarding mutation theory of evolution.

(A) Large differences due to mutations arise gradually in a population

(B) This theory was proposed by Alfred Wallace

(C) Variations are small directional changes

(D) Single step large mutation is a cause of speciation

Open solution

Q24. NEET 2022 Phase 1

Natural selection where more individuals acquire specific character value other than the mean character value, leads to

(A) Stabilising change

(B) Directional change

(C) Disruptive change

(D) Random change

Open solution

Q25. NEET 2022 Phase 1

Which of the following statements is not true?

(A) Analogous structures are a result of convergent evolution

(B) Sweet potato and potato is an example of analogy

(C) Homology indicates common ancestry

(D) Flippers of penguins and dolphins are a pair of homologous organs

Open solution

Q26. NEET 2021

The factor that leads to Founder effect in a population is :

(A) Genetic drift

(B) Natural selection

(C) Genetic recombination

(D) Mutation

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q27. NEET 2021

Match List-I with List-II.

Open solution

	List-I		List-II
(a)	Adaptive radiation	(i)	Selection of resistant varieties due to excessive use of herbicides and pesticides
(b)	Convergent evolution	(ii)	Bones of forelimbs in Man and Whale
(c)	Divergent evolution	(iii)	Wings of Butterfly and Bird
(d)	Evolution by anthropogenic action	(iv)	Darwin Finches

Choose the correct answer from the options given below.

(A)

(a)	(b)	(c)	(d)
(i)	(iv)	(iii)	(ii)

(B)

(a)	(b)	(c)	(d)
(iv)	(iii)	(ii)	(i)

(C)

(a)	(b)	(c)	(d)
(iii)	(ii)	(i)	(iv)

(D)

(a)	(b)	(c)	(d)
(ii)	(i)	(iv)	(iii)

Q28. NEET 2020 Phase 2

Embryological support for evolution was proposed by :

Open solution

(A) Alfred Wallace
(B) Ernst Heckel
(C) Karl Ernst von Baer
(D) Charles Darwin

Q29. NEET 2020 Phase 2

After about how many years of formation of earth, life appeared on this planet ?

Open solution

(A) 50 billion years
(B) 500 billion years
(C) 50 million years
(D) 500 million years

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q30. NEET 2020 Phase 2

The phenomenon of evolution of different species in a given geographical area starting from a point and spreading to other habitats is called -

(A) Adaptive radiation
(B) Saltation
(C) Co-evolution
(D) Natural selection

Open solution

Q31. NEET 2020 Phase 2

A Hominid fossil discovered in Java in 1891, now extinct, having cranial capacity of about 900 cc was :

(A) *Australopithecus*
(B) *Homo erectus*
(C) Neanderthal man
(D) *Homo sapiens*

Open solution

Q32. NEET 2020 Phase 1

Embryological support for evolution was disapproved by

(A) Oparin
(B) Alfred Wallace
(C) Karl Ernst von Baer
(D) Charles Darwin

Open solution

Q33. NEET 2020 Phase 1

From his experiments, S.L. Miller produced amino acids by mixing the following in a closed flask

(A) CH_3, H_2, NH_3 and water vapor at 600°C
(B) CH_4, H_2, NH_3 and water vapor at 800°C
(C) CH_3 , H_2 , NH_4 and water vapor at 800°C
(D) CH_4 , H_2 , NH_3 and water vapor at 600°C

Open solution

Q34. NEET 2020 Phase 1

Flippers of Penguins and Dolphins are examples of

(A) Adaptive radiation
(B) Natural selection
(C) Industrial melanism
(D) Convergent evolution

Open solution

Q35. NEET 2020 Phase 1

Which of the following refer to correct example(s) of organisms which have evolved due to changes in environment brought about by anthropogenic action?

(a) Darwin's Finches of Galapagos islands.
(b) Herbicide resistant weeds.
(c) Drug resistant eukaryotes.
(d) Man-created breeds of domesticated animals like dogs.

(A) (b), (c) and (d)
(B) only (a)
(C) (a) and (c)
(D) only (d)

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q36. NEET 2019 (Odisha)

Which of the following statements is correct about the origin and evolution of men?

(A) Neanderthal men lived in Asia between 1,00,000 and 40,000 years back.

(B) Agriculture came around 50,000 years back.

(C) The *Dryopithecus* and *Ramapithecus* primates existing 15 million years ago, walked like men.

(D) *Homo habilis* probably ate meat.

Open solution

Q37. NEET 2019 (Odisha)

A population of a species invades a new area. Which of the following condition will lead to Adaptive Radiation?

(A) Area with many habitats occupied by a large number of species.

(B) Area with large number of habitats having very low food supply.

(C) Area with a single type of vacant habitat

(D) Area with many types of vacant habitats.

Open solution

Q38. NEET 2019 (Odisha)

In Australia, marsupials and placental mammals have evolved to share many similar characteristics. This type of evolution may be referred to as

(A) Convergent Evolution

(B) Adaptive Radiation

(C) Divergent Evolution

(D) Cyclical Evolution

Open solution

Q39. NEET 2019

A gene locus has two alleles A, a. If the frequency of dominant allele A is 0.4, then what will be the frequency of homozygous dominant, heterozygous and homozygous recessive individuals in the population?

(A) 0.16(AA); 0.48 (Aa); 0.36(aa)

(B) 0.16 (AA); 0.36(Aa); 0.48(aa)

(C) 0.36 (AA); 0.48 (Aa); 0.16 (aa)

(D) 0.16 (AA); 0.24 (Aa); 0.36 (aa)

Open solution

Q40. NEET 2019

Variations caused by mutation, as proposed by Hugo de Vries, are :

(A) small and directional

(B) small and directionless

(C) random and directional

(D) random and directionless

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q41. NEET 2019

Match the hominids with their correct brain size :

(a) Homo habilis	(i) 900 cc
(b) Homo neanderthalensis	(ii) 1350 cc
(c) Homo erectus	(iii) 650-800 cc
(d) Homo sapiens	(iv) 1400 cc

Open solution

Select the correct option.

(A)

(a)	(b)	(c)	(d)
(iii)	(iv)	(i)	(ii)

(B)

(a)	(b)	(c)	(d)
(iv)	(iii)	(i)	(ii)

(C)

(a)	(b)	(c)	(d)
(iii)	(i)	(iv)	(ii)

(D)

(a)	(b)	(c)	(d)
(iii)	(ii)	(i)	(iv)

Q42. NEET 2019

In a species, the weight of newborn ranges from 2 to 5 kg. 97% of the newborn with an average weight between 3 to 3.3 kg survive whereas 99% of the infants born with weights from 2 to 2.5 kg or 4.5 to 5kg die. Which type of selection process is taking place?

Open solution

(A) Disruptive Selection
(B) Cyclical Selection
(C) Directional Selection
(D) Stabilizing Selection

Q43. NEET 2018

The similarity of bone structure in the forelimbs of many vertebrates is an example of

Open solution

(A) homology
(B) analogy
(C) convergent evolution
(D) adaptive radiation

Q44. NEET 2018

Among the following sets of examples for divergent evolution, select the incorrect option.

Open solution

(A) Forelimbs of man, bat and cheetah
(B) Heart of bat, man and cheetah
(C) Brain of bat, man and cheetah
(D) Eye of octopus, bat and man

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q45. NEET 2018

According to Hugo de Vries, the mechanism of evolution is

(A) multiple step mutations
(B) saltation
(C) phenotypic variations
(D) minor mutations

Open solution

Q46. NEET 2016 Phase 2

Genetic drift operates in

(A) slow reproductive population
(B) large isolated population
(C) non-reproductive population
(D) small isolated population

Open solution

Q47. NEET 2016 Phase 2

In Hardy-Weinberg equation, the frequency of heterozygous individual is represented by

(A) pq
(B) p^2
(C) 2pq
(D) q^2

Open solution

Q48. NEET 2016 Phase 2

The chronological order of human evolution from early to the recent is

(A) Ramapithecus → Homo habilis → Australopithecus → Homo erectus
(B) Australopithecus → Ramapithecus → Homo habilis → Homo erectus
(C) Ramapithecus → Australopithecus → Homo habilis → Homo erectus
(D) Australopithecus → Homo habilis → Ramapithecus → Homo erectus

Open solution

Q49. NEET 2016 Phase 2

Which of the following is the correct sequence of events in the origin of life ?
I. Formation of protobionts
II. Synthesis of organic monomers
III. Synthesis of organic polymers
IV. Formation of DNA-based genetic systems

(A) II, III, I, IV
(B) II, III, IV, I
(C) I, II, III, IV
(D) I, III, II, IV

Open solution

Q50. NEET 2016 Phase 1

Which of the following structures is homologus to the wing of a bird ?

(A) Wing of a Moth
(B) Dorsal fin of a Shark
(C) Flipper of Whale
(D) Hindlimb of Rabbit

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q51. NEET 2016 Phase 1

Analogous structures are a result of :

(A) Divergent evolution
(B) Convergent evolution
(C) Stabilizing selection
(D) Shared ancestry

Open solution

Q52. NEET 2016 Phase 1

Following are the two statements regarding the origin of life -
(a) The earliest organisms that appeared on the earth were non-green and presumably anaerobes
(b) The first autotrophic organisms were the chemoautotrophs that never released oxygen
Of the above statements which one of the following options is correct ?

(A) Both (a) and (b) are false
(B) Both (a) and (b) are correct
(C) (b) is correct but (a) is false
(D) (a) is correct but (b) is false

Open solution

Q53. AIPMT 2015

The wings of a bird and the wings of an insect are :

(A) homologous structures and represent divergent evolution
(B) phylogenetic structures and represent divergent evolution
(C) homologous structures and represent convergent evolution
(D) analogous structures and represent convergent evolution

Open solution

Q54. AIPMT 2015

Industrial melanism is an example of -

(A) Mutation
(B) Natural selection
(C) Neo Darwinism
(D) Neo Lamarckism

Open solution

Q55. AIPMT 2015 Cancelled Paper

A population will not exist in Hardy-Weinberg equilibrium if

(A) there are no mutations
(B) individuals mate selectively
(C) the population is large
(D) there is no migration

Open solution

Q56. AIPMT 2015 Cancelled Paper

Which is the most common mechanism of genetic variation in the population of a sexually reproducing organism ?

(A) Transduction
(B) Chromosomal aberrations
(C) Recombination
(D) Genetic Drift

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q57. AIPMT 2015 Cancelled Paper

Which of the following had the smallest brain capacity ?

(A) Homo neanderthalensis
(B) Homo erectus
(C) Homo sapiens
(D) Homo habilis

Open solution

Q58. AIPMT 2014

In a population of 1000 individuals 360 belong to genotype AA, 480 to Aa and the remaining 160 to aa. Based on this data, the frequency of allele A in the population is :

(A) 0.4
(B) 0.5
(C) 0.6
(D) 0.7

Open solution

Q59. AIPMT 2014

Forelimbs of cat, lizard used in walking, forelimbs of whale used in swimming and forelimbs of bats used in flying are an example of:

(A) Analogous organs
(B) Homologous organs
(C) Convergent evolution
(D) Adaptive radiation

Open solution

Q60. NEET 2013 (Karnataka)

Random undirectional change in allele frequencies that occur by chance in all populations and especially in small populations is known as :-

(A) Genetic drift
(B) Migration
(C) Mutation
(D) Natural selection

Open solution

Q61. NEET 2013 (Karnataka)

Genetic variation in a population arises due to :

(A) Reproductive isolation and selection
(B) Mutations only
(C) Mutations as well as recombination
(D) Recombination only

Open solution

Q62. NEET 2013 (Karnataka)

Dinosaurs dominated the World in which of the following geological era ?

(A) Jurassic
(B) Devonian
(C) Coenozoic
(D) Mesozoic

Open solution

Q63. NEET 2013 (Karnataka)

The finch species of Galapagos Islands are grouped according to their food sources. Which of the following is not a finch food ?

(A) Insects
(B) Carrion
(C) Tree buds
(D) Seeds

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q64. NEET 2013

According to Darwin, the organic evolution is due to -

(A) Reduced feeding efficiency in one species due to the presence of interfering species

(B) Competition within closely related species

(C) Intraspecific competition

(D) Interspecific competition

Open solution

Q65. NEET 2013

The tendency of population to remain in genetic equilibrium may be disturbed by :

(A) lack of random mating

(B) random mating

(C) lack of migration

(D) lack of mutations

Open solution

Q66. NEET 2013

Variation in gene frequencies within populations can occur by chance rather than by natural selection. This is referred to as :

(A) Genetic drift (B) Genetic load (C) Genetic flow (D) Random mating

Open solution

Q67. NEET 2013

The process by which organisms with different evolutionary history evolve similar phenotypic adaptations in response to a common environmental challenge is called :

(A) Convergent evolution

(B) Adaptive radiation

(C) Natural selection

(D) Non-random evolution

Open solution

Q68. NEET 2013

The eye of octopus and eye of cat show different patterns of structure, yet they perform similar function, This is an example of :

(A) Homologous organs that have evolved due to divergent evolution

(B) Analogous organs that have evolved due to convergent evolution

(C) Homologous organs that have evolved due to convergent evolution

(D) Analogous organs that have evolved due to divergent evolution

Open solution

Q69. AIPMT 2012 Mains

The idea of mutations was brought forth by :

(A) Charles Darwin, who observed a wide variety of organisms during sea voyage

(B) Hugo do Vries, who worked on evening primrose

(C) Gregor Mendol, who worked on Pisum sativum

(D) Hardy Weinberg, who worked on allele frequencies in a population

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q70. AIPMT 2012 Prelims

Evolution of different species in a given area starting from a point and spreading to other geographical areas is known as

(A) divergent evolution
(B) Natural selection
(C) Migration
(D) Adaptive radiation

Open solution

Q71. AIPMT 2012 Prelims

Which one of the following options gives one correct example each of convergent evolution and divergent evolution ?

(A) Convergent evolution → Thorns of Bougainvillea and tendrils of cucurbita **&** Divergent evolution → Eyes of Octopus and mammals
(B) Convergent evolution → Eyes of octopus and mammals **&** Divergent evolution → Bones of forelimbs of mammals and vertebrates
(C) Convergent evolution → Thorns of Bougainvillea and tendrils of cucurbita **&** Divergent evolution → Wings of butterflies and birds
(D) Convergent evolution → Bones of forelimbs of vertebrates **&** Divergent evolution → Wings of butterfly and birds

Open solution

Q72. AIPMT 2012 Prelims

What was the most significant trend in the evolution of modern man (Homo sapiens) from his ancestors ?

(A) Upright posture
(B) Increasing cranial capacity
(C) Shortening of jaws
(D) Binocular vision

Open solution

Q73. AIPMT 2012 Prelims

The extinct human who lived 1,00,000 to 40,000 years ago, in Europe, Asia and parts of Africa, with short stature, heavy eyebrows, retreating foreheads, large jaws with heavy teeth, stocky bodies, a lumbering gait and stooped posture was :

(A) Neanderthal human
(B) Homo habilis
(C) Cro-Magnon humans
(D) Ramapithecus

Open solution

Q74. AIPMT 2011 Prelims

What was the most significant trend in the evolution of modern man (Homo sapiens) from his ancestors ?

(A) Uprigth posture
(B) Shortening of jaws
(C) Binocular vision
(D) Increasing cranial capacity

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q75. AIPMT 2010 Mains

Given below are four statements (A-D) each with one or two blanks. Select the option which correctly fills up the blanks in two statements

– **Statements :**

(A) Wings of butterfly and birds look alike and are the results of (i) , evolution

(B) Miller showed that CH_4, H_2, NH_3 and (i), when exposed to electric discharge in a flask resulted in formation of (ii) .

(C) Vermiform appendix is a (i) organ and an (ii) evidence of evolution.

(D) According to Darwin evolution took place due to (i) and (ii) of the fittest.

(A) (C) - (i) vestigial, (ii) anatomical, (D) - (i) mutations, (ii) multiplication

(B) (D) - (i) small variations, (ii) survival, (A) - (i) convergent

(C) (A) - (i) convergent, (B) - (i) oxygen, (ii) nucleosides

(D) (B) - (i) water vapour, (ii) amino acids, (C) - (i) rudimentary (ii) anatomical

Open solution

Q76. AIPMT 2010 Mains

The most apparent changes during the evolutionary history of Homo sapiens is traced in

(A) Remarkable increase in the brain size

(B) Walking upright

(C) Loss of body hair

(D) Shortening of the jaws

Open solution

Q77. AIPMT 2010 Prelims

Darwin's finches are a good example of –

(A) Convergent evolution

(B) Connecting link

(C) Industrial melanism

(D) Adaptive radiation

Open solution

Q78. AIPMT 2009

Peripatus is a connecting link between :

(A) Ctenophora and Platyhelminthes

(B) Mollusca and Echinodermata

(C) Coelenterata and Porifera

(D) Annelida and Arthropoda

Open solution

Q79. AIPMT 2009

In the case of peppered moth (Biston betularia) the black-coloured from became dominant over the light-coloured form in England during industrial revolution. This is an example of -

(A) Natural selection whereby the darker forms were selected.

(B) Protective mimicry

(C) Inheritance of darker colour character acquired due to the darker environment

(D) Appearance of the darker coloured individuals due to very poor sunlight

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q80. AIPMT 2008

Darwin's finches are a good example of –

(A) Convergent evolution
(B) Adaptive radiation
(C) Connecting link
(D) Industrial melanism

Open solution

Q81. AIPMT 2008

Which one of the following scientist's name is correctly matched with the theory put fourth by him?

(A) Mendel — Theory of pangenesis
(B) deVries — Natural selection
(C) Pasteur — Inheritance of acquired characters
(D) Weismann — Theory of continuity of germplasm

Open solution

Q82. AIPMT 2008

Which one of the following is incorrect about the characteristics of protobionts (coacervates and microspheres) as envisaged in the abiogenic origin of life?

(A) They could separate combinations of molecules from the surroundings
(B) They were able to reproduce
(C) They were partially isolated from the surroundings
(D) They could maintain an internal environment

Open solution

Q83. AIPMT 2008

Thorn of Bougainvillea and tendril of Cucurbita are examples of:

(A) analogous organs
(B) homologous organs
(C) vestigial organs
(D) retrogressive evolution

Open solution

Q84. AIPMT 2008

What is true about the isolated small tribal populations?

(A) Wrestlers who develop strong body muscles in their life time pass their character on to their progeny
(B) There is no change in population size as they have a large gene pool
(C) There is a decline in population as boys marry girls only from their own tribe
(D) Hereditary disease like colour-blindness do not spread in the isolated population

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q85. AIPMT 2007

The concept of chemical evolution is based on-

(A) Crystallization of chemicals

(B) Effect of solar radiation on chemicals

(C) Possible origin of life by combination of chemicals under suitable environmental conditions

(D) Interaction of water, air and clay under intense heat

Open solution

Q86. AIPMT 2007

The finches of Galapogas islands provide an evidence in favour of-

(A) Special Creation

(B) Biogeographical Evolution

(C) Evolution due to Mutation

(D) Retrogressive Evolution

Open solution

Q87. AIPMT 2007

When two species of different genealogy come to resemble each other as a result of adaptation, the phenomenon is termed:-

(A) Microevolution

(B) Convergent evolution

(C) Co-evolution

(D) Divergent evolution

Open solution

Q88. AIPMT 2007

Adaptive radiation refers to:-

(A) Adaptations due to Geographical isolation

(B) Migration of members of a species to different geographical areas

(C) Evolution of different species from a common ancestor

(D) Power of adaptation in an individual to a variety of environments

Open solution

Q89. AIPMT 2007

Which one of the following statements is correct?

(A) Ontogeny repeats phylogeny.

(B) There is no evidence of the existence of gills during embryogenesis of mammals.

(C) Stem cells are specialized cells.

(D) All plant and animal cells are totipotent.

Open solution

Q90. AIPMT 2007

Among the human ancestors the brain size was more than 1000 cc in

(A) *Homo erectus*

(B) *Ramapithecus*

(C) *Homo habilis*

(D) *Homo neanderthalensis*

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q91. AIPMT 2007

Industrial melanism as observed in peppered moth proves that

(A) the melanic form of the moth has no selective advantage over lighter form in industrial area

(B) the lighter-form moth has no selective advantage either in polluted industrial area or non-polluted area

(C) melanism is a pollution-generated feature

(D) the true black melanic forms arise by a recurring random mutation

Open solution

Q92. AIPMT 2007

Select the correct statement from the following:

(A) Fitness is the end result of the ability to adapt and gets selected by nature

(B) All mammals except whales and camels have seven cervical vertebrae

(C) Mutations are random and directional

(D) Darwinian variations are small and directionless

Open solution

Q93. AIPMT 2007

What is common between whale, seal and shark?

(A) Thick subcutaneous fat

(B) Convergent evolution

(C) Homoiothermy

(D) Seasonal migration

Open solution

Q94. AIPMT 2007

One of the important consequences of geographical isolation is

(A) preventing speciation

(B) speciation through reproductive isolation

(C) random creation of new species

(D) no change in the isolated fauna

Open solution

Q95. AIPMT 2006

An important evidence in favour of organic evolution is the occurrence of-

(A) Homologous organs only

(B) Homologous and vestigial organs

(C) Homologous and analogous organs

(D) Analogous and vestigial organs

Open solution

Q96. AIPMT 2006

Which one of the following amino-acids was not found to be synthesized in Miller's experiment ?

(A) Aspartic acid

(B) Alanine

(C) Glycine

(D) Glutamic acid

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q97. AIPMT 2006

Jurassic period of the Mesozoic era characterized by-

(A) Radiation of reptiles and origin of mammal like reptiles

(B) Flowering plants and first dinosaurs appear

(C) Gymnosperms are dominant plants and first birds appear

(D) Dinosaurs become extinct and angiosperms appear

Open solution

Q98. AIPMT 2006

Praying mantis is a good example of-

(A) Warning colouration

(B) Camouflage

(C) Mullerian mimicry

(D) Social insects

Open solution

Q99. AIPMT 2006

Evolutionary history of an organism is known as

(A) Phylogeny

(B) Ancestry

(C) Paleontology

(D) Ontogeny

Open solution

Q100. AIPMT 2005

Which one of the following experiments suggests that simplest living organisms could not have originated spontaneously from non-living matter ?

(A) Meat was not spoiled, when heated and kept sealed in a vessel

(B) Larva cound appear in decaying organic matter

(C) Microbes appeared form unsterilized organic matter

(D) microbes did not appear in stored meat

Open solution

Q101. AIPMT 2005

De Vries gave his mutation theory on organic evolution while working on -

(A) Althea rosea

(B) Oenothera lamarckiana

(C) Pisum sativum

(D) Drosophila melanogaster

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q102. AIPMT 2005

There are two opposing views about origin of modern man. According to one view Homo erectus in Asia were the ancestors of modern man. A study of variation of DNA however suggested African origin of modern man. What kind of observation of DNA variation could suggest this ?

Open solution

(A) Variation only in Asia and no variation in Africa

(B) Similar variation in Africa and Asia

(C) Greater variation in Africa than in Asia

(D) Greater variation in Asia than in Africa

Q103. AIPMT 2005

Which one of the following phenomena supports Darwin's concept of natural selection in organic evolution ?

Open solution

(A) Prevalence of pesticide resistant insects

(B) Development of organs from 'stem' cells for organ transplantation

(C) production of 'Dolly', the sheep by cloning

(D) Development of transgenic animals

Q104. AIPMT 2005

Which of the following is the relatively most accurate method for dating of fossils ?

Open solution

(A) Radio-carbon method

(B) Uranium-lead method

(C) Potassium–argon method

(D) Electron-spin resonance method

Q105. AIPMT 2005

At a particular locus, frequency of 'A' allele is 0.6 and that of 'a' is 0.4. What would be the frequency of heterozygotes in a random mating population at equilibrium ?

Open solution

(A) 0.48

(B) 0.24

(C) 0.36

(D) 0.16

Q106. AIPMT 2005

Which of the following is not true for a species ?

Open solution

(A) Variations occur among members of a species

(B) Gene flow does not occur between the populations of a species

(C) Each species is reproductively isolated from every other species

(D) Members of a species can interbreed

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q107. AIPMT 2004

Age of fossils in the past was generally determined by radio-carbon method and other methods involving radioactive elements found in the rocks. More precise methods, which were used recently and led to the revision of the evolutionary periods for different groups of organisms includes -

(A) Electron spin resonance (ESR) & fossil DNA

(B) Study of carbohydrates/proteins in fossils

(C) Study of the conditions of fossilization

(D) Study of carbohydrates/proteins in rocks

Open solution

Q108. AIPMT 2004

What kind of evidence suggested that man is more closely related with chimpanzee than with other hominoid apes ?

(A) Evidence from fossil remains and the fossil mitochondrial DNA alone

(B) Evidence from DNA extracted from sex chromosomes, autosomes

(C) Comparison of chromosomes morphology only

(D) Evidence from DNA from sex chromosomes only

Open solution

Q109. AIPMT 2004

Which one of the following is living fossil ?

(A) Cycas (B) Moss (C) spirogyra (D) Saccharomyces

Open solution

Q110. AIPMT 2004

According to oparin, which one of the following was not present in the primitive atmosphere of the earth ?

(A) Water vapour (B) Oxygen (C) Methane (D) Hydrogen

Open solution

Q111. AIPMT 2004

The most likely reason for the development of resistance against pesticides in insects damaging a crop is

(A) random mutations (B) genetic recombination

(C) directed mutations (D) acquired heritable changes

Open solution

Q112. AIPMT 2003

Convergent evolution is illustrated by : -

(A) Bacterium and protozoan (B) Rat and dog

(C) Dogfish and whale (D) Starfish and cuttle fish

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q113. AIPMT 2003

Which one of the following sequences was proposed by Darwin and Wallace for organic evolution ?

(A) Variations, natural selection, overproduction, constancy of population size

(B) Overproduction, constancy of population size, variations, natural selection

(C) Variations, constancy of population size, overproduction, natural selection

(D) Overproduction, variations, constancy of population size, natural selection

Open solution

Q114. AIPMT 2003

Random genetic drift in a population probably results from

(A) Constant low mutation rate

(B) Interbreeding within this population

(C) Large population size

(D) Highly genetically variable individuals

Open solution

Q115. AIPMT 2003

Industrial melanism is an example of : -

(A) Darkening of skin due to smoke from industries

(B) Defensive adaptation of skin against ultraviolet radiations

(C) Drug resistance

(D) Protective resemblance with the surroundings

Open solution

Q116. AIPMT 2003

In a random mating population in equilibrium, which of the following brings about a change in gene frequency in a non-directional manner : -

(A) Selection (B) Random drift (C) Mutations (D) Migration

Open solution

Q117. AIPMT 2003

Darwin in his 'Natural Selection Theory' did not believe in any role of which one of the following in organic evolution ?

(A) Survival of the fittest

(B) Parasites and predators as natural enemies

(C) Discontinuous variations

(D) Struggle for existence

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q118. AIPMT 2003

Which one of the following describes correctly the homologous structures ?

(A) Organs with anatomical dissimilarities but performing same function

(B) Organs that have no function now, but had an important function in ancestors

(C) Organs with anatomical similarities, but performing different functions

(D) Organs appearing only in embryonic stage and disappearing later in the adult

Open solution

Q119. AIPMT 2003

Which one of the following is categorised under living fossils ?

(A) Cycas (B) Metasequoia (C) Pinus (D) Selaginella

Open solution

Q120. AIPMT 2002

Some bacteria are able to grow in streptomycin containing medium due to

(A) natural selection (B) induced mutation

(C) reproductive isolation (D) genetic drift.

Open solution

Q121. AIPMT 2002

Cause of mimicry is -

(A) offence (B) concealment (C) defence (D) both (b) and (c)

Open solution

Q122. AIPMT 2002

Which of the following is important for speciation ?

(A) Behavioural isolation (B) Seasonal isolation

(C) Tropical isolation (D) Reproductive isolation

Open solution

Q123. AIPMT 2002

Which of the following are homologous organs ?

(A) Wings of birds & Pectoral fins of fish (B) Wings of bat & Butterfly

(C) Legs of frog & Cockroach (D) Wings of birds & Locust

Open solution

Q124. AIPMT 2002

Genetic drift operates in : -

(A) Slow reproductive population (B) Small isolated population

(C) Large isolated population (D) Fast reproductive population

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q125. AIPMT 2002

There is no life on moon due to the absence of -

(A) O_2 (B) Light (C) Water (D) Temperature

Open solution

Q126. AIPMT 2002

According to fossils which discovered up to present time, origin and evolution of man was started from

(A) Java (B) Africa (C) China (D) France

Open solution

Q127. AIPMT 2002

In which condition, the gene ratio remains constant for any species population ?

(A) Gene flow (B) Mutation (C) Sexual selection (D) Random mating

Open solution

Q128. AIPMT 2002

Sequence of which of the following is used to know the phylogeny ?

(A) DNA (B) r-RNA (C) m-RNA (D) t-RNA

Open solution

Q129. AIPMT 2002

In which era reptiles were dominant ?

(A) Archaeozoic era (B) Mesozoic era (C) Coenozoic era (D) Paleozoic era

Open solution

Q130. AIPMT 2002

Reason of fast speciation in present day crop plants is

(A) mutation (B) isolation

(C) polyploidy (D) sexual reproduction

Open solution

Q131. AIPMT 2001

Which statement is correct about centre of origin of plant ?

(A) Climatic condition more favourable (B) More diversity in improved variety

(C) None (D) Frequency of dominant gene is more

Open solution

Q132. AIPMT 2001

Half life period of C^{14} is : -

(A) 5000 years (B) 50 years (C) 500 years (D) 5×10^4 years

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q133. AIPMT 2001

Similarities in organism with different genotype indicates : -

(A) Divergent evolution
(B) Macroevolution
(C) Convergent evolution
(D) Microevolution

Open solution

Q134. AIPMT 2001

Reason of diversity in living being : -

(A) Mutation
(B) Short term evolutionary change
(C) Long term evolutionary change
(D) Gradual change

Open solution

Q135. AIPMT 2001

Which of the following is closest relative of man ?

(A) Gorilla
(B) Chimpanzee
(C) Gibbon
(D) Orangutan

Open solution

Q136. AIPMT 2001

Which of the following is correct order of the evolutionary history of man ?

(A) Peking man, Hedalberg man, Neanderthal man, Cromagnon man
(B) Peking man, Neanderthal man, Homosapiens Cromagnon man
(C) Peking man, Neanderthal man, Homosapiens Hedalberg man
(D) Peking man, Homo sapiens, Neanderthel man, Cromagnon man

Open solution

Q137. AIPMT 2001

First life on earth was : -

(A) Autotrophs
(B) Photoautotrophs
(C) Cyanobacteria
(D) Chemohetrotrophs

Open solution

Q138. AIPMT 2001

Forthcoming generations are less adaptive than their parental generation due to

(A) Genetic drift
(B) Natural selection
(C) Mutation
(D) Adaptation

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q139. AIPMT 2001

Occurrence of endemic species in South America and Australia is due to

(A) These is no terrestrial route to these places

(B) Retrogressive evolution

(C) These species has been extinct from other regions

(D) Continental separation

Open solution

Q140. AIPMT 2001

Darwins theory of pangenesis shows similarity with theory of inheritance of acquired characters then what shall be correct according to it

(A) There should be some physical basis of inheritance

(B) Size of organs increase with aging

(C) Useful organs become strong and developed while useless organs become extinct. These organs help in struggle for survival

(D) Development of organs is due to will power

Open solution

Q141. AIPMT 2001

Frequency of an allele in an isolated population may change due to

(A) genetic drift

(B) gene flow

(C) mutation

(D) natural selection

Open solution

Q142. AIPMT 2000

Which is not a vestigial organ in man ?

(A) Segmental muscles of abdomen

(B) Third molar

(C) Coccyx

(D) Nails

Open solution

Q143. AIPMT 2000

Homo sapiens have evolved in

(A) Pleistocene

(B) Paleocene

(C) Oligocene

(D) Holocene

Open solution

Q144. AIPMT 2000

Character which is closely related to human evolution

(A) Reduction in size of jaws

(B) Disappearance of tail

(C) Flat nails

(D) Binocular vision

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q145. AIPMT 2000

Which evidence of evolution related to Darwin's finches ?

(A) Evidences from comparative anatomy

(B) Evidences from embryology

(C) Evidences from biogeographical distribution

(D) Evidences from palaeontological

Open solution

Q146. AIPMT 2000

Who is directly related to man ?

(A) Gorilla (B) Orangutan (C) Gibbon (D) Rhesus

Open solution

Q147. AIPMT 2000

Which is the most important factor for continuity of a species from evolutionary point of view ?

(A) Formation of gametes (B) Synthesis of proteins

(C) Replication of genetic material (D) None of these

Open solution

Q148. AIPMT 1999

Phenomenon of 'Industrial melanism' demonstrates :

(A) reproductive isolation (B) induced mutation

(C) natural selection (D) geographical isolation

Open solution

Q149. AIPMT 1999

Which of the following are homologous organs?

(A) Nails of human being and claws in animals

(B) Wings of bird and wings of insect

(C) Wings of bird and hand of human

(D) Wings of bat and wings of cockroach

Open solution

Q150. AIPMT 1998

In the developmental history of mammalian heart, it is observed that it passes through a two-chambered fish-like heart, three chambered frog-like heart and finally four-chambered stage. To which hypothesis can this above cited statement be approximated?

(A) Biogenetic law (B) Hardy-Weinberg law

(C) Lamarck's principle (D) Mendelian principles

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q151. AIPMT 1998

The age of the fossil of *Dryopithecus* on the geological time scale is

(A) 75×10^6 years back
(B) 25×10^6 years back
(C) 2.5×10^6 years back
(D) 50×10^6 years back

Open solution

Q152. AIPMT 1998

The diversity in the type of beaks of finches adapted to different feeding habits on the Galapagos islands, as observed by Darwin, provides evidence for

(A) origin of species by natural selection
(B) intraspecific variations
(C) intraspecific competition
(D) interspecific competition

Open solution

Q153. AIPMT 1998

Genetic drift operates only in

(A) island populations
(B) smaller populations
(C) larger populations
(D) Mendelian populations

Open solution

Q154. AIPMT 1998

Which one of the following statements is correct?

(A) *Homo erectus* is the ancestor of man
(B) Cro-magnon man's fossil has been found in Ethiopia
(C) *Australopithecus* is the real ancestor of modern man
(D) Neanderthal man is the direct ancestor of *Homo sapiens*

Open solution

Q155. AIPMT 1997

Which of the following statements is correct regarding evolution of mankind?

(A) *Homo erectus* is preceded by *Homo habilis*.
(B) Neanderthal man and cro-magnon man were living at the same time.
(C) *Australopithecus* was living in Australia.
(D) None of these

Open solution

Q156. AIPMT 1997

Common origin of man and chimpanzee is best shown by

(A) binocular vision
(B) chromosome number
(C) dental formula
(D) cranial capacity

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q157. AIPMT 1997

Which of the following is a living fossil?

(A) *Mirabilis jalapa* (B) *Ginkgo biloba* (C) *Pinus longifolia* (D) *Dalbergia sissoo*

Open solution

Q158. AIPMT 1997

Evolutionary convergence is characterized by

(A) development of dissimilar characteristics in closely related groups

(B) development of a common set of characteristics in groups of different ancestry

(C) development of characteristics by random mating

(D) replacement of common characteristics in different groups

Open solution

Q159. AIPMT 1996

Which of the following changes for man in the course of evolution is probably useless?

(A) Development of being erect (B) Development of cranial capacity

(C) Loss of tail (D) Development of opposable thumb

Open solution

Q160. AIPMT 1996

Which of the following is the direct ancestor of *Homo sapiens*?

(A) *Australopithecus* (B) *H. sapiens neanderthals*

(C) *Homo erectus* (D) *Homo sapiens fossilis*

Open solution

Q161. AIPMT 1996

Which of the following is the correct group of vestigial organs in man?

(A) Nictitating membrane, ear muscles, eyelids and coccyx

(B) Appendix, coccyx, ear muscles and elbow joint

(C) Wisdom tooth, coccyx, body hair and ear muscles

(D) Wisdom tooth, body hairs, nictitating membrane and vermiform appendix

Open solution

Q162. AIPMT 1996

Which of the following is an example of 'living fossils'?

(A) *Pinus* (B) *Riccia* (C) *Gnetum* (D) *Ginkgo*

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q163. AIPMT 1996

The correct sequence for the manufacture of molecules/organic compounds on the primitive earth is

(A) NH_3, nucleic acid, protein and carbohydrate

(B) protein, carbohydrate, water and nucleic acid

(C) NH_3, protein, carbohydrate and nucleic acid

(D) NH_3, water, nucleic acid and protein

Open solution

Q164. AIPMT 1996

The first domesticated animal by primitive man was

(A) cat (B) cow (C) dog (D) horse

Open solution

Q165. AIPMT 1995

The change of the lighter-coloured variety of peppered moth (*Biston betularia*) to its darker variety (*Biston carbonaria*) is due to

(A) mutation (B) regeneration

(C) genetic isolation (D) temporal isolation

Open solution

Q166. AIPMT 1995

The homologous organs are those that show similarity in

(A) appearance (B) function (C) origin (D) size

Open solution

Q167. AIPMT 1995

Which period is dubbed as the age of prokaryotic microbes?

(A) Precambrian (B) Phanerozoic (C) Archean (D) Proterozoic

Open solution

Q168. AIPMT 1995

The presence of gill slits, in the embryos of all vertebrates, supports the theory of

(A) metamorphosis (B) biogenesis

(C) organic evolution (D) recapitulation

Open solution

Q169. AIPMT 1995

Two zoogeographical regions, separated by high mountain ranges, are

(A) Nearctic and Palaearctic (B) Neotropical and Ethiopian

(C) Oriental and Australian (D) Palaearctic and Oriental

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q170. AIPMT 1994

Which one of the following changes involved is irrelevant, in the evolution of man?

(A) Perfection of hand for tool making

(B) Change of diet from hard nuts and hard roots to soft food

(C) Loss of tail

(D) Increase in the ability to communicate with others and develop community behaviour

Open solution

Q171. AIPMT 1994

Which of the following evidences does not favour the Lamarckian concept of inheritance of acquired characters?

(A) Lack of pigment in cave-dwelling animals

(B) Melanization in peppered moth

(C) Absence of limbs in snakes

(D) Presence of webbed toes in aquatic birds

Open solution

Q172. AIPMT 1994

The earliest fossil form, in the phylogeny of horse, is

(A) *Equus*

(B) *Mesohippus*

(C) *Eohippus*

(D) *Merychippus*

Open solution

Q173. AIPMT 1994

Which of the following is a pair of homologous organs?

(A) Pectoral fin of rohu and forelimb of horse

(B) Wings of grasshopper and wings of crow

(C) Lungs of rabbit and gills of rohu

(D) Wings of bat and wings of butterfly

Open solution

Q174. AIPMT 1993

Evolutionary convergence is development of

(A) common set of characters in group of different ancestry

(B) dissimilar characters in closely related groups

(C) common set of characters in closely related groups

(D) random mating

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q175. AIPMT 1993

Weismann cut off tails of mice generation after generation but tails neither disappeared nor shortened showing that

(A) Darwin was correct

(B) tail is an essential organ

(C) mutation theory is wrong

(D) lamarckism was wrong in inheritance of acquired characters

Open solution

Q176. AIPMT 1993

Theory of Natural Selection dwells on

(A) role of environment in evolution

(B) natural selection acting on favourable variations

(C) changes in gene complex resulting in heritable variations

(D) none of the above

Open solution

Q177. AIPMT 1993

Genetic drift is change of

(A) gene frequency in same generation

(B) appearance of recessive genes

(C) gene frequency from one generation to next

(D) none of the above

Open solution

Q178. AIPMT 1992

The first organisms were

(A) chemoautotrophs

(B) chemoheterotrophs

(C) autotrophs

(D) eukaryotes

Open solution

Q179. AIPMT 1991

Which was absent in the atmosphere at the time of origin of life?

(A) NH_3 (B) H_2 (C) O_2 (D) CH_4

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q180. AIPMT 1991

Correct order is

(A) Palaeozoic → archaeozoic → coenozoic

(B) Archaeozoic → palaeozoic → proterozoic

(C) Palaeozoic → mesozoic → coenozoic

(D) Mesozoic → archaeozoic → proterozoic

Open solution

Q181. AIPMT 1991

Study of fossils is

(A) palaeontology (B) herpetology

(C) saurology (D) organic evolution

Open solution

Q182. AIPMT 1990

Parallelism is

(A) adaptive divergence

(B) adaptive divergence of widely separated species

(C) adaptive convergence of widely different species

(D) adaptive convergence of closely related groups

Open solution

Q183. AIPMT 1990

Basic principles of embryonic development were pronounced by

(A) von Baer (B) Weismann (C) Haeckel (D) Morgan

Open solution

Q184. AIPMT 1989

Evolution is

(A) progressive development of a race

(B) history and development of race along with variations

(C) history of race

(D) development of race

Open solution

Q185. AIPMT 1989

"Continuity of germplasm" theory was given by

(A) De Vries (B) Weismann (C) Darwin (D) Lamarck

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q186. AIPMT 1989

Theory of inheritance of acquired characters was given by

(A) Wallace (B) Lamarck (C) Darwin (D) De Vries

Open solution

Q187. AIPMT 1989

'Origin of Species' was written by

(A) Oparin (B) Weismann (C) Lamarck (D) Darwin

Open solution

Q188. AIPMT 1988

Humming birds and Hawk illustrate

(A) convergent evolution (B) homology

(C) adaptive radiation (D) parallel evolution

Open solution

MCQ (More than One Correct Answer) 1 questions

Q189. AIPMT 2014

Which one of the following are analogous structures?

(A) Flippers of Dolphin and Legs of Horse

(B) Thorns of Bougainvillea and Tendrils of Cucurbita

(C) Wings of Bat and Wings of Pigeon

(D) Gills of Prawn and Lungs of Man

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Answer Key

MCQ (Single Correct Answer)

1. **C**	2. **A**	3. **D**	4. **B**	5. **B**
6. **C**	7. **C**	8. **D**	9. **A**	10. **C**
11. **B**	12. **D**	13. **A**	14. **A**	15. **B**
16. **C**	17. **D**	18. **D**	19. **D**	20. **B**
21. **A**	22. **A**	23. **D**	24. **B**	25. **D**
26. **A**	27. **B**	28. **B**	29. **D**	30. **A**
31. **B**	32. **C**	33. **B**	34. **D**	35. **A**
36. **A**	37. **D**	38. **A**	39. **A**	40. **D**
41. **A**	42. **D**	43. **A**	44. **D**	45. **B**
46. **D**	47. **C**	48. **C**	49. **A**	50. **C**
51. **B**	52. **B**	53. **D**	54. **B**	55. **B**
56. **C**	57. **D**	58. **C**	59. **B**	60. **A**
61. **C**	62. **D**	63. **B**	64. **D**	65. **A**
66. **A**	67. **A**	68. **B**	69. **B**	70. **D**
71. **B**	72. **B**	73. **A**	74. **D**	75. **B**
76. **A**	77. **D**	78. **D**	79. **A**	80. **B**
81. **D**	82. **B**	83. **B**	84. **C**	85. **C**
86. **B**	87. **B**	88. **C**	89. **A**	90. **D**
91. **D**	92. **A**	93. **B**	94. **B**	95. **B**
96. **D**	97. **C**	98. **B**	99. **A**	100. **A**
101. **B**	102. **C**	103. **A**	104. **D**	105. **A**
106. **B**	107. **A**	108. **B**	109. **A**	110. **B**
111. **A**	112. **C**	113. **B**	114. **B**	115. **D**
116. **B**	117. **C**	118. **C**	119. **A**	120. **A**
121. **D**	122. **D**	123. **A**	124. **B**	125. **C**
126. **B**	127. **D**	128. **B**	129. **B**	130. **C**
131. **B**	132. **A**	133. **C**	134. **C**	135. **B**
136. **A**	137. **D**	138. **C**	139. **D**	140. **A**
141. **A**	142. **D**	143. **A**	144. **B**	145. **C**
146. **A**	147. **C**	148. **C**	149. **C**	150. **A**

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

151. **B**	152. **A**	153. **B**	154. **A**	155. **A**
156. **B**	157. **B**	158. **B**	159. **C**	160. **D**
161. **D**	162. **D**	163. **D**	164. **C**	165. **A**
166. **C**	167. **A**	168. **D**	169. **D**	170. **B**
171. **B**	172. **C**	173. **A**	174. **A**	175. **D**
176. **B**	177. **C**	178. **B**	179. **C**	180. **C**
181. **A**	182. **D**	183. **A**	184. **B**	185. **B**
186. **B**	187. **D**	188. **C**		

MCQ (More than One Correct Answer)

189. **C, D**

For numerical answers given as a range, any value within the range is correct. Full solutions: scan the QR code next to each question, or visit questions.examside.com.

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

ExamGOAL
PYQ PDF

Your Exam. Our Responsibility.

From first chapter to exam day.

Practise with the questions your exam has already asked, then test yourself under real exam conditions.

PAST YEAR QUESTIONS

Every past paper, chapter-wise.

Previous year questions sorted the way you study, each with a full solution.

- Chapter-wise and year-wise
- Weightage and topic tags on every chapter
- Your progress on each one, at a glance

MOCK TESTS

Mock tests with a real exam feel.

Practise under the same pressure as the real paper, on your phone or on the big screen.

- Timed sections, just like exam day
- Mark questions for review and come back

ANALYSIS

Know your score. Know your rank.

A full report after every test, so you know exactly where you stand.

- Your percentile among everyone who took it
- Predicted real-exam percentile and All India Rank
- Subject breakdown and time analysis

PRACTICE

Solve. Check. Understand.

Learn from every question, not just the ones you get right.

- Instant answers as you practise
- Step-by-step explanations
- See how everyone else answered

NCERT Exemplar
With full solutions

Exam syllabus
Subject and chapter-wise

Bookmarks
Organised in groups

Your notes
On any question

ExamGOAL
LEARNING APP

ExamGOAL: Exam Preparation App

One app for every exam. Free trial for new users, on Android and the web.

GET IT ON Google Play

Scan to get the app

www.examgoal.com
Practice and mock tests

questions.examside.com
Free solutions

pdf.questions.examgoal.com
Free PYQ PDFs