ExamGOAL
PYQ PDF

Free · With answer key

NEET · BIOLOGY · CHAPTER-WISE PYQS

Excretory Products and Their Elimination

NEET Biology · Previous Year Questions with Answer Key

72	43	1988 – 2026	English
QUESTIONS	PAPERS COVERED	YEARS	LANGUAGE

INSIDE THIS PDF

MCQ (Single Correct Answer)	72 questions
Answer key	at the end

Practise online

Every question with its full solution, free on **questions.examside.com**

1 **Solve**
Print it, or work through it on screen.

2 **Check**
The answer key is on the last pages.

3 **Understand**
Scan the QR code beside any question for its full solution.

MCQ (Single Correct Answer) 72 questions

Q1. RE-NEET 2026

Which of the following statements about the reabsorption process in Henle's loop are correct?

(a) The descending limb of Henle's loop is permeable to water but almost impermeable to electrolytes.

(b) Urine gets concentrated in Henle's loop.

(c) Reabsorption of Na^+ and water takes place in Henle's loop.

(d) Active or passive transport of electrolytes occurs in the ascending limb of Henle's loop.

Choose the correct answer from the options given below:

(A) (a), (b) and (d) only

(B) (a) and (b) only

(C) (b), (c) and (d) only

(D) (a), (b) and (c) only

Open solution

Q2. NEET 2026

Arrange the following events occuring in Renin-Angiotensin mechanism in the correct order:

A. Increase in blood pressure and Glomerular filtration rate

B. Reabsorption of Na^+ and water from distal parts of tubule due to Aldosterone

C. Fall in Glomerular filtration rate

D. Vasoconstriction by Angiotensin II and release of Aldosterone.

E. Renin converts Angiotensinogen into Angiotensin I, followed by Angiotensin II.

Choose the correct answer from the options given below:

(A) A, C, E, B, D

(B) C, A, B, D, E

(C) A, D, B, E, C

(D) C, E, D, B, A

Open solution

Q3. NEET 2026

The JGA (Juxta Glomerular Apparatus) is a special sensitive region formed by cellular modifications in

____ related to the same nephron.

(A) Distal convoluted tubule and efferent renal arteriole

(B) Proximal convoluted tubule and efferent renal arteriole

(C) Proximal convoluted tubule and afferent renal arteriole

(D) Distal convoluted tubule and afferent renal arteriole

Open solution


Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q4. NEET 2025


Which of the following diagrams is correct with regard to the proximal (P) and distal (D) tubule of the Nephron.

Open solution


(A)




(B)



(C)



(D)



Q5. NEET 2024 (Re-Examination)

Diuresis is prevented by:

Open solution

(A) Renin from JG cell via switching off the osmoreceptors

(B) ANF from atria of the heart

(C) Aldosterone from adrenal medulla

(D) Vasopressin from Neurohypophysis

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q6. NEET 2024 (Re-Examination)

Open solution

Given below are two statements:

Statement I: Concentrated urine is formed due to counter current mechanism in nephron.

Statement II: Counter current mechanism helps to maintain osmotic gradient in the medullary interstitium.

In the light of the above statements, choose the most appropriate answer from the options given below.

(A) Statement I is correct but Statement II is incorrect.

(B) Statement I is incorrect but Statement II is correct.

(C) Both Statement I and Statement II are correct.

(D) Both Statement I and Statement II are incorrect.

Q7. NEET 2024

Open solution

Given below are two statements :

Statement I : In the nephron, the descending limb of loop of Henle is impermeable to water and permeable to electrolytes.

Statement II : The proximal convoluted tubule is lined by simple columnar brush border epithelium and increases the surface area for reabsorption.

In the light of the above statements, choose the correct answer from the options given below :

(A) Both Statement I and Statement II are true

(B) Both Statement I and Statement II are false

(C) Statement I is true but Statement II is false

(D) Statement I is false but Statement II is true

Q8. NEET 2024

Open solution

Choose the correct statement given below regarding juxta medullary nephron.

(A) Juxta medullary nephrons are located in the columns of Bertini.

(B) Renal corpuscle of juxta medullary nephron lies in the outer portion of the renal medulla.

(C) Loop of Henle of juxta medullary nephron runs deep into medulla.

(D) Juxta medullary nephrons outnumber the cortical nephrons.

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q9. NEET 2023 Manipur

Open solution

Given below are two statements : one is labelled as Assertion (A) and the other is labelled as Reason (R)

Assertion (A) : Ascending limb of loop of Henle is impermeable to water and allows transport of electrolytes actively or passively.

Reason (R) : Dilution of filtrate takes place due to efflux of electrolytes in the medullary fluid.

In the light of the above statements, choose the correct answer from the options given below :

(A) (A) is true but (R) is false

(B) (A) is false but (R) is true

(C) Both (A) and (R) are true and (R) is the correct explanation of (A)

(D) Both (A) and (R) are true and (R) is not the correct explanation of (A)

Q10. NEET 2023 Manipur

Open solution

Arrange the events of Renin - Angiotensin mechanism in correct sequence.

(A) Activation of JG cells and release of renin.

(B) Angiotensin II activates release of aldosterone.

(C) Fall in glomerular blood pressure.

(D) Reabsorption of Na^+ and water from distal convoluted tubule.

(E) Angiotensinogen is converted to Angiotensin I and then to Angiotensin II.

Choose the correct answer from the options given below :

(A) (C), (A), (E), (B), (D)

(B) (A), (D), (E), (C), (B)

(C) (A), (D), (C), (B), (E)

(D) (B), (A), (E), (D), (C)

Q11. NEET 2023

Open solution

Given below are two statements: one is labelled as Assertion A and the other is labelled as Reason R.

Assertion A : Nephrons are of two types: Cortical & Juxta medullary, based on their relative position in cortex and medulla.

Reason R : Juxta medullary nephrons have short loop of Henle whereas, cortical nephrons have longer loop of Henle.

In the light of the above statements, choose the correct answer from the options given below :

(A) Both A and R are true but R is NOT the correct explanation of A.

(B) A is true but R is false.

(C) A is false but R is true.

(D) Both A and R are true and R is the correct explanation of A.

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q12. NEET 2023

Open solution

Match List I with List II.

	List I		List II
(A)	Taenia	(I)	Nephridia
(B)	Paramoecium	(II)	Contractile vacuole
(C)	Periplaneta	(III)	Flame cells
(D)	Pheretima	(IV)	Urecose gland

Choose the correct answer from the options given below :

(A) A-I, B-II, C-IV, D-III

(B) A-III, B-II, C-IV, D-I

(C) A-II, B-I, C-IV, D-III

(D) A-I, B-II, C-III, D-IV

Q13. NEET 2023

Open solution

Which of the following statements are correct?

A. An excessive loss of body fluid from the body switches off osmoreceptors.

B. ADH facilitates water reabsorption to prevent diuresis.

C. ANF causes vasodilation.

D. ADH causes increase in blood pressure.

E. ADH is responsible for decrease in GFR.

Choose the correct answer from the options given below:

(A) B, C and D only

(B) A, B and E only

(C) C, D and E only

(D) A and B only

Q14. NEET 2022 Phase 2

Open solution

Select the correct statements.

(a) Angiotensin II activates the cortex of adrenal gland to release aldosterone.

(b) Aldosterone leads to increase in blood pressure.

(c) ANF acts as a check on renin-angiotensin mechanism.

(d) ADH causes vasodilation.

(e) Vasopressin is released from adenohypophysis.

Choose the most appropriate answer from the options given below :

(A) (a), (b) and (c) only

(B) (a), (b) and (e) only

(C) (c), (d) and (e) only

(D) (b), (c) and (d) only

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q15. NEET 2022 Phase 1

Nitrogenous waste is excreted in the form of pellet or paste by :

(A) Ornithorhynchus (B) Salamandra (C) Hippocampus (D) Pavo

Open solution

Q16. NEET 2020 Phase 2

The increase in osmolarity from outer to inner medullary interstitium is maintained due to :

(i) Close proximity between Henle's loop and vasa recta

(ii) Counter current mechanism

(iii) Selective secretion of HCO_3^- and hydrogen ions in PCT

(iv) Higher blood pressure in glomerular capillaries

(A) (i) and (ii)

(B) Only (ii)

(C) (iii) and (iv)

(D) (i), (ii) and (iii)

Open solution

Q17. NEET 2020 Phase 2

Select the correct statement :

(A) Reduction in Glomerular Filtration Rate activates JG cells to release renin.

(B) Atrial Natriuretic Factor increases the blood pressure.

(C) Angiotensin II is a powerful vasodilator.

(D) Counter current pattern of blood flow is not observed in vasa recta.

Open solution

Q18. NEET 2020 Phase 1

Presence of which of the following conditions in urine are indicative of Diabetes Mellitus?

(A) Ketonuria and Glycosuria

(B) Uremia and Renal Calculi

(C) Uremia and Ketonuria

(D) Renal calculi and Hyperglycaemia

Open solution

Q19. NEET 2020 Phase 1

Which of the following would help in prevention of diuresis?

(A) Decrease in secretion of renin by JG cells

(B) More water reabsorption due to undersecretion of ADH

(C) Reabsorption of Na^+ and water from renal tubules due to aldosterone

(D) Atrial natriuretic factor causes vasoconstriction

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q20. NEET 2019 (Odisha)

Open solution

Match the following parts of a nephron with their function:

(a) Descending limb of Henle's loop	(i) Reabsorption of salts only
(b) Proximal convoluted tubule	(ii) Reabsorption of water only
(c) Ascending limb of Henle's loop	(iii) Conditional reabsorption of sodium ions and water
(d) Distal convoluted tubule	(iv) Reabsorption of ions, water and organic nutrients

Select the correct option from the following:

(A) (a)-(iv), (b)-(i), (c)-(iii), (d)-(ii)
(B) (a)-(i), (b)-(iii), (c)-(ii), (d)-(iv)
(C) (a)-(ii), (b)-(iv), (c)-(i), (d)-(iii)
(D) (a)-(i), (b)-(iv), (c)-(ii), (d)-(iii)

Q21. NEET 2019 (Odisha)

Open solution

Match the items in Column-I with those in Column-II

Column-I	Column-II
(a) Podocytes	(i) Crystallised oxalates
(b) Protonephridia	(ii) Annelids
(c) Nephridia	(iii) Amphioxus
(d) Renal calculi	(iv) Filtration slits

Select the correct option from the following:

(A) (a)-(iv), (b)-(ii), (c)-(iii), (d)-(i)
(B) (a)-(iii), (b)-(iv), (c)-(ii), (d)-(i)
(C) (a)-(iii), (b)-(ii), (c)-(iv), (d)-(i)
(D) (a)-(iv), (b)-(iii), (c)-(ii), (d)-(i)

Q22. NEET 2019

Open solution

Which of the following factors is responsible for the formation of concentrated urine?

(A) Secretion of erythropoietin by Juxtaglomerular complex.
(B) Hydrostatic pressure during glomerular filtration.
(C) Low levels of antidiuretic hormone.
(D) Maintaining hyperosmolarity towards inner medullary interstitium in the kidneys

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q23. NEET 2019

Open solution

Use of an artificial kidney during hemodialysis may result in :

(a) Nitrogenous waste build-up in the body
(b) Non –elimination of excess potassium ions
(c) Reduced absorption of calcium ions from gastro-intestinal tract
(d) Reduced RBC production

Which of the following options is the most **appropriate**?

(A) (c) and (d) are correct
(B) (a) and (d) are correct
(C) (a) and (b) are correct
(D) (b) and (c) are correct

Q24. NEET 2018

Open solution

Match the items given in column I with those in column II and select the correct option given below.

Column I	Column II
A. Glycosuria	(i) Accumulation of uric acid in joints
B. Gout	(ii) Mass of crystallised salts within the kidney
C. Renal calculi	(iii) Inflammation in glomeruli
D. Glomerular nephritis	(iv) Presence of glucose in urine

(A) A → (iv), B → (i), C → (ii), D → (iii)
(B) A → (ii), B → (iii), C → (i), D → (iv)
(C) A → (iii), B → (ii), C → (iv), D → (i)
(D) A → (i), B → (ii), C → (iii), D → (iv)

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q25. NEET 2018

Match the items given in column I with those in column II and select the correct option given below.

Open solution

Column I (Function)	Column II (Part of excretory system)
A. Ultrafiltration	(i) Henle's loop
B. Concentration of urine	(ii) Ureter
C. Transport of urine	(iii) Urinary bladder
D. Storage of urine	(iv) Malpighian corpuscle
	(v) Proximal convoluted tubule

(A) A → (iv), B → (i), C → (ii), D → (iii)

(B) A → (iv), B → (v), C → (ii), D → (iii)

(C) A → (v), B → (iv), C → (i), D → (iii)

(D) A → (v), B → (iv), C → (i), D → (ii)

Q26. NEET 2017

A decrease in blood pressure/volume will not cause the release of

Open solution

(A) atrial natriuretic factor

(B) aldosterone

(C) ADH

(D) renin

Q27. NEET 2017

Which of the following statements is correct?

Open solution

(A) The descending limb of loop of Henle is impermeable to water

(B) The ascending limb of loop of Henle is permeable to water.

(C) The descending limb of loop of Henle is permeable to electrolytes.

(D) The ascending limb of loop of Henle is impermeable to water.

Q28. NEET 2016 Phase 2

The part of nephron involved in active reabsorption of sodium is

Open solution

(A) distal convoluted tubule

(B) proximal convoluted tubule

(C) Bowman's capsule

(D) descending limb of Henle's loop

Q29. NEET 2016 Phase 1

In mammals, which blood vessel would normally carry largest amount of urea?

Open solution

(A) Hepatic Vein

(B) Hepatic Portal Vein

(C) Renal Vein

(D) Dorsal Aorta

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q30. AIPMT 2015

Human urine is usually acidic because

(A) potassium and sodium exchange generates acidity

(B) hydrogen ions are actively secreted into the filtrate

(C) the sodium transporter exchanges one hydrogen ion for each sodium ion, in peritubular capillaries.

(D) excreted plasma proteins are acidic

Open solution

Q31. AIPMT 2015 Cancelled Paper

Which of the following does not favour the formation of large quantities of dilute urine?

(A) Renin

(B) Atrial natriuretic factor

(C) Alcohol

(D) Caffeine

Open solution

Q32. AIPMT 2015 Cancelled Paper

Removal of proximal convoluated tubule from the nephron will result in

(A) no change in quality and quantity of urine

(B) no urine formation

(C) more diluted urine

(D) more concentrated urine.

Open solution

Q33. AIPMT 2014

Which of the following causes an increase in sodium reabsorption in the distal convoluted tubule?

(A) increase in aldosterone levels

(B) Increase in antidiuretic hormone levels

(C) Decrease in aldosterone levels

(D) Decrease in antidiuretic hormone levels

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q34. NEET 2013 (Karnataka)

Select the option which shows correct matching of animal with its excretory organ and excretory product.

Open solution

(A)

Animal	Excretory organ	Excretory product
Labeo (Rohu)	Nephridial tubes	Ammonia

(B)

Animal	Excretory organ	Excretory product
Salamander	Kidneys	Urea

(C)

Animal	Excretory organ	Excretory product
Peacock	Kidneys	Urea


(D)

Animal	Excretory organ	Excretory product
Housefly	Renal tubules	Uric acid

Q35. NEET 2013

Figure shows human urinary system with structures labelled A to D. Select option which correctly identifies them and gives their characteristic and/or functions.

Open solution



(A) A - Adrenal gland - located at the anterior part of kidney. Secrete catecholamines which stimulate glycogen breakdown.

(B) C - Medulla - inner zone of kidney and contains complete nephrons.

(C) B - Pelvis - broad funnel shaped space inner to hilum, directly connected to loops of Henle.

(D) D - Cortex - outer part of kidney and do not contain any part of nephrons.

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q36. AIPMT 2012 Mains

Open solution

Which one of the following options gives the correct categorization of six animals according to the type of nitrogenous waste they give out?

(A)

Ammonotelic	Ureotelic	Uricotelic
Pigeon, Humans	Aquatic amphibia, lizards	Cockroach, frog

(B)

Ammonotelic	Ureotelic	Uricotelic
Frog, lizards	Aquatic amphibia, humans	Cockroach, pigeon

(C)

Ammonotelic	Ureotelic	Uricotelic
Aquatic amphibia	Frog, humans	Pigeon, lizards, Cockroach

(D)

Ammonotelic	Ureotelic	Uricotelic
Aquatic amphibia	Cockroach, humans	Frog, pigeon, lizards

Q37. AIPMT 2012 Mains

Open solution

A fall in glomerular filtration rate (GFR) activates

(A) juxtaglomerular cells to release renin

(B) adrenal cortex to release aldosterone

(C) adrenal medulla to release adrenaline

(D) posterior pituitary to release vasopressin.

Q38. AIPMT 2012 Mains

Open solution

Which one of the following characteristics is common both in humans and adult frogs?

(A) Four chambered heart

(B) Internal fertilization

(C) Nucleated RBCs

(D) Ureotelic mode of excretion

Q39. AIPMT 2012 Prelims

Open solution

The maximum amount of electrolytes and water (70 – 80 percent) from the glomerular filtrate is reabsorbed in which part of the nephron?

(A) Ascending limb of loop of Henle

(B) Distal convoluted tubule

(C) Proximal convoluted tubule

(D) Descending limb of loop of Henle

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q40. AIPMT 2011 Prelims

Which one of the following is not a part of a renal pyramid?

(A) Peritubular capillaries
(B) Convoluted tubules
(C) Collecting ducts
(D) Loop of Henle

Open solution

Q41. AIPMT 2011 Prelims

Which one of the following correctly explains the function of a specific part of the human nephron?

(A) Podocytes : create minute spaces (slit pores) for the filtration of blood into the Bowman's capsule
(B) Henle's loop : most reabsorption of the major substances from the glomerular filtrate
(C) Distal convoluted tubule : reabsorption of K^+ ions into the surrounding blood capillaries
(D) Afferent arteriole : carries the blood away from the glomerulus towards renal vein.

Open solution

Q42. AIPMT 2011 Prelims

Which one of the following statements is correct with respect to kidney function regulation?

(A) When someone drinks lot of water, ADH release is suppressed.
(B) Exposure to cold temperature stimulates ADH release.
(C) An increase in glomerular blood flow stimulates formation of angiotensin II.
(D) During summer when body loses lot of water by evaporation, the release of ADH is suppressed.

Open solution

Q43. AIPMT 2010 Prelims

Which one of the following statements in regard to the excretion by the human kidneys is correct?

(A) Descending limb of loop of Henle is impermeable to water.
(B) Distal convoluted tubule is incapable of reabsorbing HCO_3^-
(C) Nearly 99 per cent of the glomerular filtrate is reabsorbed by the renal tubules.
(D) Ascending limb of loop of Henle is impermeable to electrolytes.

Open solution

Q44. AIPMT 2010 Prelims

The principal nitrogenous excretory compound in humans is synthesised

(A) in kidneys but eliminated mostly through liver
(B) in kidneys as well as eliminated by kidneys
(C) in liver and also eliminated by the same through bile
(D) in the liver, but eliminated mostly through kidneys.

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q45. AIPMT 2009

What will happen if the stretch receptors of the urinary bladder wall are totally removed?

(A) Micturition will continue

(B) Urine will continue to collect normally in the bladder

(C) There will be no micturition

(D) Urine will not collect in the bladder

Open solution

Q46. AIPMT 2009

Uric acid is the chief nitrogenous component of the excretory products of

(A) earthworm (B) cockroach (C) frog (D) man.

Open solution

Q47. AIPMT 2007

A person who is on a long hunger strike and is surviving only on water, will have

(A) less amino acids in his urine (B) more glucose in his blood

(C) less urea in his urine (D) more sodium in his urine.

Open solution

Q48. AIPMT 2006

Angiotensinogen is a protein produced and secreted by

(A) juxtaglomerular (JG) cells

(B) macula densa cells

(C) endothelial cells (cells lining the blood vessels)

(D) liver cells.

Open solution

Q49. AIPMT 2005

In ornithine cycle, which of the following wastes are removed from the blood?

(A) CO_2 and urea (B) Ammonia and urea

(C) CO_2 and ammonia (D) Urea and urine

Open solution

Q50. AIPMT 2005

The net pressure gradient that causes the fluid to filter out of the glomeruli into the capsule is

(A) 50 mm Hg (B) 75 mm Hg (C) 20 mm Hg (D) 30 mm Hg

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q51. AIPMT 2005

A person is undergoing prolonged fasting. His urine will be found to contain abnormal quantities of

(A) fats (B) amino acids (C) glucose (D) ketones.

Open solution

Q52. AIPMT 2004

A terrestrial animal must be able to

(A) excrete large amounts of water in urine
(B) conserve water
(C) actively pump salts out through the skin
(D) excrete large amounts of salts in urine

Open solution

Q53. AIPMT 2003

If Henle's loop were absent from mammalian nephron, which one of the following is to be expected?

(A) There will be no urine formation.
(B) There will be hardly any change in the quality and quantity of urine formed.
(C) The urine will be more concentrated,
(D) The urine will be more dilute.

Open solution

Q54. AIPMT 2000

Conversion of ammonia to urea is done by

(A) ornithine cycle
(B) arginine cycle
(C) fumaric cycle
(D) citrulline cycle.

Open solution

Q55. AIPMT 2000

Concentration of urine depends upon which organ?

(A) Bowman's capsule
(B) Length of Henle's loop
(C) PCT
(D) Network of capillaries arising from glomerulus

Open solution

Q56. AIPMT 1999

Aquatic reptiles are

(A) ammonotelic
(B) ureotelic
(C) ureotelic in water
(D) ureotelic over land

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q57. AIPMT 1998

A condition of failure of kidney to form urine is called

(A) deamination (B) entropy (C) anuria (D) none of these

Open solution

Q58. AIPMT 1997

The basic functional unit of human kidney is

(A) nephridia (B) Henle's loop (C) nephron (D) pyramid

Open solution

Q59. AIPMT 1997

In ureotelic animals, urea is formed by

(A) Krebs' cycle (B) EM pathway (C) Ornithine cycle (D) Cori cycle

Open solution

Q60. AIPMT 1996

The nephridia in earthworm are analogous to

(A) nematoblasts of *Hydra* (B) flame cells of *Planaria*

(C) gills of prawn (D) trachea of insects

Open solution

Q61. AIPMT 1996

The ornithine cycle removes two waste products from the blood in liver. These products are

(A) CO_2 and ammonia (B) ammonia and uric acid

(C) CO_2 and urea (D) ammonia and urea

Open solution

Q62. AIPMT 1994

Two examples in which the nitrogenous wastes are excreted from body in the form of uric acid are

(A) birds and lizards (B) frogs and cartilaginous fish

(C) insects and bony fish (D) mammals and molluscs

Open solution

Q63. AIPMT 1994

Which one of the four parts mentioned below does not constitute a part of single uriniferous tubule?

(A) Distal convoluted tubule (B) Collecting duct

(C) Bowman's capsule (D) Loop of Henle

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q64. AIPMT 1994

If excess water passes out from the tissue without being restored by the kidneys, the cells would

(A) burst open and die
(B) take water from the plasma
(C) not be affected at all
(D) shrivel and die

Open solution

Q65. AIPMT 1993

Glucose is taken back from glomerular filtrate through

(A) active transport
(B) passive transport
(C) osmosis
(D) diffusion

Open solution

Q66. AIPMT 1991

Nitrogenous waste products are eliminated mainly as

(A) urea in tadpole and ammonia in adult frog
(B) ammonia in tadpole and urea in adult frog
(C) urea in both tadpole and adult frog
(D) urea in tadpole and uric acid in adult frog

Open solution

Q67. AIPMT 1991

Under normal conditions which one is completely reabsorbed in the renal tubule?

(A) Urea
(B) Uric acid
(C) Salts
(D) Glucose

Open solution

Q68. AIPMT 1990

Malpighian tubules are

(A) excretory organs of insects
(B) excretory organs of annelids
(C) respiratory organs of insects
(D) respiratory organs of annelids

Open solution

Q69. AIPMT 1990

Proximal and distal convoluted tubules are parts of

(A) seminiferous tubules
(B) nephron
(C) oviduct
(D) vas deferens

Open solution

Q70. AIPMT 1990

Brush border is characteristic of

(A) neck of nephron
(B) collecting tube
(C) proximal convoluted tubule
(D) all of the above

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q71. AIPMT 1989

Reabsorption of useful substances from glomerular filtrate occurs in

(A) collecting tube
(B) loop of Henle
(C) proximal convoluted tubule
(D) distal convoluted tubule

Open solution

Q72. AIPMT 1988

Presence of RBC in urine is

(A) alkaptonuria
(B) urothiasis
(C) hematuria
(D) proteinuria

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Answer Key

1. **A**	2. **D**	3. **D**	4. **D**	5. **D**
6. **C**	7. **B**	8. **C**	9. **C**	10. **A**
11. **B**	12. **B**	13. **A**	14. **A**	15. **D**
16. **A**	17. **A**	18. **A**	19. **C**	20. **C**
21. **D**	22. **D**	23. **A**	24. **A**	25. **A**
26. **A**	27. **D**	28. **B**	29. **A**	30. **B**
31. **A**	32. **C**	33. **A**	34. **B**	35. **A**
36. **C**	37. **A**	38. **D**	39. **C**	40. **B**
41. **A**	42. **A**	43. **C**	44. **D**	45. **C**
46. **B**	47. **C**	48. **D**	49. **C**	50. **C**
51. **D**	52. **B**	53. **D**	54. **A**	55. **B**
56. **B**	57. **C**	58. **C**	59. **C**	60. **B**
61. **A**	62. **A**	63. **B**	64. **D**	65. **A**
66. **B**	67. **D**	68. **A**	69. **B**	70. **C**
71. **C**	72. **C**			

For numerical answers given as a range, any value within the range is correct. Full solutions: scan the QR code next to each question, or visit questions.examside.com.

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

ExamGOAL
PYQ PDF

Your Exam. Our Responsibility.

From first chapter to exam day.

Practise with the questions your exam has already asked, then test yourself under real exam conditions.

PAST YEAR QUESTIONS

Every past paper, chapter-wise.

Previous year questions sorted the way you study, each with a full solution.

- Chapter-wise and year-wise
- Weightage and topic tags on every chapter
- Your progress on each one, at a glance

MOCK TESTS

Mock tests with a real exam feel.

Practise under the same pressure as the real paper, on your phone or on the big screen.

- Timed sections, just like exam day
- Mark questions for review and come back

ANALYSIS

Know your score. Know your rank.

A full report after every test, so you know exactly where you stand.

- Your percentile among everyone who took it
- Predicted real-exam percentile and All India Rank
- Subject breakdown and time analysis

PRACTICE

Solve. Check. Understand.

Learn from every question, not just the ones you get right.

- Instant answers as you practise
- Step-by-step explanations
- See how everyone else answered

NCERT Exemplar
With full solutions

Exam syllabus
Subject and chapter-wise

Bookmarks
Organised in groups

Your notes
On any question

ExamGOAL
LEARNING APP

ExamGOAL: Exam Preparation App

One app for every exam. Free trial for new users, on Android and the web.

GET IT ON Google Play

Scan to get the app

www.examgoal.com
Practice and mock tests

questions.examside.com
Free solutions

pdf.questions.examgoal.com
Free PYQ PDFs