ExamGOAL
PYQ PDF

Free · With answer key

NEET · BIOLOGY · CHAPTER-WISE PYQS

Human Reproduction

NEET Biology · Previous Year Questions with Answer Key

149	49	1989 – 2026	1	English
QUESTIONS	PAPERS COVERED	YEARS	OUT OF SYLLABUS	LANGUAGE

INSIDE THIS PDF

MCQ (Single Correct Answer)	148 questions
Out of syllabus	1 question
Answer key	at the end

Practise online

Every question with its full solution, free on **questions.examside.com**

1 **Solve**
Print it, or work through it on screen.

2 **Check**
The answer key is on the last pages.

3 **Understand**
Scan the QR code beside any question for its full solution.

MCQ (Single Correct Answer) 148 questions

Q1. RE-NEET 2026

The covering of ovum at ovulation is ____ .

(A) chorion (B) endometrium (C) zona radiata (D) zona pellucida

Open solution

Q2. RE-NEET 2026

Which of the following structure is not a part of the male reproductive system?

(A) Infundibulum (B) Rete testis (C) Epididymis (D) Vasa efferentia

Open solution

Q3. RE-NEET 2026

Given below are two statements:

Statement I : Ovulation is caused by LH surge leading to rupture of Graafian follicles.

Statement II: Graafian follicle remaining after ovulation transform into corpus luteum and secretes large amount of estrogen.

In the light of the above statements, choose the most appropriate answer from the options given below:

(A) Statement I is incorrect but Statement II is correct

(B) Both Statement I and Statement II are correct

(C) Both Statement I and Statement II are incorrect

(D) Statement I is correct but Statement II is incorrect

Open solution

Q4. RE-NEET 2026

Sperm motility is due to ____ .

(A) muscular movement (B) flagellar movement

(C) ciliary movement (D) amoeboid movement

Open solution

Q5. RE-NEET 2026

Which of the following hormone is not secreted by human placenta?

(A) LH (B) hCG (C) Estrogen (D) Progesterone

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q6. NEET 2026

Open solution

Spermatogonia undergo a series of cell divisions statements to produce sperms. Select the correct from the following :

A. Spermatogonia always undergo meiotic cell division.

B. Primary spermatocytes divide mitotically to produce secondary spermatocytes.

C. Secondary spermatocytes, through their second meiotic division, produce haploid spermatids.

D. Spermatids produce spermatozoa through mitosis.

E. Spermatids transform into spermatozoa by spermiogenesis.

Choose the correct answer from the options given below:

(A) A and E only **(B)** C and E only **(C)** A, C and E only **(D)** B, C and D only

Q7. NEET 2026

Open solution

Match List I with List II related to embryonic development at various months of pregnancy:

List I		List II	
A.	The foetus movement starts and hair appears on the head	I.	24 weeks of pregnancy
B.	The foetus develops limbs and digits	II.	20 weeks of pregnancy
C.	The foetus develops external genital organs	III.	8 weeks of pregnancy
D.	The foetus body is covered with fine hair; eyelids separate and eyelashes are formed	IV.	12 weeks of pregnancy

Choose the correct answer from the options given below:

(A) A-IV, B-II, C-III, D-I **(B)** A-II, B-III, C-IV, D-I

(C) A-III, B-II, C-IV, D-I **(D)** A-II, B-IV, C-III, D-I

Q8. NEET 2026

Open solution

Arrange the following cell layers/structures around the female gamete, from outer to inner side :

A. Zona pellucida

B. Perivitelline space

C. Corona radiata

D. Plasma membrane of ovum

Choose the correct answer from the options given below :

(A) D, B, A, C **(B)** $\mathrm{C}, \mathrm{A}, \mathrm{D}, \mathrm{B}$

(C) $\mathrm{C}, \mathrm{A}, \mathrm{B}, \mathrm{D}$ **(D)** $\mathrm{A}, \mathrm{C}, \mathrm{B}, \mathrm{D}$

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q9. NEET 2025

The first menstruation is called :

(A) Diapause **(B)** Ovulation **(C)** Menopause **(D)** Menarche

Open solution

Q10. NEET 2025

Find the correct statement :

(A) In human pregnancy, the major organ systems are formed at the end of 12 weeks.

(B) In human pregnancy the major organ systems are formed at the end of 8 weeks.

(C) In human pregnancy heart is formed after one month of gestation.

(D) In human pregnancy, limbs and digits develop by the end of second month.

(E) In human pregnancy the appearance of hair is usually observed in the fifth month.

Choose the correct answer from the options given below :

(A) B, C, D and E only **(B)** A, C, D and E only

(C) A and E only **(D)** B and C only

Open solution

Q11. NEET 2025

Match List-I with List-II.

	List - I		List - II
A	Head	I	Enzymes
B	Middle piece	II	Sperm motility
C	Acrosome	III	Energy
D	Tail	IV	Genetic material

Choose the correct answer from the options given below :

(A) A-III, B-IV, C-II, D-I **(B)** A-III, B-II, C-I, D-IV

(C) A-IV, B-III, C-I, D-II **(D)** A-IV, B-III, C-II, D-I

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q12. NEET 2025

Open solution

Consider the following :

A. The reductive division for the human female gametogenesis starts earlier than that of the male gametogenesis.

B. The gap between the first meiotic division and the second meiotic division is much shorter for males compared to females.

C. The first polar body is associated with the formation of the primary oocyte.

D. Luteinizing Hormone (LH) surge leads to disintegration of the endometrium and onset of menstrual bleeding.

Choose the correct answer from the options given below:

(A) B and D are true **(B)** B and C are true **(C)** A and B are true **(D)** A and C are true

Q13. NEET 2025

Open solution

Twins are born to a family that lives next door to you. The twins are a boy and a girl. Which of the following must be true?

(A) They were conceived through in vitro fertilization.

(B) They have 75% identical genetic content.

(C) They are monozygotic twins.

(D) They are fraternal twins.

Q14. NEET 2024 (Re-Examination)

Open solution

Given below are two statements: One is labelled as Assertion A and the other is labelled as Reason R.

Assertion A: During menstrual cycle, the ovulation takes place approximately on 14th day.

Reason R: Rapid secretion of LH in the middle of menstrual cycle induces rupture of Graafian follicle and thereby the release of ovum.

In the light of the above statements, choose the most appropriate answer from the options given below.

(A) A is correct but R is not correct.

(B) A is not correct but R is correct.

(C) Both A and R are correct and R is the correct explanation of A.

(D) Both A and R are correct but R is NOT the correct explanation of A.

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q15. NEET 2024 (Re-Examination)

Open solution

Arrange the following parts in human Mammary gland, traversing the route of milk ejection.

A. Mammary duct

B. Lactiferous duct

C. Mammary alveolus

D. Ampulla

E. Mammary tubule

Choose the correct answer from the options given below:

(A) $\mathrm{D} \rightarrow \mathrm{C} \rightarrow \mathrm{E} \rightarrow \mathrm{A} \rightarrow \mathrm{B}$

(B) $\mathrm{C} \rightarrow \mathrm{E} \rightarrow \mathrm{B} \rightarrow \mathrm{A} \rightarrow \mathrm{D}$

(C) $\mathrm{C} \rightarrow \mathrm{E} \rightarrow \mathrm{A} \rightarrow \mathrm{D} \rightarrow \mathrm{B}$

(D) $\mathrm{A} \rightarrow \mathrm{C} \rightarrow \mathrm{E} \rightarrow \mathrm{D} \rightarrow \mathrm{B}$

Q16. NEET 2024 (Re-Examination)

Open solution

Match List-I with List-II relating to human female external genitalia.

	List - I		List - II
(A)	Mons pubis	(I)	A fleshy fold of tissue surrounding the vaginal opening
(B)	Clitoris	(II)	Fatty cushion of cells covered by skin and hair
(C)	Hymen	(III)	Tiny finger-like structure above labia minora
(D)	Labina majora	(IV)	A thin membrane-like structure covering vaginal opening

Choose the correct answer from the option given below :

(A) A-II, B-III, C-IV, D-I

(B) A-IV, B-III, C-II, D-I

(C) A-I, B-IV, C-III, D-II

(D) A-II, B-III, C-I, D-IV

Q17. NEET 2024 (Re-Examination)

Open solution

Match List-I with List-II:

	List - I		List - II
(A)	Parturition	(I)	Several antibodies for new-born babies
(B)	Placenta	(II)	Collection of ovum after ovulation
(C)	Colostrum	(III)	Foetal ejection reflex
(D)	Fimbriae	(IV)	Secretion of the hormone hCG

Choose the correct answer from the options given below:

(A) A-III, B-IV, C-I, D-II

(B) A-I, B-IV, C-II, D-III

(C) A-II, B-III, C-IV, D-I

(D) A-III, B-IV, C-II, D-I

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q18. NEET 2024

Which of the following is not a component of Fallopian tube?

(A) Uterine fundus (B) Isthmus (C) Infundibulum (D) Ampulla

Open solution

Q19. NEET 2024

Given below are two statements: One is labelled as Assertion A and the other is labelled as Reason R:

Assertion A : Breast-feeding during initial period of infant growth is recommended by doctors for bringing a healthy baby.

Reason R : Colostrum contains several antibodies absolutely essential to develop resistance for the new born baby.

In the light of the above statements, choose the most appropriate answer from the options given below:

(A) Both A and R are correct and R is the correct explanation of A

(B) Both A and R are correct but R is NOT the correct explanation of A

(C) A is correct but R is not correct

(D) A is not correct but R is correct

Open solution

Q20. NEET 2024

Given below are two statements:

Statement I: The presence or absence of hymen is not a reliable indicator of virginity.

Statement II: The hymen is torn during the first coitus only.

In the light of the above statements, choose the correct answer from the options given below :

(A) Both Statement I and Statement II are true

(B) Both Statement I and Statement II are false

(C) Statement I is true but Statement II is false

(D) Statement I is false but Statement II is true


Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q21. NEET 2024

Open solution

Identify the correct option (A), (B), (C), (D) with respect to spermatogenesis.



(A) FSH, Leydig cells, Sertoli cells, spermiogenesis.

(B) ICSH, Interstitial cells, Leydig cells, spermiogenesis.

(C) FSH, Sertoli cells, Leydig cells, spermatogenesis.

(D) ICSH, Leydig cells, Sertoli cells, spermatogenesis.

Q22. NEET 2023 Manipur

Open solution

Given below are two statements regarding oogenesis:

Statement I :- The primary follicles get surrounded by more layers of granulosa cells, a theca and shows fluid filled cavity antrum. Now it is called secondary follicle.

Statement II :- Graafian follicle ruptures to release the secondary oocyte from the ovary by the process called ovulation.

In the light of the above statements, choose the correct answer from the options given below:

(A) Statement I is correct but Statement II is false.

(B) Statement I is incorrect but Statement II is true

(C) Both Statement I and Statement II are true

(D) Both Statement I and Statement II are false.

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q23. NEET 2023

Which of the following statements are correct regarding female reproductive cycle?

A. In non-primate mammals cyclical changes during reproduction are called oestrus cycle.

B. First menstrual cycle begins at puberty and is called menopause.

C. Lack of menstruation may be indicative of pregnancy.

D. Cyclic menstruation extends between menarche and menopause.

Choose the most appropriate answer from the options given below:

(A) A and B only **(B)** A, B and C only **(C)** A, C and D only **(D)** A and D only

Open solution

Q24. NEET 2023

Given below are two statements: one is labelled as Assertion A and the other is labelled as Reason R.

Assertion A: Endometrium is necessary for implantation of blastocyst.

Reason R: In the absence of fertilization, the corpus luteum degenerates that causes disintegration of endometrium.

In the light of the above statements, choose the correct answer from the options given below:

(A) Both A and R are true but R is NOT the correct explanation of A.

(B) A is true but R is false.

(C) A is false but R is true.

(D) Both A and R are true and R is the correct explanation of A.

Open solution

Q25. NEET 2023

Given below are two statements:

Statement I: Vas deferens receives a duct from seminal vesicle and opens into urethra as the ejaculatory duct.

Statement II: The cavity of the cervix is called cervical canal which along with vagina forms birth canal.

In the light of the above statements, choose the correct answer from the options given below:

(A) Both Statement I and Statement II are false.

(B) Statement I is correct but Statement II is false.

(C) Statement I is incorrect but Statement II is true.

(D) Both Statement I and Statement II are true.

Open solution

Q26. NEET 2022 Phase 2

How many secondary spermatocytes are required to form 400 million spermatozoa?

(A) 400 million **(B)** 50 million **(C)** 100 million **(D)** 200 million

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q27. NEET 2022 Phase 2

Open solution

Arrange the components of mammary gland. (from proximal to distal).

(a) Mammary duct

(b) Lactiferous duct

(c) Alveoli

(d) Mammary ampulla

(e) Mammary tubules

Choose the most appropriate answer from the options given below :

(A) (e) → (c) → (d) → (b) → (a)

(B) (c) → (a) → (d) → (e) → (b)

(C) (b) → (c) → (e) → (d) → (a)

(D) (c) → (e) → (a) → (d) → (b)

Q28. NEET 2022 Phase 2

Open solution

Given below are two statements: one is labelled as Assertion (A) and the other is labelled as Reason (R).

Assertion (A): During pregnancy the level of thyroxine is increased in the maternal blood.

Reason (R): Pregnancy is characterised by metabolic changes in the mother.

In the light of the above statements, choose the most appropriate answer from the options given below:

(A) (A) is not correct but (R) is correct

(B) Both (A) and (R) are correct and (R) is the correct explanation of (A)

(C) Both (A) and (R) are correct but (R) is not the correct explanation of (A)

(D) (A) is correct but (R) is not correct

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q29. NEET 2022 Phase 1

Which of the following statements are true for spermatogenesis but do not hold true for Oogenesis?

(a) It results in the formation of haploid gametes

(b) Differentiation of gamete occurs after the completion of meiosis

(c) Meiosis occurs continuously in a mitotically dividing stem cell population

(d) It is controlled by the Luteinising Hormone (LH) and Follicle Stimulating Hormone (FSH) secreted by the anterior pituitary

(e) It is initiated at puberty

Choose the most appropriate answer from the options given below :

(A) (c) and (d) only

(B) (b) and (c) only

(C) (b), (d) and (e) only

(D) (b), (c) and (e) only

Open solution

Q30. NEET 2022 Phase 1

Given below are two statements :

Statement I : The release of sperms into the seminiferous tubules is called spermiation.

Statement II : Spermiogenesis is the process of formation of sperms from spermatogonia.

In the light of the above statements, choose the most appropriate answer from the options given below :

(A) Both Statement I and Statement II are correct

(B) Both Statement I and Statement II are incorrect

(C) Statement I is correct but Statement II is incorrect

(D) Statement I is incorrect but Statement II is correct

Open solution

Q31. NEET 2022 Phase 1

At which stage of life the oogenesis process is initiated?

(A) Puberty

(B) Embryonic development stage

(C) Birth

(D) Adult

Open solution

Q32. NEET 2021

Receptors for sperm binding in mammals are present on :

(A) Zona pellucida

(B) Corona radiata

(C) Vitelline membrane

(D) Perivitelline space

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q33. NEET 2021

Which of these is not an important component of initiation of parturition in humans?

(A) Release of Prolactin

(B) Increase in estrogen and progesterone ratio

(C) Synthesis of prostaglandins

(D) Release of Oxytocin

Open solution

Q34. NEET 2021

Which of the following secretes the hormone, relaxin, during the later phase of pregnancy?

(A) Uterus

(B) Graafian follicle

(C) Corpus luteum

(D) Foetus

Open solution

Q35. NEET 2020 Phase 2

Select the correct option of haploid cells from the following groups :

(A) Primary spermatocyte, Secondary spermatocyte, Second polar body

(B) Primary oocyte, Secondary oocyte, Spermatid

(C) Secondary spermatocyte, First polar body, Ovum

(D) Spermatogonia, Primary spermatocyte, Spermatid

Open solution

Q36. NEET 2020 Phase 2

In human beings, at the end of 12 weeks (first trimester) of pregnancy, the following is observed :

(A) Movement of the foetus

(B) Eyelids and eyelashes are formed

(C) Most of the major organ systems are formed

(D) The head is covered with fine hair

Open solution

Q37. NEET 2020 Phase 1

Meiotic division of the secondary oocyte is completed

(A) At the time of fusion of a sperm with an ovum

(B) At the time of copulation

(C) Prior to ovulation

(D) After zygote formation

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q38. NEET 2020 Phase 1

Which of the following hormone levels will cause release of ovum (ovulation) from the Graafian follicle?

Open solution

(A) Low concentration of FSH
(B) High concentration of Progesterone
(C) Low concentration of LH
(D) High concentration of Estrogen

Q39. NEET 2020 Phase 1

Match the following columns and select the correct option.

Open solution

Column-I	Column-II
(A) Placenta	(i) Androgens
(B) Zona pellucida	(ii) Human Chorionic Gonadotropin (hCG)
(C) Bulbo-urethral glands	(iii) Layer of the ovum
(D) Leydig cells	(iv) Lubrication of the Penis

(A) (A) → (ii), (B) → (iii), (C) → (iv), (D) → (i)
(B) (A) → (i), (B) → (iv), (C) → (ii), (D) → (iii)
(C) (A) → (iv), (B) → (iii), (C) → (i), (D) → (ii)
(D) (A) → (iii), (B) → (ii), (C) → (iv), (D) → (i)

Q40. NEET 2019 (Odisha)

Which of the following hormones is responsible for both the milk ejection reflex and the foetal ejection reflex?

Open solution

(A) Relaxin
(B) Estrogen
(C) Prolactin
(D) Oxytocin

Q41. NEET 2019 (Odisha)

No new follicles develop in the luteal phase of the menstrual cycle because:

Open solution

(A) Both FSH and LH levels are low in the luteal phase.
(B) Follicles do not remain in the ovary after ovulation.
(C) FSH levels are high in the luteal phase.
(D) LH levels are high in the luteal phase.

Q42. NEET 2019

Extrusion of second polar body from egg nucleus occurs :

Open solution

(A) Before entry of sperm into ovum
(B) Simultaneously with first cleavage
(C) After entry of sperm but before fertilization
(D) After fertilization

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q43. NEET 2019

Select the correct sequence for transport of sperm cells in male reproductive system :

(A) Seminiferous tubules → Vasa efferentia → Epididymis → Inguinal canal → Urethra

(B) Testis → Epididymis → Vasa efferentia → Vas deferens → Ejaculatory duct → Inguinal canal → Urethra → Urethral meatus

(C) Testis → Epididymis → Vasa efferentia → Rete testis → Inguinal canal → Urethra

(D) Seminiferous tubules → Rete testis → Vasa efferentia → Epididymis → Vas deferens → Ejaculatory duct → Urethra → Urethral meatus

Open solution

Q44. NEET 2018

Hormones secreted by the placenta to maintain pregnancy are

(A) hCG, hPL, progestogens, prolactin

(B) hCG, hPL, estrogens, relaxin, oxytocin

(C) hCG, hPL, progestogens, estrogens

(D) hCG, progestogens, estrogens, glucocorticoids

Open solution

Q45. NEET 2018

The difference between spermiogenesis and spermiation is

(A) in spermiogenesis spermatids are formed, while in spermiation spermatozoa are formed

(B) in spermiogenesis spermatozoa are formed, while in spermiation spermatids are formed

(C) in spermiogenesis spermatozoa from Sertoli cells are released into the cavity of seminiferous tubules, while in spermiation spermatozoa are formed

(D) in spermiogenesis spermatozoa are formed, while in spermiation spermatozoa are released from Sertoli cells into the cavity of seminiferous tubules

Open solution

Q46. NEET 2018

The amnion of mammalian embryo is derived from

(A) ectoderm and mesoderm

(B) endoderm and mesoderm

(C) mesoderm and trophoblast

(D) ectoderm and endoderm

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q47. NEET 2018

Match the items given in column I with those in column II and select the correct option given below.

Open solution

Column - I	Column - II
A. Proliferative phase	(i) Breakdown of endometrial lining
B. Secretory Phase	(ii) Follicular Phase
C. Menstruation	(iii) Luteal Phase

(A)

A	B	C
(i)	(ii)	(iii)

(B)

A	B	C
(i)	(iii)	(ii)

(C)

A	B	C
(ii)	(iii)	(i)

(D)

A	B	C
(iii)	(i)	(ii)

Q48. NEET 2017

Open solution

Capacitation occurs in

(A) epididymis
(B) vas deferens
(C) female reproductive tract
(D) rete testis.

Q49. NEET 2016 Phase 2

Open solution

Which of the following depicts the correct pathway of transport of sperms?

(A) Rete testis → Efferent ductules → Epididymis → Vas deferens
(B) Rete testis → Epididymis → Efferent ductules → Vas deferens
(C) Rete testis → Vas deferens → Efferent ductules → Epididymis
(D) Efferent ductules → Rete testis → Vas deferens → Epididymis

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q50. NEET 2016 Phase 2

Match column I with column II and select the correct option using the codes given below.

Open solution

Column I		Column II	
(A)	Mons pubis	(i)	Embryo formation
(B)	Antrum	(ii)	Sperm
(C)	Trophectoderm	(iii)	Female external genitalia
(D)	Nebenkern	(iv)	Graafian follicle

(A) (A)-(iii), (B)-(iv), (C)-(ii), (D)-(i)

(B) (A)-(iii), (B)-(iv), (C)-(i), (D)-(ii)

(C) (A)-(iii), (B)-(i), (C)-(iv), (D)-(ii)

(D) (A)-(i), (B)-(iv), (C)-(iii), (D)-(ii)

Q51. NEET 2016 Phase 2

Several hormones like hCG, hPL, estrogen, progesterone are produced by

(A) ovary **(B)** placenta **(C)** Fallopian tube **(D)** pituitary.

Open solution

Q52. NEET 2016 Phase 1

Changes in GnRH pulse frequency in females is controlled by circulating levels of

(A) progesterone only **(B)** progesterone and inhibin

(C) estrogen and progesterone **(D)** estrogen and inhibin.

Open solution

Q53. NEET 2016 Phase 1

Fertilisation in humans is practically feasible only if

(A) the ovum and sperms are transported simultaneously to ampullary-isthmic junction of the cervix

(B) the sperms are transported into cervix within 48 hrs of release of ovum in uterus

(C) the sperms are transported into vagina just after the release of ovum in Fallopian tube

(D) the ovum and sperms are transported simultaneously to ampullary–isthmic junction of the Fallopian tube.

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q54. NEET 2016 Phase 1

Select the incorrect statement.

(A) LH and FSH decreases gradually during the follicular phase.

(B) LH triggers secretion of androgen from the Leydig cells.

(C) FSH stimulates the Sertoli cells which help in spermiogenesis.

(D) LH triggers ovulation in ovary.

Open solution

Q55. NEET 2016 Phase 1

Identify the correct statement on 'inhibin'.

(A) Is produced by granulosa cells in ovary and inhibits the secretion of LH

(B) Is produced by nurse cells in testes and inhibits the secretion of LH

(C) Inhibits the secretion of LH, FSH and prolaction

(D) Is produced by granulosa cells in ovary and inhibits the secretion of FSH

Open solution

Q56. AIPMT 2015

In human females, meiosis-II is not completed until

(A) uterine implantation

(B) birth

(C) puberty

(D) fertilisation

Open solution

Q57. AIPMT 2015

Which of the following layers in an antral follicle is acellular?

(A) Stroma

(B) Zona pellucida

(C) Granulosa

(D) Theca interna

Open solution

Q58. AIPMT 2015

Which of the following events is not associated with ovulation in human life?

(A) Release of secondary oocyte

(B) LH surge

(C) Decrease in estradiol

(D) Full development of Graafian follicle

Open solution

Q59. AIPMT 2015

Ectopic pregnancies are referred to as

(A) implantation of defective embryo in the uterus

(B) pregnancies terminated due to hormonal imbalance

(C) pregnancies with genetic abnormality

(D) implantation of embryo at site other than uterus.

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q60. AIPMT 2015 Cancelled Paper

Which of the following cells during gametogenesis is normally diploid?

(A) Spermatogonia
(B) Secondary polar body
(C) Primary polar body
(D) Spermatid

Open solution

Q61. AIPMT 2015 Cancelled Paper

Capacitation refers to changes in the

(A) ovum after fertilisation
(B) sperm after fertilisation
(C) sperm before fertilisation
(D) ovum before fertilisation

Open solution

Q62. AIPMT 2015 Cancelled Paper

Hysterectomy is surgical removal of

(A) vas deferens
(B) mammary glands
(C) uterus
(D) prostate gland

Open solution

Q63. AIPMT 2015 Cancelled Paper

Which of these is not an important component of initiation of parturition in humans?

(A) Release of oxytocin
(B) Release of prolactin
(C) Increase in estrogen and progesterone ratio
(D) Synthesis of prostaglandins

Open solution

Q64. AIPMT 2014

The shared terminal duct of the reproductive and urinary system in the human male is

(A) urethra
(B) ureter
(C) vas deferens
(D) vasa efferentia

Open solution

Q65. AIPMT 2014

The main function of mammalian corpus luteum is to produce

(A) estrogen only
(B) progesterone
(C) human chorionic gonadotropin
(D) relaxin only

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q66. AIPMT 2014

Select the correct option describing gonadotropin activity in a normal pregnant female.

(A) High level of FSH and LH stimulates the thickening of endometrium.

(B) High level of FSH and LH facilitates implantation of the embryo.

(C) High level of hCG stimulates the synthesis of estrogen and progesterone.

(D) High level of hCG stimulates the thickening of endometrium.

Open solution

Q67. NEET 2013 (Karnataka)

The foetal ejection reflex in humans triggers the release of

(A) oxytocin from foetal pituitary

(B) human chorionic gonadotropin (hCG) from placenta


(C) oxytocin from maternal pituitary

(D) human placental lactogen (hPL) from placenta

Open solution

Q68. NEET 2013 (Karnataka)

The figure shows a section of human ovary. Select the option which gives the correct identification of either A or B with function/ characteristic.



(A) A- Tertiary follicle - Forms Graafian follicle

(B) B- Corpus luteum - Secretes progesterone

(C) A- Primary oocyte - It is in the prophase I of the meiotic division

(D) B- Corpus luteum - Secretes estrogen

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q69. NEET 2013

What is the correct sequence of sperm formation?

(A) Spermatogonia, spermatozoa, spermatocytes, spermatids

(B) Spermatogonia, spermatocytes, spermatids, spermatozoa

(C) Spermatids, spermatocytes, spermatogonia, spermatozoa

(D) Spermatogonia, spermatocytes, spermatozoa, spermatids

Open solution

Q70. NEET 2013

Which of the following is not the function of placenta?

(A) Facilitates supply of oxygen and nutrients to embryo

(B) Secretes estrogen

(C) Facilitates removal of carbon dioxide and waste material from embryo

(D) Secretes oxytocin during parturition

Open solution

Q71. NEET 2013

Menstrual flow occurs due to lack of :

(A) Progesterone (B) FSH (C) Oxytocin (D) Vasopressin

Open solution

Q72. AIPMT 2012 Mains

The secretory phase in the human menstrual cycle is also called :

(A) Follicular phase lasting for about 6 days

(B) Luteal phase and lasts for about 13 days

(C) Follicular phase and lasts for about 13 days

(D) Luteal phase and lasts for about 6 days

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q73. AIPMT 2012 Mains

Identify the human developmental stage shown below as well as the related right place of its occurrence in a normal pregnant woman, and select the right option for the two, together.

Open solution



(A) **Developmental stage** → Late morula, **Site of occurrence** → Middle part of Fallopian tube

(B) **Developmental stage** → Blastula, **Site of occurrence** → End part of Fallopian tube

(C) **Developmental stage** → 8-celled morula, **Site of occurrence** → Starting point of Fallopian tube

(D) **Developmental stage** → Blastocyst, **Site of occurrence** → Uterine wall

Q74. AIPMT 2012 Prelims

Which one of the following statements is false in respect of viability of mammalian sperm?

Open solution

(A) Viability of sperm is determined by its motility

(B) Sperms must be concentrated in a thick suspension

(C) Sperm is viable for only up to 24 hours

(D) Survival of sperm depends on the pH of the medium and is more active in alkaline medium

Q75. AIPMT 2012 Prelims

Signals for parturition originate from :

Open solution

(A) Placenta only

(B) Fully developed foetus only

(C) Both placenta as well as fully developed foetus

(D) Oxytocin released from maternal pituitary

Q76. AIPMT 2012 Prelims

In a normal pregnant woman, the amount of total gonadotropin activity was assessed. The results expected was :

Open solution

(A) High levels of FSH and LH in uterus to stimulate endometrial thickening

(B) High level of circulating HCG to stimulate estrogen and progesterone synthesis

(C) High level of circulating FSH and LH in the uterus to stimulate implantation of the embryo

(D) High level of circulating HCG to stimulate endometrial thickening

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q77. AIPMT 2012 Prelims

The leydig's cells as found in the human body are the secretory source of

(A) Glucagon (B) Androgens (C) Progesterone (D) Intestinal mucus

Open solution

Q78. AIPMT 2011 Mains

What happens during fertilization in humans after many sperms reach close to the ovum?

(A) Only two sperms nearest the ovum penetrate zona pellucida

(B) Secretions of acrosome helps one sperm enter cytoplasm of ovum through zona pellucida

(C) All sperms except the one nearest to the ovum lose their tails

(D) Cells of corona radiata trap all the sperms except one.

Open solution

Q79. AIPMT 2011 Mains

About which day in a normal human menstrual cycle does rapid secretion of LH (popularly called LH-surge) normally occurs?

(A) 11th day (B) 14th day (C) 20th day (D) 5th day

Open solution

Q80. AIPMT 2011 Prelims

If for some reason, the vasa efferentia in the human reproductive system get blocked, the gametes will not be transported from :

(A) Vagina to uterus (B) Testes to epididymis

(C) Epididymis to vas deferens (D) Ovary to uterus

Open solution

Q81. AIPMT 2011 Prelims

The testes in humans are situated outside the abdominal cavity inside a pouch called scrotum. The purpose served is for :

(A) providing a secondary sexual feature for exhibiting the male sex

(B) maintaining the scrotal temperature lower than the internal body temperature

(C) escaping any possible compression by the visceral organs

(D) providing more space for the growth of epididymis


Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q82. AIPMT 2011 Prelims

The figure given below depicts a diagrammatic sectional view of the female reproductive system of humans. Which one set of three parts out of I-VI have been correctly identified?

Open solution



(A) (I) Perimetrium, (II) Myometrium, (III) Fallopian tube

(B) (II) Endometrium, (III) Infundibulum, (IV) Fimbriae

(C) (III) Infundibulum, (IV) Fimbriae, (V) Cervix

(D) (IV) Oviducal funnel, (V) Uterus, (VI) Cervix

Q83. AIPMT 2010 Mains

Signals from fully developed foetus and placenta ultimately lead to parturition which requires the releas of

Open solution

(A) Oxytocin from maternal pituitary

(B) Oxytocin from foetal pituitary

(C) Relaxin from placenta

(D) Estrogen from placenta

Q84. AIPMT 2010 Mains

In human female the blastocyst

Open solution

(A) gets implanted into uterus 3 days after ovulation

(B) gets nutrition from uterine endometiral secretion only after implanation

(C) gets implanted in endometrium by the trophoblast cells

(D) forms placenta even before implantation

Q85. AIPMT 2010 Mains

Secretions from which one of the following are rich in fructose, calcium and some enzymes?

Open solution

(A) Liver

(B) Pancreas

(C) Salivary glands

(D) Male accessory glands

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q86. AIPMT 2010 Prelims

Sertoli cells are found in :

(A) ovaries and secrete progesterone

(B) adrenal cortex and secrete adrenaline

(C) seminiferous tubules and provide nutrition to germ cells

(D) pancreas and secrete cholecystokinin

Open solution

Q87. AIPMT 2010 Prelims

Vasa efferentia are the ductules leading from :

(A) Testicular lobules to rete testis

(B) Rete testis to vas deferens

(C) Vas deferens to epididymis

(D) Epididymis to urethra

Open solution

Q88. AIPMT 2010 Prelims

Seminal plasma in human males is rich in

(A) fructose and calcium

(B) glucose and calcium

(C) DNA and testosterone

(D) ribose and potassium

Open solution

Q89. AIPMT 2010 Prelims

The first movements of the foetus and appearance of hair on its head are usually observed during which month of pregnancy?

(A) Fourth month (B) Fifth month (C) Sixth month (D) Third month

Open solution

Q90. AIPMT 2010 Prelims

The second maturation division of the mammalian ovum occurs

(A) Shortly after ovulation before the ovum makes entry into the Fallopian tube

(B) Until after the ovum has been penetrated by a sperm

(C) Until the nucleus of the sperm has fused with that of the ovum

(D) in the Grafian follicle following the first maturation division

Open solution

Q91. AIPMT 2010 Prelims

Which one of the following statements about human sperm is correct?

(A) Acrosome has a conical pointed structure used for piercing and penetrating the egg, resulting in fertilisation

(B) The sperm lysins in the acrosome dissolve the egg envelope facilitating fertilisation

(C) Acrosome serves as a sensory structure leading the sperm towards the ovum

(D) Acrosome serves no particular function

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q92. AIPMT 2010 Prelims

Which one of the following statements about morula in humans is correct?

(A) It has almost equal quantity of cytoplasm as an uncleaved zygote but much more DNA

(B) It has far less cytoplasm as well as less DNA than in an uncleaved zygote

(C) It has more or less equal quantity of cytoplasm and DNA as in uncleaved zygote

(D) It has more cytoplasm and more DNA than an uncleaved zygote

Open solution

Q93. AIPMT 2010 Prelims

The part of Fallopian tube closest to the ovary is

(A) Isthmus (B) Infundibulum (C) Cervix (D) Ampulla

Open solution

Q94. AIPMT 2010 Prelims

The signals for parturition originate from

(A) Fully developed foetus only

(B) Placenta only

(C) Placenta as well as fully developed foetus

(D) Oxytocin released from maternal pituitary

Open solution

Q95. AIPMT 2009

Seminal plasma in humans is rich in :

(A) Fructose, calcium and certain enzymes

(B) Fructose and certain enzymes but poor calcium

(C) Glucose and certain enzymes but has no calcium

(D) Fructose and calcium but has no enzyme

Open solution

Q96. AIPMT 2009

Which one of the following is the correct matching of the events occurring during menstrual cycle ?

(A) **Ovulation**: LH and FSH attain peak level and sharp fall in the secretion of progesterone

(B) **Menstruation**: Breakdown of myometrium and ovum not fertilized

(C) **Secretory phase** : Development of corpus luteum and increased secretion of progesterone

(D) **Proliferative phase** : Rapid regeneration of myometrium and maturation of Graafian follicle


Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q97. AIPMT 2009

Given below is a diagrammatic sketch for a portion of human male reproductive system. Select the correct set of the names of the parts labelled A, B, C, D.

Open solution



(A) A - Ureter, B - Seminal vesicle , C - Prostate, D - Bulbourethral gland

(B) A - Vas deferens, B - Seminal vesicle , C - Prostate, D - Bulbourethral gland

(C) A - Vas deferens, B - Seminal vesicle , C - Bulbourethral gland , D - Prostate

(D) A - Ureter, B - Prostate , C - Seminal vesicle, D - Bulbourethral gland

Q98. AIPMT 2009

Foetal ejection reflex in human female is induced by

Open solution

(A) Pressure exerted by amniotic fluid

(B) Differentiation of mammary glands

(C) Release of oxytocin from pituitary

(D) Fully developed foetus and placenta

Q99. AIPMT 2009

The correct sequence of spermatogenetic stages leading to the formation of sperms in a mature human testis is :

Open solution

(A) spermatocyte - spermatogonia - spermatid - sperms

(B) spermatogonia - spermatid - spermatocyte - sperms

(C) spermatid - spermatocyte - spermatogonia - sperms

(D) spermatogonia - spermatocyte - spermatid - sperms

Q100. AIPMT 2009

Which one of the following is the most likely root cause why menstruation is not taking place in regularly cycling human female ?

Open solution

(A) Retention of well-developed corpus luteum

(B) Maintenance of high concentration of sex hormones in the blood stream

(C) Maintenance of the hypertrophical endometrial lining

(D) Fertilization of the ovum

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q101. AIPMT 2009

A change in the amount of yolk and its distribution in the egg will effect :

(A) Fertilization
(B) Pattern of cleavage
(C) Formation of zygote
(D) Number of blastomeres produced

Open solution

Q102. AIPMT 2008

In humans, at the end of the first meiotic division, the male germ cells differentiate into the:

(A) secondary spermatocytes
(B) spermatogonia
(C) primary spermatocytes
(D) spermatids

Open solution

Q103. AIPMT 2008

In human adult females oxytocin:

(A) causes strong uterine contractions during parturition
(B) stimulates pituitary to secrete vasopressin
(C) stimulates growth of mammary glands
(D) is secreted by anterior pituitary

Open solution

Q104. AIPMT 2008

Which one of the following statements is incorrect about menstruation?

(A) The beginning of the cycle of menstruation is called menarche
(B) At menopause in the female, there is especially abrupt increase in gonadotropic hormones
(C) The menstrual fluid can easily clot
(D) During normal menstruation about 40 ml blood is lost

Open solution

Q105. AIPMT 2008

Which extraembryonic membrane in humans prevents desiccation of the embryo inside the uterus?

(A) Yolk sac
(B) Amnion
(C) Chorion
(D) Allantois

Open solution

Q106. AIPMT 2007

Which part of ovary in mammals acts as an endocrine gland after ovulation ?

(A) Stroma
(B) Vitelline membrane
(C) Germinal epithelium
(D) Graafian follicle

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q107. AIPMT 2007

In the human female, menstruation can be deferred by the administration of:-

(A) LH only
(B) Combination of estrogen and progesterone
(C) FSH only
(D) Combination of FSH and LH

Open solution

Q108. AIPMT 2006

Sertoli cells are regulated by the pituitary hormone known as-

(A) LH
(B) FSH
(C) GH
(D) Prolactin

Open solution

Q109. AIPMT 2006

Withdrawal of which of the following hormones is the immediate cause of menstruation ?

(A) Progesterone
(B) FSH
(C) FSH-RH
(D) Estrogen

Open solution

Q110. AIPMT 2005

If mammalian ovum fails to get fertilized, which one of the following is unlikely

(A) Corpus luteum will disintegrate
(B) Estrogen secretion further decreases
(C) Primary follicle starts developing
(D) Progesterone secretion rapidly declines

Open solution

Q111. AIPMT 2004

Ovulation in the human female normally takes place during the menstrual cycle -

(A) At the beginning of the proliferative phase
(B) At the mid secretory phase
(C) Just before the end of the secretory cycle
(D) At the end of the proliferative phase

Open solution

Q112. AIPMT 2004

Which of the following hormones is not a secretion product of human placenta -

(A) Estrogen
(B) Progesterone
(C) Prolactin
(D) Human chorionic gonadotropin

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q113. AIPMT 2003

Bartholin's glands are situated

(A) on the sides of the head of some amphibians

(B) at the reduced tail end of birds

(C) on either side of vagina in humans

(D) on either side of vas deferens in humans.

Open solution

Q114. AIPMT 2003

During embryonic development, the establishment of polarity along anterior/posterior, dorsal/ventral or medial/lateral axis is called : -

(A) Organizer phenomena

(B) Pattern formation

(C) Axis formation

(D) Anamorphosis

Open solution

Q115. AIPMT 2002

What is true for cleavage : -

(A) Size of embryo decrease

(B) Size of embryo increase

(C) Size of cells increase

(D) Size of cells decrease

Open solution

Q116. AIPMT 2001

Which set is similar : -

(A) Vita B_7 - Niacin

(B) Sebum-sweat

(C) Corpus luteum – Graafian follicles

(D) Bundle of his – Pace maker

Open solution

Q117. AIPMT 2000

Blastopore is the pore of :

(A) A.C.

(B) Archenteron

(C) Blastocoel

(D) Coelom

Open solution

Q118. AIPMT 1999

Secretion of progesterone by corpus luteum is initiated by :

(A) thyroxine

(B) LH

(C) MSH

(D) testosterone

Open solution

Q119. AIPMT 1999

The middle piece of the sperm contains :

(A) proteins

(B) centriole

(C) nucleus

(D) mitochondria

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q120. AIPMT 1999

After ovulation, Graafian follicle regresses into

(A) corpus luteum (B) corpus callosum (C) corpus albicans (D) corpus artesia

Open solution

Q121. AIPMT 1998

Which of the following cells, found in testes of rabbit, secrete male hormone?

(A) Leydig's cell (B) Sertoli cells (C) Epithelial cells (D) Spermatocytes

Open solution

Q122. AIPMT 1997

Fertilizin is a chemical substance produced from

(A) polar bodies (B) middle piece of sperm
(C) mature eggs (D) acrosome

Open solution

Q123. AIPMT 1997

In human beings, the eggs are

(A) mesolecithal (B) alecithal (C) microlecithal (D) macrolecithal

Open solution

Q124. AIPMT 1997

In the fertile human female, approximately on which day of the menstrual cycle does ovulation take place?

(A) Day 14 (B) Day 18 (C) Day 1 (D) Day 8

Open solution

Q125. AIPMT 1995

The oestrous cycle is a characteristic of

(A) human females only (B) mammalian females other than primates
(C) human males only (D) mammalian males other than primates

Open solution

Q126. AIPMT 1995

The mammalian corpus luteum produces

(A) luteotrophic hormone (B) luteinizing hormone
(C) estrogen (D) progesterone

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q127. AIPMT 1995

In an egg, the type of cleavage is determined by

(A) the amount and distribution of yolk
(B) the number of egg membranes
(C) the shape and size of the sperm
(D) the size and location of the nucleus

Open solution

Q128. AIPMT 1994

The immediate cause of induction of ovulation in human female is the large plasma surge of

(A) LH (B) FSH (C) progesterone (D) estradiol

Open solution

Q129. AIPMT 1994

What is true about cleavage in the fertilized egg in humans?

(A) It starts while the egg is in Fallopian tube.
(B) It starts when the egg reaches uterus.
(C) It is meroblastic.
(D) It is identical to the normal mitosis.

Open solution

Q130. AIPMT 1994

The extra embryonic membranes of the mammalian embryo are derived from

(A) trophoblast (B) inner cell mass (C) formative cells (D) follicle cells

Open solution

Q131. AIPMT 1994

In the 28 day human ovarian cycle, the ovulation takes place typically on

(A) day 14 of the cycle
(B) day 28 of the cycle
(C) day 1 of the cycle
(D) day 5 of the cycle

Open solution

Q132. AIPMT 1993

Extrusion of second polar body from egg nucleus occurs

(A) after entry of sperm before completion of fertilization
(B) after completion of fertilization
(C) before entry of sperm
(D) without any relation of sperm entry

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q133. AIPMT 1993

Termination of gastrulation is indicated by

(A) obliteration of blastocoel
(B) obliteration of archenteron
(C) closure of blastopore
(D) closure of neural tube

Open solution

Q134. AIPMT 1993

In telolecithal egg the yolk is found

(A) all over the egg
(B) on one side
(C) both the sides
(D) centre

Open solution

Q135. AIPMT 1993

Acrosome reaction in sperm is triggered by

(A) capacitation
(B) release of lysin
(C) influx of Na^+
(D) release of fertilizin

Open solution

Q136. AIPMT 1993

Male hormone is produced in the testis by cells of

(A) Sertoli
(B) epithelial
(C) spermatocytes
(D) Leydig

Open solution

Q137. AIPMT 1992

Meroblastic cleavage is a division which is

(A) horizontal
(B) partial/parietal
(C) total
(D) spiral

Open solution

Q138. AIPMT 1992

Eye lens is formed from

(A) ectoderm
(B) mesoderm
(C) endoderm
(D) ectoderm and mesoderm

Open solution

Q139. AIPMT 1992

Blastopore is

(A) opening of neural tube
(B) opening of gastrocoel
(C) future anterior end of embryo
(D) found in blastula

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q140. AIPMT 1991

Fertilizins are emitted by

(A) immature eggs (B) mature eggs (C) sperms (D) polar bodies

Open solution

Q141. AIPMT 1991

During cleavage, what is true about cells?

(A) Nucleocytoplasmic ratio remains unchanged.

(B) Size does not increase.

(C) There is less consumption of oxygen.

(D) The division is like meiosis.

Open solution

Q142. AIPMT 1991

Freshly released human egg has

(A) one Y-chromosome (B) one X-chromosome

(C) two X-chromosome (D) one X-chromosome and one Y-chromosome

Open solution

Q143. AIPMT 1991

Middle piece of mammalian sperm possesses

(A) mitochondria and centriole (B) mitochondria only

(C) centriole only (D) nucleus and mitochondria

Open solution

Q144. AIPMT 1990

Gonads develop from embryonic

(A) ectoderm (B) endoderm

(C) mesoderm (D) both mesoderm and endoderm

Open solution

Q145. AIPMT 1990

How many sperms are formed from a secondary spermatocyte?

(A) 4 (B) 8 (C) 2 (D) 1

Open solution

Q146. AIPMT 1989

Cells become variable in morphology and function in different regions of the embryo. The process is

(A) differentiation (B) metamorphosis (C) organisation (D) rearrangement

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q147. AIPMT 1989

Human eggs are

(A) alecithal (B) microlecithal (C) mesolecithal (D) macrolecithal

Open solution

Q148. AIPMT 1989

Egg is liberated from ovary in

(A) secondary oocyte stage
(B) primary oocyte stage
(C) oogonial stage
(D) mature ovum stage

Open solution

Out of syllabus 1 questions

These questions are on topics no longer in the current syllabus. They are kept for practice, after everything else.

Q149. AIPMT 2005 · MCQ (Single Correct Answer)

Grey crescent is the area -

(A) Just opposite to the site of entry of sperm into ovum
(B) At the point of entry of sperm into ovum
(C) At the vegetal pole
(D) At the animal pole

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Answer Key

MCQ (Single Correct Answer)

1. **D**	2. **A**	3. **D**	4. **B**	5. **A**
6. **B**	7. **B**	8. **C**	9. **D**	10. **B**
11. **C**	12. **C**	13. **D**	14. **C**	15. **C**
16. **A**	17. **A**	18. **A**	19. **A**	20. **C**
21. **A**	22. **B**	23. **C**	24. **A**	25. **D**
26. **D**	27. **D**	28. **B**	29. **D**	30. **C**
31. **B**	32. **A**	33. **A**	34. **C**	35. **C**
36. **C**	37. **A**	38. **D**	39. **A**	40. **D**
41. **A**	42. **C**	43. **D**	44. **C**	45. **D**
46. **A**	47. **C**	48. **C**	49. **A**	50. **B**
51. **B**	52. **C**	53. **D**	54. **A**	55. **D**
56. **D**	57. **B**	58. **C**	59. **D**	60. **A**
61. **C**	62. **C**	63. **B**	64. **A**	65. **B**
66. **C**	67. **C**	68. **B**	69. **B**	70. **D**
71. **A**	72. **B**	73. **D**	74. **C**	75. **C**
76. **B**	77. **B**	78. **B**	79. **B**	80. **B**
81. **B**	82. **C**	83. **A**	84. **C**	85. **D**
86. **C**	87. **B**	88. **A**	89. **B**	90. **B**
91. **B**	92. **A**	93. **B**	94. **C**	95. **A**
96. **C**	97. **B**	98. **D**	99. **D**	100. **D**
101. **B**	102. **A**	103. **A**	104. **C**	105. **B**
106. **D**	107. **B**	108. **B**	109. **A**	110. **B**
111. **D**	112. **C**	113. **C**	114. **A**	115. **D**
116. **C**	117. **B**	118. **B**	119. **D**	120. **A**
121. **A**	122. **C**	123. **B**	124. **A**	125. **B**
126. **D**	127. **A**	128. **A**	129. **A**	130. **A**
131. **A**	132. **A**	133. **A**	134. **B**	135. **C**
136. **D**	137. **B**	138. **A**	139. **B**	140. **B**
141. **B**	142. **B**	143. **A**	144. **C**	145. **C**
146. **A**	147. **A**	148. **A**		

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Out of syllabus

149. **A**

For numerical answers given as a range, any value within the range is correct. Full solutions: scan the QR code next to each question, or visit questions.examside.com.

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

ExamGOAL
PYQ PDF

Your Exam. Our Responsibility.

From first chapter to exam day.

Practise with the questions your exam has already asked, then test yourself under real exam conditions.

PAST YEAR QUESTIONS

Every past paper, chapter-wise.

Previous year questions sorted the way you study, each with a full solution.

- Chapter-wise and year-wise
- Weightage and topic tags on every chapter
- Your progress on each one, at a glance

MOCK TESTS

Mock tests with a real exam feel.

Practise under the same pressure as the real paper, on your phone or on the big screen.

- Timed sections, just like exam day
- Mark questions for review and come back

ANALYSIS

Know your score. Know your rank.

A full report after every test, so you know exactly where you stand.

- Your percentile among everyone who took it
- Predicted real-exam percentile and All India Rank
- Subject breakdown and time analysis

PRACTICE

Solve. Check. Understand.

Learn from every question, not just the ones you get right.

- Instant answers as you practise
- Step-by-step explanations
- See how everyone else answered

NCERT Exemplar
With full solutions

Exam syllabus
Subject and chapter-wise

Bookmarks
Organised in groups

Your notes
On any question

ExamGOAL
LEARNING APP

ExamGOAL: Exam Preparation App

One app for every exam. Free trial for new users, on Android and the web.

GET IT ON Google Play

Scan to get the app

www.examgoal.com
Practice and mock tests

questions.examside.com
Free solutions

pdf.questions.examgoal.com
Free PYQ PDFs