ExamGOAL
PYQ PDF

Free · With answer key

NEET · BIOLOGY · CHAPTER-WISE PYQS

Morphology of Flowering Plants

NEET Biology · Previous Year Questions with Answer Key

162	50	1988 – 2026	English
QUESTIONS	PAPERS COVERED	YEARS	LANGUAGE

INSIDE THIS PDF

MCQ (Single Correct Answer)	162 questions
Answer key	at the end

Practise online

Every question with its full solution, free on **questions.examside.com**

1 **Solve**
Print it, or work through it on screen.

2 **Check**
The answer key is on the last pages.

3 **Understand**
Scan the QR code beside any question for its full solution.

MCQ (Single Correct Answer) 162 questions

Q1. RE-NEET 2026

Phyllotaxy is the pattern of arrangement of ____.

(A) sepals (B) leaves (C) flowers (D) fruits

Open solution

Q2. RE-NEET 2026

Match List-I with List-II.

	List-I		List-II
A.	Marginal placentation	I.	Argemone
B.	Axile placentation	II.	Tomato
C.	Parietal placentation	III.	Primrose
D.	Free central placentation	IV.	Pea

Choose the correct answer from the options given below :

(A) A-IV, B-II, C-I, D-III (B) A-II, B-IV, C-I, D-III

(C) A-IV, B-II, C-III, D-I (D) A-IV, B-III, C-I, D-II

Open solution

Q3. RE-NEET 2026

Which of the following are characteristic features of Solanaceae family?

(a) Flowers are bisexual and actinomorphic

(b) Calyx have five sepals and are united

(c) Androecium have five stamens and are epipetalous

(d) Ovary is inferior

Choose the correct answer from the options given below :

(A) (b), (c) and (d) only (B) (a), (b) and (c) only

(C) (d) only (D) (a) and (b) only

Open solution

Q4. NEET 2026

In angiosperms, root hairs arise from which one of the following regions of the root?

(A) The root cap zone (B) The region of meristematic activity

(C) The region of elongation (D) The region of maturation

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q5. NEET 2026


Which of the following floral formula is the correct floral formula of Solanaceae family?

Open solution


(A)




(B)



(C)



(D)



Q6. NEET 2026

In racemose inflorescence, ____ .

Open solution

(A) The main axis terminates in a flower

(B) Flowers are solitary

(C) The growth is limited

(D) Flowers are borne in an acropetal succession

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q7. NEET 2026

Open solution

Match List I with List II :

List I (Placentation)		List II (Example)	
A.	Marginal	I.	Mustard
B.	Axile	II.	Pea
C.	Parietal	III.	Marigold
D.	Basal	IV.	Lemon

Choose the correct answer from the options given below :

(A) A-II, B-IV. C-I, D-III

(B) A-I, B-III. C-II, D-IV

(C) A-III, B-I. C-IV, D-II

(D) A-IV, B-II. C-I, D-III

Q8. NEET 2025

Open solution

Which of the following is an example of a zygomorphic flower?

(A) Pea

(B) Chilli

(C) Petunia

(D) Datura

Q9. NEET 2025

Open solution

Given below are two statements:

Statement I: In a floral formula $\oplus$ stands for zygomorphic nature of the flower, and $\bar{G}$ stands for inferior ovary.

Statement II: In a floral formula $\oplus$ stands for actinomorphic nature of the flower and $\underline{G}$ stands for superior ovary.

In the light of the above statements, choose the correct answer from the options given below:

(A) Statement I is correct but Statement II is incorrect

(B) Statement I is incorrect but Statement II is correct

(C) Both Statement I and Statement II are correct

(D) Both Statement I and Statement II are incorrect

Q10. NEET 2025

Open solution

In the seeds of cereals, the outer covering of endosperm separates the embryo by a protein-rich layer called:

(A) Integument

(B) Aleurone layer

(C) Coleoptile

(D) Coleorhiza

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q11. NEET 2024 (Re-Examination)

Open solution

Match List-I with List-II :

	List - I		List - II
(A)	Vexillary aestivation	(I)	Brinjal
(B)	Epipetalous stamens	(II)	Peach
(C)	Epiphyllous stamens	(III)	Pea
(D)	Perigynous flower	(IV)	Lily

Choose the correct answer from the options given below :

(A) A-III, B-I, C-IV, D-II **(B)** A-III, B-IV, C-I, D-II

(C) A-III, B-II, C-I, D-IV **(D)** A-II, B-I, C-IV, D-III

Q12. NEET 2024 (Re-Examination)

Open solution

Match List-I with List-II :

	List - I		List - II
(A)	China rose	(I)	Free central
(B)	Mustard	(II)	Basal
(C)	Primrose	(III)	Axile
(D)	Marigold	(IV)	Parietal

Choose the correct answer from the options given below :

(A) A-IV, B-III, C-II, D-I **(B)** A-II, B-III, C-IV, D-I

(C) A-III, B-IV, C-I, D-II **(D)** A-III, B-IV, C-II, D-I

Q13. NEET 2024 (Re-Examination)

Open solution

Which of the following examples show monocarpellary, unilocular ovary with many ovules?

A. Sesbania

B. Brinjal

C. Indigofera

D. Tobacco

E. Asparagus

Choose the correct answer from the options given below :

(A) B and E only **(B)** C, D and E only **(C)** A, B and D only **(D)** A and C only

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q14. NEET 2024


Which of the following is an example of actinomorphic flower?

(A) Datura (B) Cassia (C) Pisum (D) Sesbania

Open solution

Q15. NEET 2024

Identify the part of the seed from the given figure which is destined to form root when the seed germinates.




Open solution

(A) A (B) B (C) C (D) D

Q16. NEET 2024

Identify the type of flowers based on the position of calyx, corolla and androecium with respect to the ovary from the given figures (a) and (b)



Open solution

(A) (a) Epigynous; (b) Hypogynous (B) (a) Hypogynous; (b) Epigynous

(C) (a) Perigynous; (b) Epigynous (D) (a) Perigynous; (b) Perigynous

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q17. NEET 2024

Match List I with List II

	List - I		List - II
A.	Rose	I.	Twisted aestivation
B.	Pea	II.	Perigynous flower
C.	Cotton	III.	Drupe
D.	Mango	IV.	Marginal placentation

Open solution

Choose the correct answer from the options given below :

(A) A-II, B-IV, C-I, D-III
(B) A-I, B-II, C-III, D-IV
(C) A-IV, B-III, C-II, D-I
(D) A-II, B-III, C-IV, D-I

Q18. NEET 2024

Match List I with List II

	List - I (Types of Stamens)		List - II (Example)
A.	Monoadelphous	I.	Citrus
B.	Diadelphous	II.	Pea
C.	Polyadelphous	III.	Lily
D.	Epiphyllous	IV.	China-rose

Open solution

Choose the correct answer from the options given below:

(A) A-IV, B-II, C-I, D-III
(B) A-IV, B-I, C-II, D-III
(C) A-I, B-II, C-IV, D-III
(D) A-III, B-I, C-IV, D-II

Q19. NEET 2023 Manipur

In Calotropis, aestivation is :

(A) Valvate
(B) Vexillary
(C) Imbricate
(D) Twisted

Open solution

Q20. NEET 2023 Manipur

In a pea flower, five petals are arranged in a specialized manner with one posterior, two lateral and two anterior. These are named as _____, _____ and _____ respectively.

(A) Keel, Wings and Standard
(B) Vexillum, Keel and Standard
(C) Keel, Standard and Carina
(D) Standard, Wings and Keel

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q21. NEET 2023 Manipur

Open solution

Match the following :

	Type of flower		Example
(A)	Zygomorphic	(I)	Mustard
(B)	Hypogynous	(II)	Plum
(C)	Perigynous	(III)	Cassia
(D)	Epigynous	(IV)	Cucumber

Select the correct option :

(A) (A)-(I), (B)-(II), (C)-(IV), (D)-(III)
(B) (A)-(I), (B)-(II), (C)-(III), (D)-(IV)
(C) (A)-(IV), (B)-(I), (C)-(III), (D)-(II)
(D) (A)-(III), (B)-(I), (C)-(II), (D)-(IV)

Q22. NEET 2023

Open solution

Family Fabaceae differs from Solanaceae and Liliaceae. With respect to the stamens, pick out the characteristics specific to family Fabaceae but not found in Solanaceae or Liliaceae.

(A) Polyadelphous and epipetalous stamens
(B) Monoadelphous and Monothecous anthers
(C) Epiphyllous and Dithecous anthers
(D) Diadelphous and Dithecous anthers

Q23. NEET 2023

Open solution

Given below are two statements : One is labelled as Assertion A and the other is labelled as Reason R :

Assertion A : A flower is defined as modified shoot wherein the shoot apical meristem changes to floral meristem.

Reason R : Internode of the shoot gets condensed to produce different floral appendages laterally at successive node instead of leaves.

In the light of the above statements, choose the correct answer from the options given below :

(A) Both A and R are true but R is NOT the correct explanation of A
(B) A is true but R is false
(C) A is false but R is true
(D) Both A and R are true and R is the correct explanation of A

Q24. NEET 2022 Phase 2

Open solution

Which of the following statement is not correct?

(A) The rhizome is thick, prostrate and branched
(B) Rhizome is a condensed form of stem
(C) The apical bud in rhizome always remains above the ground
(D) The rhizome is aerial with no distinct nodes and internodes

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q25. NEET 2022 Phase 2

Open solution

Match List - I with List - II :

	List - I		List - II
(a)	Imbricate	(i)	Calotropis
(b)	Valvate	(ii)	Cassia
(c)	Vexillary	(iii)	Cotton
(d)	Twisted	(iv)	Bean

Choose the correct answer from the options given below

(A) (a) - (i), (b) - (iii), (c) - (iv), (d) - (ii)

(B) (a) - (ii), (b) - (i), (c) - (iii), (d) - (iv)

(C) (a) - (ii), (b) - (i), (c) - (iv), (d) - (iii)

(D) (a) - (ii), (b) - (iv), (c) - (iii), (d) - (i)

Q26. NEET 2022 Phase 2

Open solution

The Floral Diagram represents which one of the following families?



(A) Liliaceae **(B)** Fabaceae **(C)** Brassicaceae **(D)** Solanaceae

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q27. NEET 2022 Phase 1

Identify the correct set of statements:

(a) The leaflets are modified into pointed hard thorns in Citrus and Bougainvillea

(b) Axillary buds form slender and spirally coiled tendrils in cucumber and pumpkin

(c) Stem is flattened and fleshy in Opuntia and modified to perform the function of leaves

(d) Rhizophora shows vertically upward growing roots that help to get oxygen for respiration

(e) Subaerially growing stems in grasses and strawberry help in vegetative propagation

Choose the correct answer from the options given below:

(A) (b) and (c) only

(B) (a) and (d) only

(C) (b), (c), (d) and (e) only

(D) (a), (b), (d) and (e) only

Open solution

Q28. NEET 2022 Phase 1

Which one of the following plants shows vexillary aestivation and diadelphous stamens?

(A) Colchicum autumnale

(B) Pisum sativum

(C) Allium cepa

(D) Solanum nigrum

Open solution

Q29. NEET 2022 Phase 1

The flowers are Zygomorphic in :

(a) Mustard (b) Gulmohar (c) Cassia (d) Datura (e) Chilly

Choose the correct answer from the options given below :

(A) (a), (b) and (c) only

(B) (b), (c) only

(C) (d), (e) only

(D) (c), (d), (e) only

Open solution

Q30. NEET 2021

Diadelphous stamens are found in

(A) China rose and citrus

(B) China rose

(C) Citrus

(D) Pea

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q31. NEET 2021

Open solution

Match Column-I with Column-II

	Column-I	Column-II
(a)	$\%\male K_{(5)}\, C_{1+2+(2)} A_{(9)+1} \underline{G}_1$	(i) Brassicaceae
(b)	$\oplus\male K_{(5)}\, \overset{\frown}{C_{(5)}} A_5 \underline{G}_{(2)}$	(ii) Liliaceae
(c)	$\oplus\male \overset{\frown}{P_{(3+3)}} A_{3+3} \underline{G}_{(3)}$	(iii) Fabaceae
(d)	$\oplus\male K_{2+2}\, C_4 A_{2-4}\, \underline{G}_{(2)}$	(iv) Solanaceae

Select the correct answer from the options given below.

(A)

(a)	(b)	(c)	(d)
(iv)	(ii)	(i)	(iii)

(B)

(a)	(b)	(c)	(d)
(iii)	(iv)	(ii)	(i)

(C)

(a)	(b)	(c)	(d)
(i)	(ii)	(iii)	(iv)

(D)

(a)	(b)	(c)	(d)
(ii)	(iii)	(iv)	(i)


Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q32. NEET 2020 Phase 2


Which of the following is the correct floral formula of Liliaceae ?

Open solution


(A)




(B)



(C)



(D)



Q33. NEET 2020 Phase 2

Correct position of floral parts over thalamus in mustard plant is -

Open solution

(A) Gynoecium is situated in the centre, and other parts of the flower are located at the rim of the thalamus, at the same level.

(B) Gynoecium occupies the highest position, while the other parts are situated below it.

(C) Margin of the thalamus grows upward, enclosing the ovary completely, and other parts arise below the ovary.

(D) Gynoecium is present in the centre and other parts cover it partially.

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q34. NEET 2020 Phase 2

Identify the correct features of Mango and Coconut fruits.

(i) In both fruit is a drupe

(ii) Endocarp is edible in both

(iii) Mesocarp in Coconut is fibrous, and in Mango it is fleshy

(iv) In both, fruit develops from monocarpellary ovary

Select the correct option from below :

(A) (i) and (ii) only

(B) (i), (iii) and (iv) only

(C) (i), (ii) and (iii) only

(D) (i) and (iv) only

Open solution

Q35. NEET 2020 Phase 1

Ray florets have

(A) Superior ovary

(B) Hypogynous ovary

(C) Half inferior ovary

(D) Inferior ovary

Open solution

Q36. NEET 2020 Phase 1

The ovary is half inferior in:

(A) Mustard

(B) Sunflower

(C) Plum

(D) Brinjal

Open solution

Q37. NEET 2020 Phase 1

The roots that originate from the base of the stem are

(A) Primary roots

(B) Prop roots

(C) Lateral roots

(D) Fibrous roots

Open solution

Q38. NEET 2019 (Odisha)

Match the placental types (column-I) with their examples (column-II).

Column-I	Column-II
(a) Basal	(i) Mustard
(b) Axile	(ii) China rose
(c) Parietal	(iii) Dianthus
(d) Free central	(iv) Sunflower

Choose the correct answer from the following options :

(A) (a)-(iii), (b)-(iv), (c)-(i), (d)-(ii)

(B) (a)-(ii), (b)-(iii), (c)-(iv), (d)-(i)

(C) (a)-(i), (b)-(ii), (c)-(iii), (d)-(iv)

(D) (a)-(iv), (b)-(ii), (c)-(i), (d)-(iii)

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q39. NEET 2019 (Odisha)

Which of the following shows whorled phyllotaxy?

(A) *Calotropis* (B) Mustard (C) China rose (D) *Alstonia*

Open solution

Q40. NEET 2019 (Odisha)

Bicarpellary ovary with obliquely placed septum is seen in :

(A) *Sesbania* (B) *Brassica* (C) *Aloe* (D) *Solanum*

Open solution

Q41. NEET 2019

Placentation, in which ovules develop on the inner wall of the ovary or in peripheral part, is :

(A) Parietal (B) Free central (C) Basal (D) Axile

Open solution

Q42. NEET 2018

Sweet potato is a modified

(A) adventitious root (B) rhizome

(C) stem (D) taproot

Open solution

Q43. NEET 2017

Coconut fruit is a

(A) berry (B) nut (C) capsule (D) drupe.

Open solution

Q44. NEET 2017

In *Bougainvillea*, throns are the modifications of

(A) adventitious root (B) stem

(C) leaf (D) stipules.

Open solution

Q45. NEET 2017

Root hairs develop from the region of :

(A) Meristematic activity (B) Root cap

(C) Maturation (D) Elongation

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q46. NEET 2016 Phase 2

The term 'polyadelphous' is related to

(A) gynoecium (B) androecium (C) corolla (D) calyx.

Open solution

Q47. NEET 2016 Phase 2

How many plants among *Indigofera, Sesbania, Salvia, Allium, Aloe,* mustard, groundnut, radish, gram and turnip have stamens with different lengths in their flowers?

(A) Three (B) Four (C) Five (D) Six

Open solution

Q48. NEET 2016 Phase 2

Radial symmetry is found in the flowers of

(A) *Brassica* (B) *Trifolium* (C) *Pisum* (D) *Cassia.*

Open solution

Q49. NEET 2016 Phase 2

Free-central placentation is found in

(A) *Dianthus* (B) *Argemone* (C) *Brassica* (D) *Citrus.*

Open solution

Q50. NEET 2016 Phase 1

Which of the following is not a stem modification?

(A) Tendrils of cucumber (B) Flattened structures of *Opuntia*
(C) Pitcher of *Nepenthes* (D) Thorns of citrus

Open solution

Q51. NEET 2016 Phase 1

Stems modified into flat green organs performing the functions of leaves are known as

(A) phylloclades (B) scales (C) cladodes (D) phyllodes.

Open solution

Q52. NEET 2016 Phase 1

Cotyledon of maize grain is called

(A) coleoptile (B) scutellum (C) plumule (D) coleorhiza.

Open solution

Q53. NEET 2016 Phase 1

Tricarpellary, syncarpous gynoecium is found in flowers of

(A) Fabaceae (B) Poaceae (C) Liliaceae (D) Solanaceae

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q54. NEET 2016 Phase 1

The standard petal of a papilionaceous corolla is also called

(A) vexillum (B) corona (C) carina (D) pappus.

Open solution

Q55. AIPMT 2015

The wheat grain has an embryo with one large, shield shaped cotyledon known as

(A) scutellum (B) coleoptile (C) epiblast (D) coleorhiza.

Open solution

Q56. AIPMT 2015

Among China rose, mustard, brinjal, potato, guava, cucumber, onion and tulip, how many plants have superior ovary?

(A) Three (B) Four (C) Five (D) Six

Open solution

Q57. AIPMT 2015

Axile placentation is present in

(A) pea (B) *Argemone* (C) *Dianthus* (D) lemon.

Open solution

Q58. AIPMT 2015

Roots play insignificant role in absorption of water in

(A) pea (B) wheat (C) sunflower (D) *Pistia.*

Open solution

Q59. AIPMT 2015 Cancelled Paper

Perigynous flowers are found in

(A) China rose (B) rose (C) guava (D) cucumber.

Open solution

Q60. AIPMT 2015 Cancelled Paper

Keel is the characteristic feature of flower of

(A) *Aloe* (B) tomato (C) tulip (D) *Indigofera.*

Open solution

Q61. AIPMT 2015 Cancelled Paper

Leaves become modified into spines in

(A) onion (B) silk cotton (C) *Opuntia* (D) pea

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q62. AIPMT 2015 Cancelled Paper



Open solution

is the floral formula of

(A) *Petunia* (B) *Brassica* (C) *Allium* (D) *Sesbania*.

Q63. AIPMT 2014

Placenta and pericarp are both edible portions in

(A) apple (B) banana (C) tomato (D) potato

Open solution

Q64. AIPMT 2014

When the margins of sepals or petals overlap one another without any particular direction, the condition is termed as

(A) vexillary (B) imbricate (C) twisted (D) valvate.

Open solution

Q65. AIPMT 2014

Which one of the following statements is correct?

(A) The seed in grasses is not endospermic.

(B) Mango is a parthenocarpic fruit.

(C) A proteinaceous aleurone layer is present in maize grain.

(D) A sterile pistil is called a staminode.

Open solution

Q66. AIPMT 2014

An example of edible underground stem is

(A) carrot (B) groundnut (C) sweet potato (D) potato.

Open solution

Q67. AIPMT 2014

An aggregate fruit is one which develops from

(A) multicarpellary syncarpous gynoecium (B) multicarpellary apocarpus gynoecium

(C) complete inflorescence (D) multicarpellary superior ovary.

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q68. NEET 2013 (Karnataka)

Among flowers of *Calotropis, tulip, Sesbania, Asparagus, Colchicum,* sweet pea, *Petunia, Indigofera,* mustard, soybean, tobaco and groundnut, how many plants have corolla with valvate aestivation?

(A) Six (B) Seven (C) Eight (D) Five

Open solution

Q69. NEET 2013 (Karnataka)

Inflorescence is racemose in

(A) brinjal (B) tulip (C) aloe (D) soybean.

Open solution

Q70. NEET 2013 (Karnataka)

In a cymose inflorescence the main axis

(A) has unlimited growth

(B) bears a solitary flower

(C) has unlimited growth but lateral branches end in flowers

(D) terminates in a flower.

Open solution

Q71. NEET 2013 (Karnataka)

How many plants among China rose, *Ocimum,* sunflower, mustard, *Alstonia*, guava, *Calotropis* and *Nerium* (oleander) have opposite phyllotaxy?

(A) Three (B) Four (C) Five (D) Two

Open solution

Q72. NEET 2013

Among bitter gourd, mustard, brinjal, pumpkin, china rose, lupin, cucumber, sunhemp, gram, guava, bean, chilli, plum, petunia, tomato, rose, *Withania*, potato, onion, aloe and tulip how many plants have hypogynous flower?

(A) Fifteen (B) Eighteen (C) Six (D) Ten

Open solution

Q73. NEET 2013

In China rose the flowers are

(A) zygomorphic, hypogynous with imbricate aestivation

(B) zygomorphic, epigynous with twisted aestivation

(C) actinomorphic, hypogynous with twisted aestivation

(D) actinomorphic, epigynous with valvate aestivation

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q74. AIPMT 2012 Mains

Which one of the following organisms is correctly matched with its three characteristic?

(A) Pea: C_3 pathway, endospermic seed, vexillary aestivation

(B) Tomato : twisted aestivation, axile placentation, berry

(C) Onion : bulb, imbricate aestivation, axile placentation

(D) Maize : C_3 pathway, closed vascular bundles, scutellum

Open solution

Q75. AIPMT 2012 Mains

How many plants in the list given below have marginal placentation?
Mustard, Gram, Tulip, *Asparagus*, Arhar, Sun hemp, Chilli, *Colchicum,* Onion, Moong, Pea, Tobacco, Lupin

(A) Four (B) Five (C) Six (D) Three

Open solution

Q76. AIPMT 2012 Prelims

Placentation in tomato and lemon is

(A) parietal (B) free central (C) marginal (D) axile.

Open solution

Q77. AIPMT 2012 Prelims

Cymose inflorescence is present in

(A) *Solanum* (B) *Sesbania* (C) *Trifolium* (D) *Brassica*

Open solution

Q78. AIPMT 2012 Prelims

Phyllode is present in

(A) *Asparagus* (B) *Euphorbia*

(C) Australian *Acacia* (D) *Opuntia.*

Open solution

Q79. AIPMT 2012 Prelims

The gynoecium consists of many free pistils in flowers of

(A) *Aloe* (B) tomato (C) *Papaver* (D) *Michelia*

Open solution

Q80. AIPMT 2012 Prelims

How many plants in the list given below have composite fruits that develop from an inflorescence?
Walnut, poppy, radish, fig, pineapple, apple, tomato, mulberry.

(A) Four (B) Five (C) Two (D) Three

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q81. AIPMT 2012 Prelims

The coconut water and the edible part of coconut are equivalent to

(A) endosperm (B) endocarp (C) mesocarp (D) embryo

Open solution

Q82. AIPMT 2012 Prelims

Vexillary aestivation is characteristic of the family

(A) Fabaceae (B) Asteraceae (C) Solanaceae (D) Brassicaceae.

Open solution

Q83. AIPMT 2011 Mains

Which one of the following pairs is wrongly matched while the remaining three are correct?

(A) *Penicillium* – conidia (B) Water hyacinth – runner

(C) *Bryophyllum* – leaf buds (D) *Agave* – bulbils

Open solution

Q84. AIPMT 2011 Mains

Whorled, simple leaves with reticulate venation are present in

(A) *Calotropis* (B) neem (C) China rose (D) *Alstonia*.

Open solution

Q85. AIPMT 2011 Mains

Sweet potato is homologous to

(A) potato (B) *Colocasia* (C) ginger (D) turnip.

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q86. AIPMT 2011 Mains

Which one of the following figures represents the placentation in *Dianthus*?

Open solution

(A)



(B)



(C)



(D)



Q87. AIPMT 2011 Prelims

Which one of the following statements is correct?

Open solution

(A) In tomato, fruit is a capsule.

(B) Seeds of orchids have oil-rich endosperm.

(C) Placentation in primose is basal.

(D) Flower of tulip is a modified shoot.

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q88. AIPMT 2011 Prelims

Flowers are zygomorphic in

(A) mustard (B) gulmohur (C) tomato (D) *Datura*.

Open solution

Q89. AIPMT 2011 Prelims

The ovary is half inferior in flowers of

(A) peach (B) cucumber (C) cotton (D) guava.

Open solution

Q90. AIPMT 2011 Prelims

A drupe develops in


(A) mango (B) wheat (C) pea (D) tomato.


Open solution


Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q91. AIPMT 2011 Prelims

The correct floral formula of chilli is

(A) 

(B) 

(C) 

(D) 

Open solution

Q92. AIPMT 2011 Prelims

The "eyes" of the potato tuber are

(A) root buds (B) flower buds (C) shoot buds (D) axillary buds.

Open solution

Q93. AIPMT 2011 Prelims

What would be the number of chromosomes of the aleurone cells of a plant with 42 chromosomes in its root tip cells?

(A) 42 (B) 63 (C) 84 (D) 21

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q94. AIPMT 2010 Mains

Which one of the following is a xerophytic plant in which the stem is modified into the flat green and succulent structure?

(A) *Opuntia* (B) *Casuarina* (C) *Hydrilla* (D) *Acacia*

Open solution

Q95. AIPMT 2010 Mains

The correct floral formula of soyabean is

(A)

$$\% \, ♀ \, K_{(5)} \, C_{1+(2)+2} \, A_{(9)+1} \underline{G}_1$$

(B)

$$\% \, ♀ \, K_5 \, C_{1+(2)+2} \, A_{(9)+1} \underline{G}_1$$

(C)

$$\% \, ♀ K_{(5)} \, C_{1+2+(2)} A_{(9)+1} \underline{G}_1$$

(D)

$$\% \, ♀ K_{(5)} \, C_{1+2+(2)} A_{1+(9)} \underline{G}_1$$

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q96. AIPMT 2010 Mains

Consider the following four statements (i), (ii), (iii) and (iv) and select the right option for two correct statements.

Open solution

Statements :

(i) In vexillary aestivation, the large posterior petal is called-standard, two lateral ones are wings and two small anterior petals are termed keel.

(ii) The floral formula for Liliaceae is

$$\oplus\, ♀\, P_{3+3}\, A_{3+3}\, \underline{G}_{3}$$

(iii) In pea flower the stamens are monadelphous.

(iv) The floral formula for Solanaceae is

$$\oplus\, ♀\, K_{(3)} C_{(3)} A_{(4)} \underline{G}_{(2)}$$

The correct statements are

(A) (i) and (iii) **(B)** (i) and (ii) **(C)** (ii) and (iii) **(D)** (iii) and (iv).

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q97. AIPMT 2010 Mains

Aestivation of petals in the flower of cotton is correctly shown in

(A)



(B)



(C)



(D)



Open solution

Q98. AIPMT 2010 Prelims

In unilocular ovary with a single ovule the placentation is

(A) Axile (B) Marginal (C) Basal (D) Free Central

Open solution

Q99. AIPMT 2010 Prelims

Keel is characteristic of the flowers of

(A) gulmohur (B) *Cassia* (C) *Calotropis* (D) bean

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q100. AIPMT 2010 Prelims

Ovary is half-inferior in the flowers of

(A) guava (B) plum (C) brinjal (D) cucumber.

Open solution

Q101. AIPMT 2010 Prelims

The technical term used for the androecium in a flower of China rose *(Hibiscus rosa sinensis)* is

(A) monadelphous (B) diadelphous (C) polyandrous (D) polyadelphous.

Open solution

Q102. AIPMT 2010 Prelims

The scutellum observed in a grain of wheat or maize is comparable to which part of the seed in other monocotyledons?

(A) Cotyledon (B) Endosperm (C) Aleurone layer (D) Plumule

Open solution

Q103. AIPMT 2009

A fruit developed from hypanthodium inflorescence is called

(A) sorosis (B) syconus (C) caryopsis (D) hesperidium.

Open solution

Q104. AIPMT 2009

An example of axile placentation is

(A) *Dianthus* (B) lemon (C) marigold (D) *Argemone.*

Open solution

Q105. AIPMT 2009

Cotyledons and testa respectively are edible parts in

(A) walnut and tamarind (B) french bean and coconut

(C) cashew nut and litchi (D) groundnut and pomegranate.

Open solution

Q106. AIPMT 2009

An examples of a seed with endosperm, perisperm, and caruncle is


(A) coffee (B) lily (C) castor (D) cotton.

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q107. AIPMT 2009

The floral formula



is that of

(A) soybean (B) sunhemp (C) tobacco (D) tulip

Open solution

Q108. AIPMT 2008

The fleshy receptacle of syconus of fig encloses a number of

(A) berries (B) mericarps (C) achenes (D) samaras.

Open solution

Q109. AIPMT 2008

Dry indehiscent single-seeded fruit formed from bicarpellary syncarpous inferior ovary is

(A) berry (B) cremocarp (C) caryopsis (D) cypsella.

Open solution

Q110. AIPMT 2008

Replum is present in the ovary of flower of

(A) sun flower (B) pea (C) lemon (D) mustard

Open solution

Q111. AIPMT 2008

The fruit is chambered, developed from inferior ovary and has seeds with succulent testa in

(A) guava (B) cucumber (C) pomegranate (D) orange.

Open solution

Q112. AIPMT 2008

Endosperm is consumed by developing embryo in the seed of

(A) pea (B) maize (C) coconut (D) castor.

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q113. AIPMT 2007

Which of the following is a flowering plant with nodules containing filamentous nitrogen-fixing micro-organism?

(A) *Crotalaria juncea*
(B) *Cycas revoluta*
(C) *Cicer arietinum*
(D) *Casuarina equisetifolia*

Open solution

Q114. AIPMT 2006

Pentamerous actinomorphic flowers, bicarpellary ovary with oblique septa, and fruit capsule or berry, are characteristic features of

(A) Liliaceae (B) Asteraceae (C) Brassicaceae (D) Solanaceae

Open solution

Q115. AIPMT 2006

Pineapple (ananas) fruit develops from

(A) a multilocular monocarpellary flower
(B) a unilocular polycarpellary flower
(C) a multipistillate syncarpous flower
(D) a cluster of compactly borne flowers on a common axis.

Open solution

Q116. AIPMT 2006

In which of the following fruits, the edible part is the aril ?

(A) Litchi (B) Custard apple (C) Promegranate (D) Orange

Open solution

Q117. AIPMT 2006

Long filamentous threads protruding at the end of a young cob of maize are

(A) hairs (B) anthers (C) styles (D) ovaries.

Open solution

Q118. AIPMT 2006

What type of placentation is seen in sweet pea?

(A) Basal (B) Axile (C) Free central (D) Marginal

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q119. AIPMT 2005

Why is vivipary an undesirable character for annual crop plants?

(A) It reduces the vigour of the plant.

(B) It adversely affects the fertility of the plant.

(C) The seeds exhibit long dormancy.

(D) The seeds cannot be stored under normal conditions for the next season.

Open solution

Q120. AIPMT 2005

Which of the following represents the edible part of the fruit of litchi?

(A) Mesocarp (B) Endocarp (C) Pericarp (D) Juicy aril

Open solution

Q121. AIPMT 2004

Edible part of mango is

(A) endocarp (B) receptacle (C) epicarp (D) mesocarp.

Open solution

Q122. AIPMT 2004

In a longitudinal section of a root, starting from the tip upward, the four zones occur in the following order :-

(A) Cell division, cell enlargement, cell maturation, root cap

(B) Root cap, cell division, cell enlargement, cell maturation

(C) Root cap, cell division, cell maturation, cell enlargement

(D) Celldivision,cell maturation, cell enlargement, root cap

Open solution

Q123. AIPMT 2003

Juicy hair-like structures observed in the lemon fruit develop from

(A) exocarp (B) mesocarp

(C) endocarp (D) mesocarp and endocarp.

Open solution

Q124. AIPMT 2002

Geocarpic fruit is

(A) potato (B) peanut (C) onion (D) garlic.

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q125. AIPMT 2002

Edible part in mango is

(A) mesocarp (B) epicarp (C) endocarp (D) epidermis

Open solution

Q126. AIPMT 2001

Bicarpellary gynoecium and oblique ovary occurs in

(A) mustard (B) banana (C) *Pisum* (D) *brinjal*

Open solution

Q127. AIPMT 2001

Tetradynamous conditions occur in

(A) Cruciferae (B) Malvaceae (C) Solanaceae (D) Liliaceae.

Open solution

Q128. AIPMT 2001

What is the eye of potato?

(A) Axillary bud (B) Accessory bud (C) Adventitious bud (D) Apical bud

Open solution

Q129. AIPMT 2001

Edible part of banana is

(A) epicarp (B) mesocarp and less developed endocarp

(C) endocarp and less developed mesocarp (D) epicarp and mesocarp.

Open solution

Q130. AIPMT 2001

Which is correct pair for edible part?

(A) Tomato-thalamus (B) Maize-cotyledons

(C) Guava-mesocarp (D) Date palm-mesocarp

Open solution

Q131. AIPMT 2000

Which is expressing right appropriate pairing?

(A) Brassicaceae - sunflower (B) Malvaceae - cotton

(C) Papilionaceae - catechu (D) Liliaceae - wheat

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q132. AIPMT 2000

Pneumatophores are found in

(A) the vegetation which is found in marshy and saline lake

(B) the vegetation which found in acidic soil

(C) xerophytes

(D) epiphytes.

Open solution

Q133. AIPMT 2000

Hair found in the inflorescence of *Zea mays* are the modification of

(A) style (B) stigma (C) spathe (D) filaments.

Open solution

Q134. AIPMT 2000

Geocarpic fruits is

(A) carrot (B) radish (C) ground nut (D) turnip.

Open solution

Q135. AIPMT 1999

The plant which bears clinging roots is :

(A) *Podostemon* (B) Orchid (C) *Trapa* (D) Screw pine

Open solution

Q136. AIPMT 1999

A pair of insectivorous plants is :

(A) Venus fly trap and *Rafflesia* (B) *Nepenthes* and bladderwort

(C) *Drosera* and *Rafflesia* (D) *Dionaea* and *Viscum*

Open solution

Q137. AIPMT 1999

Edible part of litchi is :

(A) pericarp (B) fleshy aril (C) mesocarp (D) endosperm

Open solution

Q138. AIPMT 1999

The type of placentation in which ovary is syncarpous, unilocular and ovules on sutures is called

(A) marginal placentation (B) parietal placentation

(C) axile placentation (D) superficial placentation

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q139. AIPMT 1998

The embryo in sunflower has

(A) no cotyledon (B) one cotyledon (C) two cotyledons (D) many cotyledons

Open solution

Q140. AIPMT 1997

Which plant will lose its economic value, if its fruits are produced by induced parthenocarpy?

(A) Orange (B) Banana (C) Grape (D) Pomegranate

Open solution

Q141. AIPMT 1996

Which of the following is a 'true fruit'?

(A) Banana (B) Fig (C) Apple (D) Pear

Open solution

Q142. AIPMT 1994

A plant bears fruit, has a column of vascular tissue and a tap root system. This plant is a

(A) angiosperm and dicot (B) gymnosperm and dicot
(C) angiosperm and monocot (D) gymnosperm and monocot

Open solution

Q143. AIPMT 1994

Hypanthodium is a specialised type of

(A) fruit (B) inflorescence (C) thalamus (D) ovary

Open solution

Q144. AIPMT 1993

Pulses are obtained from

(A) Fabaceae (B) Asteraceae (C) Poaceae (D) Solanaceae

Open solution

Q145. AIPMT 1992

Epipetalous stamens with free filaments and fused anthers occur in


(A) Asteraceae (B) Solanaceae (C) Liliaceae (D) Poaceae


Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play


Q146. AIPMT 1992

Floral formula of tomato/tobacco is

(A) 

(B) 

(C) 

(D) 

Open solution

Q147. AIPMT 1991

Botanical name of cauliflower is

(A) *Brassica oleracea var. capitata*
(B) *Brassica compesteris*
(C) *Brassica oleracea var. botrytis*
(D) *Brassica oleracea var. gemmifera*

Open solution

Q148. AIPMT 1991

Epipetalous and syngenesious stamens occur in

(A) Solanaceae
(B) Brassicaceae
(C) Fabaceae
(D) Asteraceae

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q149. AIPMT 1991

Fruit of *Mangifera indica* is

(A) berry (B) drupe (C) capsule (D) siliqua

Open solution

Q150. AIPMT 1991

A family delimited by type of inflorescence is

(A) Fabaceae (B) Asteraceae (C) Solanaceae (D) Liliaceae

Open solution

Q151. AIPMT 1991

Syngenesious condition is found in

(A) Asteraceae (B) Labiatae (C) Solanaceae (D) Fabaceae

Open solution

Q152. AIPMT 1991

Velamen is found in

(A) roots of screwpine
(B) aerial and terrestrial roots of orchids
(C) leaves of *Ficus elastica*
(D) aerial roots of orchids

Open solution

Q153. AIPMT 1991



is floral formula of

(A) Liliaccae (B) Solanaceae (C) Asteraceae (D) Fabaceae

Open solution

Q154. AIPMT 1990

In groundnut the food/oil reserve is present in

(A) epicarp (B) mesocarp (C) endosperm (D) cotyledons

Open solution

Q155. AIPMT 1990

Tegmen develops from

(A) funiculus (B) chalaza (C) inner integument (D) outer integument

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q156. AIPMT 1990

Oil reserve of groundnut is present in

(A) embryo
(B) cotyledons
(C) endosperm
(D) underground tubers

Open solution

Q157. AIPMT 1990

New banana plants develop from

(A) rhizome
(B) sucker
(C) stolon
(D) seed

Open solution

Q158. AIPMT 1989

Mango juice is obtained from


(A) epicarp
(B) mesocarp
(C) endocarp
(D) pericarp and thalamus

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play


Q159. AIPMT 1989

Floral formula of tomato/tobacco is

(A) 

(B) 

(C) 

(D) 

Open solution

Q160. AIPMT 1988

Which one yields fibres?

(A) Coconut (B) Oak (C) Teak (D) Sisso

Open solution

Q161. AIPMT 1988

Micropyle of seed is involved in the passage of

(A) male gamete (B) pollen tube (C) water (D) gases

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q162. AIPMT 1988

Fruit of groundnut is

(A) legume (B) caryopsis (C) berry (D) nut

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Answer Key

1. **B**	2. **A**	3. **B**	4. **D**	5. **B**
6. **D**	7. **A**	8. **A**	9. **B**	10. **B**
11. **A**	12. **C**	13. **D**	14. **A**	15. **C**
16. **D**	17. **A**	18. **A**	19. **A**	20. **D**
21. **D**	22. **D**	23. **D**	24. **D**	25. **C**
26. **C**	27. **C**	28. **B**	29. **B**	30. **D**
31. **B**	32. **D**	33. **B**	34. **B**	35. **D**
36. **C**	37. **D**	38. **D**	39. **D**	40. **D**
41. **A**	42. **A**	43. **D**	44. **B**	45. **C**
46. **B**	47. **B**	48. **A**	49. **A**	50. **C**
51. **A**	52. **B**	53. **C**	54. **A**	55. **A**
56. **D**	57. **D**	58. **D**	59. **B**	60. **D**
61. **C**	62. **A**	63. **C**	64. **B**	65. **C**
66. **D**	67. **B**	68. **B**	69. **D**	70. **D**
71. **A**	72. **A**	73. **C**	74. **C**	75. **C**
76. **D**	77. **A**	78. **C**	79. **D**	80. **D**
81. **A**	82. **A**	83. **B**	84. **D**	85. **D**
86. **D**	87. **D**	88. **B**	89. **A**	90. **A**
91. **B**	92. **D**	93. **B**	94. **A**	95. **C**
96. **B**	97. **B**	98. **C**	99. **D**	100. **B**
101. **A**	102. **A**	103. **B**	104. **B**	105. **D**
106. **C**	107. **C**	108. **C**	109. **D**	110. **D**
111. **C**	112. **A**	113. **D**	114. **D**	115. **D**
116. **A**	117. **C**	118. **D**	119. **D**	120. **D**
121. **D**	122. **B**	123. **C**	124. **B**	125. **A**
126. **D**	127. **A**	128. **A**	129. **C**	130. **D**
131. **B**	132. **A**	133. **A**	134. **C**	135. **B**
136. **B**	137. **B**	138. **B**	139. **C**	140. **D**
141. **A**	142. **A**	143. **B**	144. **A**	145. **A**
146. **D**	147. **C**	148. **D**	149. **B**	150. **B**
151. **A**	152. **D**	153. **B**	154. **D**	155. **C**

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

156. **B**	157. **B**	158. **B**	159. **D**	160. **A**
161. **C**	162. **A**			

For numerical answers given as a range, any value within the range is correct. Full solutions: scan the QR code next to each question, or visit questions.examside.com.

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

ExamGOAL
PYQ PDF

Your Exam. Our Responsibility.

From first chapter to exam day.

Practise with the questions your exam has already asked, then test yourself under real exam conditions.

PAST YEAR QUESTIONS

Every past paper, chapter-wise.

Previous year questions sorted the way you study, each with a full solution.

- Chapter-wise and year-wise
- Weightage and topic tags on every chapter
- Your progress on each one, at a glance

MOCK TESTS

Mock tests with a real exam feel.

Practise under the same pressure as the real paper, on your phone or on the big screen.

- Timed sections, just like exam day
- Mark questions for review and come back

ANALYSIS

Know your score. Know your rank.

A full report after every test, so you know exactly where you stand.

- Your percentile among everyone who took it
- Predicted real-exam percentile and All India Rank
- Subject breakdown and time analysis

PRACTICE

Solve. Check. Understand.

Learn from every question, not just the ones you get right.

- Instant answers as you practise
- Step-by-step explanations
- See how everyone else answered

NCERT Exemplar
With full solutions

Exam syllabus
Subject and chapter-wise

Bookmarks
Organised in groups

Your notes
On any question

ExamGOAL
LEARNING APP

ExamGOAL: Exam Preparation App

One app for every exam. Free trial for new users, on Android and the web.

GET IT ON Google Play

Scan to get the app

www.examgoal.com
Practice and mock tests

questions.examside.com
Free solutions

pdf.questions.examgoal.com
Free PYQ PDFs