ExamGOAL
PYQ PDF

Free · With answer key

NEET · BIOLOGY · CHAPTER-WISE PYQS

Neural Control and Coordination

NEET Biology · Previous Year Questions with Answer Key

82	43	1989 – 2026	31	English
QUESTIONS	PAPERS COVERED	YEARS	OUT OF SYLLABUS	LANGUAGE

INSIDE THIS PDF

MCQ (Single Correct Answer)	51 questions
Out of syllabus	31 questions
Answer key	at the end

Practise online

Every question with its full solution, free on **questions.examside.com**

1. **Solve**
   Print it, or work through it on screen.
2. **Check**
   The answer key is on the last pages.
3. **Understand**
   Scan the QR code beside any question for its full solution.

MCQ (Single Correct Answer) 51 questions

Q1. RE-NEET 2026

Which of the following is not a part of human central neural system?

(A) Pericardium (B) Arachnoid (C) Dura mater (D) Pia mater

Open solution

Q2. NEET 2026

The specific receptors for neurotransmitters in a synapse are present on ____ .

(A) Schwann cell (B) Pre-synaptic membrane

(C) Myelin sheath (D) Post-synaptic membrane

Open solution

Q3. NEET 2024 (Re-Examination)

Match List-I with List -II

	List - I		List - II
(A)	Schwann cells	(I)	Neurotransmitter
(B)	Synaptic knob	(II)	Cerebral cortex
(C)	Bipolar neurons	(III)	Myelin sheath
(D)	Multipolar neurons	(IV)	Retina

Choose the correct answer from the options given below:

(A) A-III, B-I, C-IV, D-II (B) A-I, B-IV, C-II, D-III

(C) A-IV, B-III, C-II, D-I (D) A-II, B-III, C-I, D-IV

Open solution

Q4. NEET 2024

Match List I with List II:

	List - I		List - II
A.	Pons	I.	Provides additional space for Neurons, regulates posture and balance.
B.	Hypothalamus	II.	Controls respiration and gastric secretions.
C.	Medulla	III.	Connects different regions of the brain.
D.	Cerebellum	IV.	Neuro secretory cells

Choose the correct answer from the options given below :

(A) A-II, B-III, C-I, D-IV (B) A-III, B-IV, C-II, D-I

(C) A-I, B-III, C-II, D-IV (D) A-II, B-I, C-III, D-IV

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q5. NEET 2024

Open solution

Given below are two statements:

Statement I: The cerebral hemispheres are connected by nerve tract known as corpus callosum.

Statement II: The brain stem consists of the medulla oblongata, pons and cerebrum.

In the light of the above statements, choose the most appropriate answer from the options given below:

(A) Both Statement I and Statement II are correct.

(B) Both Statement I and Statement II are incorrect.

(C) Statement I is correct but Statement II is incorrect.

(D) Statement I is incorrect but Statement II is correct.

Q6. NEET 2023 Manipur

Open solution

Brainstem of human brain consists of :

(A) Mid-brain, Pons and Medulla Oblongata

(B) Forebrain, Cerebellum and Pons

(C) Thalamus, Hypothalamus and Corpora quadrigemina

(D) Amygdala, Hippocampus and Corpus Callosum

Q7. NEET 2023

Open solution

The parts of human brain that helps in regulation of sexual behaviour, expression of excitement, pleasure, rage, fear etc. are:

(A) Corpora quadrigemina and hippocampus

(B) Brain stem and epithalamus

(C) Corpus callosum and thalamus

(D) Limbic system and hypothalamus

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q8. NEET 2022 Phase 2

Open solution

Match List-I with List - II :

	List - I		List - II
(a)	Multipolar neuron	(i)	Somatic neural system
(b)	Bipolar neuron	(ii)	Cerebral cortex
(c)	Myelinated nerve fibre	(iii)	Retina of Eye
(d)	Unmyelinated nerve fibre	(iv)	Spinal nerves

Choose the correct answer from the options given below :

(A) (a) - (ii), (b) - (iii), (c) - (iv), (d) - (i)

(B) (a) - (iii), (b) - (i), (c) - (iv), (d) - (ii)

(C) (a) - (ii), (b) - (iv), (c) - (iii), (d) - (i)

(D) (a) - (ii), (b) - (iii), (c) - (i), (d) - (iv)

Q9. NEET 2022 Phase 1

Open solution

Select the incorrect statement regarding synapses :

(A) The membranes of presynaptic and postsynaptic neurons are in close proximity in an electrical synapse.

(B) Electrical current can flow directly from one neuron into the other across the electrical synapse.

(C) Chemical synapses use neurotransmitters

(D) Impulse transmission across a chemical synapse is always faster than that across an electrical synapse.

Q10. NEET 2019

Open solution

Which part of the brain is responsible for thermoregulation?

(A) Corpus callosum

(B) Medulla oblongata

(C) Cerebrum

(D) Hypothalamus

Q11. NEET 2018

Open solution

Nissl's bodies are mainly composed of

(A) free ribosomes and RER

(B) proteins and lipids

(C) DNA and RNA

(D) nucleic acids and SER

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q12. NEET 2018

Which of the following structures or regions is incorrectly paired with its functions?

(A) Medulla oblongata : Controls respiration and cardiovascular reflexes

(B) Corpus callosum : Band of fibers connecting left and right cerebral hemispheres

(C) Hypothalamus : Production of releasing hormones and regulation of temperature, hunger and thirst

(D) Limbic system : Consists of fibre tracts that interconnect different regions of brain controlsmovement

Open solution

Q13. NEET 2017

Myelin sheath is produced by

(A) astrocytes and Schwann cell

(B) oligodendrocytes and osteoclasts

(C) osteoclasts and astrocytes

(D) Schwann cells and oligodendrocytes.

Open solution

Q14. NEET 2017

Receptor sites for neurotransmitters are present on

(A) pre-synaptic membrane

(B) tips of axons

(C) post-synaptic membrane

(D) membranees of synaptic vesicles.

Open solution

Q15. AIPMT 2015

Destruction of the anterior horn cells of the spinal cord would result in loss of

(A) commissural impulses

(B) integrating impulses

(C) sensory impulses

(D) voluntary motor impulses.

Open solution

Q16. AIPMT 2015 Cancelled Paper

Which of the following regions of the brain is incorrectly paired with its function?

(A) Corpus callosum - communication between the left and right cerebral cortices

(B) Cerebrum - calculation and contemplation

(C) Medulla oblongata - homeostatic control

(D) Cerebellum - language comprehension

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q17. AIPMT 2014

Injury localized to the hypothalamus would most likely disrupt

(A) short - term memory

(B) co-ordination during locomotion


(C) executive functions, such as decision making

(D) regulation of body temperature.

Open solution

Q18. NEET 2013 (Karnataka)

The figure shows an axon terminal and synapse. Select the option giving correct identification of labels A-D.



Open solution

(A) C-Receptor, D-Synaptic vesicles


(B) A-Axon terminal, B- Serotonin complex

(C) A-Action potential, C-Neurotransmitter

(D) B-Neurotransmitter, D- Receptor capsules

Q19. NEET 2013 (Karnataka)

A sagittal section of human brain is shown here. Identify at least two labels from A-D.



Open solution

(A) A-Cerebral hemispheres, B-Cerebellum

(B) B-Corpus callosum, D-Medulla

(C) C-Mid brain, D-Cerebellum

(D) A-Cerebrum, C-Pons

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q20. NEET 2013


The most abundant intracellular cation is

(A) H^+ (B) K^+ (C) Na^+ (D) Ca^{++}.

Open solution

Q21. NEET 2013

A diagram showing axon terminal and synapse is given. Identify correctly at least two of A - D.



(A) A - Receptor, C - Synaptic vesicles (B) A - Neurotransmitter, B - Synaptic cleft

(C) C - Neurotransmitter, D - Ca^{++} (D) B - Synaptic connection, D - K^+

Open solution

Q22. AIPMT 2012 Prelims

The human hind brain comprises three parts, one of which is

(A) spinal cord (B) corpus callosum (C) cerebellum (D) hypothalamus.

Open solution

Q23. AIPMT 2011 Prelims

When a neuron is in resting state i.e., not conducting any impulse, the axonal membrane is

(A) comparatively more permeable to Na^+ ions and nearly impermeable to K^+ ions

(B) equally permeable to both Na^+ and K^+ ions

(C) impermeable to both Na^+ and K^+ ions

(D) comparatively more permeable to K^+ ions and nearly impermeable to Na^+ ions.

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q24. AIPMT 2010 Mains

Select the answer with correct matching of the structure, its location and function.

Open solution

(A)

Structure	Location	Function
Eustachian tube	Anterior part of internal ear	Equalizes air pressure on either sides of tympanic membrane

(B)

Structure	Location	Function
Cerebellum	Mid Brain	Controls respiration and gastric secretions

(C)

Structure	Location	Function
Hypothalamus	Fore Brain	Controls body temperature, urge for eating and drinking

(D)

Structure	Location	Function
Blind spot	Near the place where optic nerve leaves the eye	Rods and cones are present but inactive here

Q25. AIPMT 2010 Prelims

The nerve centres which control the body temperature and the urge for eating are contained in

(A) hypothalamus (B) pons (C) cerebellum (D) thalamus.

Open solution

Q26. AIPMT 2009

Alzheimer's disease in humans is associated with the deficiency of

(A) glutamic acid (B) acetylcholine
(C) gamma aminobutyric acid (GABA) (D) dopamine.

Open solution

Q27. AIPMT 2009

Which part of human brain is concerned with the regulation of body temperature?

(A) Cerebellum (B) Cerebrum
(C) Hypothalamus (D) Medulla oblongata

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q28. AIPMT 2008

During the propagation of a nerve impulse, the action potential results from the movement of

(A) K^+ ions from intracellular fluid to extracellular fluid

(B) Na^+ ions from extracellular fluid to intracellular fluid

(C) K^+ ions from extracellular fluid to extracellular fluid

(D) Na^+ ions from intracellular fluid to extracellular fluid.

Open solution

Q29. AIPMT 2007

During the transmission of nerve impulse through a nerve fibre, the potential on the inner side of the plasma membrane has which type of electric change?

(A) First positive, then negative and continue to be negative

(B) First negative, then positive and continue to be positive

(C) First positive, then negative and again back to positive

(D) First negative, then positive and again back to negative.

Open solution

Q30. AIPMT 2006

Which one of the following does not act as a neurotransmitter?

(A) Cortisone (B) Acetylcholine (C) Epinephrine (D) Norepinephrine

Open solution

Q31. AIPMT 2005

Which one of the following is the example of the action of the autonomous nervous system?

(A) Swallowing of food (B) Pupillary reflex

(C) Peristalsis of the intestine (D) Knee-jerk response

Open solution

Q32. AIPMT 2005

In a man, abducens nerve is injured. Which one of the following functions will be affected?

(A) Movement of the eyeball (B) Movement of the tongue

(C) Swallowing (D) Movement of the neck

Open solution

Q33. AIPMT 2005

Parkinson's disease (characterized by tremors and progressive rigidity of limbs) is caused by degeneration of brain neurons that are involved in movement control and make use of neurotransmitter

(A) acetylcholine (B) norepinephrine (C) dopamine (D) norepinephrine

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q34. AIPMT 2004

In the resting state of the neural membrane, diffusion due to concentration gradients, if allowed, would drive

(A) K^+ into the cell
(B) K^+ and Na^+ out of the cell
(C) Na^+ into the cell
(D) Na^+ out of the cell.

Open solution

Q35. AIPMT 2004

Injury to vagus nerve in humans is not likely to affect

(A) tongue movements
(B) gastrointestinal movements
(C) pancreatic secretion
(D) cardiac movements.

Open solution

Q36. AIPMT 2003

What used to be described as Nissl's granules in a nerve cell are now identified as

(A) cell metabolites (B) fat granules (C) ribosomes (D) mitochondria.

Open solution

Q37. AIPMT 2002

Which of the following statement is correct for node of Ranvier of nerve?

(A) Neurilemma is discontinuous
(B) Myelin sheath is discontinuous
(C) Both neurilemma and myelin sheath are discontinuous
(D) Covered by myelin sheath

Open solution

Q38. AIPMT 2000

Depolarization of axolema during nerve conduction takes place because of

(A) equal amount of Na^+ and K^+ move out across axolema
(B) Na^+ move inside and K^+ move more outside.
(C) more Na^+ outside
(D) none of these

Open solution

Q39. AIPMT 1999

Which cranial nerve has the highest number of branches?

(A) Facial nerve (B) Trigeminal (C) Vagus nerve (D) None of these

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q40. AIPMT 1999

Sympathetic nervous system induces :

(A) heart-beat
(B) secretion of digestive juices
(C) secretion of saliva
(D) all of the above

Open solution

Q41. AIPMT 1999

The junction between the axon of one neuron and the dendrite of the next is called

(A) junction point
(B) a synapse
(C) a joint
(D) constant bridge

Open solution

Q42. AIPMT 1999

Which of the following is regarded as a unit of nervous tissue?

(A) Myelin sheath
(B) Axons
(C) Dendrites
(D) Neurons

Open solution

Q43. AIPMT 1997

The Nissl's granules of nerves cell are made up of

(A) DNA
(B) RNA
(C) ribosome
(D) protein

Open solution

Q44. AIPMT 1997

The vagus nerve is the cranial nerve numbering

(A) 7
(B) 5
(C) 10
(D) 9

Open solution

Q45. AIPMT 1996

By which nervous system and of what type, the blood is supplied into visceral organs?

(A) Both SNS and PNS, involuntary
(B) Para-sympathetic nervous system involuntary
(C) Sympathetic nervous system, involuntary
(D) Sympathetic nervous system, voluntary

Open solution

Q46. AIPMT 1995

The sympathetic nerves, in mammals, arise from

(A) sacral nerves
(B) 3rd, 7th, 9th and 10th cranial nerves
(C) thoraco-lumbar nerves
(D) cervical nerves

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q47. AIPMT 1992

Afferent nerve fibres carry impulses from

(A) effector organs to CNS
(B) receptors to CNS
(C) CNS to receptors
(D) CNS to muscles

Open solution

Q48. AIPMT 1992

Vagus nerve is

(A) X
(B) IX
(C) VII
(D) V

Open solution

Q49. AIPMT 1990

Third ventricle of brain is also known as

(A) metacoel
(B) rhinocoel
(C) paracoel
(D) diacoel

Open solution

Q50. AIPMT 1990

One function of parasympathetic nervous system is

(A) contraction of hair muscles
(B) stimulation of sweat glands
(C) acceleration of heart beat
(D) constriction of pupil

Open solution

Q51. AIPMT 1989

Which of the following cranial nerves can regulate heart beat?

(A) X
(B) IX
(C) VIII
(D) VII

Open solution

Out of syllabus 31 questions

These questions are on topics no longer in the current syllabus. They are kept for practice, after everything else.

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q52. NEET 2023 Manipur · MCQ (Single Correct Answer)

Open solution

Given below are two statements :

Statement I :- The nose contains mucus – coated receptors which are specialised for receiving the sense of smell and are called olfactory receptors.

Statement II :- Wall of the eye ball has three layers. The external layer is called choroid (dense connective tissue), middle layer is sclera (thin pigmented layer) and internal layer is retina (ganglion cells, bipolar cells and photoreceptor cells).

In the light of the above statements, choose the correct answer from the options given below:

(A) Statement I is true but statement II is false

(B) Statement I is false but Statement II is true

(C) Both Statement I and Statement II are true

(D) Both Statement I and Statement II are false.

Q53. NEET 2023 · MCQ (Single Correct Answer)

Open solution

Match List I with List II with respect to human eye.

	List I		List II
(A)	Fovea	(I)	Visible coloured portion of eye that regulates diameter of pupil.
(B)	Iris	(II)	External layer of eye formed of dense connective tissue.
(C)	Blind spot	(III)	Point of greatest visual acuity or resolution.
(D)	Sclera	(IV)	Point where optic nerve leaves the eyeball and photoreceptor cells are absent.

Choose the correct answer from the options given below:

(A) A-IV, B-III, C-II, D-I

(B) A-I, B-IV, C-III, D-II

(C) A-II, B-I, C-III, D-IV

(D) A-III, B-I, C-IV, D-II

Q54. NEET 2020 Phase 2 · MCQ (Single Correct Answer)

Open solution

Match the following columns and select the correct option :

Column - I	Column - II
(a) Rods and Cones	(i) Absence of photoreceptor cells
(b) Blind Spot	(ii) Cones are densely packed
(c) Fovea	(iii) Photoreceptor cells
(d) Iris	(iv) Visible coloured portion of the eye

(A) (a)-(ii), (b)-(iv), (c)-(iii), (d)-(i)

(B) (a)-(iii), (b)-(i), (c)-(ii), (d)-(iv)

(C) (a)-(ii), (b)-(iii), (c)-(i), (d)-(iv)

(D) (a)-(iii), (b)-(iv), (c)-(ii), (d)-(i)

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q55. NEET 2020 Phase 1 · MCQ (Single Correct Answer)

Match the following columns and select the correct option.

Column-I	Column-II
(a) Organ of Corti	(i) Connects middle ear and pharynx
(b) Cochlea	(ii) Coiled part of the labyrinth
(c) Eustachian tube	(iii) Attached to the oval window
(d) Stapes	(iv) Located on the basilar membrane

Open solution

(A) (A) → (ii), (B) → (iii), (C) → (i), (D) → (iv)

(B) (A) → (iv), (B) → (ii), (C) → (i), (D) → (iii)

(C) (A) → (iii), (B) → (i), (C) → (iv), (D) → (ii)

(D) (A) → (i), (B) → (ii), (C) → (iv), (D) → (iii)

Q56. NEET 2019 (Odisha) · MCQ (Single Correct Answer)

Which of the following statements is **not** correct?

Open solution

(A) In the knee-jerk reflex, stimulus is the stretching of muscle and response is its contraction

(B) An action potential in an axon does not move backward because the segment behind is in a refractory phase

(C) Depolarisation of hair cells of cochlea results in the opening of the mechanically gated potassium-ion channels

(D) Rods are very sensitive and contribute to daylight vision

Q57. NEET 2019 (Odisha) · MCQ (Single Correct Answer)

Which of the following receptors are specifically responsible for maintenance of balance of body and posture?

Open solution

(A) Crista ampullaris and macula

(B) Basilar membrane and otoliths

(C) Hair cells and organ of corti

(D) Tectorial membrane and macula

Q58. NEET 2019 · MCQ (Single Correct Answer)

Which of the following statements is correct?

Open solution

(A) Cornea is convex, transparent layer which is highly vascularised

(B) Cornea consists of dense matrix of collagen and is the most sensitive portion of the eye.

(C) Cornea is an external, Transparent and protective proteinaceous covering of the eye-ball

(D) Cornea consists of dense connective tissue of elastin and can repair itself.

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q59. NEET 2018 · MCQ (Single Correct Answer)

The transparent lens in the human eye is held in its place by

(A) smooth muscles attached to the ciliary body.

(B) ligaments attached to the ciliary body

(C) ligaments attached to the iris

(D) smooth muscles attached to the iris

Open solution

Q60. NEET 2017 · MCQ (Single Correct Answer)

Good vision depends on adequate intake of carotene rich food.

Select the best option from the following statements.

(1) Vitamin A derivatives are formed from carotene,

(2) The photopigments are embedded in the membrane discs of the inner segment.

(3) Retinal is a derivative of vitamin A.

(4) Retinal is a light absorbing part of all the visual photopigments.

(A) (1), (3) and (4) (B) (1) and (3) (C) (2), (3) and (4) (D) (1) and (2)

Open solution

Q61. NEET 2016 Phase 2 · MCQ (Single Correct Answer)

Choose the correct statement.

(A) Nociceptors respond to changes in pressure.

(B) Meissner's corpuscles are thermoreceptors.

(C) Photoreceptors in the human eye are depolarised during darkness and become hyperpolarised in response to the light stimulus.

(D) Receptors do not produce graded potentials.

Open solution

Q62. NEET 2016 Phase 1 · MCQ (Single Correct Answer)

Photosensitive compound in human eye is made up of

(A) opsin and retinol (B) transducin and retinene

(C) guanosine and retinol (D) opsin and retinal.

Open solution

Q63. AIPMT 2015 · MCQ (Single Correct Answer)

In mammalian eye, the 'fovea' is the center of the visual field, where

(A) only rods are present

(B) more rods than cones are found

(C) high density of cones occur, but has no rods

(D) the optic nerve leaves the eye.

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q64. AIPMT 2015 Cancelled Paper · MCQ (Single Correct Answer)

A gymnast is able to balance his body upside down even in the total darkness because of

(A) tectorial membrane
(B) organ of corti
(C) cochlea
(D) vestibular apparatus.

Open solution

Q65. AIPMT 2014 · MCQ (Single Correct Answer)


Which one of the following statements is not correct?

(A) Retinal is the light absorbing portion of visual photo pigments.
(B) In retina the rods have the photopigment rhodopsin while cones have three different photopigments.
(C) Retinal is a derivative of vitamin C.
(D) Rhodopsin is the purplish red protein present in rods only.

Open solution

Q66. NEET 2013 · MCQ (Single Correct Answer)

Parts A, B, C and D of the human eye are shown in the diagram. Select the option which gives correct identification along with its functions/ characteristics.



(A) B - Blind spot-Has only a few rods and cones.
(B) A - Retina - Contains photoreceptors, i.e., rods and cones.
(C) C-Aqueous chamber-Reflects the light which does not pass through the lens.
(D) D - Choroid - Its anterior part forms ciliary body.

Open solution

Q67. AIPMT 2012 Prelims · MCQ (Single Correct Answer)

Which part of the human ear plays no role in hearing as such but is otherwise very much required?

(A) Eustachian tube
(B) Organ of Corti
(C) Vestibular apparatus
(D) Ear ossicles

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q68. AIPMT 2011 Prelims · MCQ (Single Correct Answer)

The purplish red pigment rhodopsin contained in the rods type of photoreceptor cells of the human eye, is a derivative of

(A) vitamin B_1 (B) vitamin C (C) vitamin D (D) vitamin A.

Open solution

Q69. AIPMT 2008 · MCQ (Single Correct Answer)

Cornea transplant in humans is almost never rejected. This is because

(A) it is composed of enucleated cells

(B) it is a non-living layer

(C) its cells are least penetrable by bacteria

(D) it has no blood supply.

Open solution

Q70. AIPMT 2008 · MCQ (Single Correct Answer)

Which one of the following is the correct difference between rod cells and cone cells of our retina?

(A)

	Rod cells	Cone cells
Overall function	Vision in poor light	Colour vision and detailed vision in bright light

(B)

	Rod cells	Cone cells
Distribution	More concentrated in centre of retina	Evenly distributed all over retina

(C)

	Rod cells	Cone cells
Visual acuity	High	Low

(D)


	Rod cells	Cone cells
Visual pigment contained	Iodopsin	Rhodopsin

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q71. AIPMT 2008 · MCQ (Single Correct Answer)

Given below is a diagrammatic cross section of a single loop of human cochlea.



Open solution

Which one of the following options correctly represents the names of three different parts?

(A) B : Tectorial membrane, C : Perilymph, D: secretory cells

(B) A : Perilymph, B : Tectorial membrane, C: Endolymph

(C) C : Endolymph, D : Sensory hair cells, A : Serum

(D) D : Sensory hair cells, A : Endolymph B : Tectorial membrane.

Q72. AIPMT 2007 · MCQ (Single Correct Answer)

Bowman's glands are located in the

(A) Anterior pituitary

(B) Female reproductive system of cockroach

(C) Olfactory epithelium of our nose

(D) Proximal end of uriniferous tubules.

Open solution

Q73. AIPMT 2006 · MCQ (Single Correct Answer)

Bowman's glands are found in

(A) juxtamedullary nephrons

(B) Olfactory epithelium

(C) external auditory canal

(D) cortical nephrons only

Open solution

Q74. AIPMT 2001 · MCQ (Single Correct Answer)

When we migrate from dark to light, we fail to see for some time but after a time visibility becomes normal. It is example of

(A) accommodation (B) adaptation (C) mutation (D) photoperiodism.

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q75. AIPMT 2001 · MCQ (Single Correct Answer)

Which of the following statements is the characteristics of human cornea?

(A) It is secreted by conjuctiva and glandular layer.

(B) It is a lacrimal gland which secrete tears.

(C) Blood circulation is absent in cornea.

(D) In old age it becomes the cause of cataract.

Open solution

Q76. AIPMT 1997 · MCQ (Single Correct Answer)

In the chemistry of vision in mammals, the photosensitive substance is called

(A) rhodopsin (B) melanin (C) sclerotin (D) retinol

Open solution

Q77. AIPMT 1993 · MCQ (Single Correct Answer)

Ivan Pavlov performed experiments on

(A) simple reflexes (B) conditioned reflexes

(C) cardiac reflexes (D) origin of life

Open solution

Q78. AIPMT 1993 · MCQ (Single Correct Answer)

Light rays entering the eye is controlled by

(A) pupil (B) iris (C) cornea (D) lens

Open solution

Q79. AIPMT 1993 · MCQ (Single Correct Answer)

Retina is most sensitive at

(A) optic disc (B) periphery (C) macula lutea (D) fovea centralis

Open solution

Q80. AIPMT 1993 · MCQ (Single Correct Answer)

Function of iris is to

(A) move lens forward and backward (B) refract light rays

(C) bring about movements of eye lids (D) alter the size of pupil

Open solution

Q81. AIPMT 1993 · MCQ (Single Correct Answer)

Iris is part of

(A) sclerotic (B) choroid

(C) choroid and retina (D) sclerotic and choroid

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q82. AIPMT 1989 · MCQ (Single Correct Answer)

Sensitive pigmented layer of eye is

(A) cornea (B) retina (C) sclerotic (D) iris

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Answer Key

MCQ (Single Correct Answer)

1. **A**	2. **D**	3. **A**	4. **B**	5. **C**
6. **A**	7. **D**	8. **A**	9. **D**	10. **D**
11. **A**	12. **D**	13. **D**	14. **C**	15. **D**
16. **D**	17. **D**	18. **A**	19. **D**	20. **B**
21. **A**	22. **C**	23. **D**	24. **C**	25. **A**
26. **B**	27. **C**	28. **B**	29. **D**	30. **A**
31. **C**	32. **A**	33. **C**	34. **C**	35. **A**
36. **C**	37. **B**	38. **B**	39. **C**	40. **A**
41. **B**	42. **D**	43. **C**	44. **C**	45. **A**
46. **C**	47. **B**	48. **A**	49. **D**	50. **D**
51. **A**				

Out of syllabus

52. **A**	53. **D**	54. **B**	55. **B**	56. **D**
57. **A**	58. **C**	59. **B**	60. **A**	61. **C**
62. **D**	63. **C**	64. **D**	65. **C**	66. **B**
67. **C**	68. **D**	69. **D**	70. **A**	71. **B**
72. **C**	73. **B**	74. **B**	75. **C**	76. **A**
77. **B**	78. **A**	79. **D**	80. **D**	81. **B**
82. **B**				

For numerical answers given as a range, any value within the range is correct. Full solutions: scan the QR code next to each question, or visit questions.examside.com.

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

ExamGOAL
PYQ PDF

Your Exam. Our Responsibility.

From first chapter to exam day.

Practise with the questions your exam has already asked, then test yourself under real exam conditions.

PAST YEAR QUESTIONS

Every past paper, chapter-wise.

Previous year questions sorted the way you study, each with a full solution.

- Chapter-wise and year-wise
- Weightage and topic tags on every chapter
- Your progress on each one, at a glance

MOCK TESTS

Mock tests with a real exam feel.

Practise under the same pressure as the real paper, on your phone or on the big screen.

- Timed sections, just like exam day
- Mark questions for review and come back

ANALYSIS

Know your score. Know your rank.

A full report after every test, so you know exactly where you stand.

- Your percentile among everyone who took it
- Predicted real-exam percentile and All India Rank
- Subject breakdown and time analysis

PRACTICE

Solve. Check. Understand.

Learn from every question, not just the ones you get right.

- Instant answers as you practise
- Step-by-step explanations
- See how everyone else answered

NCERT Exemplar
With full solutions

Exam syllabus
Subject and chapter-wise

Bookmarks
Organised in groups

Your notes
On any question

ExamGOAL
LEARNING APP

ExamGOAL: Exam Preparation App

One app for every exam. Free trial for new users, on Android and the web.

GET IT ON Google Play

Scan to get the app

www.examgoal.com
Practice and mock tests

questions.examside.com
Free solutions

pdf.questions.examgoal.com
Free PYQ PDFs