ExamGOAL
PYQ PDF

Free · With answer key

NEET · BIOLOGY · CHAPTER-WISE PYQS

Strategies for Enhancement in Food Production

NEET Biology · Previous Year Questions with Answer Key

73	36	1989 – 2026	72	English
QUESTIONS	PAPERS COVERED	YEARS	OUT OF SYLLABUS	LANGUAGE

INSIDE THIS PDF

MCQ (Single Correct Answer)	1 question
Out of syllabus	72 questions
Answer key	at the end

Practise online

Every question with its full solution, free on **questions.examside.com**

1. **Solve**
   Print it, or work through it on screen.
2. **Check**
   The answer key is on the last pages.
3. **Understand**
   Scan the QR code beside any question for its full solution.

MCQ (Single Correct Answer) 1 questions

Q1. NEET 2026

Arrange the following steps of somatic hybridisation in a correct sequence.

A. Digestion of cell walls.

B. Isolation of naked protoplasts.

C. Fusion of protoplasts to get hybrid protoplast.

D. Isolation of single cells from two different varieites of plants.

E. Growing of hybrid protoplast to form a new plant.

Choose the correct answer from the options given below:

(A) D, A, B, C, E

(B) $\mathrm{E, B, A, D, C}$

(C) D, B, A, E, C

(D) $\mathrm{E, A, B, C, D}$

Open solution

Out of syllabus 72 questions

These questions are on topics no longer in the current syllabus. They are kept for practice, after everything else.

Q2. NEET 2023 Manipur · MCQ (Single Correct Answer)

Select the **incorrect** statement with respect to Multiple Ovulation Embryo Transfer (MOET) Technology.

(A) Fertilised eggs at 4 to 6 cells - stages are recovered non-surgically from super-ovulating cow and transferred to surrogate mother.

(B) It is used to increase herd size in a short time

(C) Cow is administered with hormones to induce super-ovulation.

(D) Super-ovulating cow is either mated with elite bull or is artificially inseminated.

Open solution

Q3. NEET 2023 · MCQ (Single Correct Answer)

Which one of the following is NOT an advantage of inbreeding?

(A) It exposes harmful recessive genes but are eliminated by selection.

(B) Elimination of less desirable genes and accumulation of superior genes takes place due to it.

(C) It decreases the productivity of inbred population, after continuous inbreeding.

(D) It decreases homozygosity.

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q4. NEET 2022 Phase 2 · MCQ (Single Correct Answer)

Which of the following can be expected if scientists succeed in introducing apomictic gene into hybrid varieties of crops?

(A) There will be segregation of the desired characters only in the progeny

(B) Polyembryony will be seen and each seed will produce many plantlets

(C) Seeds of hybrid plants will show longer dormancy

(D) Farmers can keep on using the seeds produced by the hybrids to raise new crop year after year

Open solution

Q5. NEET 2022 Phase 2 · MCQ (Single Correct Answer)

Given below are two statements: one is labelled as Assertion (A) and the other is labelled as Reason (R).

Assertion (A) : Spirulina is a microbe that can be used for reducing environmental pollution.

Reason (R) : Spirulina is a rich source of protein, carbohydrates, fats, minerals and vitamins.

In the light of the above statements, choose the most appropriate answer from the options given below:

(A) (A) is not correct but (R) is correct

(B) Both (A) and (R) are correct and (R) is the correct explanation of (A)

(C) Both (A) and (R) are correct but (R) is not the correct explanation of (A)

(D) (A) is correct but (R) is not correct

Open solution

Q6. NEET 2022 Phase 2 · MCQ (Single Correct Answer)

Select the incorrect statement with respect to inbreeding of animals.

(A) It exposes harmful recessive genes that are eliminated by selection.

(B) It is used for evolving pure lines in cattle.

(C) It helps in accumulation of superior genes and elimination of less desirable genes.

(D) It decreases homozygosity.

Open solution

Q7. NEET 2022 Phase 1 · MCQ (Single Correct Answer)

Breeding crops with higher levels of vitamins and minerals or higher proteins and healthier fats is called:

(A) Bio-magnification

(B) Bio-remediation

(C) Bio-fortification

(D) Bio-accumulation

Open solution

Q8. NEET 2021 · MCQ (Single Correct Answer)

Mutations in plant cells can be induced by :

(A) Zeatin

(B) Kinetin

(C) Infrared rays

(D) Gamma rays

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q9. NEET 2021 · MCQ (Single Correct Answer)

Open solution

Match List-I with List-II .

	List-I		List-II
(a)	Protoplast fusion	(i)	Totipotency
(b)	Plant tissue culture	(ii)	Pomato
(c)	Meristem culture	(iii)	Somaclones
(d)	Micropropagation	(iv)	Virus free plants

Choose the correct answer from the options given below.

(A)

(a)	(b)	(c)	(d)
(iv)	(iii)	(ii)	(i)

(B)

(a)	(b)	(c)	(d)
(iii)	(iv)	(ii)	(i)

(C)

(a)	(b)	(c)	(d)
(ii)	(i)	(iv)	(iii)

(D)

(a)	(b)	(c)	(d)
(iii)	(iv)	(i)	(ii)

Q10. NEET 2021 · MCQ (Single Correct Answer)

Open solution

Which of the following is not an objective of Biofortification of crops?

(A) Improve micronutrient and mineral content

(B) Improve protein content

(C) Improve resistance to diseases

(D) Improve vitamin content

Q11. NEET 2021 · MCQ (Single Correct Answer)

Open solution

Which of the following is not a step in Multiple Ovulation Embryo Transfer Technology (MOET)?

(A) Fertilized eggs are transferred to surrogate mothers at 8-32 cell stage

(B) Cow is administered hormone having LH like activity for super ovulation

(C) Cow yields about 6-8 eggs at a time

(D) Cow is fertilized by artificial insemination

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q12. NEET 2020 Phase 2 · MCQ (Single Correct Answer)

Inbreeding depression is -

(A) Reduced fertility and productivity due to continued close inbreeding

(B) Reduced motility and immunity due to close inbreeding

(C) Decreased productivity due to mating of superior male and inferior female

(D) Decrease in body mass of progeny due to continued close inbreeding

Open solution

Q13. NEET 2020 Phase 1 · MCQ (Single Correct Answer)

By which method was a new breed 'Hisardale' of sheep formed by using Bikaneri ewes and Merino rams?

(A) Out crossing

(B) Mutational breeding

(C) Inbreeding

(D) Cross breeding

Open solution

Q14. NEET 2019 (Odisha) · MCQ (Single Correct Answer)

In mung bean, resistance to yellow mosaic, virus and powdery mildew were brought about by :

(A) Hybridization and selection

(B) Mutation breeding

(C) Biofortification

(D) Tissue culture

Open solution

Q15. NEET 2019 (Odisha) · MCQ (Single Correct Answer)

Select the incorrect statement regarding inbreeding.

(A) Inbreeding depression cannot be overcome by out-crossing

(B) Inbreeding helps in elimination of deleterious alleles from the population

(C) Inbreeding is necessary to evolve a pure line in any animal

(D) Continued inbreeding reduces fertility and leads to inbreeding depression

Open solution

Q16. NEET 2019 · MCQ (Single Correct Answer)

Which of the following is true for Golden rice?

(A) It is drought tolerant, developed using Agrobacterium vector.

(B) It has yellow grains, because of a gene introduced from a primitive variety of rice.

(C) It is Vitamin A enriched, with a gene from daffodil.

(D) It is pest resistant, with a gene from Bacillus thuringiensis.

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q17. NEET 2019 · MCQ (Single Correct Answer)

Select the **incorrect** statement.

(A) Inbreeding selects harmful recessive genes that reduce fertility and productivity.

(B) Inbreeding helps in accumulation of superior genes and elimination of undesirable genes.

(C) Inbreeding increases homozygosity.

(D) Inbreeding is essential to evolve purelines in any animal.

Open solution

Q18. NEET 2017 · MCQ (Single Correct Answer)

Artificial selection to obtain cows yielding higher milk output represents :

(A) directional as it pushes the mean of the character in one direction

(B) stabilizing followed by disruptive as it stabilizes the population to produce higher yielding cows.

(C) disruptive as it splits the population into two, one yielding higher output and the other lower output.

(D) stabilizing selection as it stabilizes this character in the population.

Open solution

Q19. NEET 2017 · MCQ (Single Correct Answer)

Homozygous purelines in cattle can be obtained by :

(A) mating of related individuals of same breed

(B) mating of individuals of different species

(C) mating of individuals of different breed

(D) mating of unrelated individuals of same breed

Open solution

Q20. NEET 2016 Phase 2 · MCQ (Single Correct Answer)

A true breeding plant is -

(A) produced due to cross-pollination among unrelated plants

(B) one that is able to breed on its own

(C) near homozygous and produces offspring of its own kind

(D) always homozygous recessive in its genetic constitution

Open solution

Q21. NEET 2016 Phase 2 · MCQ (Single Correct Answer)

Interspecific hybridisation is the mating of

(A) animals within same breed without having common ancestors

(B) superior males and females of different breeds

(C) more closely related individuals within same breed for 4-6 generations =

(D) two different related species

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q22. NEET 2016 Phase 2 · MCQ (Single Correct Answer)

Among the following edible fishes, which one is a marine fish having rich source of omeg-3 fatty acids ?

(A) Mangur (B) Mystus (C) Mackerel (D) Mrigala

Open solution

Q23. NEET 2016 Phase 1 · MCQ (Single Correct Answer)

A system of rotating crops with legume or grass pasture to improve soil structure and fertility is called -

(A) Shifting agriculture (B) Strip farming

(C) Ley farming (D) Contour farming

Open solution

Q24. AIPMT 2015 · MCQ (Single Correct Answer)

Outbreeding is an important strategy of animal husbandry because it :

(A) helps in accumulation of superior genes.

(B) is useful in overcoming inbreeding depression.

(C) is useful in producing purelines of animals.

(D) exposes harmful recessive genes that are eliminated by selection.

Open solution

Q25. AIPMT 2015 · MCQ (Single Correct Answer)

A protoplast is a cell -

(A) undergoing division (B) without plasma membrane

(C) without nucleus (D) without cell wall

Open solution

Q26. AIPMT 2015 Cancelled Paper · MCQ (Single Correct Answer)

A technique of micropropagation is

(A) somatic embryogenesis (B) embryo rescue

(C) protoplast fusion (D) somatic hybridisation

Open solution

Q27. AIPMT 2015 Cancelled Paper · MCQ (Single Correct Answer)

Which of the following enhances or induces fusion of protoplasts ?

(A) Sodium chloride and potassium chloride (B) IAA and kinetin

(C) Polyethylene glycol and sodium nitrate (D) IAA and gibberellins

Open solution

Q28. AIPMT 2014 · MCQ (Single Correct Answer)

In vitro clonal propagation in plants is characterized by :

(A) Microscopy (B) Northern blotting

(C) Electrophoresis and HPLC (D) PCR and RAPD

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q29. NEET 2013 (Karnataka) · MCQ (Single Correct Answer)

The viability of seeds is tested by :

(A) 2, 3, 5 triphenyl tetrazolium chloride
(B) Safranine
(C) 2, 6 dichlorophenol indophenols
(D) DMSO

Open solution

Q30. NEET 2013 · MCQ (Single Correct Answer)

In plant breeding programmes, the entire collection (of plants/seeds) having all the diverse alleles for all genes in a given crop is called :

(A) germplasm collection
(B) evaluation and selection of parents
(C) selection of superior recombinants
(D) cross-hybridisation among the selected parents

Open solution

Q31. AIPMT 2012 Mains · MCQ (Single Correct Answer)

Green revolution in India occurred during -

(A) 1980's
(B) 1950's
(C) 1960's
(D) 1970's

Open solution

Q32. AIPMT 2011 Prelims · MCQ (Single Correct Answer)

A collection of plants and seeds having diverse alleles of all the genes of a crop is called :

(A) Gene library
(B) Genome
(C) Germplasm
(D) Herbarium

Open solution

Q33. AIPMT 2011 Prelims · MCQ (Single Correct Answer)

"Jaya" and "Ratna" developed for green revolution in India are the varieties of :

(A) Bajra
(B) Wheat
(C) Maize
(D) Rice

Open solution

Q34. AIPMT 2011 Prelims · MCQ (Single Correct Answer)

'Himgiri' developed by hybridisation and selection for disease resistance against rust pathogens is a variety of :

(A) Chilli
(B) Sugarcane
(C) Wheat
(D) Maize

Open solution

Q35. AIPMT 2008 · MCQ (Single Correct Answer)

Which one of the following is linked to the discovery of Bordeaux mixture as a popular fungicide ?

(A) Downy mildew of grapes
(B) Bacterial leaf blight of rice
(C) Loose smut of wheat
(D) Black rust of wheat

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q36. AIPMT 2008 · MCQ (Single Correct Answer)

Consider the following four measures (i-iv) that could be taken to successfully grow chickpea in an area where bacterial blight disease is common:
(i) Spray with Bordeaux mixture
(ii) Control of the insect vector of the disease pathogen
(iii) Use of only disease-free seeds
(iv) Use of varieties resistant to the disease
Which two of the above measures can control the disease ?

(A) (i) and (ii) (B) (i) and (iv) (C) (ii) and (iii) (D) (iii) and (iv)

Open solution

Q37. AIPMT 2007 · MCQ (Single Correct Answer)

Compared to a bull a bullok is docile because of:-

(A) Lower levels of adrenalin/noradrenalin in its blood
(B) Lower levels of blood testosterone
(C) Higher levels of thyroxin
(D) Higher levels of cortisone

Open solution

Q38. AIPMT 2007 · MCQ (Single Correct Answer)

In cloning of cattle a fertilized egg is taken out of the mother's womb and:-

(A) In the eight cell stage the individual cells are separated under electrical field for further development in culture media
(B) The egg is divided into 4 pairs of cells which are implanted into the womb of other cows
(C) In the eight cell stage, cells are separated and cultured until small embryos are formed which are implanted into the womb of other cows.
(D) From this upto eight identical twins can be produced

Open solution

Q39. AIPMT 2007 · MCQ (Single Correct Answer)

Which one of the following is a viral disease of poultry ?

(A) Salmonellosis (B) New Castle disease
(C) Pasteurellosis (D) Coryza

Open solution

Q40. AIPMT 2007 · MCQ (Single Correct Answer)

In maize, hybrid vigour is exploited by:-

(A) Crossing of two inbred parental lines
(B) Bombarding the seeds with DNA
(C) Harvesting seeds from the most productive plants
(D) Inducing mutations

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q41. AIPMT 2006 · MCQ (Single Correct Answer)

Crop plants grown in monoculture are-

(A) Characterised by poor root system
(B) Highly prone to pests
(C) Low in yield
(D) Free from intraspecific competition

Open solution

Q42. AIPMT 2006 · MCQ (Single Correct Answer)

In Maize, hybrid vigour is exploited by-

(A) Crossing of two inbred parental lines
(B) Inducing mutations
(C) Harvesting seeds from the most productive plants
(D) Bombarding the protoplast with DNA

Open solution

Q43. AIPMT 2006 · MCQ (Single Correct Answer)

In order to obtain virus-free plants through tissue culture the best method is-

(A) Anther culture
(B) Protoplast culture
(C) Meristem culture
(D) Embryo rescue

Open solution

Q44. AIPMT 2006 · MCQ (Single Correct Answer)

Triticale, the first man-made cereal crop, has been obtained by crossing wheat with

(A) Pearl millet
(B) Sugarcane
(C) Rye
(D) Barley

Open solution

Q45. AIPMT 2005 · MCQ (Single Correct Answer)

Three crops that contribute maximum to global food grain production are -

(A) Wheat maize and sorghum
(B) Wheat, rice and barley
(C) Wheat, rice and maize
(D) Rice, maize and sorghum

Open solution

Q46. AIPMT 2005 · MCQ (Single Correct Answer)

Which of the following is generally used for induced mutagenesis in crop plants ?

(A) UV (260 nm)
(B) Alpha particles
(C) Gamma rays (from cobalt 60)
(D) X rays

Open solution

Q47. AIPMT 2005 · MCQ (Single Correct Answer)

The name of Norman Borlaug is associated with-

(A) Blue Revolution
(B) Yellow Revolution
(C) Green Revolution
(D) White Revolution

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q48. AIPMT 2004 · MCQ (Single Correct Answer)

The technique of obtaining large number of plantlets by tissue culture method is called –

(A) Macropropagation
(B) Organ culture
(C) Plantlet culture
(D) Micropropagation

Open solution

Q49. AIPMT 2004 · MCQ (Single Correct Answer)

India's wheat yield revolution in the 1960s was possible primarily due to :-

(A) Hybrid seeds
(B) Quantitative trait mutations
(C) Increased chlorophyll content
(D) Mutations resulting in plant height reduction

Open solution

Q50. AIPMT 2001 · MCQ (Single Correct Answer)

Before the European invader which vegetable was absent in India ?

(A) Simla mirch and Brinjal
(B) Bitter gourd
(C) Maize and chichinda
(D) Potato and Tomato

Open solution

Q51. AIPMT 2001 · MCQ (Single Correct Answer)

Triticale is obtained by crossing wheat with

(A) Barley
(B) Rye
(C) Oat
(D) Maize

Open solution

Q52. AIPMT 2001 · MCQ (Single Correct Answer)

Which fish selectively feed on larva of mosquito ?

(A) Clarias
(B) Rohu
(C) Exocoetus
(D) Gambusia

Open solution

Q53. AIPMT 2000 · MCQ (Single Correct Answer)

Coconut milk is used in tissue culture in which present :

(A) Auxin
(B) Gibberellin
(C) Ethylene
(D) Cytokinin

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q54. AIPMT 2000 · MCQ (Single Correct Answer)

Which statement is correct ?

(A) Workers are the smallest of the three castes

(B) Wax is waste material of honey bee

(C) Drone of honey bee is diploid

(D) A. indica is largest wild honey bee

Open solution

Q55. AIPMT 1999 · MCQ (Single Correct Answer)

The term aquaculture means :

(A) aspergillosis (B) inland fisheries (C) marine fisheries (D) both (b) and (c)

Open solution

Q56. AIPMT 1999 · MCQ (Single Correct Answer)

Life-span of a worker bee is

(A) 10 weeks (B) 10 days (C) 6 weeks (D) 15 days

Open solution

Q57. AIPMT 1999 · MCQ (Single Correct Answer)

The new varieties of plants are produced by

(A) selection and hybridisation (B) selection and introduction

(C) mutation and selection (D) introduction and mutation

Open solution

Q58. AIPMT 1997 · MCQ (Single Correct Answer)

High milk yielding varieties of cows are obtained by

(A) use of surrogate mothers (B) superovulation

(C) artificial insemination (D) all of these.

Open solution

Q59. AIPMT 1997 · MCQ (Single Correct Answer)

Honey is

(A) alkaline (B) basic after some days

(C) acidic (D) neutral.

Open solution

Q60. AIPMT 1997 · MCQ (Single Correct Answer)

Pebrine is a disease of

(A) silk worm (B) lac insect (C) honey bee (D) fish

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q61. AIPMT 1996 · MCQ (Single Correct Answer)

Which one of the following constitutes natural silk?

(A) Nitrogen (B) Magnesium (C) Potassium (D) Phosphorus

Open solution

Q62. AIPMT 1996 · MCQ (Single Correct Answer)

Which one of the following fish is introduced into India by foreigners?

(A) *Mystus singhala* (B) *Clarius batrachus*

(C) *Labeo rohita* (D) *Pomphret*

Open solution

Q63. AIPMT 1996 · MCQ (Single Correct Answer)

Improvement of human race by controlled selective breeding between individual with desirable characteristics is called

(A) inbreeding (B) euthenics (C) eugenics (D) none of these.

Open solution

Q64. AIPMT 1995 · MCQ (Single Correct Answer)

Which of the following is the New World spice, that has become an essential part of Indian cuisine?

(A) Red pepper (B) Black pepper (C) Ginger (D) Cardamom

Open solution

Q65. AIPMT 1995 · MCQ (Single Correct Answer)

The silkworm silk is the product of

(A) salivary gland of the larva (B) salivary gland of the adult

(C) cuticle of the larva (D) cuticle of the adult.

Open solution

Q66. AIPMT 1994 · MCQ (Single Correct Answer)

Haploid plants can be obtained by culturing

(A) pollen grains (B) root tips (C) young leaves (D) endosperm.

Open solution

Q67. AIPMT 1994 · MCQ (Single Correct Answer)

Silk is produced by

(A) adult moth (B) cocoon

(C) larva (D) both (a) and (c).

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q68. AIPMT 1994 · MCQ (Single Correct Answer)

Which among the following is the real product of the honey bee?

(A) Honey (B) Propolis (C) Pollen (D) Bee wax

Open solution

Q69. AIPMT 1993 · MCQ (Single Correct Answer)

Haploid plants are preferred over diploids for mutation study because in haploids

(A) recessive mutation express immediately (B) induction of mutations is easier

(C) culturing is easier (D) dominant mutation express immediately.

Open solution

Q70. AIPMT 1993 · MCQ (Single Correct Answer)

Which crop variety is not due to induced mutations?

(A) Reimei of rice (B) Prabhat of arhar

(C) Sharbati sonora of wheat (D) Aruna of castor

Open solution

Q71. AIPMT 1991 · MCQ (Single Correct Answer)

Cellular totipotency was demonstrated by

(A) Theodore Schwann (B) A.V. Leeuwenhoek

(C) F.C. Steward (D) Robert Hooke.

Open solution

Q72. AIPMT 1990 · MCQ (Single Correct Answer)

Which ones produce androgenic haploids in anther cultures?

(A) Anther wall (B) Tapetal layer of anther wall

(C) Connective tissue (D) Young pollen grains

Open solution

Q73. AIPMT 1989 · MCQ (Single Correct Answer)

In crop movement programme, haploids are important because they

(A) require one half of nutrients (B) are helpful in study of meiosis

(C) grow better under adverse conditions (D) form perfect homozygous.

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Answer Key

MCQ (Single Correct Answer)

1. **A**				

Out of syllabus

2. **A**	3. **C**	4. **D**	5. **C**	6. **D**
7. **C**	8. **D**	9. **C**	10. **C**	11. **B**
12. **A**	13. **D**	14. **B**	15. **A**	16. **C**
17. **A**	18. **A**	19. **A**	20. **C**	21. **D**
22. **C**	23. **C**	24. **B**	25. **D**	26. **A**
27. **C**	28. **D**	29. **A**	30. **A**	31. **C**
32. **C**	33. **D**	34. **C**	35. **A**	36. **D**
37. **B**	38. **C**	39. **B**	40. **A**	41. **B**
42. **A**	43. **C**	44. **C**	45. **C**	46. **C**
47. **C**	48. **D**	49. **D**	50. **D**	51. **B**
52. **D**	53. **D**	54. **A**	55. **D**	56. **C**
57. **A**	58. **D**	59. **C**	60. **A**	61. **A**
62. *Scan QR*	63. **C**	64. **A**	65. **A**	66. **A**
67. **C**	68. **D**	69. **A**	70. **B**	71. **C**
72. **D**	73. **D**			

For numerical answers given as a range, any value within the range is correct. Full solutions: scan the QR code next to each question, or visit questions.examside.com.

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

ExamGOAL
PYQ PDF

Your Exam. Our Responsibility.

From first chapter to exam day.

Practise with the questions your exam has already asked, then test yourself under real exam conditions.

PAST YEAR QUESTIONS

Every past paper, chapter-wise.

Previous year questions sorted the way you study, each with a full solution.

- Chapter-wise and year-wise
- Weightage and topic tags on every chapter
- Your progress on each one, at a glance

MOCK TESTS

Mock tests with a real exam feel.

Practise under the same pressure as the real paper, on your phone or on the big screen.

- Timed sections, just like exam day
- Mark questions for review and come back

ANALYSIS

Know your score. Know your rank.

A full report after every test, so you know exactly where you stand.

- Your percentile among everyone who took it
- Predicted real-exam percentile and All India Rank
- Subject breakdown and time analysis

PRACTICE

Solve. Check. Understand.

Learn from every question, not just the ones you get right.

- Instant answers as you practise
- Step-by-step explanations
- See how everyone else answered

NCERT Exemplar
With full solutions

Exam syllabus
Subject and chapter-wise

Bookmarks
Organised in groups

Your notes
On any question

ExamGOAL
LEARNING APP

ExamGOAL: Exam Preparation App

One app for every exam. Free trial for new users, on Android and the web.

GET IT ON Google Play

Scan to get the app

www.examgoal.com
Practice and mock tests

questions.examside.com
Free solutions

pdf.questions.examgoal.com
Free PYQ PDFs