ExamGOAL
PYQ PDF

Free · With answer key

NEET · BIOLOGY · CHAPTER-WISE PYQS

Structural Organisation in Animals

NEET Biology · Previous Year Questions with Answer Key

130	48	1988 – 2026	15	English
QUESTIONS	PAPERS COVERED	YEARS	OUT OF SYLLABUS	LANGUAGE

INSIDE THIS PDF

MCQ (Single Correct Answer)	115 questions
Out of syllabus	15 questions
Answer key	at the end

Practise online

Every question with its full solution, free on **questions.examside.com**

1. **Solve**
   Print it, or work through it on screen.
2. **Check**
   The answer key is on the last pages.
3. **Understand**
   Scan the QR code beside any question for its full solution.

MCQ (Single Correct Answer) 115 questions

Q1. RE-NEET 2026

In water, frogs respire using ____ .

(A) trachea (B) skin (C) buccal cavity (D) lungs

Open solution

Q2. RE-NEET 2026

In frogs, the number of pairs of cranial nerves arising from the brain are ____ .

(A) 12 (B) 6 (C) 9 (D) 10

Open solution

Q3. NEET 2026

Male frogs can be distinguished from female frogs due to the presence of

A. Bulging eyes

B. Vocal sacs

C. Webbed digits in feet

D. Copulatory pad on first digit of fore limbs

E. Olive green-coloured skin with dark irregular spots

Choose the correct answer from the options given below

(A) B and C only (B) C and E only (C) A and B only (D) B and D only

Open solution

Q4. NEET 2026

Choose the correct statements regarding frog's anatomy:

A. Hepatic portal system is the special venous connection between liver and intestine.

B. There are twelve pairs of cranial nerves arising from the brain.

C. The ureters and oviducts open separately into the cloaca in female frogs.

D. Hind-brain consists of cerebellum, medulla oblongata and optic lobes.

E. Sinus venosus joins the right atrium of heart.

Choose the correct answer from the options given below:

(A) A, B and C only (B) B and D only (C) B and C only (D) A, C and E only

Open solution

Q5. NEET 2025

In frog, the Renal portal system is a special venous connection that acts to link:

(A) Kidney and intestine (B) Kidney and lower part of body

(C) Liver and intestine (D) Liver and kidney

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q6. NEET 2025

Frogs respire in water by skin and buccal cavity and on land by skin, buccal cavity and lungs.

Choose the correct answer from the following :

(A) The statement is false for water but true for land

(B) The statement is false for both the environments

(C) The statement is true for water but false for land

(D) The statement is true for both the environments

Open solution

Q7. NEET 2025

What is the name of the blood vessel that carries deoxygenated blood from the body to the heart in a frog?

(A) Pulmonary vein (B) Vena cava (C) Aorta (D) Pulmonary artery

Open solution

Q8. NEET 2025

Which of the following statement is correct about location of the male frog copulatory pad?

(A) Second digit of fore limb (B) First digit of the fore limb

(C) First and Second digit of fore limb (D) First digit of hind limb

Open solution

Q9. NEET 2024 (Re-Examination)

Which of the following statements is correct about the type of junction and their role in our body?

(A) Adhering junctions facilitate the cells to communicate with each other.

(B) Tight junctions help to stop substances from leaking across a tissue.

(C) Tight junctions help to perform cementing to keep neighbouring cells together.

(D) Gap junctions help to create gap between the cells and tissues.

Open solution

Q10. NEET 2024 (Re-Examination)

Which of the following is/are present in female cockroach?

A. Collateral gland

B. Mushroom gland

C. Spermatheca

D. Anal style

E. Phallic gland

Choose the most appropriate answer from the options given below:

(A) B and D only (B) B and E only (C) A only (D) A and C only

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q11. NEET 2024 (Re-Examination)

In which of the following connective tissues, the cells secrete fibres of collagen or elastin?

A. Cartilage

B. Bone

C. Adipose tissue

D. Blood

E. Areolar tissue

Choose the most appropriate answer from the options given below :

(A) B, C, D and E only

(B) A, B, C and E only

(C) B, C and D only

(D) A, C and D only

Open solution

Q12. NEET 2024 (Re-Examination)

Match List I with List II :

	List - I		List - II
(A)	Squamous Epithelium	(I)	Goblet cells of alimentary canal
(B)	Ciliated Epithelium	(II)	Inner lining of pancreatic ducts
(C)	Glandular Epithelium	(III)	Walls of blood vessels
(D)	Compound Epithelium	(IV)	Inner surface of Fallopian tubes

Choose the correct answer from the options given below :

(A) A-II, B-III, C-I, D-IV

(B) A-II, B-IV, C-III, D-I

(C) A-III, B-I, C-II, D-IV

(D) A-III, B-IV, C-I, D-II

Open solution

Q13. NEET 2024

In both sexes of cockroach, a pair of jointed filamentous structures called anal cerci are present on

(A) 5th segment

(B) 10th segment

(C) 8th and 9th segment

(D) 11th segment

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q14. NEET 2024

Match List I with List II related to digestive system of cockroach.

	List - I		List - II
A.	The structures used for storing of food	I.	Gizzard
B.	Ring of 6-8 blind tubules at junction of foregut and midgut.	II.	Gastric Caeca
C.	Ring of 100-150 yellow coloured thin filaments at junction of midgut and hindgut.	III.	Malpighian tubules
D.	The structures used for grinding the food.	IV.	Crop

Open solution

Choose the correct answer from the options given below:

(A) A-IV, B-II, C-III, D-I
(B) A-I, B-II, C-III, D-IV
(C) A-IV, B-III, C-II, D-I
(D) A-III, B-II, C-IV, D-I

Q15. NEET 2024

Match List I with List II:

	List - I		List - II
A.	Unicellular glandular epithelium	I.	Salivary glands
B.	Compound epithelium	II.	Pancreas
C.	Multicellular glandular epithelium	III.	Goblet cells of alimentary canal
D.	Endocrine glandular epithelium	IV.	Moist surface of buccal cavity

Open solution

Choose the correct answer from the options given below:

(A) A-II, B-I, C-III, D-IV
(B) A-IV, B-III, C-I, D-II
(C) A-III, B-IV, C-I, D-II
(D) A-II, B-I, C-IV, D-III

Q16. NEET 2023 Manipur

The Cockroach is :

(A) Ammonotelic only
(B) Uricotelic only
(C) Ureotelic only
(D) Ureotelic and Uricotelic

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q17. NEET 2023 Manipur

Open solution

Given below are two statements :

Statement I :- Goblet cells are unicellular glands.

Statement II :- Earwax is the secretion of exocrine gland.

In the light of the above statements, choose the correct answer from the options given below:

(A) Statement I is true but Statement II is false

(B) Statement I is false but Statement II is true

(C) Both Statement I and Statement II are true

(D) Both Statement I and Statement II are false.

Q18. NEET 2023 Manipur

Open solution

Given below are two statements :

Statement I : In cockroach, the forewings are transparent and prothoracic in origin.

Statement II : In cockroach, the hind wings are opaque, leathery and mesothoracic in origin.

In the light of the above statements, choose the correct answer from the options given below :

(A) Statement I is correct but Statement II is false

(B) Statement I is incorrect but Statement II is true

(C) Both Statement I and Statement II are true

(D) Both Statement I and Statement II are false

Q19. NEET 2023 Manipur

Open solution

Match List-I with List-II.

	List - I		List - II
(A)	Columnar epithelium	(I)	Ducts of glands
(B)	Ciliated epithelium	(II)	Inner lining of stomach and intestine
(C)	Squamous epithelium	(III)	Inner lining of bronchioles
(D)	Cuboidal epithelium	(IV)	Endothelium

Choose the correct answer from the options given below :

(A) (A)-(III), (B)-(II), (C)-(I), (D)-(IV)

(B) (A)-(III), (B)-(II), (C)-(IV), (D)-(I)

(C) (A)-(II), (B)-(III), (C)-(I), (D)-(IV)

(D) (A)-(II), (B)-(III), (C)-(IV), (D)-(I)

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q20. NEET 2023

Open solution

Given below are two statements:

Statement I : Ligaments are dense irregular tissue.

Statement II : Cartilage is dense regular tissue.

In the light of the above statements, choose the correct answer from the options given below:

(A) Both Statement I and Statement II are false

(B) Statement I is true but Statement II is false

(C) Statement I is false but Statement II is true

(D) Both Statement I and Statement II are true

Q21. NEET 2023

Open solution

Match List I with List II.

	List I		List II
(A)	Mast cells	(I)	Ciliated epithelium
(B)	Inner surface of bronchiole	(II)	Areolar connective tissue
(C)	Blood	(III)	Cuboidal epithelium
(D)	Tubular parts of nephron	(IV)	Specialised connective tissue

Choose the correct answer from the options given below:

(A) A-II, B-III, C-I, D-IV

(B) A-II, B-I, C-IV, D-III

(C) A-III, B-IV, C-II, D-I

(D) A-I, B-II, C-IV, D-III

Q22. NEET 2023

Open solution

In cockroach, excretion is brought about by -

A. Phallic gland

B. Urecose gland

C. Nephrocytes

D. Fat body

E. Collaterial glands

Choose the correct answer from the options given below :

(A) A, B and E only

(B) B, C and D only

(C) B and D only

(D) A and E only

Q23. NEET 2023

Open solution

Which of the following is characteristic feature of cockroach regarding sexual dimorphism?

(A) Presence of anal styles

(B) Presence of sclerites

(C) Presence of anal cerci

(D) Dark brown body colour and anal cerci

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q24. NEET 2022 Phase 2

Which of the following types of epithelium is present in the bronchioles and Fallopian tubes?

(A) Stratified squamous epithelium
(B) Simple squamous epithelium
(C) Simple columnar epithelium
(D) Ciliated epithelium

Open solution

Q25. NEET 2022 Phase 2

Choose the correct statement about a muscular tissue

(A) Smooth muscles are multinucleated and involuntary.
(B) Skeletal muscle fibres are uninucleated and found in parallel bundles.
(C) Intercalated discs allow the cardiac muscle cells to contract as a unit.
(D) The walls of blood vessels are made up of columnar epithelium.

Open solution

Q26. NEET 2022 Phase 2

Match List-I with List-II regarding the organs of Cockroach:

	List - I		List - II
(a)	Crop	(i)	Grinding the food particles
(b)	Proventriculus	(ii)	Secretion of digestive juice
(c)	Hepatic caecae	(iii)	Removal of nitrogenous waste
(d)	Malpighian tubules	(iv)	Storage of food

Choose the correct answer from the options given below :

(A) (a) - (i), (b) - (iv), (c) - (iii), (d) - (ii)
(B) (a) - (iv), (b) - (i), (c) - (ii), (d) - (iii)
(C) (a) - (iii), (b) - (ii), (c) - (i), (d) - (iv)
(D) (a) - (ii), (b) - (iv), (c) - (i), (d) - (iii)

Open solution

Q27. NEET 2022 Phase 2

Choose the correct statements:

(a) Bones support and protect softer tissues and organs
(b) Weight bearing function is served by limb bones
(c) Ligament is the site of production of blood cells.
(d) Adipose tissue is specialised to store fats.
(e) Tendons attach one bone to another.

Choose the most appropriate answer from the options given below:

(A) (a), (b) and (e) only
(B) (a), (b) and (d) only
(C) (b), (c) and (e) only
(D) (a), (c) and (d) only

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q28. NEET 2022 Phase 2

Excretion in cockroach is performed by all, EXCEPT:

(A) Hepatic caeca
(B) Uricose glands
(C) Malpighian tubules
(D) Fat body

Open solution

Q29. NEET 2022 Phase 1

Which of the following is not a connective tissue?

(A) Blood
(B) Adipose tissue
(C) Cartilage
(D) Neuroglia

Open solution

Q30. NEET 2022 Phase 1

Tegmina in cockroach, arises from

(A) Prothorax
(B) Mesothorax
(C) Metathorax
(D) Prothorax and Mesothorax

Open solution

Q31. NEET 2022 Phase 1

Match List - I with List - II

	List - I		List - II
(a)	Bronchioles	(i)	Dense Regular Connective Tissue
(b)	Goblet Cell	(ii)	Loose Connective Tissue
(c)	Tendons	(iii)	Glandular Tissue
(d)	Adipose Tissue	(iv)	Ciliated Epithelium

Choose the correct answer from the options given below:

(A) (a)-(iv), (b)-(iii), (c)-(i), (d)-(ii)
(B) (a)-(i), (b)-(ii), (c)-(iii), (d)-(iv)
(C) (a)-(ii), (b)-(i), (c)-(iv), (d)-(iii)
(D) (a)-(iii), (b)-(iv), (c)-(ii), (d)-(i)

Open solution

Q32. NEET 2021

Which of the following statements wrongly represents the nature of smooth muscle?

(A) These muscles are present in the wall of blood vessels
(B) These muscle have no striations
(C) They are involuntary muscles
(D) Communication among the cells is performed by intercalated discs

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q33. NEET 2021

Which of the following characteristics is incorrect with respect to cockroach?

(A) 10th abdominal segment in both sexes, bears a pair of anal cerci

(B) A ring of gastric caeca is present at the junction of midgut and hind gut

(C) Hypopharynx lies within the cavity enclosed by the mouth parts

(D) In females, 7th-9th sterna together form a genital pouch

Open solution

Q34. NEET 2021

Identify the types of cell junctions that help to stop the leakage of the substances across a tissue and facilitation of communication with neighbouring cells via rapid transfer of ions and molecules.

(A) Adhering junctions and Gap junctions, respectively

(B) Gap junctions and Adhering junctions, respectively

(C) Tight junctions and Gap junctions, respectively

(D) Adhering junctions and Tight junctions respectively

Open solution

Q35. NEET 2020 Phase 2

Match the following columns with reference to cockroach and select the correct option :

Column - I	Column - II
(a) Grinding of the food particles	(i) Hepatic caecal
(b) Secrete gastric juice	(ii) 10th segment
(c) 10 pairs	(iii) Proventriculus
(d) Anal cerci	(iv) Spiracles
	(v) Alary muscles

(A) (a)-(ii), (b)-(iii), (c)-(i), (d)-(iv)

(B) (a)-(iii), (b)-(i), (c)-(iv), (d)-(ii)

(C) (a)-(iv), (b)-(iii), (c)-(v), (d)-(ii)

(D) (a)-(i), (b)-(iv), (c)-(iii), (d)-(ii)

Open solution

Q36. NEET 2020 Phase 2

Select the **incorrectly** matched pair from following :

(A) Osteocytes – Bone cells

(B) Chondrocytes – Smooth muscle cells

(C) Neurons – Nerve cells

(D) Fibroblast – Areolar tissue

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q37. NEET 2020 Phase 2

In cockroach, identify the parts of the foregut in correct sequence :

(A) Mouth → Pharynx → Oesophagus → Crop → Gizzard

(B) Mouth → Oesophagus → Pharynx → Crop → Gizzard

(C) Mouth → Crop → Pharynx → Oesophagus → Gizzard

(D) Mouth → Gizzard → Crop → Pharynx → Oesophagus

Open solution

Q38. NEET 2020 Phase 1

If the head of cockroach is removed, it may live for few days because

(A) the cockroach does not have nervous system.

(B) the head holds a small proportion of a nervous system while the rest is situated along the ventral part of its body.

(C) the head holds a $1/3^{rd}$ of a nervous system while the rest is situated along the dorsal part of its body.

(D) the supra-oesophageal ganglia of the cockroach are situated in ventral part of abdomen.

Open solution

Q39. NEET 2020 Phase 1

Cuboidal epithelium with brush border of microvilli is found in

(A) Ducts of salivary gland

(B) Proximal convoluted tubule of nephron

(C) Eustachian tube

(D) Lining of intestine

Open solution

Q40. NEET 2019 (Odisha)

Match the following cell structure with its characteristic feature:

(a) Tight junctions	(i) Cement neighbouring cells together to form sheet
(b) Adhering junctions	(ii) Transmit information through chemical to another cells
(c) Gap junctions	(iii) Establish a barrier to prevent leakage of fluid across epithelial cells
(d) Synaptic junctions	(iv) Cytoplasmic channels to facilitate communication between adjacent cells

Select correct option from the following:

(A) (a)-(iv), (b)-(iii), (c)-(i), (d)-(ii)

(B) (a)-(ii), (b)-(iv), (c)-(i), (d)-(iii)

(C) (a)-(iv), (b)-(ii), (c)-(i), (d)-(iii)

(D) (a)-(iii), (b)-(i), (c)-(iv), (d)-(ii)

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q41. NEET 2019 (Odisha)

Which of the following statements is **INCORRECT**?

(A) Female cockroach possesses sixteen ovarioles in the ovaries.

(B) Cockroaches exhibit mosaic vision with less sensitivity and more resolution.

(C) A mushroom-shaped gland is present in the 6th-7th abdominal segments of male cockroach.

(D) A pair of spermatheca is present in the 6th segment of female cockroach

Open solution

Q42. NEET 2019

Select the **correct** sequence of organs in the alimentary canal of cockroach starting from mouth :

(A) Pharynx → Oesophagus → Gizzard → Ileum → Crop → Colon → Rectum

(B) Pharynx → Oesophagus → Ileum → Crop → Gizzard → Colon → Rectum

(C) Pharynx → Oesophagus → Crop → Gizzard → Ileum → Colon → Rectum

(D) Pharynx → Oesophagus → Gizzard → Crop → Ileum → Colon → Rectum

Open solution

Q43. NEET 2019

The ciliated epithelial cells are required to move particles or mucus in a specific direction. In humans, these cells are mainly present in :

(A) Eustachian tube and Salivary duct

(B) Bronchioles and Fallopian tubes

(C) Bile duct and Bronchioles

(D) Fallopian tubes and Pancreatic duct

Open solution

Q44. NEET 2018

Which of the following features is used to identify a male cockroach from a female cockroach?

(A) Forewings with darker tegmina

(B) Presence of caudal styles

(C) Presence of anal cerci

(D) Presence of a boat-shaped sternum on the 9th abdominal segment

Open solution

Q45. NEET 2017

Select the correct route for the passage of sperms in male frogs :

(A) Testes → Vasa efferentia → Kidney → Seminal vesicle → Urinogenital duct → Cloaca

(B) Testes → Vasa efferentia → Bidder's canal → Ureter → Cloaca

(C) Testes → Vasa efferentia → Kidney → Bidder's canal → Urinogenital duct → Cloaca

(D) Testes → Bidder's canal → Kidney → Vasa efferentia → Urinogenital duct → Cloaca

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q46. NEET 2017

Frog's heart when taken out of the body continues to beat for sometime. Select the best option from the following statements.
(a) Frog is a poikilotherm
(b) Frog does not have any coronary circulation
(c) Heart is "myogenic" in nature
(d) Heart is autoexcitable

(A) Only (d) (B) (a) and (b) (C) Only (c) (D) (c) and (d)

Open solution

Q47. NEET 2016 Phase 2

In male cockroaches, sperms are stored in which part of the reproductive system ?

(A) Vas deferens (B) Seminal vesicles (C) Testes (D) Mushroom glands

Open solution

Q48. NEET 2016 Phase 2

Smooth muscles are

(A) involuntary, cylindrical, striated (B) involuntary, fusiform, non-striated
(C) voluntary, spindle-shaped, uninucleate (D) voluntary, multinucleate, cylindrical

Open solution

Q49. NEET 2016 Phase 1

Which type of tissue correctly matches with its locations ?

(A) **Tissue** → Smooth muscle , **Location** → Wall of intestine
(B) **Tissue** → Areolar tissue, **Location** → Tendons
(C) **Tissue** → Cuboidal epithelium, **Location** → Lining of stomach
(D) **Tissue** → Transitional epithelium, **Location** → Tip of nose

Open solution

Q50. NEET 2016 Phase 1

Which of the following features is not present in *Periplaneta americana*?

(A) Indeterminate and radial cleavage during embryonic development
(B) Schizocoelom as body cavity
(C) Metamerically segmented body
(D) Exoskeleton composed of N-acetylglucosamine

Open solution

Q51. AIPMT 2015

The body cells in cockroach discharge their nitrogenous waste in the haemolymph mainly in the form of -

(A) Urea (B) Potassium urate
(C) Calcium carbonate (D) Ammonia

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q52. AIPMT 2015

The function of the gap junction is to -

(A) facilitate communication between adjoining cells by connecting the cytoplasm for rapid transfer of ions, small molecules and some large molecules.

(B) separate two cells from each other

(C) stop substance from leaking across a tissue

(D) performing cementing to keep neighbouring cells together

Open solution

Q53. AIPMT 2015 Cancelled Paper

The terga, sterna and pleura of cockroach body are joined by :

(A) Cartilage

(B) Cementing glue

(C) Arthrodial membrane

(D) Muscular tissue

Open solution

Q54. AIPMT 2014

Choose the correctly matched pair :

(A) Adipose Tissue – Dense connective tissue

(B) Areolar tissue – Loose connective tissue

(C) Tendon – Specialized connective tissue

(D) Cartilage – Loose connective tissue

Open solution

Q55. AIPMT 2014

Choose the correctly matched pair:

(A) Inner surface of bronchioles - squamous epithelium

(B) Moist surface of buccal cavity - Glandular epithelium

(C) Inner lining of salivary ducts - Ciliated epithelium

(D) Tubular parts of nephrons - Cuboidal epithelium

Open solution

Q56. NEET 2013 (Karnataka)

Which one of the following is one of the paths followed by air or O_2 during respiration in the adult male *Periplaneta americana* it enters the animal body?

(A) Spiracle in metathorax, trachea, tracheloes, oxygen diffuses into cells

(B) Mouth, bronchial tube, trachea, oxygen enters cells

(C) Spiracles in prothorax, tracheoles, trachea, oxygen diffuses into cells.

(D) Hypopharynx, mouth, pharynx, trachea, tissues

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q57. NEET 2013 (Karnataka)

Select the correct option with respect to Cockroaches :-

(A) Nervous system comprises of a dorsal nerve cord and ten pairs of ganglion

(B) The fore wings are tegmina which are used in flight

(C) Malpighian tubules convert nitrogenous wastes into urea

(D) Males bear short anal styles not present in females

Open solution

Q58. NEET 2013 (Karnataka)

Identify the tissue shown in the diagram and match with its characteristics and its location :-



(A) Smooth muscles, show branching, found in the walls of the heart.

(B) Striated muscles, tapering at both-ends, attached with the bones of the ribs

(C) Skeletal muscle, shows striations and closely attached with the bones of the limbs

(D) Cardiac muscles, unbranched muscles, found in the walls of the heart

Open solution

Q59. NEET 2013

What external changes are visible after the last moult of a cockroach nymph ?

(A) Both fore wings and hind wings develop

(B) Mandibles become harder

(C) Labium develops

(D) Anal cerci develop


Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q60. AIPMT 2012 Mains

Given below is the diagrammatic sketch of a certain type of connective tissue. Identify the parts labeled A, B, C and D and select the right option about them

Open solution



NEETCARE.Com

(A) A → Mast cell, B → Collagen fibres , C → Fibroblast, D → Macrophage

(B) A → Mast cell, B → Macrophage , C → Fibroblast, D → Collagen fibres

(C) A → Macrophage, B → Fibroblast , C → Collagen fibres, D → Mast cell

(D) A → Macrophage, B → Collagen fibres , C → Fibroblast, D → Mast cell

Q61. AIPMT 2012 Mains

The supportive skeletal structures in the human external ears and in the nose tip are examples of

(A) Ligament (B) Areolar tissue (C) Cartilage (D) Bone


Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q62. AIPMT 2012 Mains

The four sketches (A, B, C and D) given below, represent four different types of animal tissues. Which one of these is correctly identified in the options given, along with its correct location and function ?

Open solution



(A) (A) **Tissue** → Columnar epithelium , **Location** → Nephron, **Function** → Secretion and absorption

(B) (C) **Tissue** → Collagen fibres, **Location** → Cartilage, **Function** → Attach skeletal muscles to bones

(C) (B) **Tissue** → Glandular epithelium, **Location** → Intestine , **Function** → Secretion

(D) (D) **Tissue** → Smooth muscle tissue, **Location** → Heart , **Function** → Heart contraction

Q63. AIPMT 2012 Prelims

Compared to those of humans, the erythrocytes in frog are :

(A) Without nucleous but with haemoglobin

(B) Very much smaller and fewer

(C) Nucleated and with haemoglobin

(D) Nucleated and without haemoglobin

Open solution

Q64. AIPMT 2012 Prelims

Select the correct statement from the ones given below with respect to Periplaneta americana

(A) Males bear a pair of short thread like anal styles

(B) There are 16 very long Malpighian tubules present at the junctions of midgut and hindgut

(C) Nervous system located dorsally, consists of segmentally arranged ganglia joined by a pair of longitudinal connective

(D) Grinding of food is carried out only by the mouth parts

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q65. AIPMT 2011 Mains

Consider the following four statements (A—D) related to the common frog *Rana tigrina,* and select the correct option starting which ones are true (T) and which ones are false (F). Statements:

A. On dry land it would die due to lack of O_2 if its mouth is forcibly kept closed for a few days.

B. It has four-chambered heart.

C. On dry land it turns uricotelic from ureotelic.

D. Its life-history is carried out in pond water.

(A) A-T, B-F, C-F, D-T

(B) A-T, B-T, C-F, D-F

(C) A-F, B-F, C-T, D-T

(D) A-F, B-T, C-T, D-F

Open solution

Q66. AIPMT 2011 Mains

Ureters act as urinogenital ducts in

(A) human males

(B) human females

(C) both male and female frogs

(D) male frogs

Open solution

Q67. AIPMT 2011 Mains

Frogs differ from humans in possessing :

(A) hepatic portal system

(B) paired cerebral hemispheres

(C) nucleated red blood cells

(D) thyroid as well as parathyroid

Open solution

Q68. AIPMT 2011 Mains

The cells lining the blood vessels belong to the category of :

(A) Squamous epithelium

(B) Columnar epithelium

(C) Connective tissue

(D) Smooth muscle tissue

Open solution

Q69. AIPMT 2011 Prelims

The ciliated columnar epithelial cells in humans are known to occur in :

(A) Eustachian tube and stomach lining

(B) Bile duct and oesophagus

(C) Fallopian tubes and urethra

(D) Bronchioles and Fallopian tubes

Open solution

Q70. AIPMT 2011 Prelims

Which of the following is correctly stated as it happens in the common cockroach ?

(A) Oxygen is transported by haemoglobin in blood

(B) The food is ground by mandibles and gizzard

(C) Nitrogenous excretory product is urea

(D) Malpighian tubules are excretory organs projecting out from the colon

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q71. AIPMT 2010 Prelims

The kind of epithelium which forms the inner walls of blood vessels is

(A) Squamous epithelium
(B) Cuboidal epithelium
(C) Columnar epithelium
(D) Ciliated columnar epithelium

Open solution

Q72. AIPMT 2009

Which one of the following is correct pairing of a body part and the kind of muscle tissue that moves it ?

(A) Biceps of upper arm – smooth muscle fibres
(B) Iris – Involuntary smooth muscle
(C) Abdominal wall – smooth muscle
(D) Heart wall – Involuntary unstriated muscle

Open solution

Q73. AIPMT 2009

The epithelial tissue present on the inner surface of bronchioles and fallopian tubes is :

(A) Cuboidal (B) Glandular (C) Ciliated (D) Squamous

Open solution

Q74. AIPMT 2009

The cell junctions called tight, adhering and gap junctions are found in :

(A) Connective tissue
(B) Neural tissue
(C) Epithelial tissue
(D) Muscular tissue

Open solution

Q75. AIPMT 2009

The kind of tissue that forms the supportive structure in our pinna (external ears) is also found in -

(A) vertebrae (B) tip of the nose (C) ear ossicles (D) nails

Open solution

Q76. AIPMT 2008

Which one of the following is the true description about an animal concerned?

(A) Frog — Body divisible into three regions-head, neck and trunk
(B) Rat — Left kidney is slightly higher in position than the right one
(C) Earthworm — The alimentary canal consists of a sequence of pharynx, oesophagus, stomach, gizzard and intestine
(D) Cockroach — 10 pairs of spiracles (2 pairs on thorax and 8 pairs on abdomen)

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q77. AIPMT 2007

Which one of the following pairs of structures distinguishes a nerve cell from other types of cell ?

(A) Perikaryon and dendrites
(B) Nucleus and mitochondria
(C) Flagellum and medullary sheath
(D) Vacuoles and fibres

Open solution

Q78. AIPMT 2007

In which one of the following preparations are you likely to come across cell junctions most frequently ?

(A) Thrombocytes
(B) Tendon
(C) Hyaline cartilage
(D) Ciliated epithelium

Open solution

Q79. AIPMT 2006

Areolar connective tissue joins-

(A) Bones with muscles
(B) Bones with bones
(C) Fat body with muscles
(D) Integument with muscles

Open solution

Q80. AIPMT 2006

Mast cells secrete-

(A) Histamine
(B) Hippurin
(C) Heamoglobin
(D) Myoglobin

Open solution

Q81. AIPMT 2005

Four healthy people in their twenties got involved in injuries resulting in damage and death of a few cell of the following. Which of the cells are least likely to be replaced by new cells -

(A) Malpighian layer of the skin
(B) Osteocytes
(C) Neurons
(D) Liver cells

Open solution

Q82. AIPMT 2004

Mast cells of connective tissue contain -

(A) Heparin and calcitonin
(B) Heparin and histamine
(C) Vasopressin and relaxin
(D) Serotonin and melanin

Open solution

Q83. AIPMT 2003

Ommatidia serve the purpose of photoreception in

(A) cockroach
(B) frog
(C) humans
(D) sunflower.

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q84. AIPMT 2003

Which one of the following contains the largest quantity of extracellular material ?

(A) Stratified epithelium
(B) Myelinated nerve fibres
(C) Striated muscle
(D) Aerolar tissue

Open solution

Q85. AIPMT 2002

Which cartilage is present at the end of long bones?

(A) Calcified cartilage
(B) Hyaline cartilage
(C) Elastic cartilage
(D) Fibrous cartilage

Open solution

Q86. AIPMT 2002

Collagen is : -

(A) Globular protein
(B) Fibrous protein
(C) Carbohydrate
(D) Lipid

Open solution

Q87. AIPMT 2002

Melanin protect from :-

(A) Infrared rays
(B) U.V. rays
(C) Visible rays
(D) X-rays

Open solution

Q88. AIPMT 2001

During an injury Nasal septum gets damaged and for it's recovery which cartilage prefered : -

(A) Fibrous cartilage
(B) Elastic cartilage
(C) Calcified cartilage
(D) Hyaline cartilage

Open solution

Q89. AIPMT 2001

Which cells do not form layer and remains structurally seperate ?

(A) Nerve cells
(B) Epithelial cells
(C) Gland cells
(D) Muscle cells

Open solution

Q90. AIPMT 2000

Proteoglycan in cartilages which is part of polysaccharide is

(A) Ossein
(B) Cartilegen
(C) Chondroitin
(D) Casein

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q91. AIPMT 2000

Characteristic of simple epithelium is that they

(A) Continue to divide and help in organ function

(B) They are arranged indiscriminately

(C) They make a definite layer

(D) None

Open solution

Q92. AIPMT 2000

Which pair is correct ?

(A) Sebum = sexual attraction

(B) Saliva = sense of food taste

(C) Sweat = temperature regulation

(D) Humerus = Hind leg

Open solution

Q93. AIPMT 1999

Ligament is a :

(A) modified yellow elastic fibrous tissue

(B) inelastic white fibrous tissue

(C) modified white fibrous tissue

(D) none of the above

Open solution

Q94. AIPMT 1999

Tendon is made up of

(A) adipose tissue

(B) modified white fibrous tissue

(C) areolar tissue

(D) yellow fibrous connective tissue

Open solution

Q95. AIPMT 1997

Protein present in cartilage is

(A) cartilagin

(B) ossein

(C) chondrin

(D) none of these

Open solution

Q96. AIPMT 1997

Basement membrane is made up of

(A) no cell product of epithelial cell

(B) epidermal cell only

(C) endodermal cell

(D) both (b) and (c)

Open solution

Q97. AIPMT 1997

Stratum germinativum is an example of which kind of epithelium?

(A) Columnar

(B) Squamous

(C) Cuboidal

(D) Ciliated

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q98. AIPMT 1997

The roof of the cranium of frog is formed by

(A) frontoparietal (B) orbitosphenoid (C) parasphenoid (D) alisphenoid

Open solution

Q99. AIPMT 1997

In frog, the surface of attachment of tongue is

(A) pterygoid (B) hyoid apparatus (C) parasphenoid (D) palatine

Open solution

Q100. AIPMT 1997

In frog, "fenestra ovalis" is

(A) the communication between the pharynx and the tympanic cavity

(B) the external opening of the tympanic cavity which is covered by the tympanic membrane

(C) the air filled cavity of the middle ear

(D) the opening in the auditory capsule which separates the middle ear from the internal ear

Open solution

Q101. AIPMT 1997

The kidney of an adult frog is

(A) metanephros (B) opisthonephros (C) pronephros (D) mesonephros

Open solution

Q102. AIPMT 1995

The desmosomes are concerned with

(A) cell division (B) cell adherence

(C) cytolysis (D) cellular excretion

Open solution

Q103. AIPMT 1994

An epithelial tissue which has thin flat cells, arranged edge to edge so as to appear like closely packed tiles, is found to be present at

(A) outer surface of ovary (B) inner lining of fallopian tube

(C) inner lining of stomach (D) inner lining of cheeks

Open solution

Q104. AIPMT 1993

Tracheae of cockroach and mammal are similar in having

(A) paired nature (B) noncollapsible walls

(C) ciliated inner lining (D) origin from head

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q105. AIPMT 1993

Hair present in the skin are

(A) epidermal in origin and made of dead cells

(B) epidermal in origin and made of living cells

(C) dermal in origin and made of living cells

(D) dermal in origin and made of dead cells

Open solution

Q106. AIPMT 1993

The layer of actively dividing cells of skin is termed as

(A) stratum compactum

(B) stratum corneum

(C) stratum malpighii/stratum germinativum

(D) stratum lucidum

Open solution

Q107. AIPMT 1993

Formation of cartilage bones involves

(A) deposition of bony matter by osteoblasts and resorption by chondroclasts

(B) deposition of bony matter by osteoclasts

(C) deposition of bony matter by osteoclasts only

(D) deposition of bony matter by osteoblasts only

Open solution

Q108. AIPMT 1993

Mucus helps frog in forming

(A) thick skin

(B) dry skin

(C) smooth skin

(D) moist skin

Open solution

Q109. AIPMT 1992

Assertion (A): *Periplaneta americana* is nocturnal, omnivorous, household pest.

Reason (R): It is because it acts as scavenger.

(A) A is true but R is false.

(B) A is false but R is true.

(C) Both A and R are true and R is correct explanation of A.

(D) Both A and R are true but R is not correct explanation of A.

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q110. AIPMT 1992

Characteristics of smooth muscle fibres are

(A) spindle-shaped, unbranched, nonstriated, uninucleate and involuntary

(B) spindle-shaped, unbranched, unstriped, multinucleate and involuntary

(C) cylindrical, unbranched, unstriped, multinucleate and involuntary

(D) cylindrical, unbranched, striated, multinucleate and voluntary

Open solution

Q111. AIPMT 1991

Male and female cockroaches can be distinguished externally through

(A) anal styles in male

(B) anal cerci in female

(C) anal style and antennae in females

(D) both (b) and (c)

Open solution

Q112. AIPMT 1989

Extremities of long bones possess which of the following cartilages?

(A) Calcified

(B) Fibrous

(C) Elastic

(D) Hyaline

Open solution

Q113. AIPMT 1989

Haversian canals occur in

(A) humerus

(B) pubis

(C) scapula

(D) clavicle

Open solution

Q114. AIPMT 1989

Histamine secreting cells are found in

(A) connective tissues

(B) lungs

(C) muscular tissue

(D) nervous tissue

Open solution

Q115. AIPMT 1988

RBCs do not occur in

(A) frog

(B) cow

(C) camel

(D) cockroach

Open solution

Out of syllabus 15 questions

These questions are on topics no longer in the current syllabus. They are kept for practice, after everything else.

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q116. NEET 2022 Phase 1 · MCQ (Single Correct Answer)

Which of the following is present between the adjacent bones of the vertebral column?

(A) Intercalated discs
(B) Cartilage
(C) Areolar tissue
(D) Smooth muscle

Open solution

Q117. NEET 2021 · MCQ (Single Correct Answer)

Following are the statements about prostomium of earthworm.

(1) It serves as a covering for mouth.

(2) It helps to open cracks in the soil into which it can crawl.

(3) It is one of the sensory structures.

(4) It is the first body segment.

Choose the correct answer from the options given below.

(A) (2) and (3) are correct
(B) (1), (2) and (3) are correct
(C) (1), (2) and (4) are correct
(D) (1), (2), (3) and (4) are correct

Open solution

Q118. NEET 2020 Phase 1 · MCQ (Single Correct Answer)

Goblet cells of alimentary canal are modified from

(A) Columnar epithelial cells
(B) Compound epithelial cells
(C) Squamous epithelial cells
(D) Chondrocytes

Open solution

Q119. AIPMT 2011 Mains · MCQ (Single Correct Answer)

Which one of the following structure in pheretima is correctly matched with its function ?

(A) Gizzard-absorbs digested food
(B) Setae-defence against predators
(C) Typhlosole-storage of extra nutrients
(D) Clitellum-secretes cocoon

Open solution

Q120. AIPMT 2011 Prelims · MCQ (Single Correct Answer)

One very special feature in the earthworm pheretima is that :

(A) The S-shaped state embedded in the integument are the defensive weapons used against the enemies
(B) It has a long dorsal tubular heart
(C) The typhlosole greatly increases the effective absorption area of the digested food in the intestine
(D) Fertilisation of eggs occurs inside the body

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q121. AIPMT 2009 · MCQ (Single Correct Answer)

If a live earthworm is pricked with a needle on its outer surface without damaging its gut, the fluid that comes out is

(A) coelomic fluid (B) haemolymph (C) slimy mucus (D) excretory fluid.

Open solution

Q122. AIPMT 2009 · MCQ (Single Correct Answer)

Which one of the following correctly described the location of some body parts in the earthworm Pheretima ?

(A) Two pairs of testes in 10th and 11th segments.

(B) One pair of ovaries attached at intersegmental septum of 14th and 15th segments.

(C) Two pairs of accessory glands in 16–18 segments

(D) Four pairs of spermathecae in 4–7 segments

Open solution

Q123. AIPMT 2008 · MCQ (Single Correct Answer)

Earthworms have no skeleton but during burrowing the anterior end becomes turgid and acts as a hydraulic skeleton. It is due to:

(A) coelomic fluid (B) gut peristalsis (C) blood (D) setae

Open solution

Q124. AIPMT 2006 · MCQ (Single Correct Answer)

Earthworms are -

(A) Uricotelic when plenty of water is available

(B) Ammonotelic when plenty of water is available.

(C) Ureotelic when plenty of water is available

(D) Uricotelic under conditions of water scarcity

Open solution

Q125. AIPMT 2000 · MCQ (Single Correct Answer)

Primary function of enteronephric nephridia of Pheretima :

(A) Excretion of nitrogenous waste (B) Locomotion

(C) Osmoregulation (D) Respiration

Open solution

Q126. AIPMT 1991 · MCQ (Single Correct Answer)

Earthworm possesses hearts

(A) 6 pairs (B) 4 pairs (C) 2 pairs (D) 1

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q127. AIPMT 1990 · MCQ (Single Correct Answer)

Blood of *Pheretima* is

(A) blue with haemocyanin in corpuscles
(B) blue with haemocyanin in plasma
(C) red with haemoglobin in corpuscles
(D) red with haemoglobin in plasma

Open solution

Q128. AIPMT 1990 · MCQ (Single Correct Answer)

Pheretima posthuma is highly useful as

(A) their burrows make the soil loose
(B) they make the soil porous, leave their castings and take organic debris in the soil
(C) they are used as fish meal
(D) they kill the birds due to biomagnification of chlorinated hydrocarbons

Open solution

Q129. AIPMT 1989 · MCQ (Single Correct Answer)

Earthworms are

(A) useful
(B) harmful
(C) more useful than harmful
(D) more harmful

Open solution

Q130. AIPMT 1989 · MCQ (Single Correct Answer)

Photoreceptors of earthworm occur on

(A) clitellum
(B) many eyes
(C) dorsal surface
(D) lateral sides

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Answer Key

MCQ (Single Correct Answer)

1. **B**	2. **D**	3. **D**	4. **D**	5. **B**
6. **A**	7. **B**	8. **B**	9. **B**	10. **D**
11. **B**	12. **D**	13. **B**	14. **A**	15. **C**
16. **B**	17. **C**	18. **D**	19. **D**	20. **A**
21. **B**	22. **B**	23. **A**	24. **D**	25. **C**
26. **B**	27. **B**	28. **A**	29. **D**	30. **B**
31. **A**	32. **D**	33. **B**	34. **C**	35. **B**
36. **B**	37. **A**	38. **B**	39. **B**	40. **D**
41. **B**	42. **C**	43. **B**	44. **B**	45. **C**
46. **D**	47. **B**	48. **B**	49. **A**	50. **A**
51. **B**	52. **A**	53. **C**	54. **B**	55. **D**
56. **A**	57. **D**	58. **C**	59. **A**	60. **C**
61. **C**	62. **C**	63. **C**	64. **A**	65. **A**
66. **D**	67. **C**	68. **A**	69. **D**	70. **B**
71. **A**	72. **B**	73. **C**	74. **C**	75. **B**
76. **D**	77. **A**	78. **D**	79. **D**	80. **A**
81. **C**	82. **B**	83. **A**	84. **D**	85. **B**
86. **B**	87. **B**	88. **D**	89. **A**	90. **C**
91. **C**	92. **C**	93. **B**	94. **B**	95. **C**
96. **A**	97. **A**	98. **A**	99. **B**	100. **D**
101. **D**	102. **B**	103. **D**	104. **B**	105. **A**
106. **C**	107. **A**	108. **D**	109. **D**	110. **A**
111. **A**	112. **D**	113. **A**	114. **A**	115. **D**

Out of syllabus

116. **B**	117. **B**	118. **A**	119. **D**	120. **C**
121. **A**	122. **A**	123. **A**	124. **B**	125. **C**
126. **B**	127. **D**	128. **B**	129. **A**	130. **C**

For numerical answers given as a range, any value within the range is correct. Full solutions: scan the QR code next to each question, or visit questions.examside.com.

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

ExamGOAL
PYQ PDF

Your Exam. Our Responsibility.

From first chapter to exam day.

Practise with the questions your exam has already asked, then test yourself under real exam conditions.

PAST YEAR QUESTIONS

Every past paper, chapter-wise.

Previous year questions sorted the way you study, each with a full solution.

- Chapter-wise and year-wise
- Weightage and topic tags on every chapter
- Your progress on each one, at a glance

MOCK TESTS

Mock tests with a real exam feel.

Practise under the same pressure as the real paper, on your phone or on the big screen.

- Timed sections, just like exam day
- Mark questions for review and come back

ANALYSIS

Know your score. Know your rank.

A full report after every test, so you know exactly where you stand.

- Your percentile among everyone who took it
- Predicted real-exam percentile and All India Rank
- Subject breakdown and time analysis

PRACTICE

Solve. Check. Understand.

Learn from every question, not just the ones you get right.

- Instant answers as you practise
- Step-by-step explanations
- See how everyone else answered

NCERT Exemplar
With full solutions

Exam syllabus
Subject and chapter-wise

Bookmarks
Organised in groups

Your notes
On any question

ExamGOAL
LEARNING APP

ExamGOAL: Exam Preparation App

One app for every exam. Free trial for new users, on Android and the web.

GET IT ON Google Play

Scan to get the app

www.examgoal.com
Practice and mock tests

questions.examside.com
Free solutions

pdf.questions.examgoal.com
Free PYQ PDFs