ExamGOAL
PYQ PDF

Free · With answer key

NEET · BIOLOGY · CHAPTER-WISE PYQS

Transport in Plants

NEET Biology · Previous Year Questions with Answer Key

69	38	1988 – 2023	69	English
QUESTIONS	PAPERS COVERED	YEARS	OUT OF SYLLABUS	LANGUAGE

INSIDE THIS PDF

Out of syllabus	69 questions
Answer key	at the end

Practise online

Every question with its full solution, free on **questions.examside.com**

1. **Solve**
   Print it, or work through it on screen.
2. **Check**
   The answer key is on the last pages.
3. **Understand**
   Scan the QR code beside any question for its full solution.

Out of syllabus 69 questions

These questions are on topics no longer in the current syllabus. They are kept for practice, after everything else.

Q1. NEET 2023 Manipur · MCQ (Single Correct Answer)

Identify the correct statements regarding Mass flow hypothesis.

(A) Mass flow is faster than diffusion.

(B) Mass flow is the result of pressure difference between the end points.

(C) Different substances involved in mass flow move at different paces.

(D) Mass flow can result through either a positive or a negative hydrostatic pressure gradient.

Choose the correct answer from the options given below :

(A) (A), (C), (D) only

(B) (B), (C), (D) only

(C) (A), (B), (C) only

(D) (A), (B), (D) only

Open solution

Q2. NEET 2023 Manipur · MCQ (Single Correct Answer)

During symport two different molecules move across the membrane :

(A) in same direction with the help of different carriers located at a common site

(B) in same direction with the help of different carriers located at different sites in the same cell

(C) in same direction with the help of same carrier

(D) in opposite direction with the help of same carrier

Open solution

Q3. NEET 2023 Manipur · MCQ (Single Correct Answer)

Given below are two statements :

Statement I : The process of translocation through phloem is unidirectional but through xylem, it is bidirectional.

Statement II : The most readily mobilized elements are phosphorus, sulphur, nitrogen and potassium.

In the light of the above statements, choose the most appropriate answer from the options given below :

(A) Statement I is correct but Statement II is incorrect.

(B) Statement I is incorrect but Statement II is correct.

(C) Both Statement I and Statement II are correct.

(D) Both Statement I and Statement II are incorrect.

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q4. NEET 2023 · MCQ (Single Correct Answer)

Movement and accumulation of ions across a membrane against their concentration gradient can be explained by

(A) Facilitated Diffusion
(B) Passive Transport
(C) Active Transport
(D) Osmosis

Open solution

Q5. NEET 2023 · MCQ (Single Correct Answer)

Given below are two statements :

Statement I : The forces generated transpiration can lift a xylem-sized column of water over 130 meters height.

Statement II : Transpiration cools leaf surfaces sometimes 10 to 15 degrees evaporative cooling.

In the light of the above statements, choose the most appropriate answer from the options given below :

(A) Both Statement I and Statement II are incorrect
(B) Statement I is correct but Statement II is incorrect
(C) Statement I is incorrect but Statement II is correct
(D) Both Statement I and Statement II are correct

Open solution

Q6. NEET 2023 · MCQ (Single Correct Answer)

Match List I with List II :

	List I		List II
(A)	Cohesion	(I)	More attraction in liquid phase
(B)	Adhesion	(II)	Mutual attraction among water molecules
(C)	Surface tension	(III)	Water loss in liquid phase
(D)	Guttation	(IV)	Attraction towards polar surfaces

Choose the correct answer from the options given below :

(A) A – IV, B – III, C – II, D – I
(B) A – III, B – I, C – IV, D – II
(C) A – II, B – I, C – IV, D – III
(D) A – II, B – IV, C – I, D – III

Open solution

Q7. NEET 2022 Phase 2 · MCQ (Single Correct Answer)

When a carrier protein facilitates the movement of two molecules across the membrane in same direction, it is called

(A) Symport
(B) Uniport
(C) Transport
(D) Antiport

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q8. NEET 2022 Phase 2 · MCQ (Single Correct Answer)

The ascent of xylem sap is plants in mainly accomplished by the

(A) root pressure

(B) size of the stomatal aperture

(C) distribution of stomata on the upper and lower epidermis

(D) cohesion and adhesion between water molecules

Open solution

Q9. NEET 2022 Phase 1 · MCQ (Single Correct Answer)

"Girdling Experiment" was performed by Plant Physiologists to identify the plant tissue through which:

(A) water is transported

(B) food is transported

(C) for both water and food transportation

(D) osmosis is observed

Open solution

Q10. NEET 2022 Phase 1 · MCQ (Single Correct Answer)

Which of the following is not observed during apoplastic pathway?

(A) Movement of water occurs through intercellular spaces and wall of the cells

(B) The movement does not involve crossing of cell membrane

(C) The movement is aided by cytoplasmic streaming

(D) Apoplast is continuous and does not provide any barrier to water movement

Open solution

Q11. NEET 2022 Phase 1 · MCQ (Single Correct Answer)

Addition of more solutes in a given solution will:

(A) raise its water potential

(B) lower its water potential

(C) make its water potential zero

(D) not affect the water potential at all

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q12. NEET 2021 · MCQ (Single Correct Answer)

Open solution

Match List-I with List-II :

	List-I		List-II
(a)	Cohesion	(i)	More attraction in liquid phase
(b)	Adhesion	(ii)	Mutual attraction among water molecules
(c)	Surface tension	(iii)	Water loss in liquid phase
(d)	Guttation	(iv)	Attraction towards polar surfaces

Choose the correct answer from the options given below.

(A)

(a)	(b)	(c)	(d)
(ii)	(i)	(iv)	(iii)

(B)

(a)	(b)	(c)	(d)
(ii)	(iv)	(i)	(iii)

(C)

(a)	(b)	(c)	(d)
(iv)	(iii)	(ii)	(i)

(D)

(a)	(b)	(c)	(d)
(iii)	(i)	(iv)	(ii)

Q13. NEET 2020 Phase 2 · MCQ (Single Correct Answer)

Open solution

Select the **incorrect** statement.

(A) Elements most easily mobilized in plants from one region to another are : phosphorus, sulphur, nitrogen and potassium.

(B) Transport of molecules in phloem can be bidirectional.

(C) Movement of minerals in xylem is unidirectional.

(D) Unloading of sucrose at sink does not involve the utilization of ATP.

Q14. NEET 2020 Phase 1 · MCQ (Single Correct Answer)

Open solution

The process responsible for facilitating loss of water in liquid form from the tip of grass blades at night and in early morning is

(A) Transpiration (B) Root pressure (C) Imbibition (D) Plasmolysis

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q15. NEET 2019 (Odisha) · MCQ (Single Correct Answer)

Which of the following is **not** a feature of active transport of solutes in plants?

(A) Requires ATP
(B) Occurs against concentration gradient
(C) Non-selective
(D) Occurs through membranes

Open solution

Q16. NEET 2019 (Odisha) · MCQ (Single Correct Answer)

What will be the direction of flow of water when a plant cell is placed in a hypotonic solution?

(A) No flow of water in any direction
(B) Water will flow in both directions
(C) Water will flow out of the cell
(D) Water will flow into the cell

Open solution

Q17. NEET 2019 (Odisha) · MCQ (Single Correct Answer)

The main difference between active and passive transport across cell membrane is:

(A) active transport occurs more rapidly than passive transport.
(B) passive transport is non-selective whereas active transport is selective.
(C) passive transport requires a concentration gradient across a biological membrane whereas active transport requires energy to move solutes.
(D) passive transport is confined to anionic carrier proteins whereas active transport is confined to cationic channel proteins.

Open solution

Q18. NEET 2019 · MCQ (Single Correct Answer)

Xylem translocates:

(A) Water, mineral salts and some organic nitrogen only
(B) Water, mineral salts, some organic nitrogen and hormones
(C) Water only
(D) Water and mineral salts only

Open solution

Q19. NEET 2018 · MCQ (Single Correct Answer)

Stomatal movement is not affected by

(A) O_2 concentration
(B) temperature
(C) CO_2 concentration.
(D) light

Open solution

Q20. NEET 2017 · MCQ (Single Correct Answer)

The water potential of pure water is

(A) less than zero
(B) more than zero but less than one
(C) more than one
(D) zero

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q21. NEET 2017 · MCQ (Single Correct Answer)

Which of the following facilitates opening of stomatal aperture?

(A) Decrease in turgidity of guard cells

(B) Radial orientation of cellulose microfibrils in the cell wall of guard cells

(C) Longitudinal orientation of cellulose microfibrils in the cell wall of guard cells

(D) Contraction of outer wall of guard cells

Open solution

Q22. NEET 2016 Phase 2 · MCQ (Single Correct Answer)

A few drops of sap were collected by cutting across a plant stem by a suitable method. The sap was tested chemically. Which one of the following test results indicates that it is phloem sap?

(A) Acidic

(B) Alkaline

(C) Low refractive index

(D) Absence of sugar

Open solution

Q23. AIPMT 2015 · MCQ (Single Correct Answer)

Root pressure develops due to

(A) passive absorption

(B) active absorption

(C) increase in transpiration

(D) low osmotic potential in soil.

Open solution

Q24. AIPMT 2015 · MCQ (Single Correct Answer)

A column of water within xylem vessels of tall trees does not break under its weight because of

(A) lignification of xylem vessels

(B) positive root pressure

(C) dissolved sugars in water

(D) tensile strength of water.

Open solution

Q25. AIPMT 2015 Cancelled Paper · MCQ (Single Correct Answer)

In a ring girdled plant

(A) the shoot and root die together

(B) neither root nor shoot will die

(C) the shoot dies first

(D) the root dies first.

Open solution

Q26. AIPMT 2015 Cancelled Paper · MCQ (Single Correct Answer)

Transpiration and root pressure cause water to rise in plants by

(A) pushing it upward

(B) pushing and pulling it, respectively

(C) pulling it upward

(D) pulling and pushing it, respectively.

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q27. AIPMT 2015 Cancelled Paper · MCQ (Single Correct Answer)

Which one gives the most valid and recent explanation for stomatal movement?

(A) Starch hydrolysis
(B) Guard cell photosynthesis
(C) Transpiration
(D) Potassium influx and efflux

Open solution

Q28. NEET 2013 · MCQ (Single Correct Answer)

Which of the following criteria does not pertain to facilitated transport?

(A) Transport saturation
(B) Uphill transport
(C) Requirement of special membrane proteins
(D) High selectivity

Open solution

Q29. AIPMT 2011 Mains · MCQ (Single Correct Answer)

Guttation is the result of

(A) diffusion
(B) transpiration
(C) osmosis
(D) root pressure.

Open solution

Q30. AIPMT 2011 Prelims · MCQ (Single Correct Answer)


In land plants, the guard cells differ from other epidermal cells in having

(A) cytoskeleton
(B) mitochondria
(C) endoplasmic reticulum
(D) chloroplasts

Open solution

Q31. AIPMT 2010 Mains · MCQ (Single Correct Answer)

Given below is the diagram of a stomatal apparatus. In which of the following all the four parts labelled as A, B, C and D are correctly identified?



(A) **A** → Epidermal Cell , **B** → Subsidiary cell, **C** → Stomatal aperture, **D** → Guard cell
(B) **A** → Subsidiary cell, **B** → Epidermal Cell , **C** → Guard cell, **D** → Stomatal aperture
(C) **A** → Guard cell, **B** → Stomatal aperture, **C** → Subsidiary cell, **D** → Epidermal Cell
(D) **A** → Epidermal Cell , **B** → Guard cell, **C** → Stomatal aperture, **D** → Subsidiary cell

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q32. AIPMT 2009 · MCQ (Single Correct Answer)

Guard cells help in

(A) transpiration
(B) guttation
(C) fighting against infection
(D) protection against grazing

Open solution

Q33. AIPMT 2008 · MCQ (Single Correct Answer)

The rupture and fractionation do not usually occur in the water column in vessel/tracheids during the ascent of sap because of

(A) weak gravitational pull
(B) transpiration pull
(C) lignified thick walls
(D) cohesion and adhesion.

Open solution

Q34. AIPMT 2007 · MCQ (Single Correct Answer)

Two cells A and B are contiguous. Cell A has osmotic pressure 10 atm, turgor pressure 7 atm and diffusion pressure deficit 3 atm. Cell B has osmotic pressure 8 atm, turgor pressure 3 atm and diffusion pressure deficit 5 atm. The result will be

(A) no movement of water
(B) equilibrium between the two
(C) movement of water from cell A to B
(D) movement of water from cell B to A.

Open solution

Q35. AIPMT 2006 · MCQ (Single Correct Answer)

The translocation of organic solutes in sieve tube members is supported by

(A) cytoplasmic streaming
(B) root pressure and transpiration pull
(C) P-proteins
(D) mass flow involving a carrier and ATP.

Open solution

Q36. AIPMT 2005 · MCQ (Single Correct Answer)

Potometer works on the principle of

(A) osmotic pressure
(B) amount of water absorbed equals the amount transpired
(C) root pressure
(D) potential difference between the tip of the tube and that of the plant.

Open solution

Q37. AIPMT 2003 · MCQ (Single Correct Answer)

Stomata of a plant open due to

(A) influx of potassium ions
(B) efflux of potassium ions
(C) influx of hydrogen ions
(D) influx of calcium ions.

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q38. AIPMT 2002 · MCQ (Single Correct Answer)

Main functional of lenticel is

(A) transpiration
(B) guttation
(C) gaseous exchange
(D) bleeding.

Open solution

Q39. AIPMT 2002 · MCQ (Single Correct Answer)

Opening and closing of stomata is due to the

(A) hormonal change in guard cells
(B) change in turgor pressure of guard cells
(C) gaseous exchange
(D) respiration.

Open solution

Q40. AIPMT 2001 · MCQ (Single Correct Answer)

Passive absorption of minerals depends on

(A) temperature
(B) temperature and metabolic inhibitor
(C) metabolic inhibitor
(D) humidity.

Open solution

Q41. AIPMT 2001 · MCQ (Single Correct Answer)

Glycolate induces opening of stomata in

(A) presence of oxygen
(B) low CO_2 concentration
(C) high CO_2
(D) CO_2 absent.

Open solution

Q42. AIPMT 2001 · MCQ (Single Correct Answer)

Loading of phloem is related to

(A) increase of sugar in phloem cell
(B) elongation of phloem cell
(C) separation of phloem parenchyma
(D) strengthening of phloem fiber.

Open solution

Q43. AIPMT 2001 · MCQ (Single Correct Answer)

Water enters a cell due to

(A) O.P.
(B) S.P.
(C) T.P.
(D) W.P.

Open solution

Q44. AIPMT 2000 · MCQ (Single Correct Answer)

The movement of ions against the concentration gradient will be

(A) active transport
(B) osmosis
(C) diffusion
(D) all of the above.

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q45. AIPMT 1999 · MCQ (Single Correct Answer)

In soil, water available for plants is :

(A) capillary water
(B) chemically bound water
(C) gravitational water
(D) hygroscopic water

Open solution

Q46. AIPMT 1998 · MCQ (Single Correct Answer)

The water potential and osmotic potential of pure water are

(A) 100 and zero
(B) zero and zero
(C) 100 and 200
(D) zero and 100

Open solution

Q47. AIPMT 1997 · MCQ (Single Correct Answer)

When a cell is fully turgid, which of the following will be zero?

(A) Turgor pressure
(B) Water potential
(C) Wall pressure
(D) Osmotic pressure

Open solution

Q48. AIPMT 1997 · MCQ (Single Correct Answer)

With an increase in the turgidity of a cell, the wall pressure will be

(A) fluctuate
(B) remain unchanged
(C) increase
(D) decrease

Open solution

Q49. AIPMT 1997 · MCQ (Single Correct Answer)

Bidirectional translocation of solutes takes place in

(A) parenchyma
(B) cambium
(C) xylem
(D) phloem

Open solution

Q50. AIPMT 1996 · MCQ (Single Correct Answer)

When water enters in roots due to diffusion, is termed as

(A) osmosis
(B) passive absorption
(C) endocytosis
(D) active absorption

Open solution

Q51. AIPMT 1995 · MCQ (Single Correct Answer)

The movement of water, from one cell of cortex to adjacent one in roots, is due to

(A) accumulation of inorganic salts in the cells
(B) accumulation of organic compounds in the cells
(C) water potential gradient
(D) chemical potential gradient

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q52. AIPMT 1993 · MCQ (Single Correct Answer)

Translocation of carbohydrate nutrients usually occurs in the form of

(A) glucose (B) maltose (C) starch (D) sucrose

Open solution

Q53. AIPMT 1992 · MCQ (Single Correct Answer)

In guard cells when sugar is converted into starch, the stomatal pore

(A) closes completely (B) opens partially

(C) opens fully (D) remains unchanged

Open solution

Q54. AIPMT 1992 · MCQ (Single Correct Answer)

At constant temperature, the rate of transpiration will be higher at

(A) sea level (B) 1 km below sea level

(C) 1 km above sea level (D) 1.5 km above sea level

Open solution

Q55. AIPMT 1992 · MCQ (Single Correct Answer)

Conversion of starch to organic acids is required for

(A) stomatal opening (B) stomatal closing

(C) stomatal formation (D) stomatal activity

Open solution

Q56. AIPMT 1992 · MCQ (Single Correct Answer)

In terrestrial habitats, temperature and rainfall conditions are influence by

(A) water transformations (B) transpiration

(C) thermoperiodism (D) translocation

Open solution

Q57. AIPMT 1992 · MCQ (Single Correct Answer)

Guttation is mainly due to

(A) root pressure (B) osmosis (C) transpiration (D) imbibition

Open solution

Q58. AIPMT 1992 · MCQ (Single Correct Answer)

Which of the following is used to determine the rate of transpiration in plants?

(A) Porometer/Hygrometer (B) Potometer

(C) Auxanometer (D) Tensiometer/Barometer

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q59. AIPMT 1992 · MCQ (Single Correct Answer)

Water movement between cells is due to

(A) T.P.
(B) W.P.
(C) D.P.D.
(D) incipient plasmolysis

Open solution

Q60. AIPMT 1991 · MCQ (Single Correct Answer)

The most widely accepted theory for ascent of sap in trees is

(A) capillarity
(B) role of atmospheric pressure
(C) pulsating action of living cell
(D) transpiration pull and cohesion theory of Dixon and Jolly

Open solution

Q61. AIPMT 1991 · MCQ (Single Correct Answer)

In soil, the water available for root absorption is

(A) gravitational water
(B) capillary water
(C) hygroscopic water
(D) combined water

Open solution

Q62. AIPMT 1991 · MCQ (Single Correct Answer)

Which is correct about transport of conduction of substances?

(A) Organic food moves up through phloem
(B) Organic food moves up through xylem
(C) Inorganic food moves upwardly and downwardly through xylem
(D) Organic food moves upwardly and downwardly through phloem

Open solution

Q63. AIPMT 1990 · MCQ (Single Correct Answer)

The principal pathway of water translocation in angiosperms is

(A) sieve cells
(B) sieve tube elements
(C) xylem vessel system
(D) xylem and phloem

Open solution

Q64. AIPMT 1990 · MCQ (Single Correct Answer)

A bottle filled with previously moistened mustard seeds and water was screw capped tightly and kept in a corner. It blew up suddenly after about half an hour. The phenomenon involved is

(A) diffusion
(B) imbibition
(C) osmosis
(D) DPD

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q65. AIPMT 1989 · MCQ (Single Correct Answer)

Minerals absorbed by root move to the leaf through

(A) xylem
(B) phloem
(C) sieve tubes
(D) none of the above

Open solution

Q66. AIPMT 1988 · MCQ (Single Correct Answer)

Stomata open and close due to

(A) circadian rhythm
(B) genetic clock
(C) pressure of gases inside the leaves
(D) turgor pressure of guard cells

Open solution

Q67. AIPMT 1988 · MCQ (Single Correct Answer)

Phenyl mercuric acetate (PMA) results in

(A) reduced photosynthesis
(B) reduced transpiration
(C) reduced respiration
(D) killing of plants

Open solution

Q68. AIPMT 1988 · MCQ (Single Correct Answer)

Transpiration is least in

(A) good soil moisture
(B) high wind velocity
(C) dry environment
(D) high atmospheric humidity

Open solution

Q69. AIPMT 1988 · MCQ (Single Correct Answer)

Water potential is equal to

(A) $\Psi_s + O.P$
(B) $\Psi_s = T.P$
(C) $\Psi_p + \Psi_w$
(D) $\Psi_s + \Psi_p$

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Answer Key

1. **D**	2. **C**	3. **B**	4. **C**	5. **D**
6. **D**	7. **A**	8. **D**	9. **B**	10. **C**
11. **B**	12. **B**	13. **D**	14. **B**	15. **C**
16. **D**	17. **C**	18. **B**	19. **A**	20. **D**
21. **B**	22. **B**	23. **B**	24. **D**	25. **D**
26. **D**	27. **D**	28. **B**	29. **D**	30. **D**
31. **A**	32. **A**	33. **D**	34. **C**	35. **C**
36. **B**	37. **A**	38. **C**	39. **B**	40. **A**
41. **B**	42. **A**	43. **B**	44. **A**	45. **A**
46. **B**	47. **B**	48. **C**	49. **D**	50. **B**
51. **C**	52. **D**	53. **A**	54. **D**	55. **A**
56. **B**	57. **A**	58. **B**	59. **C**	60. **D**
61. **B**	62. **D**	63. **C**	64. **B**	65. **A**
66. **D**	67. **B**	68. **D**	69. **D**	

For numerical answers given as a range, any value within the range is correct. Full solutions: scan the QR code next to each question, or visit questions.examside.com.

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

ExamGOAL
PYQ PDF

Your Exam. Our Responsibility.

From first chapter to exam day.

Practise with the questions your exam has already asked, then test yourself under real exam conditions.

PAST YEAR QUESTIONS

Every past paper, chapter-wise.

Previous year questions sorted the way you study, each with a full solution.

- Chapter-wise and year-wise
- Weightage and topic tags on every chapter
- Your progress on each one, at a glance

MOCK TESTS

Mock tests with a real exam feel.

Practise under the same pressure as the real paper, on your phone or on the big screen.

- Timed sections, just like exam day
- Mark questions for review and come back

ANALYSIS

Know your score. Know your rank.

A full report after every test, so you know exactly where you stand.

- Your percentile among everyone who took it
- Predicted real-exam percentile and All India Rank
- Subject breakdown and time analysis

PRACTICE

Solve. Check. Understand.

Learn from every question, not just the ones you get right.

- Instant answers as you practise
- Step-by-step explanations
- See how everyone else answered

NCERT Exemplar
With full solutions

Exam syllabus
Subject and chapter-wise

Bookmarks
Organised in groups

Your notes
On any question

ExamGOAL
LEARNING APP

ExamGOAL: Exam Preparation App

One app for every exam. Free trial for new users, on Android and the web.

GET IT ON Google Play

Scan to get the app

www.examgoal.com
Practice and mock tests

questions.examside.com
Free solutions

pdf.questions.examgoal.com
Free PYQ PDFs