

RUNNABLE PROJECT PACKAGE

Amanullah Laravel 11 Developer Portfolio

A complete dynamic portfolio and content management system built with Laravel 11, Bootstrap 5, AOS animations, MySQL or SQLite, and Spatie Laravel Permission.

STACK	DELIVERY	ACCESS
Laravel 11 PHP 8.2+ Bootstrap 5	Project source Local vendor assets Seeded portfolio data	Public website Admin and editor panel Role permissions

What is included

- Responsive public pages: Home, Projects, Project Details, Blog Posts, Blog Details, Services, About Me, and Contact.
- Dynamic profile, experience, education, skills, services, projects, and blog content.
- Responsive admin panel with active navigation, hover states, mobile sidebar, and persistent day/night mode.
- Spatie roles and permissions with separate administrator and editor access.
- Contact inbox with an unread notification counter that resets when each new message is opened.
- Validated image uploads, PDF CV upload, CSRF protection, login throttling, contact throttling, and password hashing.

Important: A PDF cannot run a Laravel application. Use the included ZIP project as the runnable deliverable. This PDF explains installation, production setup, security, and rollback.

Quick setup with SQLite

SQLite is the fastest way to run the portfolio locally. Open a terminal in the project folder and run the commands below.

```
composer install
cp .env.example .env
php artisan key:generate
touch database/database.sqlite
php artisan migrate --seed
php artisan storage:link
php artisan optimize:clear
php artisan serve
```

Open <http://127.0.0.1:8000> in your browser.

System requirements

Requirement	Minimum / note
PHP	8.2 or newer
Composer	Version 2
Database	SQLite extension or MySQL 8+
PHP extensions	BCMath, CType, Fileinfo, JSON, Mbstring, OpenSSL, PDO, Tokenizer, XML
Node.js	Not required for first run; vendor assets are included

Default administrator

Login URL	Email	Password
/login	admin@gmail.com	12345678

Change the seeded password immediately before publishing. The requested default is intentionally included only for the first login.

Local assets

Bootstrap 5, Bootstrap Icons, and AOS are included under public/vendor. The website does not need an npm build for its first run. To refresh these packages later, run npm install and npm run build.

MySQL and role permissions

For cPanel or production hosting, create an empty MySQL database and update the database section in .env.

```
DB_CONNECTION=mysql
DB_HOST=127.0.0.1
DB_PORT=3306
DB_DATABASE=amanullah_portfolio
DB_USERNAME=your_database_user
DB_PASSWORD=your_secure_password
```

Then run

```
php artisan migrate --seed
php artisan storage:link
php artisan optimize:clear
```

Spatie roles and permissions

Capability	Admin	Editor
Dashboard	Yes	Yes
Profile and CV	Yes	Yes
Projects, posts, services	Yes	Yes
Experience, education, skills	Yes	Yes
Contact messages	Yes	Yes
Users and roles	Yes	No

Registration

New registrations receive the editor role. For production security, turn public editor registration off after required accounts are created.

```
ALLOW_REGISTRATION=false
php artisan config:clear
```

How unread messages work

Every valid public contact form submission is stored in the database as unread. The admin header and sidebar show the unread count.

Step	System behaviour
1. Visitor submits form	Validation, CSRF, rate limiting, and honeypot checks run.
2. Message is stored	The read_at field remains empty, so the message is marked New.
3. Notification appears	The unread count appears in the top bar and Messages sidebar item.
4. Admin opens message	The system records read_at automatically.
5. Counter decreases	The updated unread count is shown on the next rendered page.

Security controls

- Contact submissions are limited to six attempts per minute per source.
- Login attempts are limited to five per minute.
- Uploaded images accept JPG, JPEG, PNG, or WebP up to 3 MB.
- The CV upload accepts PDF only up to 5 MB.
- All Blade output is escaped unless explicitly formatted after escaping.
- Only authorised roles can open the admin routes.

Uploads are stored on Laravel's public disk. Run `php artisan storage:link` after every fresh deployment environment is created.

Deployment checklist

- 01 Create full backups of the database and storage/app/public.
- 02 Deploy to staging and test the complete site before production.
- 03 Point the web document root to the Laravel public/ folder.
- 04 Set APP_ENV=production, APP_DEBUG=false, the correct APP_URL, database values, and mail values.
- 05 Change the default administrator password and set ALLOW_REGISTRATION=false.
- 06 Run composer install --no-dev --optimize-autoloader.
- 07 Run php artisan migrate --force and php artisan storage:link.
- 08 Run php artisan optimize.
- 09 Verify HTTPS, login, contact submission, image upload, responsive layouts, and both themes.
- 10 Configure automated backups and log monitoring.

Recommended server permissions

Use directories 755 and files 644 as a baseline. Grant writable access only to storage and bootstrap/cache for the web server user or group. Never expose .env, storage/logs, or the Laravel project root as public web content.

Production verification

```
php artisan about
php artisan route:list
php artisan migrate:status
php artisan test
```

Safe update and rollback plan

Prepare recovery before every production change. A rollback is faster and safer when the previous release and matching database state are available.

Before update	If a problem occurs
Back up the database	Run <code>php artisan down</code>
Back up storage/app/public	Restore the previous release files
Keep the previous release folder or ZIP	Restore the matching database backup if required
Record included migrations	Run <code>php artisan optimize:clear</code>
Verify staging	Test the website, then run <code>php artisan up</code>

Do not run `migrate:rollback` in production unless the migration's data impact has been reviewed and a verified database backup exists.

Common fixes

Issue	Fix
Missing APP_KEY	Run <code>php artisan key:generate</code>
Database file not found	Create database/database.sqlite or configure MySQL
Uploaded images not visible	Run <code>php artisan storage:link</code> and verify permissions
Registration setting unchanged	Run <code>php artisan config:clear</code>
Permission changes not visible	Run <code>php artisan permission:cache-reset</code>
Old views or routes cached	Run <code>php artisan optimize:clear</code>

Project handoff complete

The ZIP contains the Laravel source, local frontend vendor assets, database migrations, seed data, tests, README, and this guide. Replace the profile image and optional GitHub or LinkedIn links from the admin panel before launch.