CONTACT Information Iowa State University Electrical and Computer Engineering 1132 Coover Hall, Ames, IA-50011, USA Mobile: (515)-708-5208 amar@iastate.edu amarsagars@outlook.com

RESEARCH INTERESTS Power Grid Stability - Analysis, Monitoring & Mitigation; Transmission & Distribution PMU Applications; Static & Dynamic Simulation including Transmission - Distribution Interaction; Integration of DERs; Machine Learning Applications in Power System; Cyber-Physical Security of Power Systems by Merging Models & Measurements; Cyber-Physical Real-Time Test-Beds.

EDUCATION

Iowa State University, Ames, Iowa, USA

Ph.D. Student, Electrical Engineering (Aug 2013 - Dec 2018) - GPA: 3.97/4.00

- Advisor: Dr. Venkataramana Ajjarapu (Fellow, IEEE)
- Thesis: Online Monitoring & Mitigation of Short Term and Long Term Voltage Instability using Synchrophasors

Indian Institute of Technology-Madras (IIT-M), Chennai, India

B.Tech. & M.Tech. in Electrical Engineering with specialization in Power Systems and Power Electronics; Minor in Operations Research, (Aug 2006-May 2011) - GPA: 9.11/10.00

Thesis: Design and Implementation of a Synchronous DC-DC Converter with Soft Switching
 Received the Bhagyalakshmi and Krishna Ayengar Award for the best Institute wide
 Masters project in Energy Efficiency

JOURNAL PUBLICATIONS

Amarsagar Reddy R.M.; Ajjarapu, V., "Sensitivity based Thevenin Index with Systematic Inclusion of Reactive Power Limits," in *IEEE Transactions on Power Systems*, vol. 33, no. 1, pp. 932-942, Jan. 2018.

JOURNAL
PUBLICATIONS SUBMITTED & IN
PREPARATION

Amarsagar Reddy R.M.; Ajjarapu, V., "PMU based Monitoring and Mitigation of Delayed Voltage Recovery using Admittances," *Under review in IEEE Transactions on Power Systems*.

Amarsagar Reddy R.M.; A. Singhal and V. Ajjarapu, "Differentiating Long Term Voltage Instability Due to Distribution & Transmission Networks Using μ PMUs & PMUs," to be submitted in IEEE Transactions on Smart Grid Special Edition on μ PMUs.

Amarsagar Reddy R.M.; R. Venkatraman and V. Ajjarapu, "Monitoring & Mitigation of Delayed Voltage Recovery using μ PMU based Reduced Distribution System Model," to be submitted in IEEE Transactions on Smart Grid Special Edition on μ PMUs.

SELECTED
CONFERENCE
PUBLICATIONS

Amarsagar Reddy R.M.; A. Singhal and V. Ajjarapu, "Identifying Long Term Voltage Stability Caused by Distribution Systems vs Transmission Systems", *PESGM 2018*, Aug 2018.

Amarsagar Reddy R.M.; et. al., "PMU based real-time short term voltage stability monitoring - Analysis and Implementation on a real-time test bed," in NAPS 2014, Sep. 2014.

RESEARCH EXPERIENCE

Graduate Research Assistant, Iowa State University, Aug2013 - Present

Long-term Voltage Stability Assessment using Synchrophasors.

- Derived a Sensitivity based Thevenin Index (STI) calculated using wide area measurements that can be used to validate the local index and protect the system from malicious data.
- Incorporated generator reactive power limits into the real-time STI and so the STI can predict both saddle-node & limit-induced bifurcations tested this on matpower-3120 system.
- Extended the Thevenin methodology into the distribution systems including the unbalance in topology and loads enables the estimation of critical regions the in distribution system.

Short-term Voltage Stability Monitoring & Control using Synchrophasors.

- Simplified the WECC Composite Load (CMLD) model using the load admittances from the physics of the load behavior during Fault Induced Delayed Voltage Recovery (FIDVR).
- Derived the FIDVR recovery time from the simplified model and estimated load control using offline learning to ensure recovery within a specified time. The admittance based method can reliably detect, quantify and mitigate FIDVR, even in presence of oscillations.
- Extended the methodology using μ PMU measurements and distribution topology to localize the stalling motors and utilizing Q-support from the DERs to mitigate distribution FIDVR.

Development of the Real-Time Cyber-Physical Test-Bed.

• Implemented the WECC CMLD model in Modelica and imported it into Opal-RT for real-time simulation and control of the FIDVR phenomenon using OpenPDC.

Power Flow based on Polar Holomorphic Embedding.

• Developed and efficiently implemented holomorphic power flow using voltage magnitude and phase angle as the embedding variables with execution time similar to runpf() in matpower.

Ongoing Collaborations.

- Prof. Umesh Vaidya, Iowa State University Koopman linear operator framework for analysis of the power system DAE and control strategies to mitigate voltage stability.
- Prof. Decebal Mocanu, Eindhoven University of Technology Sparse Neural Networks to represent and learn power flow solutions under changing topology.

NSF, DOE & Power System Engineering Research Center (PSERC) Proposal Writing.

• Led successful proposals by coordinating with several faculty in different research disciplines (total \$500k); Further supported successful proposals (total \$2M).

Masters Graduate Project, IIT-M, Chennai, India (Aug 2010 - July 2011)

Design and Implementation of a Synchronous Soft Switched DC-DC Converter

 \bullet Improving efficiency of a Buck converter for low power applications by utilizing Synchronous Soft Switching to reduce losses - hardware implementation improved efficiency upto 6%

SELECT HONORS AND AWARDS

- Awarded 3rd Prize for the Best Graduate Poster at the 2016 IEEE PES General Meeting
- Awarded 2nd Prize for the Best Paper at the 2015 North American Power Symposium
- Awarded Institute Merit Prize at IIT-M for the best Academic Achievement in Power Systems & Power Electronics during 7th and 8th Semester

Relevant Skills Languages: MATLAB, Python, C, C++, C#, Mathematica, R, Embedded C, Modelica Software: PSSE, PSLF, OpenPDC, RTDS, Opal-RT, Simulink, OpenDSS, GridLab-D

ML Libraries: Tensorflow, Keras, PyTorch

RELEVANT
GRADUATE
COURSEWORK

- Power System Dynamics
- Steady State Analysis
- Wind Energy Technologies
- Power System Planning
- Power System Reliability
- Cyber Security in Power Systems
- Statistical Methods I
- Non-Linear Systems
- Harmonic Analysis
- Applied Linear Algebra
- Convex Optimization
- Exploratory Data Analysis
- Data Analytics (audit)

Professional Work Experience

Summer Intern, GE Grid Solutions, Redmond, WA (June 2015 - Aug 2015)

- Implemented signal processing and data analysis methods (Non-linear PCA, Dynamic Mode Decomposition & Koopman Analysis) on real PMU data for generator model validation.
- Patent application for the proposed methodology and is now part of commercial WAMS.

Edison Engineer, General Electric, India (July 2011 - July 2013)

Responsible for the firmware development and testing of GE's Global Trip Unit (GTU) and Ground Fault Circuit Interrupter (GFCI) with Self-Test.

• Developed firmware updates to solve electromagnetic interference caused due to hardware.

Devised and validated a voltage stability index based on local PMU measurements.

 $\bullet\,$ Setup Hardware-in-Loop test-bed with OPAL-RT & GE PMU for studying dynamic stability.

OTHER ACTIVITIES AND INTERESTS

- Member of the IEEE PES Student Chapter at Iowa State University
- Active Member of Sankalp a volunteering student organization at Iowa State University

References

Venkataramana Ajjarapu:

- Professor, Department of Electrical Engineering
- Iowa State University
- vajjarap@iastate.edu

James D. McCalley:

- Professor, Department of Electrical Engineering
- Iowa State University
- jdm@iastate.edu

Jay Giri:

- Director, Power Systems Technology Initiatives
- GE Grid Solutions
- jay.giri@ge.com