

# Implement Client Script & UI Policy (Incident)

## Problem Statement

Incident records often require consistent and accurate data entry to ensure effective triage, routing, and resolution. However, relying solely on user awareness and manual checks can lead to incomplete, inconsistent, or incorrect data being submitted. This can impact reporting accuracy, SLA compliance, and overall service quality. To address this challenge, there is a need to enforce conditional field behavior and validation directly at the user interface level. Implementing standardized UI Policies and Client Scripts helps control field visibility, mandatory status, and save-time validation, ensuring that Incident records meet defined business rules before they are submitted.

## Objective

The objective of the Implement Client Script & UI Policy (Incident) project is to demonstrate how ServiceNow client-side controls can be used to enforce data integrity on Incident records. This implementation showcases how UI Policies and Client Scripts can dynamically make fields mandatory, auto-populate values, control field behavior, and prevent record submission when required conditions are not met. The solution ensures that Incidents are created with complete and valid information, improving data quality and consistency across the platform.

## Skills

Incident Management  
UI Policy  
UI Policy Actions  
Client Scripts  
Form Validation

## Task 1: Create UI Policy on Incident

### Activity 1: Create UI Policy

1. Log in to the **ServiceNow instance** with administrative or configuration access.

2. Navigate to:  
**System UI → UI Policies**
3. Click **New** to create a new UI Policy record.
4. Fill in the following details:
  - **Name:** High Impact Control  
This name clearly represents the purpose of the policy, which is to apply additional controls when an Incident has a high impact.
  - **Table:** Incident  
Specifies that the UI Policy applies to Incident records.
  - **Active:** true  
Enables the UI Policy so it is enforced on the Incident form.
5. Configure the **Conditions** section as follows:
  - **Field:** Impact

## Activity 1: Create UI Policy

1. Log in to the **ServiceNow instance** with administrative or configuration access.

2. Navigate to:  
**System UI → UI Policies**

2/18



3. Click **New** to create a new UI Policy record.

4. Fill in the following details:

- **Name:** High Impact Control  
This name clearly represents the purpose of the policy, which is to apply additional controls when an Incident has a high impact.
- **Table:** Incident  
Specifies that the UI Policy applies to Incident records.
- **Active:** true  
Enables the UI Policy so it is enforced on the Incident form.

5. Configure the **Conditions** section as follows:

- **Field:** Impact
- **Operator:** is
- **Value:** 1 – High

6. This condition ensures the UI Policy is triggered only when the Incident impact is set to High.

7. And Ui policy action Assignment group

8. Check mandatory

9. Set **Reverse if false** to **true**.

This ensures that when the condition is not met, any field changes applied by the policy are automatically reverted.

10. Review the configuration to ensure accuracy.

11. Click **Submit** to save the UI Policy.

| Short description                                                               | Table                                           | Conditions                                 | Reverse if false | On load | Updated             | Order |
|---------------------------------------------------------------------------------|-------------------------------------------------|--------------------------------------------|------------------|---------|---------------------|-------|
| UI Policy to hide related feature flag when table configuration set to true     | UI List [sys_ui_list]                           | hide_pagination=true?EQ                    | true             | true    | 2021-08-16 14:02:50 |       |
| Mark fields as mandatory without DB override                                    | Security Tasks [sys_sec_security_task]          |                                            | false            | true    | 2020-03-08 14:28:42 |       |
| Always Hide Read-only Related List Field                                        | Relationship [sys_relationship]                 | sys_relationship=EMPTY?EQ                  | false            | true    | 2015-08-21 17:28:31 |       |
| Hide meta fields                                                                | label [sys_label]                               |                                            | true             | true    | 2014-01-21 12:43:33 |       |
| Set Table columns ReadOnly                                                      | To do Widget Mapping [sys_to_do_widget_mapping] |                                            | true             | true    | 2018-08-02 15:16:35 |       |
| Clear save signature before action execution when precondition is not Signature | Function [sys_function]                         | precondition=signature?EQ                  | true             | true    | 2019-04-18 07:01:21 |       |
| Content in parameters                                                           | HTTP Method [sys_http_method]                   | http_method=get?ORhttp_method=delete?OR... | true             | true    | 2016-12-14 16:30:13 |       |

- High.
7. And Ui policy action Assignment group
8. Check mandatory
9. Set **Reverse if false to true**.  
This ensures that when the condition is not met, any field changes applied by the policy are automatically reverted.
10. Review the configuration to ensure accuracy.
11. Click **Submit** to save the UI Policy.

3/18



servicenow UI Policies

| Short description                                                                     | Table                                         | Conditions                                               | Reverse if false | On load | Updated             | Order |
|---------------------------------------------------------------------------------------|-----------------------------------------------|----------------------------------------------------------|------------------|---------|---------------------|-------|
| UI Policy to hide related Status Page when table pagination set to true               | UR List [sys_ui_list]                         | hide_pagination=true EQ                                  | true             | true    | 2021-08-16 14:02:30 |       |
| Make fields as mandatory without UI override                                          | Security tasks [sys_sec_security_task]        |                                                          | false            | true    | 2020-03-28 14:28:42 |       |
| Always Hide field only related to field                                               | Relationship [sys_relationship]               | sys_KRNOTEMPTY EQ                                        | false            | true    | 2015-08-21 17:38:31 |       |
| Hide table fields                                                                     | label [sys_label]                             |                                                          | true             | true    | 2014-01-21 12:43:35 |       |
| Set table columns based on                                                            | To use Widget Mapping [sys_ui_widget_mapping] |                                                          | true             | true    | 2018-08-02 15:26:33 |       |
| Clear user signature before action execution value when precondition is not Signature | Function [sys_ui_function]                    | precondition=signature EQ                                | true             | true    | 2019-04-18 07:01:21 |       |
| Content on parameters                                                                 | HTTPMethod [sys_http_method]                  | Http_method=get OR http_method=delete OR http_method=... | true             | true    | 2016-12-14 16:50:13 |       |

1 to 20 of 2302

servicenow UI Policy - High Impact Control

High Impact Control View: Advanced

The field specified in the UI policy action is present on the specified table.

Table: Incident [incident]

Application: Global

Active: ☒

Order: 100

When to Apply: Script

Conditions: Add Filter Condition Add OR Clause

Impact is 5 - High

Reverse if false: ☒

On load: ☒

Tables that extend the specified Table inherit this UI Policy: ☐

servicenow UI Policy Action - assignment\_group

UI policy actions specify exactly what actions to take on a specified field. The conditions specified in the UI policy determine when these actions are triggered. More info

UI Policy: High Impact Control

Table: Incident [incident]

Field name: Assignment group

Application: Global


Mandatory: ☒

Visible: ☒


Read only: ☒

Clear the field value: ☐

Update Delete




4/18



## Task 2: Create UI Policy Action – Urgency

### Activity 1: Configure the Urgency Field

1. **Open the UI Policy Actions**  
Go to the **High Impact Control** UI Policy you created earlier. Scroll down to the **UI Policy Actions** related list. This is where you define the specific behavior of fields when the policy conditions are met.
2. **Create a New Action**  
Click **New** to create a UI Policy Action. This lets you configure how individual fields behave when the UI Policy is triggered.
3. **Fill in the Action Details**
  - **Field name:** Urgency  
Select the **Urgency** field on the Incident form. This is the field you want to control.
  - **Read-only:** true  
Check this option to make the Urgency field read-only whenever the UI Policy condition is met (Impact = High). Users will be able to see the field but cannot change its value.



## Task 2: Create UI Policy Action – Urgency

### Activity 1: Configure the Urgency Field

#### 1. Open the UI Policy Actions

Go to the **High Impact Control** UI Policy you created earlier. Scroll down to the **UI Policy Actions** related list. This is where you define the specific behavior of fields when the policy conditions are met.

#### 2. Create a New Action

Click **New** to create a UI Policy Action. This lets you configure how individual fields behave when the UI Policy is triggered.


#### 3. Fill in the Action Details

- **Field name:** Urgency  
Select the **Urgency** field on the Incident form. This is the field you want to control.
- **Read-only:** true  
Check this option to make the Urgency field read-only whenever the UI Policy condition is met (Impact = High). Users will be able to see the field but cannot change its value.

5/18



- **Visible:** Leave this field as is (do not change).  
By leaving it unchanged, the field will remain visible on the form, but its behavior will be controlled by the Read-only setting.
- 4. **Submit the Action**  
Click **Submit** to save the UI Policy Action. The action is now linked to the High Impact Control UI Policy and will automatically apply to the Urgency field when an Incident has High Impact.
- 5. **Optional Verification**  
To test the action:
  - Open an Incident record.
  - Set the **Impact** field to **High**.
  - Check that the **Urgency** field becomes read-only.
  - Change Impact to a different value to confirm that the field reverts back if needed.



## Task 3: Create onChange Client Script

### Activity 1: Create Client Script

## Task 3: Create onChange Client Script

### Activity 1: Create Client Script

#### 1. Navigate to Client Scripts:

Go to System UI → Client Scripts.

6/18



#### 2. Click New to create a new Client Script.

#### 3. Fill in the details:

- **Name:** Auto set urgency for high impact – clearly shows the purpose.
- **Table:** Incident – the script runs only on Incident records.
- **Type:** onChange – executes when a field value changes.
- **Field name:** Impact – triggers the script when Impact is updated.
- **Active:** true – ensures the script runs immediately.

#### 4. Paste the script in the script editor section.

#### 5. Click Submit to save the Client Script.

#### 6. Verify: Open an Incident record and change the Impact field to **High**. The Urgency field should update automatically

Script:

```
function onChange(control, oldValue, newValue, isLoading) {
    if (isLoading || newValue === '') {
        return;
    }

    if (newValue === '1') {
        g_form.setValue('urgency', '1');
        g_form.addInfoMessage('Urgency set to High for High impact incident.');
```

```
}
```

#### 5. Click Submit.

- **Type:** onChange – executes when a field value changes.
  - **Field name:** Impact – triggers the script when Impact is updated.
  - **Active:** true – ensures the script runs immediately.
4. **Paste the script** in the script editor section.
  5. **Click Submit** to save the Client Script.
  6. **Verify:** Open an Incident record and change the Impact field to **High**. The Urgency field should update automatically

Script:


```
function onChange(control, oldValue, newValue, isLoading) {
    if (isLoading || newValue === '') {
        return;
    }

    if (newValue === '1') {
        g_form.setValue('urgency', '1');
        g_form.addInfoMessage('Urgency set to High for High impact incident.');
```

7/18




5. Click **Submit**.



The screenshot shows the 'Client Scripts' list in ServiceNow. The table has columns: Name, Active, Table, Application, View, Type, and Updated. The 'Client Scripts' link in the top right is highlighted with a red box.

| Name                                           | Active | Table                                                           | Application     | View | Type     | Updated             |
|------------------------------------------------|--------|-----------------------------------------------------------------|-----------------|------|----------|---------------------|
| Maximum Duration Range (Check)                 | True   | Transaction Queue Rule (queue_rule)                             | Global          |      | onChange | 2022-01-06 14:47:01 |
| Create default value                           | True   | Business Service (business_service)                             | ServiceNow      |      | onChange | 2022-01-02 11:06:27 |
| Reset severity field based on data table       | True   | Workflow (sys_workflow)                                         | Global          |      | onChange | 2022-04-08 02:10:21 |
| Set incident based on auto type                | True   | HTTP Connector (http_connector)                                 | Global          |      | onChange | 2022-04-02 14:49:24 |
| Set default values for OGC POC flow            | True   | OAuth OGC Entry (oauth_entry)                                   | Global          |      | onChange | 2022-03-28 09:19:18 |
| Make notification mail only                    | True   | Additional Notification Recipients (sys_notification_recipient) | Global          |      | onChange | 2022-03-01 23:42:13 |
| Deployment - VM - Make on the transition state | True   | Asset (sys_asset)                                               | Global          |      | onChange | 2022-03-04 09:42:04 |
| Software Transfer Name                         | True   | VM VMs Deployment Request (vm_deploy_request)                   | Global          |      | onChange | 2022-01-09 13:18:07 |
| Set the current record ID value                | True   | Action Item (sys_action_item)                                   | Global          |      | onChange | 2022-04-14 07:30:03 |
| Showing when no distribution group enabled     | True   | Notification (sys_notification)                                 | Global          |      | onChange | 2022-03-10 08:33:31 |
| Sync Status Change Handler                     | True   | Advanced Portal Navigation (sys_portal_navigation)              | Employee Center |      | onChange | 2022-11-23 03:29:15 |
| Populate the User relation core table          | True   | Feeding Candidate (sys_feeding_candidate)                       | Global          |      | onChange | 2022-09-12 07:27:28 |
| Mail type mail only                            | True   | System Address Filter (sys_email_address_filter)                | Global          |      | onChange | 2022-03-17 02:09:09 |
| Populate Process Definition                    | True   | Activity (sys_activity)                                         | Global          |      | onChange | 2022-06-02 13:49:47 |
| Populate Onboarding from Service               | True   | Software Upgrade and Onboarding (sys_software_upgrade)          | Global          |      | onChange | 2022-03-02 14:49:33 |
| Set Activity Definition Variables              | True   | Workflow of Public Action (sys_public_action)                   | Global          |      | onChange | 2022-03-09 07:22:26 |
| Set the name value                             | True   | Export Set (sys_export_set)                                     | Global          |      | onChange | 2022-03-02 14:49:28 |




The screenshot shows the 'Client Script' editor in ServiceNow. The 'Name' field is 'Auto set urgency for high impact'. The 'Table' is 'Incident (incident)'. The 'Type' is 'onChange'. The 'Field name' is 'Impact'. The 'Script' field contains the following code:

```
function onChange(control, oldValue, newValue, isLoading) {
    if (isLoading || newValue === '') {
        return;
    }

    if (newValue === '1') { // High Impact
        g_form.setValue('urgency', '1');
        g_form.addInfoMessage('Urgency set to High for High impact incident.');
```

## Task 4: Create onSubmit Client Script (Save Validation)

### Activity 1: Create Client Script



## Task 4: Create onSubmit Client Script (Save Validation)

### Activity 1: Create Client Script

8/18



- Navigate to Client Scripts:**  
Go to System UI → Client Scripts in your ServiceNow instance.
- Click New** to create a new Client Script.
- Fill in the details:**
  - Name:** Prevent save if Assigned To missing – clearly indicates that the script prevents saving if the field is empty.
  - Table:** Incident – applies the script only to Incident records.
  - Type:** onSubmit – executes when the user tries to save the record.
  - Active:** true – ensures the script is enforced immediately.
- Paste the script** into the script editor section. This script should check if the **Assigned To** field is empty and prevent the record from saving if it is.
- Click Submit** to save the Client Script.
- Verify:** Try saving an Incident without filling the **Assigned To** field. The script should prevent the save and display a warning.

7. Paste the script:


```
function onSubmit() {  
  
    if (g_form.getValue('impact') == '1' &&  
        g_form.getValue('assigned_to') == "") {  
  
        g_form.showErrorMessage(  
  
            'assigned_to',  
  
            'Assigned to is mandatory for High impact incidents.'        );  
    }  
}
```

```
g_form.getValue('assigned_to') == ") {
```

```
g_form.showErrorBox(
    'assigned_to',
    'Assigned To is mandatory for High impact incidents.'
);
```

```
return false;
}
return true;
}
```

#### 8. Click **Submit**.



## Task 5: Create onCellEdit Client Script


### Activity 1: Create Client Script

1. **Navigate to Client Scripts:**  
Go to System UI → Client Scripts in your ServiceNow instance.
2. **Click New** to create a new Client Script.
3. **Fill in the details:**

- **Name:** Prevent state change via list edit – clearly indicates that the script prevents users from changing the State field directly in a list.
- **Table:** Incident – applies the script only to Incident records.
- **Type:** onCellEdit – runs whenever a field is edited directly in a list view.
- **Field name:** State – the script will monitor changes to the State field.
- **Active:** true – ensures the script is enforced immediately.

4. **Paste the script** into the script editor section. The script should prevent unauthorized changes to the State field when editing from the list view.

8. Click **Submit**.



## Task 5: Create onCellEdit Client Script

### Activity 1: Create Client Script

1. **Navigate to Client Scripts:**  
Go to System UI → Client Scripts in your ServiceNow instance.
2. **Click New** to create a new Client Script.
3. **Fill in the details:**

- **Name:** Prevent state change via list edit – clearly indicates that the script prevents users from changing the State field directly in a list.
- **Table:** Incident – applies the script only to Incident records.
- **Type:** onCellEdit – runs whenever a field is edited directly in a list view.
- **Field name:** State – the script will monitor changes to the State field.
- **Active:** true – ensures the script is enforced immediately.

10/18



4. **Paste the script** into the script editor section. The script should prevent unauthorized changes to the State field when editing from the list view.
5. **Click Submit** to save the Client Script.
6. **Verify:** Open an Incident list and try to change the State field directly in the list. The script should block the change as intended.
7. In the Script field, paste the following code:

```
function onCellEdit(sysIDs, table, oldValues, newValue, callback) {
```

```
    alert('State cannot be updated using list editing. Please open the Incident.');
```

```
    callback(false);
```

```
}
```

8. Click **Submit**.

5. **Click Submit** to save the Client Script.
6. **Verify:** Open an Incident list and try to change the State field directly in the list. The script should block the change as intended.
7. In the Script field, paste the following code:

```
function onCellEdit(sysIDs, table, oldValues, newValue, callback) {


    alert('State cannot be updated using list editing. Please open the Incident.');
```

```
    callback(false);

}
```

8. Click **Submit**.



## Task 6: Testing the Configuration

### Activity 1: Test Mandatory Enforcement

1. **Navigate to Incident:**  
Go to Incident → Create New to open a new Incident form.
2. **Set the Impact Field:**  
Select **High** for the **Impact** field. This will trigger the UI Policy and Client Script behaviors you configured earlier.
3. **Leave Assigned To Empty:**  
Do not fill in the **Assigned To** field. This will test the onSubmit Client Script that prevents saving if Assigned To is missing.
4. **Click Submit:**  
Attempt to save the Incident record.
5. **Verify the Result:**

- An **error message** should appear, indicating that the Assigned To field cannot be empty.
- Confirm that all UI Policy actions, such as read-only fields or automated urgency updates, are working as expected.

The top screenshot shows the ServiceNow Admin Home dashboard. The left sidebar has the 'Incident' menu item highlighted. The main content area displays a 'Shared admin dashboard' with various metrics and charts. The bottom screenshot shows the 'Incident - Create INC0010012' form. The 'Assigned to' field is highlighted with a red box, and a red error message is displayed below it: 'Assigned To is mandatory for High Impact Incidents.' The 'Impact' field is also highlighted with a red box, showing a value of '1 - High'.

## Activity 2: Test Successful Save

### 1. Fill the Assigned To Field:

Open the Incident form and select a user in the **Assigned To** field. This ensures the onSubmit Client Script condition is satisfied.

### 2. Click Submit:

Attempt to save the Incident record.

### 3. Verify the Result:

- The Incident should be **saved successfully** without any errors.
- Confirm that all other configured behaviors, such as:
  - **Urgency auto-setting** (from the onChange Client Script)
  - **Read-only fields** (from the UI Policy Action)
  - **State restrictions** (from the onCellEdit Client Script) are functioning as expected

12/18



The screenshot shows the 'Incident - Create INC0010012' form. The 'Assigned to' field is now populated with the user 'Beth Anglin', and the red error message is no longer present. The 'Impact' field remains '1 - High'.

Open - Unassigned  
Resolved  
All  
Overview  
Critical Incidents Map  
Administration  
Incident Properties

Related Search: Q: testing UI policy Knowledge & Catalog (K)

Consent policies No description

Whitelist IP Need to whitelist an IP address? Order

Submit

## Activity 2: Test Successful Save

### 1. Fill the Assigned To Field:

Open the Incident form and select a user in the **Assigned To** field. This ensures the onSubmit Client Script condition is satisfied.

### 2. Click Submit:

Attempt to save the Incident record.

### 3. Verify the Result:

- The Incident should be **saved successfully** without any errors.
- Confirm that all other configured behaviors, such as:
  - **Urgency auto-setting** (from the onChange Client Script)
  - **Read-only fields** (from the UI Policy Action)
  - **State restrictions** (from the onCellEdit Client Script) are functioning as expected

servicenow All

Incident - Create INC0010012

Number: INC0010012

\* Caller: Aditya Conventor

Category: Inquiry / Help

Subcategory: None

Service: None

Service offering: None

Configuration item: None

\* Short description: testing UI policy

Description:

Chained: None

State: New

Impact: 1 - High

Urgency: 1 - High

Priority: 3 - Critical

\* Assignment group: Software

Assigned to: Beth Anglin

Submit



## Activity 3: Reverse Condition Test

### 1. Open an Existing Incident:

Go to Incident → Open and select an Incident where **Impact** is currently set to **High**.

### 2. Change Impact:

Update the **Impact** field from **High** to **Medium**. This will test the **Reverse if false** functionality of your UI Policy and the behavior of your Client Scripts.

### 3. Verify the Field Behavior:

- **Assigned To** should no longer be mandatory.
- **Urgency** should now be editable, meaning the read-only UI Policy action is reversed.

### 4. Save the Record:

Click **Submit** to save the changes. The record should save successfully without errors, confirming that the reverse condition works as intended.

- **State restrictions** (from the onCellEdit Client Script) are functioning as expected

The screenshot shows the ServiceNow Incident form for INC0010012. The form is in 'New record' mode. The 'Incident' tab is selected. The 'Name' field contains 'INC0010012'. The 'Category' is 'Incident / Help'. The 'Subcategory' is 'None'. The 'Service' is 'None'. The 'Service offering' is 'None'. The 'Configuration item' is 'None'. The 'Short description' is 'Testing UI policy'. The 'Assignment group' is 'Software'. The 'Assigned to' is 'Beth Anglin'. The 'Status' is 'New'. The 'Impact' is '1 - High'. The 'Urgency' is '3 - High'. The 'Priority' is '3 - Critical'. The 'Related Search Results' section shows 'Testing UI policy' and 'Knowledge & Catalog DC'. The 'Related Search' field contains 'Testing UI policy'. The 'Knowledge & Catalog DC' field contains 'Knowledge & Catalog DC'. The 'Consent policies' section shows 'No description'. The 'Whistleblow' section shows 'No description as IP address?'. The 'Related Sub-Chance' section shows 'Cisco Firewall Appliance'. The 'Order' button is visible at the bottom right.

### Activity 3: Reverse Condition Test

1. **Open an Existing Incident:**  
Go to Incident → Open and select an Incident where **Impact** is currently set to **High**.
2. **Change Impact:**  
Update the **Impact** field from **High** to **Medium**. This will test the **Reverse if false** functionality of your UI Policy and the behavior of your Client Scripts.
3. **Verify the Field Behavior:**
  - **Assigned To** should no longer be mandatory.
  - **Urgency** should now be editable, meaning the read-only UI Policy action is reversed.
4. **Save the Record:**  
Click **Submit** to save the changes. The record should save successfully without errors confirming that the reverse condition works as intended.

The screenshot displays the ServiceNow Incident Management interface. On the left, the navigation pane shows the hierarchy: Home > Administration > Incident Management > Incidents. The main area is titled "Incident INC0010012". Below the title, there are several filter sections:

- Filter by:** Includes fields for Number (INC0010012), Caller (Adult Cancerer), Category (Injury / Fall), Subcategory (None), Service (None), Service offering (None), Configuration item (None), Short description (Testing IP policy), and Description.
- Channel:** Set to None.
- State:** Set to New.
- Impact:** Set to 2 - Medium.
- Urgency:** Set to 1 - High.
- Priority:** Set to 2 - High.
- Assignment group:** Software.
- Assigned to:** A user icon.

At the bottom, there are tabs for "New", "Related Records", and "Resolution Information". The "Related Records" tab is active, showing a list of related incidents. The first entry is "Incident INC0010012" with a status of "New".

#### Activity 4: Test List Edit Blocking

1. **Navigate to the Incident List:**

Go to Incident → All to view all Incident records in a list view.

2. **Attempt a List Edit:**

- Locate any Incident in the list.
- **Double-click the State field** to try editing it directly from the list.

3. **Verify the Behavior:**

- An **alert message** should appear, indicating that direct changes to the State field are not allowed.
- The **State value should remain unchanged**, confirming that the onCellEdit Client Script is working correctly.

| Number      | Opened              | Short description                                               | Caller               | Priority     | State   | Category       | Assignment group | Assigned to | Updated             | Updated by |
|-------------|---------------------|-----------------------------------------------------------------|----------------------|--------------|---------|----------------|------------------|-------------|---------------------|------------|
| INC00000002 | 2024-01-14 02:15:14 | Setting up policy                                               | Anda Camarozu        | 2 - High     | New     | Inquiry / Help | Software         | Incident    | 2024-01-14 03:14:11 | admin      |
| INC00000009 | 2024-09-30 01:58:14 | Unable to access the shared folder                              | David Miller         | 4 - Low      | New     | Inquiry / Help | Incident         | Incident    | 2024-12-12 23:05:24 | admin      |
| INC00000005 | 2024-09-31 21:35:21 | Email server is down                                            | David Miller         | 1 - Critical | New     | Software       | Incident         | Incident    | 2024-12-12 23:08:55 | admin      |
| INC00000001 | 2024-09-11 20:56:28 | Unable to post content on a Web page                            | David Miller         | 3 - Moderate | New     | Inquiry / Help | Incident         | Incident    | 2024-12-12 23:03:42 | admin      |
| INC00000012 | 2024-07-29 11:48:43 | Assessment - ATP                                                | System User          | 5 - Planning | New     | Inquiry / Help | Incident         | Incident    | 2024-07-29 11:49:28 | admin      |
| INC00000011 | 2024-07-22 14:58:57 | ATP - Test                                                      | System Administrator | 5 - Planning | New     | Inquiry / Help | Incident         | Incident    | 2024-07-22 14:59:40 | admin      |
| INC00000001 | 2024-01-15 13:04:14 | ATP TEST                                                        | System User          | 5 - Planning | New     | Inquiry / Help | Incident         | Incident    | 2024-01-15 13:03:42 | admin      |
| INC00000002 | 2024-10-16 22:47:51 | Need access to the common drive                                 | David Miller         | 4 - Low      | New     | Inquiry / Help | Incident         | Incident    | 2024-12-12 23:08:49 | admin      |
| INC00000003 | 2024-10-16 22:47:51 | Employee payroll application server is down                     | David Miller         | 1 - Critical | New     | Hardware       | Compliance       | Incident    | 2024-12-03 18:11:31 | admin      |
| INC00000004 | 2024-04-07 09:02:25 | Unable to access the personal details section in payroll portal | Problem Coordinator  | 5 - Planning | On Hold | Inquiry / Help | Incident         | Incident    | 2024-04-07 09:04:34 | admin      |
| INC00000001 | 2024-09-10          | Unable to access team                                           | System User          | 2 - High     | New     | Inquiry / Help | Incident         | Incident    | 2024-09-10          | admin      |

15/18

| Number      | Opened              | Short description                                               | Caller               | Priority     | State   | Category       | Assignment group | Assigned to | Updated             | Updated by |
|-------------|---------------------|-----------------------------------------------------------------|----------------------|--------------|---------|----------------|------------------|-------------|---------------------|------------|
| INC00000002 | 2024-01-14 02:15:14 | Setting up policy                                               | Anda Camarozu        | 2 - High     | New     | Inquiry / Help | Software         | Incident    | 2024-01-14 03:14:11 | admin      |
| INC00000009 | 2024-09-30 01:58:14 | Unable to access the shared folder                              | David Miller         | 4 - Low      | New     | Inquiry / Help | Incident         | Incident    | 2024-12-12 23:05:24 | admin      |
| INC00000005 | 2024-09-31 21:35:21 | Email server is down                                            | David Miller         | 1 - Critical | New     | Software       | Incident         | Incident    | 2024-12-12 23:08:55 | admin      |
| INC00000001 | 2024-09-11 20:56:28 | Unable to post content on a Web page                            | David Miller         | 3 - Moderate | New     | Inquiry / Help | Incident         | Incident    | 2024-12-12 23:03:42 | admin      |
| INC00000012 | 2024-07-29 11:48:43 | Assessment - ATP                                                | System User          | 5 - Planning | New     | Inquiry / Help | Incident         | Incident    | 2024-07-29 11:49:28 | admin      |
| INC00000011 | 2024-07-22 14:58:57 | ATP - Test                                                      | System Administrator | 5 - Planning | New     | Inquiry / Help | Incident         | Incident    | 2024-07-22 14:59:40 | admin      |
| INC00000001 | 2024-01-15 13:04:14 | ATP TEST                                                        | System User          | 5 - Planning | New     | Inquiry / Help | Incident         | Incident    | 2024-01-15 13:03:42 | admin      |
| INC00000002 | 2024-10-16 22:47:51 | Need access to the common drive                                 | David Miller         | 4 - Low      | New     | Inquiry / Help | Incident         | Incident    | 2024-12-12 23:08:49 | admin      |
| INC00000003 | 2024-10-16 22:47:51 | Employee payroll application server is down                     | David Miller         | 1 - Critical | New     | Hardware       | Compliance       | Incident    | 2024-12-03 18:11:31 | admin      |
| INC00000004 | 2024-04-07 09:02:25 | Unable to access the personal details section in payroll portal | Problem Coordinator  | 5 - Planning | On Hold | Inquiry / Help | Incident         | Incident    | 2024-04-07 09:04:34 | admin      |
| INC00000001 | 2024-09-10          | Unable to access team                                           | System User          | 2 - High     | New     | Inquiry / Help | Incident         | Incident    | 2024-09-10          | admin      |

The screenshot displays the ServiceNow Incident form for Incident INC000111. The 'Status' field is highlighted with a red box and is set to 'In Progress'. The 'Priority' field is set to '3 - Low'. The 'Assignment group' is set to 'ITSM - Planning'. The 'Assigned to' field is empty. The 'Short description' field contains 'ATP - Tool'. The 'Description' field is empty. The 'Country' field is set to 'None'. The 'State' field is set to 'None'. The 'Add to Virtual Tool Board' dropdown is open, showing options like 'Copy Incident', 'Create Incident Task', 'Create Change', 'Create Problem', 'Create Request', 'Create Cold Incident', 'Create Internal Change', 'Create Standard Change', 'Create Emergency Change', 'Network Incident Services', 'Network Incident', 'Follow on Live Feed', 'Revoke Access', 'Configure', 'Export', 'View', 'Create Favorite', 'Copy URL', 'Copy view URL', 'Share URL', 'History', and 'Reveal Name'.

## Activity 5: Test Form-Based Update

1. **Open the Incident Record:**  
Navigate to the same Incident record you used in previous tests.
2. **Change the State:**  
On the **Incident form**, update the **State** field to a new value. This tests that changes via the form (not the list) are allowed.
3. **Click Update:**  
Save the record by clicking **Update**.
4. **Verify the Result:**
  - The **State** change should be saved successfully.
  - Confirm that other fields, such as **Assigned To** and **Urgency**, still follow the configured UI Policy and Client Script rules.

The screenshot shows the ServiceNow Incident form for incident INC0000111. The 'State' field is highlighted with a red box and has been updated to 'In Progress'. Other fields like 'Number', 'Category', 'Urgency', and 'Assigned to' are visible. The left sidebar shows the navigation menu with 'Incident' selected.

The screenshot shows the ServiceNow Incidents list view. The incident INC0000111 is highlighted with a red box, showing its updated state as 'In Progress'. The table includes columns for Number, Opened, Short description, Caller, Priority, State, Category, Assignment group, Assigned to, Updated, and Updated by.

| Number     | Opened              | Short description                                               | Caller               | Priority     | State       | Category       | Assignment group | Assigned to | Updated             | Updated by |
|------------|---------------------|-----------------------------------------------------------------|----------------------|--------------|-------------|----------------|------------------|-------------|---------------------|------------|
| INC0000002 | 2018-01-14 02:15:14 | Unable to access the shared folder                              | David Miller         | 4 - High     | New         | Inquiry / Help | Service          | Sampath     | 2018-01-14 03:19:11 | admin      |
| INC0000009 | 2018-08-30 01:08:14 | Unable to access the shared folder                              | David Miller         | 4 - Low      | New         | Inquiry / Help | Service          | Sampath     | 2018-12-12 23:30:24 | admin      |
| INC0000005 | 2018-08-31 21:09:21 | Email server is down                                            | David Miller         | 3 - Critical | New         | Software       | Service          | Sampath     | 2018-12-12 23:30:55 | admin      |
| INC0000001 | 2018-08-31 20:18:36 | Unable to print content on a WFO RDP                            | David Miller         | 3 - Moderate | New         | Inquiry / Help | Service          | Sampath     | 2018-12-12 23:32:42 | admin      |
| INC0000112 | 2018-07-29 11:09:40 | Assessment - ATF Assessment                                     | Survey user          | 5 - Planning | New         | Inquiry / Help | Service          | Sampath     | 2018-07-29 13:49:59 | admin      |
| INC0000111 | 2018-07-22 14:04:17 | ATF - Test                                                      | System Administrator | 5 - Planning | In Progress | Inquiry / Help | Service          | Sampath     | 2018-01-14 03:19:11 | admin      |
| INC0000001 | 2018-01-13 13:04:14 | ATF TEST                                                        | Survey user          | 5 - Planning | New         | Inquiry / Help | Service          | Sampath     | 2018-01-21 13:53:42 | admin      |
| INC0007002 | 2018-03-16 22:47:51 | Need access to the server room                                  | David Miller         | 4 - Low      | New         | Inquiry / Help | Service          | Sampath     | 2018-12-12 23:30:49 | admin      |
| INC0007001 | 2018-03-16 22:47:10 | Employee payroll application server is down                     | David Miller         | 1 - Critical | New         | Hardware       | Operations       | Sampath     | 2018-12-03 18:11:01 | admin      |
| INC0001990 | 2018-06-07 09:02:25 | Unable to access the personal details section in payroll portal | Problem Coordinator  | 5 - Planning | On Hold     | Inquiry / Help | Service          | Sampath     | 2018-06-07 09:04:34 | admin      |
| INC0000001 | 2018-08-30          | Unable to access the...                                         |                      | 3 - Moderate | New         | Inquiry / Help | Service          | Sampath     | 2018-08-30          | admin      |

## Conclusion

The Implement Client Script & UI Policy (Incident) micro project effectively demonstrates how **UI Policies** and **Client Scripts** can work together to enforce dynamic field behavior, automate updates, and prevent incorrect data submission on Incident forms. By using `onChange`, `onSubmit`, and `onCellEdit` scripts alongside UI Policy actions, the project ensures fields like **Assigned To** and **Urgency** respond appropriately to changes in **Impact**, maintaining clean and

