

Job 01

Debian sans interface graphique installé

Job 02

```
root@debian:/etc# cd proftpd
root@debian:/etc/proftpd# ls
blacklist.dat  conf.d          geoip.conf  modules.conf  PROFTPD-MIB.txt  snmp.conf  tls.conf
cacerts.pem   dhparams.pem   ldap.conf   proftpd.conf  sftp.conf        sql.conf   virtuals.conf
root@debian:/etc/proftpd# _
```

Job 03

Merry et Pippin bien installé, avec leurs mots de passe respectifs.

Job 04

```
GNU nano 5.4                                proftpd.conf

<Anonymous ~ftp>
  User ftp
  Group nogroup
  # We want clients to be able to login with "anonymous" as well as "ftp"
  UserAlias anonymous ftp
  # Cosmetic changes, all files belongs to ftp user
  DirFakeUser on ftp
  DirFakeGroup on ftp

  RequireValidShell off

  # Limit the maximum number of anonymous logins
  MaxClients 10


  # We want 'welcome.msg' displayed at login, and '.message' displayed
  # in each newly chdir'd directory.
  DisplayLogin welcome.msg
  DisplayChdir .message

  # Limit WRITE everywhere in the anonymous chroot
  <Directory *>
    <Limit WRITE>
      DenyAll
    </Limit>
  </Directory>

  # Uncomment this if you're brave.
  # <Directory incoming>
  #   # Umask 022 is a good standard umask to prevent new files and dirs
  #   # (second parm) from being group and world writable.
  #   Umask022 022

  # <Limit READ WRITE>
  #   DenyAll
  #   </Limit>
  #   <Limit STOR>
  #     AllowAll
  #   </Limit>
  # </Directory>

</Anonymous>
```



Job 05

