Deepanjan - Refund domain

PRESENTATION SCRIPT

"Sabse pehle humara **Refund domain** hai. Yahan main security risk yeh hai ki koi AI agent unauthorized refund issue kar sakta hai, bahut zyada amount refund kar sakta hai, ya kisi doosre agent ki identity use karke action execute kar sakta hai."

"Isko prevent karne ke liye AgentShield pehle verify karta hai ki selected agent logged-in user ka hi hai, active hai, aur uske paas refund ki permission hai."

"Uske baad refund amount deterministic policy ke through check hota hai. Chhota amount automatically allow ho sakta hai, medium amount ke liye Manager ya Admin approval chahiye, aur maximum limit se zyada amount directly block ho jata hai."

"Approval ke baad bhi backend verify karta hai ki amount, customer aur agent change nahi hue hain. Successful execution ke baad simulated receipt generate hoti hai, aur har step audit log mein record hota hai."

Sameer - Email domain

PRESENTATION SCRIPT

"Doosra humara **Email domain** hai. Yahan risk yeh hai ki agent kisi unsafe ya unauthorized recipient ko email bhej sakta hai, sensitive information external address par send kar sakta hai, ya approval ke baad recipient, subject ya message body change kar sakta hai."

"AgentShield recipient ke domain - matlab email address mein @ ke baad wale part - ko check karta hai."

"Internal domains trusted hote hain, isliye unko automatically allow kiya ja sakta hai. Blocked domains ko email bhejna completely denied hota hai. Jo domain dono lists mein nahi hai, uske liye Manager/Admin approval require kar sakte hain ya usko completely block kar sakte hain."

"Approval exact recipient, subject, body, agent aur sender mode ke liye hota hai. Approval ke baad details change karke email send nahi ki ja sakti. Real email mode mein system repeated sending ko bhi prevent karta hai aur SMTP server ne message accept kiya ya nahi, woh audit log mein record karta hai."

Avnish - Sandbox Files domain

PRESENTATION SCRIPT

"Teesra humara **Sandbox Files domain** hai. Yahan security risk yeh hai ki agent computer ke sensitive files read kar sakta hai, important file overwrite kar sakta hai, ya unauthorized file delete kar sakta hai."

"AgentShield agent ko sirf dedicated `workspace/` folder ke andar operations perform karne deta hai. Workspace ke bahar ka koi bhi path automatically block ho jata hai. Iske andar `workspace/protected/` ek permanently blocked area hai, jise agent access nahi kar sakta."

"Manager READ, WRITE, CHANGE aur DELETE operations ke liye alag rules set kar sakta hai - automatically allow, approval require, ya completely block."

"CHANGE aur DELETE request mein Manager approval se pehle current file content dekh sakta hai. CHANGE ke case mein current content aur proposed replacement dono clearly show hote hain. Agar review ke baad file kisi aur process se change ho jaati hai, toh backend purani approval ko use karke overwrite nahi karta."

"Har file request, policy decision, approval aur execution audit log mein save hota hai."