


Separator plate, base

Art. no.: 75029047051



75029047051

H00716-01

Puller

Art. no.: 75029048100




75029048100

H00718-01

Clamping plate

Art. no.: 75029050000




75029050000

H00719-01

Floor jack attachment


Art. no.: 75029055000



75029055000


H00722-01

Protecting sleeve




Art. no.: 75029080000

Gear segment




Art. no.: 75029081000

Protection cap




Art. no.: 75029090000

Holding wrench



Art. no.: 75029091000

Spark plug wrench




Art. no.: 75029172000

Feature


Drive	1/2 in
Hexagonal part	14 mm (0.55 in)
Length	85 mm (3.35 in)

Mounting tool for lock ring




Art. no.: 76629032000

Pressing tool




Art. no.: 76629044011

Pressing tool




Art. no.: 76629044020

Pressing tool




Art. no.: 76629044030

Cover for crankshaft pressing tool




Art. no.: 76629047003

Valve stem seals plier




Art. no.: 77229010000


Oil pressure adapter




Art. no.: 77329006000

Locking screw


Art. no.: 77329010000

Release device for timing chain tensioner

Art. no.: 77329051000


Insert for valve spring lever

Art. no.: 79029060000

Engine assembly stand

Art. no.: 80329001000

Rear wheel work stand



Art. no.: 6932995500033

XC_1 NG DE



Art. no.: 00029296000DE

XC_1 NG EN



Art. no.: 00029296000EN

XC_1 NG ES



Art. no.: 00029296000ES

XC_1 NG FR


Art. no.: 00029296000FR

**XC_1 NG IT**

Art. no.: 00029296000IT

**XC_1 NG JP**


Art. no.: 00029296000JP

**XC_1 NG US**

Art. no.: 00029296000US



Pin wrench




Art. no.: T103

Feature

adjustable	
Diameter	4 mm (0.16 in)

Hook wrench




Art. no.: T106S

Feature


Diameter	68 ... 75 mm (2.68 ... 2.95 in)
----------	---------------------------------

Depth micrometer



Art. no.: T107S

Drift




Art. no.: T120

Feature

Diameter	8 mm (0.31 in)
----------	----------------

Pressing tool




Art. no.: T1206

Feature


Diameter	15 ... 30 mm (0.59 ... 1.18 in)
----------	---------------------------------

Pressing tool




Art. no.: T1207S

Vacuum pump



Art. no.: T1240S

Pressing tool




Art. no.: T129

Feature

Diameter	15 ... 30 mm (0.59 ... 1.18 in)
----------	---------------------------------

Protecting sleeve




Art. no.: T1401

Feature

Diameter	48 mm (1.89 in)
----------	-----------------

Support tool




Art. no.: T14026S1

Feature

M12	
Diameter	17 mm (0.67 in)

Open end wrench




Art. no.: T14032

Feature

Jaw opening	22 mm (0.87 in)
-------------	-----------------

Clamping stand



Art. no.: T1403S

Feature

Diameter	48 mm (1.89 in)
Diameter	60 mm (2.36 in)