

**Preserving materials for paints, metal and rubber**

Recommended supplier

**MOTOREX®**

- Moto Protect

**Street chain spray**

Guideline

Recommended supplier

**MOTOREX®**

- Chainlube Road Strong

**Universal oil spray**

Recommended supplier

**MOTOREX®**


- Joker 440 Synthetic

Bleeder cover




Art. no.: 00029013004

Bleeder cover




Art. no.: 00029013015

Bleeding device



Art. no.: 00029013100

EU battery charger XCharge-professional




Art. no.: 00029095050

Feature

EU safety plug	
Nominal voltage	230 V
Mains fuse	16 A
Power cable length approx.	5 m (16 ft)
Charger cable length approx.	5 m (16 ft)

US battery charger XCharge-professional




Art. no.: 00029095051

Feature

US plug	
Nominal voltage	120 V
Mains fuse	32 A
Power cable length approx.	5 m (16 ft)
Charger cable length approx.	5 m (16 ft)

UK battery charger XCharge-professional




Art. no.: 00029095052

Feature

UK safety plug	
Nominal voltage	230 V
Mains fuse	16 A
Power cable length approx.	5 m (16 ft)
Charger cable length approx.	5 m (16 ft)

CH battery charger XCharge-professional




Art. no.: 00029095053

Feature


CH plug	
Nominal voltage	230 V
Mains fuse	16 A
Power cable length approx.	5 m (16 ft)
Charger cable length approx.	5 m (16 ft)

Bearing puller



Art. no.: 15112017000

Internal bearing puller




Art. no.: 15112018100

Feature


18 ... 23 mm (0.71 ... 0.91 in)

Syringe




Art. no.: 50329050000

Lock ring plier



Art. no.: 51012011000


Puller



Art. no.: 58429009000



Puller




Art. no.: 58429037043

Feature


Inside diameter	43.9 mm (1.728 in)
-----------------	--------------------

Tool bracket



Art. no.: 58429089000

Pressing tool




Art. no.: 58429091000

Pressing tool




Art. no.: 58429092000

Valve spring mounter



Art. no.: 59029019000

Limit plug gauge




Art. no.: 59029026006

Feature

Diameter	6.05 mm (0.2382 in)
----------	---------------------

Feeler gauge




Art. no.: 59029041100

Feature

5 piece	0.10 ... 0.25 mm (0.0039 ... 0.0098 in)
---------	---


Piston ring compressor




Art. no.: 60029015000

Feature


Height	80 mm (3.15 in)
Diameter	57 ... 125 mm (2.24 ... 4.92 in)

**Chain rivet tool**


Art. no.: 60029020000

**Hose clamp plier**

Art. no.: 60029057000


**Spring band clamps plier**

Art. no.: 60029057100

**Testing hose**


Art. no.: 61029093000

## Pressure testing tool




Art. no.: 61029094000

## Protection cap



Art. no.: 61229005100

## Locking screw




Art. no.: 61229015000

## Work stand




Art. no.: 62529055200




**Fitting for work stand**


Art. no.: 75012001060

**Holder for engine motor stand**

Art. no.: 75012001070

**Puller**

Art. no.: 75029021000

**Assembly screws**


Art. no.: 75029033000

Insertion for piston ring lock




Art. no.: 75029035000

Work stand attachments




Art. no.: 75029036000

Crankshaft pressing tool



Art. no.: 75029047000

Separator plate, upper part



Art. no.: 75029047050