

Week 1 Day 2 Assignment

1) From the Groq and Openairouter

<https://console.groq.com/home>

<https://developers.openai.com/api/docs/models/all>

--List down the Multi models

Groq Multi model

Frontier models

Category	Models
Reasoning	GPT OSS 120B, GPT OSS 20B, Qwen 3 32B
Text to Speech	Orpheus English, Orpheus Arabic Saudi
Vision	Llama 4 Scout
Function Calling / Tool Use	GPT OSS 120B, GPT OSS 20B, Llama 4 Scout, Qwen 3 32B
Speech to Text	Whisper Large v3, Whisper Large v3 Turbo
Multilingual	GPT OSS 120B, GPT OSS 20B, Llama 4 Scout, Llama 3.3 70B, Whisper Large v3

OpenAI

Model	Capabilities
Image	
gpt-image-1.5	Image to Text, Text to Image
chatgpt-image-latest	Image to Text, Text to Image
GPT Image 1	Text to Image
gpt-image-1-mini	Text to Image
DALL·E 2 & DALL·E 3	Text to Image
Video	
Sora 2 & Sora 2 Pro	Text to Video, Text to Audio, Image to Audio, Image to Video
Realtime & audio	
gpt-realtime-1.5	Text to Audio, Image to Audio
gpt-realtime & gpt-realtime-mini	Text to Audio, Image to Audio, Image to Text, Audio to Image
gpt-audio, gpt-audio-mini & gpt-audio-1.5	Text to Audio, Audio to Text
GPT-4o Audio, GPT-4o mini Audio, GPT-4o Realtime & GPT-4o mini Realtime	Text to Audio, Audio to Text
GPT-4o Transcribe, GPT-4o mini Transcribe	Text to Audio
GPT-4o Transcribe Diarize	Text to Audio, Audio to Text

GPT-4o mini-TTS, TTS-1 & TTS-1 HD	Text to Audio
Whisper	Audio to Text
Coding	
GPT-5-Codex, GPT-5.3-Codex, GPT-5.2-Codex, GPT-5.1-Codex, GPT-5.1-Codex-Max, GPT-5.1 Codex mini, codex-mini-latest	Image to Text, Text to Text
Deep research	
o3-deep-research, o4-deep-research	Image to Text, Text to Image
More models	
GPT-5.1, GPT-5.2, GPT-5.2 pro, GPT-5 pro, o3-pro, o3, o4-mini, GPT-4.1 mini, GPT-4.1 mini, GPT-4.1 nano, o1-pro, computer-use-preview, o1, omni-moderation, GPT-4o, GPT-4o mini, GPT-4 Turbo, ChatGPT-4o, GPT-5 Chat, GPT-5.1 Chat, GPT-5.2 Chat, ChatGPT-4o	Image to Text, Text to Text

2) Take 3 models from each service provider

<https://openrouter.ai/models>

Context window, Input output token cost

Service Provider	Models	Context window	Input token cost	output token cost
OpenAI	gpt-oss-120b	131K	\$0.039/M	\$0.19/M output tokens
	gpt-5.4	1.05M	\$2.50/M	\$15/M
	gpt-4o-mini	128K	\$0.15/M	\$0.60/M
Anthropic	claude-sonnet-4.6	1M	\$3/M	\$15/M
	claude-opus-4.6	1M	\$5/M	\$25/M
	claude-sonnet-4.5	1M	\$3/M	\$15/M
Google	gemini-3-flash-preview	1M	\$3/M	\$15/M
	claude-opus-4.6	1M	\$5/M	\$25/M
	claude-sonnet-4.5	1M	\$3/M	\$15/M

3) use the Tokenizer with different prompt and see how the tokens are generated

<https://platform.openai.com/tokenizer>

Prompt	Token Count	Token ID
Create a test case to login gmail page	8	[5104, 261, 1746, 1890, 316, 9464, 110518, 3011]
Create a playwright script to verify the image is enabled	10	[5104, 261, 147128, 11713, 316, 14866, 290, 3621, 382, 16770]
who won the T20 world cup cricket?	9	[29997, 3313, 290, 353, 455, 2375, 11531, 57976, 30]