

LAB 6 REPORT

CYOP 300 - BUILDING SECURE WEB APPLICATIONS

Alberth Matos

21 April 2026

Executive Summary

Attached is my submission for Lab 6. As my Flask-driven site, I chose to implement a simple blog web application. The application presents static pages as well as blog entries rendered from plain text markdown files.

Each page contains a header section with links to the main blog page, an About page, a Contacts page, a Photography page, and a link labeled "Purposefully broken link" that points to a non-existent page, used to demonstrate the custom 404 error page. Additionally, the footer of each page contains a link to four external sites, my GitHub, LinkedIn, Mastodon sites, as well as a link to my PGP key, displayed as an ordered list. The footer also contains the time at which the page was generated by Flask.

The application loads individual blog entries from the posts directory. Each blog entry must have a .md extension, and its markdown frontmatter must include a date and a title. The file extension, in combination with the two frontmatter fields allow the program to identify that the file is a valid blog entry.

The photography page contains examples of H1, H2, and H3 html tags, and displays images as an unordered list. Each image was chosen from my photography collection, and link to my Flickr page. The page source contains html comments containing the title name of each picture.

A CSS style sheet is served via the flask application, applying a common look-and-feel to all of the site pages.

Testing

Test Case Table

Test Cases	Description	Expected Output	Actual Output	Pass/Fail
Test Case 1	Posts directory missing	Main page displays a single entry, named 'Habemus nulla posta. Quo vadis?'	Main page displays a single entry, named 'Habemus nulla posta. Quo vadis?'	Pass
Test Case 2	Posts directory exists, but no .md are available	Main page displays a single entry, named 'Habemus nulla posta. Quo vadis?'	Main page displays a single entry, named 'Habemus nulla posta. Quo vadis?'	Pass
Test Case 3	Posts directory exists, .md file is found, but file does not contain required fields (Date and Title)	Main page displays a single entry, named 'Habemus nulla posta. Quo vadis?'	Main page displays a single entry, named 'Habemus nulla posta. Quo vadis?'	Pass
Test Case 4	Multiple valid posts exist	Main page displays each post in index	Main page displays each post in index	Pass
Test Case 5	Display post	Post displays	Post displays	Pass
Test Case 6	Click on 'Main' link in page header	Main page displays each post in index	Main page displays each post in index	Pass
Test Case 7	Click on 'About' link in page header	About page is displayed	About page is displayed	Pass
Test Case 8	Click on 'Contact' link in page header	Contact page is displayed	Contact page is displayed	Pass
Test Case 9	Click on 'Photography' link in page header	Photography page is displayed	Photography page is displayed	Pass
Test Case 10	Click on 'Purposefully broken link' in the header	Note: This link points to a page that does not exist to show http 404 error handling. A 404 error page should display.	A 404 error page is displayed	Pass
Test Case 11	Click on 'github' link in page footer	A github page should display	A github page is displayed	Pass
Test Case 12	Click on 'LinkedIn' link in page footer	A LinkedIn page should display	A LinkedIn page is displayed	Pass

Test Case 13	Click on 'mastodon' link in page footer	A Mastodon.social page should display	A Mastodon.social page is displayed	Pass
Test Case 14	Click on 'PGP Key' link in page footer	A file named hah4j8h73y4qhdx8g3dsj9rdibnhqi will download	A file named hah4j8h73y4qhdx8g3dsj9rdibnhqi is downloaded	Pass

Test Case Screenshots

Test Case 1




Test Case 2




Test Case 3




Test Case 4




Test Case 5




Test Case 6




Test Case 7



Test Case 8



Test Case 9



Test Case 10

127.0.0.1

Lab6 - The Simple Blogengine

Lab 6

[Main](#) | [About](#) | [Contact](#) | [Photography](#) | [Purposefully broken link](#)

Something is obviously amiss...

Error 404

Your haiku could not be found

Try again later*

Error code: 404 - The requested URL was not found on the server. If you entered the URL manually please check your spelling and try again.

[← Return to top of site.](#)

External Links:

1. [GitHub](#)

2. [LinkedIn](#)

3. [Mastodon](#)

4. [PGP Key](#)

In fine paginae ad 2026-04-21 20:33:05.

Created with HTML, CSS, and Python, via Flask

Test Case 11

github.com

Type to search

Overview

Repositories 47

Projects

Packages

Stars 34

Alberth Matos

amatos · he/him

Edit profile

3 followers · 3 following

Vermilion, OH

20:33 (UTC -04:00)

<https://matos.cc>

[@alberthmatos](#)

Achievements

Popular repositories

dotfiles

c. c.run run.run

Shell ☆ 2

dotfiles-byrens

Forked from mathiasbynens/dotfiles

.files, including ~/macos – sensible hacker defaults for macOS

Shell

EliteDangerous-Hue-Light-Controller

Control Philips Hue Light(s) to respond to events in Elite Dangerous' journal log.

Python

klipper-btt-skr-3ez

Shell ☆ 1

EDMC-Autopath

Forked from Sognus/EDMC-Autopath

Plugin for Elite: Dangerous market connector that automatically insert systems to clipboard

Python

robot-recall

Forked from 343N/robot-recall

robot-recall

Lua

383 contributions in the last year

Contribution settings


2026

2025


2024

2023


Test Case 12



Test Case 13



Test Case 14



Pylint Results

```
λ pylint *.py
```

```
-----  
Your code has been rated at 10.00/10
```