The Substratum Construction: Reconstruction, the Substratum Gauge Group, and the QM-GR Synthesis

Author: Alex Maybaum
Date: April 2026
Status: DRAFT PRE-PRINT
Classification: Theoretical Physics / Foundations

Abstract

Quantum mechanics and general relativity are conventionally treated as two fundamental theories awaiting unification. This paper establishes that they are instead two projections of a single finite deterministic construction — joined by a third projection that produces the arrow of time — with the apparent QM-GR incompatibility arising as a category error rather than a technical problem. The construction is the bijection (S, φ) on a finite configuration space whose visible-sector projection is the Standard Model [SM] and whose boundary-thermodynamic projection is general relativity [GR], as developed in companion papers. The substratum-level results that make these emergences a single construction rather than two independent applications of the same formalism are: (i) the *reconstruction theorem* (Theorem 23), which shows that observed physics — quantum mechanics with Bell violations, finite boundary entropy, spatial isotropy and homogeneity, and the observed Standard Model structure — uniquely determines the equivalence class $[(S, \varphi)]/\mathcal{G}_{\mathrm{sub}}$ at the lattice level, with the structural conditions (finiteness, determinism, bounded coupling, center independence, linearity, background independence) following from the empirical inputs combined with the framework's gauge structure rather than being independent commitments; the Standard Model gauge group $\mathrm{SU}(3) \times \mathrm{SU}(2) \times \mathrm{U}(1)$ and $\bar{\theta} = 0$ are forced retrodictions, and the anomaly-free hypercharge assignment is forced once the observed family pattern is given (fermion embedding closed via the link-carrier construction, with the absolute generation count locked at exactly three by coupling-degree minimality); and (ii) the *substratum gauge group* $\mathcal{G}_{\mathrm{sub}}$ (Theorem 24), with four explicit families of generators proved to exhaust all observables-preserving transformations via Stinespring uniqueness. The Standard Model gauge group is the visible-sector shadow of $\mathcal{G}_{\mathrm{sub}}$ — the image of the substratum's symmetry under the trace-out — and the three-level gauge hierarchy (substratum, emergent QFT, emergent Hamiltonian) provides the structural account of why the Standard Model has its specific gauge structure. The synthesis claim is that the QM-GR incompatibility, as conventionally posed, asks how to merge two descriptions that share no common framework; the present construction provides that common framework, and the apparent incompatibility is the artifact of treating two different projections of one object

as if they were two different theories. The result is not a unification of quantum mechanics and general relativity in the traditional sense — that program remains as ill-posed as before — but a dissolution of the question.

---

1. Introduction

The standard physical picture of the world contains two fundamental theories. Quantum mechanics describes the microscopic regime in terms of unitary evolution on a Hilbert space, superposition, and Born-rule probabilities. General relativity describes the gravitational regime in terms of a deterministic, classical, dynamical metric obeying Einstein's equations. The two are mathematically and conceptually incompatible. Quantum mechanics has no preferred temporal foliation and no observer-independent state; general relativity has both. Quantum mechanics treats measurement as a primitive operation; general relativity treats it as a process within the dynamics. Quantum mechanics is linear; general relativity is not. Every attempt to unify them — to quantize gravity, to geometrize quantum mechanics, to merge the two into a deeper underlying theory — has produced either inconsistencies, ambiguities, or empirically unfalsifiable conjectures. The unification problem has resisted solution for nearly a century, and the most active current programs (loop quantum gravity, string theory, causal dynamical triangulations, asymptotic safety) have produced neither a quantitative empirical confirmation nor a clean conceptual resolution.

This paper argues that the QM-GR incompatibility is not a technical problem to be solved by finding the right mathematical framework. It is a category error: an attempt to merge two descriptions that turn out to be projections of the same underlying object viewed from different perspectives, rather than two competing accounts of the same regime. The framework developed in the four-paper sequence to which this paper belongs — [Main], [SM], [GR], and the present paper — provides the underlying object and the projection map. The underlying object is a finite deterministic bijection (S, φ) on a configuration space partitioned into a visible sector accessible to an embedded observer and a hidden sector beyond the observer's causal reach. The projection from the underlying object to quantum mechanics is the trace-out over the hidden sector, formalized in [Main] as the embedded-observation theorem: under three structural conditions (C1: non-trivial coupling, C2: slow bath, C3: high-capacity hidden sector), the embedded observer's description is necessarily quantum mechanics, with the wave function, Born rule, and unitary evolution arising as derived rather than fundamental constructs. The projection from the same underlying object to general relativity is the thermodynamic limit at the partition boundary, formalized in [GR] as the cosmological-horizon application: applied to the cosmological horizon as a causal partition, the framework determines $\hbar = c^3(2l_p)^2/(4G)$, the Bekenstein-Hawking entropy with the 1/4 coefficient, and the dissolution of the cosmological constant problem. The Standard Model emerges from the same bijection on a cubic lattice with the wave equation as

substratum dynamics, with the gauge group $\mathrm{SU}(3) \times \mathrm{SU}(2) \times \mathrm{U}(1)$, three chiral generations, the Higgs as composite, and $\bar{\theta} = 0$ as forced consequences [SM].

The present paper develops the substratum-level results that make these three emergences — emergent QM in [Main], the Standard Model derivation in [SM], and the gravitational sector in [GR] — a single construction rather than three separate applications of the same formalism. The two technical results that do this work are the *reconstruction theorem* (§3) and the *substratum gauge group* (§4). The reconstruction theorem shows that the map from (S, φ) to observed physics is invertible within the framework's structural class: observed quantum mechanics with Bell violations, finite boundary entropy, spatial isotropy and homogeneity, and the observed Standard Model structure uniquely determine the equivalence class of bijections on a lattice, with the structural conditions of the framework (finiteness, determinism, bounded coupling, center independence, linearity, background independence) following from the empirical inputs combined with the framework's gauge structure (per §3.1). The substratum gauge group identifies the kernel of this inverse map — four families of transformations of (S, φ) that exhaust all observables-preserving operations — and shows that the Standard Model gauge group is its shadow under the trace-out. The combination of these two results turns the framework's three derivations into a single object: the SM gauge group is not chosen from a landscape, the gravitational thermodynamics are not appended to a quantum description, and the emergent QM is not postulated as a starting point. All three emerge from the same (S, φ), and the substratum gauge group is the symmetry that makes the relationship between them exact rather than approximate.

The synthesis claim that follows from these results — developed in §5 — is that quantum mechanics and general relativity are not two theories awaiting unification but two projections of the same construction, viewed at different levels of description. Quantum mechanics lives at the level of the visible-sector trace-out: the embedded observer sees the bijection through the hole of finite causal access, and the resulting compressed description is unitary QM. General relativity lives at the level of the boundary thermodynamics: the same causal partition that produces QM at the visible-sector level produces classical horizon thermodynamics at the boundary level, and Jacobson's thermodynamic argument promotes this to Einstein's equations. The two descriptions are not in tension because they refer to different objects in the construction — not different *aspects of the same regime*, which would invite unification, but different *projections of the same substratum*, which makes unification a category error. The substratum gauge group makes this precise: at the level of (S, φ), there is no quantum and no classical, no metric and no wave function; there is only the bijection and its symmetries. The trace-out at the visible-sector level produces one set of derived structures (the wave function, the SM gauge group, particle content), and the thermodynamic limit at the boundary level produces another (the metric, $\hbar$, the BH entropy, the dynamical dark energy), and the framework provides the construction that makes both of these descriptions exact projections of the same object. The same construction produces a third projection (§5.4) that resolves

the arrow-of-time question by descending the observer's emergent arrows — cosmological, thermodynamic, memory, measurement — from the horizon-growth clock and the C1–C3 observer-selection theorem of [Main, §4.6], answering the Ellis objection to bijective substrates without adding a structural commitment.

The paper is organized as follows. §1.1 states the framework's primary metaphysical commitment and its relation to explanatory and empirical claims. §2 develops the physical interpretation of (S, φ) as a finite lossless memory with partial read-write access, and addresses the substrate objection (what is the memory made of?) by identifying it as gauge in the precise technical sense established by the substratum gauge group of §4. §3 states and proves the reconstruction theorem (Theorem 23). §4 states and proves the substratum gauge group result (Theorem 24) and develops the three-level gauge hierarchy. §5 makes the synthesis claim explicit, citing [Main], [SM], and [GR] for the empirical content. §6 discusses structural realism, the ontological hierarchy, and the dissolution of the measurement problem. §7 concludes. The paper is short by design: the technical content fits in two sections (§§3–4) and the rest is the structural and interpretive context that shows why those two sections matter.

1.1 The metaphysical commitment

The framework's primary metaphysical claim is *ontic structural realism applied to the equivalence class* $[(S, \varphi)]/\mathcal{G}_{\text{sub}}$. What is real is the equivalence class, not any specific substratum representative. This is the strongest claim the framework's own theorems license, and it is forced by them: the reconstruction theorem (§3) shows that the equivalence class is uniquely determined by the empirical inputs (with the structural conditions A1–A6 following from those inputs combined with the framework's gauge structure, per §3.1), and the substratum gauge group (§4) shows that different representatives of the class are observably indistinguishable. The class is what the data pin down; individual substrates are gauge representations of it. A stronger claim — realism about a specific bijection — commits to features the framework's own gauge group identifies as unobservable. A weaker claim — pure explanatory economy without ontic commitment — undersells what the uniqueness theorem actually establishes.

Two positions often proposed as alternatives to structural realism are, in this framework, consequences of it. *Explanatory economy*: if the equivalence class is real, the emergence of quantum mechanics in [Main §3] is a theorem about representations of a real structure, not a coincidence requiring additional interpretation, and the framework's reduction of postulates follows from the uniqueness rather than standing as an independent virtue. *Empirical predictions*: if the class's structure is real, its structural features — the dimension $d = 3$, the $K = 2d = 6$ internal components, the cubic decomposition $(3, 2, 1)$, the wave equation, the cosmological-horizon partition — imply specific numbers at the observable level, giving the twenty-two quantitative predictions of [SM §7] and the gravitational predictions of [GR §7]. The three framings (realist, explanatory, empirical) answer three different questions — what is real, what is

gained over standard QM, what is testable beyond QM — rather than providing competing answers to the same question. The rest of this paper develops the structural and explanatory consequences; [SM] and [GR] develop the empirical consequences.

---

2. The Physical Interpretation of (S, ϕ)

Storage and memory. S is the set of all distinguishable states: *finite capacity*. ϕ is a bijection: *perfect memory* — information is never created or destroyed. Together, (S, ϕ) is a finite lossless memory. The partition V defines the observer's *access* — both read and write. The observer reads the visible sector (measuring x) and writes to the hidden sector (each visible-sector operation imprints correlations on H through the coupling H_{int}). The slow bath (C2) preserves those writes; subsequent reads retrieve them — producing the information backflow that constitutes P-indivisibility. Quantum mechanics is the statistics of this read-write cycle: not passive observation of a static memory, but the self-consistent description that emerges when a finite subsystem both reads from and writes to a lossless register it cannot fully access. The Born rule is the equilibrium of the cycle, not of passive reading. Interference is write-then-read: information deposited in the hidden sector during one transition is retrieved on a later transition and partially cancels or reinforces the transition probabilities.

The 10^{122} CC discrepancy is the compression ratio between total storage and readable storage. The dark sector is the gravitational effect of the unreadable storage. The Bekenstein-Hawking entropy is the storage capacity of the partition boundary. The action scale $\hbar$ is the conversion factor between storage geometry and read-write statistics.

Remark (the domain of the substratum dynamics). The wave equation of [SM §4.1] — the unique second-order reversible nearest-neighbor dynamics compatible with center independence, isotropy, and linearity — is defined on the full substratum (S, φ), not on the visible sector alone. Both visible and hidden sectors run the same wave equation; the partition V imposes an observer-access structure on this common dynamics but does not change it. This convention makes three pieces of the framework consistent: (i) the trace-out of [Main] proceeds by marginalizing over the hidden sector's substratum degrees of freedom, which requires those degrees of freedom to have a well-defined dynamics; (ii) the nested trace-out of [GR §8.4] extends the construction to a deep hidden sector by running the same wave equation at all levels; (iii) the link-carrier construction of [SM §4.7.1.2] places matter on links that span visible and hidden sublattices — which makes sense only because both sublattices are governed by the same dynamics. The full-substratum wave equation is therefore the common dynamical input to all three companion papers, with each applying a different projection map to extract observer-level physics.

The substrate objection. "What is the memory made of?" (S, ϕ) is a *complete description* of reality — it determines all observables. Space, time, matter, and energy are derived from (S, ϕ), so they cannot appear in its definition without circularity. Whether (S, ϕ) *is* reality or *describes* reality is provably undecidable by any measurement (reconstruction theorem below).

Relation to computation. A Turing machine has a tape (storage), a head (partial read/write access), and a transition function (update rule). The correspondence is suggestive: S is the tape, V is the head's access window, ϕ is the transition function. But three differences are physically significant. First, a Turing machine's tape is potentially infinite; S is finite — finiteness is essential for the recurrence proof of P-indivisibility and QM, though the effective finiteness result ([GR, §8.4]) shows the deep hidden sector may be infinite without affecting the observable physics. Second, a Turing machine is generally irreversible (it can erase, overwrite, and halt); ϕ is a bijection — nothing is erased, nothing is created, there is no halting. Third, a Turing machine computes an *extrinsic function* (input $\to$ output for an external user); (S, ϕ) computes no extrinsic function — it is a closed permutation that cycles through states and returns. The appearance of dynamics, probability, particles, and forces is entirely the observer's perspective — what the permutation looks like through the partial window V.

Remark (the Turing connection under effective finiteness). The three differences soften under the effective finiteness result. With the deep hidden sector potentially infinite, the first difference is between the formal definition (S finite) and the physical requirement (only $\mathcal{C}_V \times \mathcal{C}_B$ need be finite). The second difference is a specialization, not an opposition: reversible Turing machines (Bennett, Fredkin-Toffoli) are a well-studied subclass. The third difference — extrinsic vs. intrinsic — is the one that does physical work. The mapping is then structural: V is the head, H is the tape, ϕ is a reversible transition function, and C1–C3 characterize the architecture. The framework extends Turing's question: instead of asking what a machine can compute for an external observer, it asks what computation looks like to a component of the machine — and proves the answer is quantum mechanics.

The arrow of time. The substratum has no arrow of time — ϕ and ϕ^{-1} are equally valid. Observers satisfying C1–C3 are nonetheless structurally restricted to the non-equilibrium phase of (S, φ): the theorem in [Main, §4.6] shows that $\tau_B(V)$ is bounded by the local mixing time on equilibrium microstates, so C2 fails there. This replaces the low-entropy "past hypothesis" with a structural observer-selection rule and excludes Boltzmann brains structurally rather than anthropically. Entropy increase is then emergent as a coarse-grained description of the non-equilibrium dynamics observers necessarily see.

The incompleteness family. The framework's central result belongs to a family of impossibility-with-structure theorems. Gödel: a formal system cannot prove all truths about itself — the unprovable truths have rigid structure. Turing: a computer cannot decide all questions about its own behavior — the

undecidable problems have rigid structure. OI: an observer embedded in a deterministic system cannot access the complete state — the emergent description has rigid structure (quantum mechanics). The common structure is *self-reference under finite resources.*

The precise OI analog of the halting problem is: *can the observer determine the hidden-sector state h?* The question is well-posed — h has a definite value at every moment, because (S, φ) is deterministic. Different h values produce different physical outcomes. But the observer provably cannot determine h: multiple hidden states are compatible with any visible-sector history, and transition probabilities $T_{ij}(t)$ are averages over h. The structural consequence of this inaccessibility is quantum mechanics — just as the structural consequence of the halting problem's undecidability is computability theory. The framework also identifies a second class of inaccessible quantities — the alphabet size q ([SM, §2.7]) and the deep-sector cardinality $|\mathcal{C}_D|$ ([GR, §3.2]) — but these are *gauge*, not undecidable: different values produce identical observables, so the question itself is physically empty. The hidden state h is undecidable (real answer, provably inaccessible). The cardinality $|\mathcal{C}_D|$ is gauge (no answer to find).

Mathematics and physics. The trace-out performs a Jordan-Chevalley projection ([SM, Appendix A]): it extracts the semisimple part of the dynamics and erases the nilpotent monodromy. Physics is the semisimple shadow of mathematics — the diagonalizable spectral data, projected by the trace-out and organized by the gauge group's representation structure. The reconstruction theorem (below) proves that the mathematical description and the physics determine each other uniquely up to gauge.

---

3. The Reconstruction Theorem

The forward direction — from (S, φ) to observed physics — is established by [SM §§3.1, 4–5] and the companion paper [Main]. The converse question is whether the observed physics uniquely determines (S, φ). The reconstruction proceeds in three stages, each taking specified inputs and producing specified outputs with an explicit uniqueness claim. The composite theorem (Theorem 23) then aggregates the stages.

3.1 Inputs to the reconstruction

The reconstruction takes two kinds of inputs: empirical observations and structural assumptions. Being explicit about both is essential to the uniqueness claim.

Empirical inputs (facts about the observed universe):

(E1) **Unitary quantum mechanics.** The observed physics is quantum mechanical: states are vectors in a complex Hilbert space, time evolution is unitary,

observables are self-adjoint operators, measurement outcomes follow the Born rule.

(E2) **Bell violations.** The observed correlations violate Bell inequalities, ruling out local hidden-variable theories with factorizable distributions.

(E3) **Finite boundary entropy.** The entropy of any bounded region is finite and scales as the area of its boundary. This is supported by holographic bounds [1, 2]; the cosmological horizon has finite area so the bound applies.

(E4) **Spatial isotropy.** Observed physics is rotationally invariant; no spatial direction is preferred.

(E5) **Spatial homogeneity.** Observed physics is translation-invariant; no spatial location is preferred. Together with E4, this is the standard "no preferred frame" content of observed physics; we separate E4 (rotations) from E5 (translations) because they enter the reconstruction at different stages.

(E6) **Standard Model structure observed.** The observed gauge group is $\mathrm{SU}(3) \times \mathrm{SU}(2) \times \mathrm{U}(1)$ with three chiral generations of matter and one Higgs doublet. This is a specific empirical fact about our universe (rather than a logical consequence of E1-E5); it serves as the framework's empirical target for quantitative predictions.

Structural assumptions (restrictions on the class of candidate substrates (S, φ)):

(A1) **Finiteness.** The configuration space S is finite. *Forced by E3* under the standard holographic interpretation of finite boundary entropy as a Hilbert-space dimension cutoff $\dim \mathcal{H} \leq e^{A/4}$.

(A2) **Determinism.** $\varphi : S \to S$ is a bijection (deterministic, reversible dynamics). *Forced by E1 and the classical-substratum descent argument* (parallel to §4 Theorem 24's completeness proof). Stinespring dilation lifts the visible-sector CPTP channel to a unitary U on $\ell^2(S)$; for U to descend to an S-level transformation preserving classical product structure (rather than producing superpositions of classical configurations), U must be a permutation matrix — the only unitaries on $\ell^2(S)$ that map basis states to basis states. Permutation matrices correspond bijectively to bijections $\varphi : S \to S$. Probabilistic kernels lift to non-permutational unitaries (or to non-unitary CPTP channels) and do not descend to classical-substratum transformations.

(A3) **Bounded coupling degree.** Each site is coupled to a bounded number of neighbors in φ's action. *Forced by E1 and E2 with the finite light-cone speed implicit in standard QM*: infinite coupling at substratum level produces instantaneous correlations everywhere, inconsistent with finite signal propagation.

(A4) **Center independence.** The dynamics φ commutes with lattice translations up to gauge. *Forced by E5*: a substratum dynamics with a preferred center site would, under the trace-out, produce a preferred-location effect inconsistent with E5.

(A5) **Linearity.** The wave equation for φ is linear. *Forced by the q-gauge invariance theorem of [SM §2.7]*: the alphabet size q is gauge — no observable depends on q. Non-linear dynamics over $\mathbb{Z}/q\mathbb{Z}$ generically have q-dependent emergent physics ($x^2 \bmod 3$ and $x^2 \bmod 5$ have different algebraic structure), so non-linear emergent physics would violate the gauge equivalence. [SM §4.1] gives the necessity argument and three additional independent criteria (maximum propagation speed, maximum P-indivisibility, KMS condition for Unruh thermality) all converging on the same dynamics.

(A6) **Background independence.** The dynamics is invariant under local transformations of internal indices, promoting the global commutant symmetry to local gauge invariance ([SM §3.1]). *Forced by E1 with the observation that local gauge invariance holds in the emergent QFT*: a local-gauge-invariant emergent QFT requires local-symmetry-invariant substratum dynamics.

A1, A3, A4, A6 follow from the empirical inputs E1-E5 (as established by the parentheticals above). A2 follows from E1 and the classical-substratum descent argument. A5 follows from the q-gauge invariance theorem of [SM §2.7]. The reconstruction's substantive content is therefore the foundational ontology — the world is a classical-substratum-with-embedded-observer system — together with the empirical inputs E1-E6.

The reconstruction theorem's claim is: the classical-substratum-with-embedded-observer ontology together with the observed Standard Model uniquely determines the substratum modulo gauge $\mathcal{G}_{\text{sub}}$.

Critical dependencies. Theorem 23's proof relies on the following prior theorems, whose individual correctness is assumed:

- [Main §2.3] P-indivisibility of the marginalized stochastic process (Bell violations $\to$ P-indivisibility)
- [Main §3.2] Forward Stinespring dilation (bijection $\to$ CPTP channel) and reverse-direction lemma (stochastic process $\to$ bijection)
- [Main §3.4] Characterization theorem (Bell violation $\Rightarrow$ C1, QM $\Rightarrow$ C2 + C3, conditional on ETH for C2)
- [SM §3.2] Coupling-graph dimension $\to$ d = 3
- [SM §4.1] Center independence + isotropy + linearity $\to$ wave equation
- [SM Theorems 5–15] Gauge group, generations, hypercharges derivation chain
- [SM Theorems 17–21] T-invariance $\to \bar{\theta} = 0$
- [GR §3] Gap equation from thermal self-consistency $\to \hbar = c^3\epsilon^2/(4G)$

Theorem 23's confidence is bounded above by the minimum confidence in these dependencies.

3.2 Stage 1: Observed QM $\to$ deterministic embedding with C1–C3

Inputs: E1 (unitary QM), E2 (Bell violations), E3 (finite boundary entropy), A1 (finiteness), A2 (determinism).

Output: There exists a triple (S, φ, V) with S finite, φ a bijection on S, and $V \subset S$ a distinguished subset such that: - The observed quantum dynamics is the reduced description obtained by tracing out $S \setminus V$ from the deterministic evolution under φ. - The triple satisfies C1 (non-trivial coupling), C2 (slow-bath memory), and C3 (high hidden-sector capacity).

Derivation. The observed quantum dynamics provides, for each choice of computational basis in the visible sector, a family of transition probabilities $T_{ij}(t)$ between basis states — the Born-rule matrix elements of the unitary evolution. These form a stochastic process on the finite visible configuration space (finiteness of $\mathcal{C}_V$ follows from E3, the boundary entropy bound). Bell violations (E2) are incompatible with a factorizable hidden-variable distribution and hence imply the stochastic process is P-indivisible: at intermediate times no valid stochastic matrix Λ satisfies $T(t_2, 0) = \Lambda T(t_1, 0)$ ([Main §2.3]). By the reverse-direction lemma at the stochastic-process level ([Main §3.2]), any such P-indivisible process on a finite configuration space admits a realization as marginalization of a deterministic bijection φ on an enlarged finite space $\mathcal{C}_V \times \mathcal{C}_H$ with uniform prior on $\mathcal{C}_H$. This delivers the triple (S, φ, V) with $S = \mathcal{C}_V \times \mathcal{C}_H$ and $V = \mathcal{C}_V$. Non-permutation $T(t)$ (forced by Bell violations) gives C1. The characterization theorem [Main §3.4] establishes that the resulting dynamics, conditional on ETH in the hidden sector, necessarily satisfies C2 (slow-bath memory is required for the non-Markovian returns that produce quantum interference) and C3 (high hidden-sector capacity is required for the data-processing bound to accommodate observed information backflow).

Uniqueness at Stage 1. The triple (S, φ, V) is uniquely determined by the observations up to the equivalences: - Stinespring ambiguity: different dilations producing the same channel differ by unitary rotations on the hidden sector, which are absorbed into $\mathcal{G}_{\text{sub}}$ (Theorem 24). - Hidden-sector basis choice: relabeling of hidden states is gauge (generator (i) of $\mathcal{G}_{\text{sub}}$). - Deep-sector enlargement: additional hidden degrees of freedom with $\tau_B^D \gg \tau_S$ leave observations unchanged (generator (iii) of $\mathcal{G}_{\text{sub}}$).

Status: Theorem.

3.3 Stage 2: Embedding + isotropy → specific lattice + gauge structure

Inputs: Stage 1 output + E4 (spatial isotropy) + A3 (bounded coupling) + A4 (center independence) + A5 (linearity) + A6 (background independence).

Output: The substratum is a $d = 3$ cubic lattice bijection with: - $K = 2d = 6$ internal components per site - Coupling matrix eigenvalue multiplicities $(3, 2, 1)$ - Gauge group $\mathrm{SU}(3) \times \mathrm{SU}(2) \times \mathrm{U}(1)$ - Three generations of chiral fermions in the SM representations - One Higgs doublet $(\mathbf{1}, \mathbf{2}, +1/2)$ - Anomaly-free hypercharges $(Y_Q, Y_u, Y_d, Y_L, Y_e) = (1/6, 2/3, -1/3, -1/2, -1)$ - $\bar{\theta} = 0$ exactly

Derivation.

(a) *Dimension.* The coupling graph inherited from Stage 1 has polynomial growth exponent d. Spatial isotropy (E4) plus bounded coupling (A3) restricts d to the values admitting regular isotropic lattices. Self-consistency of the derivation chain (Myrheim-Meyer condition, anomaly structure, chirality) further restricts to $d = 3$ ([SM §3.2]).

(b) *Wave equation.* Center independence (A4), isotropy (E4), and linearity (A5) uniquely select the wave equation ([SM §4.1, Theorem]): the unique second-order linear dynamics on a lattice that is translation-invariant, isotropic, and reversible.

(c) *Internal components.* Coupling-degree minimization applied to the wave equation gives $K = 2d = 6$ uniquely (Theorem 6). This locks the absolute generation count at three (three spin-1/2 staggered tastes emerge from the $K = 6$ minimum).

(d) *Gauge group.* Cubic-group decomposition of the $K = 6$ components gives multiplicities $(3, 2, 1)$ (Theorem 7). Background independence (A6) promotes the commutant $\mathrm{SU}(3) \times \mathrm{SU}(2) \times \mathrm{U}(1)$ from global to local gauge invariance ([SM §3.1]).

(e) *Matter content.* Staggered reduction gives three degenerate spin-1/2 sectors (Theorems 8–10). Fermion embedding is completed via the link-carrier construction ([SM §4.7.1.2]). Partition-spinor identification (Theorem 12) and trace-out (Theorem 13) give chirality. Anomaly cancellation (Theorems 14–15) uniquely fixes the hypercharges.

(f) *Discrete symmetries.* T-invariance of the bijection φ combined with detailed balance in the emergent Hamiltonian forces $\bar{\theta} = 0$ at all energy scales (Theorems 17–21).

Uniqueness at Stage 2. Each step (a)–(f) is an *if-and-only-if*: the stated structure is the unique consistent choice given the inputs. The full chain is therefore a composition of unique selections, so the output is unique up to $\mathcal{G}_{\mathrm{sub}}$.

Remark (Across-class uniqueness). Each step (a)–(f)'s "iff" is over the class of substrata satisfying the framework's foundational commitments (E1–E6), not over a smaller subclass. Step (a)'s coupling graph is structurally forced by Stage 1 (Stinespring lift + classical-substratum descent of §3.2), not a substratum-type restriction; alternative substratum descriptions (tensor networks, spin networks, causal sets) reduce to graph descriptions through their site-coupling or order-relation structure. Step (b)'s wave equation is uniquely selected by linearity (forced by q-gauge invariance, [SM §2.7]), isotropy (E4), and homogeneity (E5); alternative dynamics violate one of these constraints. Steps (c)–(f) compose unique selections at the algebraic and representation-theoretic level — coupling-degree minimization for $K = 2d$, cubic-group commutant for the gauge group, anomaly cancellation for hypercharges, T-invariance (from A2 bijection structure) for $\bar{\theta} = 0$. None of these is a framework-specific choice. The chain establishes uniqueness across the class of all substrata consistent with E1–E6.

Status: Theorem at the lattice level.

3.4 Stage 3: Dynamics → emergent fundamental constants

Inputs: Stage 2 output.

Output: The emergent value of $\hbar$ is $\hbar = c^3\epsilon^2/(4G)$ with $\epsilon = 2l_p$, where l_p is the Planck length.

Derivation. The gap equation from thermal self-consistency of the boundary layer ([GR §3]) gives the stated relation. The derivation uses: existence of thermal equilibrium at the boundary layer (a consequence of the C1–C3 dynamics from Stage 1), the boundary-only dependence lemma ([GR §3.2]), detailed balance (consequence of φ being a bijection). No new structural assumptions beyond Stages 1–2.

Uniqueness at Stage 3. The gap equation admits a unique solution under the stated inputs ([GR §3, Theorem]).

Status: Theorem.

3.5 The composite theorem

Lemma 23.0 (Uniqueness preservation). *Let (S_1, φ_1) and (S_2, φ_2) both be reconstructions of the same observed physics (E1–E6) satisfying the structural assumptions (A1–A6). Then (S_1, φ_1) and (S_2, φ_2) are in the same equivalence class $[(S, \varphi)]/\mathcal{G}_{sub}$.*

Proof. By Stage 1, each (S_i, φ_i, V_i) is a C1–C3 embedding of the observed QM. By the Stinespring uniqueness and the $\mathcal{G}_{\text{sub}}$ identification of Stage 1, the two embeddings are related by generators (i) and (iii) of $\mathcal{G}_{\text{sub}}$ (state relabeling and deep-sector enlargement).

By Stage 2, each triple is placed on a $d = 3$ cubic lattice with $K = 6$ and the specific gauge structure. Any two lattices satisfying A3–A6 and having the observed isotropy (E4) are related by generator (iv) of $\mathcal{G}_{\text{sub}}$ (graph isomorphism up to statistical isotropy). The alphabet size freedom is generator (ii).

By Stage 3, each triple produces $\hbar = c^3\epsilon^2/(4G)$. The constant is the same in both reconstructions.

Therefore (S_1, φ_1) and (S_2, φ_2) are related by the composition of generators (i)–(iv) of $\mathcal{G}_{\text{sub}}$, and hence are in the same equivalence class. □

Theorem 23 (Layered reconstruction). *Let E1–E6 (empirical inputs: QM with Bell violations, finite boundary entropy, spatial isotropy and homogeneity, observed Standard Model structure) hold. Then the structural conditions A1–A6 are forced (per §3.1's analysis) and the equivalence class $[(S, \varphi)]/\mathcal{G}_{sub}$ is uniquely determined: a finite set with a bijection of bounded coupling degree and statistical isotropy, with $d = 3$, $K = 6$, coupling matrix eigenvalue multiplicities $(3, 2, 1)$,*

gauge group $SU(3) \times SU(2) \times U(1)$, three chiral generations, one Higgs doublet, anomaly-free hypercharges, $\bar{\theta} = 0$, and $\hbar = c^3\epsilon^2/(4G)$.

Proof.

(1) Stage 1 (§3.2) establishes existence and uniqueness (up to $\mathcal{G}_{\text{sub}}$) of a C1–C3 embedding from E1–E3 + A1–A2.

(2) Stage 2 (§3.3) takes the Stage 1 output plus E4 + A3–A6 and derives the specific lattice, dimension, gauge group, matter content, and discrete symmetries, with uniqueness at each step.

(3) Stage 3 (§3.4) takes the Stage 2 output and derives the emergent constant $\hbar$, with uniqueness.

(4) Lemma 23.0 establishes that any two reconstructions consistent with the inputs are in the same equivalence class, completing the uniqueness claim.

The existence direction is the composition of Stages 1–3. The uniqueness direction is Lemma 23.0. Together they establish the bidirectional correspondence. □

3.6 Remarks

Remark (Evidential weight of the reconstruction). The reconstruction uniquely derives $\mathrm{SU}(3) \times \mathrm{SU}(2) \times \mathrm{U}(1)$ with multiplicities $(3, 2, 1)$, three chiral generations, one Higgs doublet $(1, 2, +1/2)$, unique hypercharges, and $\bar{\theta} = 0$. Because the derivation is unique — no free parameters, no model-building choices, no landscape of alternatives — every independent experimental confirmation of the Standard Model's gauge structure is retroactive evidence for the derivation chain that produces it. The Standard Model is the most precisely tested mathematical structure in the history of science ($g - 2$ of the electron confirmed to 10^{-12}, electroweak precision observables to 10^{-5}, QCD cross-sections across decades of energy). This experimental record transfers in full to the framework, because uniqueness of the derivation makes the relationship between evidence and theory transitive: data confirms structure, structure is uniquely derived, therefore data confirms the derivation.

Remark (Scope of uniqueness). The theorem establishes uniqueness within the class of candidate substrates satisfying A1–A6. It does **not** exclude:

- Intrinsically continuum theories (violate A1)
- Intrinsically stochastic theories (violate A2)
- Theories with unbounded coupling degree (violate A3)
- Theories violating center independence, linearity, or background independence (violate A4–A6)

The reconstruction's claim is that within the class of finite deterministic bounded-coupling systems with the structural assumptions, the substratum is unique. The structural conditions A1-A6 are all consequences of the empirical

inputs E1-E5 combined with the framework's gauge structure ([SM §2.7] q-gauge invariance, §4 Theorem 24's $\mathcal{G}_{\text{sub}}$ classical-substratum descent restriction), per the analysis of §3.1. Equivalently, the reconstruction's content is "the classical-substratum-with-embedded- observer ontology together with the observed Standard Model (E6) determines the substratum modulo gauge $\mathcal{G}_{\text{sub}}$." Challenging this claim requires challenging either the empirical inputs E1-E6 or the framework's gauge-structure theorems on which the structural-condition derivations rest.

Remark (Hypothesis dependencies). Each structural assumption can in principle be weakened or replaced:

- A1 (finiteness) is supported by E3; alternative would be an effective-finiteness argument with continuum UV completion, which the framework does not develop.
- A2 (determinism) is the key ontological commitment; stochastic alternatives would produce different reconstructions.
- A3 (bounded coupling) is conventional for physical systems; long-range couplings would give different dimensional structure.
- A4 (center independence) rules out preferred-frame theories.
- A5 (linearity) is the strongest restriction; nonlinear wave equations on finite lattices are a separate class.
- A6 (background independence) is standard for gauge theories.

Weakening any A_i does not merely enlarge the equivalence class; it potentially produces *different* reconstructions that may not agree with observation. The framework's claim is that E1–E6 is a consistent set of empirical inputs producing our observed physics, with the structural conditions A1–A6 forced by the inputs (per §3.1's analysis); alternative input sets are not investigated.

Remark (Continuum extension). The lattice-level predictions are the framework's primary claims — the lattice is the fundamental description, not an approximation to a continuum theory. The structural results (gauge group, representations, generation count, $\bar{\theta} = 0$) are algebraic/topological properties of the lattice theory and are exact. Quantitative observables (scattering amplitudes, mass ratios) are compared to experiment through continuum perturbation theory; the lattice-continuum discrepancy at any experimentally accessible energy E is suppressed by $(E\epsilon/\hbar c)^2 = (E/M_{\text{Pl}})^2$, which is $\sim 10^{-32}$ at LHC energies. The rigorous proof that lattice Yang-Mills defines a continuum limit with a mass gap (a Clay Millennium Prize problem) is an open problem in mathematics, but it is not required by the OI framework: the lattice theory is complete, and its predictions are lattice-exact.

Remark (Finite observation sets vs. idealized empirical inputs). The empirical inputs E1–E6 are stated as structural facts about observed physics — the full apparatus of QM, Bell violations attaining Tsirelson's bound, the holographic entropy bound, exact rotational invariance and translational homogeneity, and the observed Standard Model structure. Operationally, no finite observation

set fully establishes any of these; finite measurements support them only in the sense of being consistent with the data so far. The reconstruction theorem holds for the empirical inputs *as stated* — the idealized infinite-data regime — and proves uniqueness of the equivalence class under that regime. Reconstruction from finite observation sets is a related but distinct question: with finite data, multiple equivalence classes may all be consistent, with the data discriminating among them only weakly. The framework's operational answer to the finite-data question is the cumulative weight of the quantitative predictions of [SM §7] — twenty-two structural retrodictions of gauge couplings, CKM/PMNS angles, mass ratios, and the Koide relation, each at $\lesssim 1\sigma$ — which collectively rule out reconstructions that would have produced different values. Theorem 23 establishes idealized uniqueness; the [SM §7] prediction set establishes the operational uniqueness that a skeptical reader can check against data.

The reconstruction establishes a bidirectional correspondence:

$$\text{Observed physics (E1–E6)} \quad \longleftrightarrow \quad [(S, \varphi)]/\mathcal{G}_{\text{sub}}$$

The mathematical structure and the physics determine each other up to gauge equivalence, given the structural assumptions. The distinction between "mathematics describes reality" and "mathematics is reality" has no empirical content — it is itself gauge, provably undecidable by measurement (cf. Theorem 24). This reframes Wigner's puzzle: the "unreasonable effectiveness" of mathematics is a theorem modulo the structural assumptions, not a mystery.

Remark (ER=EPR at substratum and emergent levels). The Maldacena-Susskind ER=EPR conjecture [3] proposes that any two entangled systems are connected by an Einstein-Rosen bridge, with the strong form asserting that entanglement *is* a non-traversable wormhole — the same ontological structure under two descriptions. The framework here engages this conjecture at two distinct levels.

At the **emergent level**, the conjecture's *weak* form is reproduced: any pair of entangled subsystems in the emergent QM description shares boundary modes via the partition trace-out, and the holographic dictionary maps shared boundary modes to a connecting geometric structure in the emergent gravitational description. This recovers the ER=EPR weak form — entangled systems are connected by a wormhole-like geometric object in the emergent theory — as a structural consequence of the framework's holographic architecture rather than as an independent postulate.

At the **substratum level**, the conjecture's *strong* form (entanglement is identical to wormhole geometry, not merely correlated with it) is predicted *false* at the representative level. Two distinct partition representatives can produce identical emergent EPR correlations while having different substratum representative structures — there is no faithful bijection from EPR pairs to substratum geometric features. The strong identity holds at most up to gauge equivalence on

the substratum side. Whether a gauge-orbit reformulation of strong ER=EPR — "EPR-equivalence-classes correspond to ER-equivalence-classes" — is true in the framework remains open; the test would be whether the substratum's gauge group $\mathcal{G}_{\text{sub}}$ acts transitively on the set of substratum representatives that produce a given EPR correlation pattern.

This produces a sharp empirical signature: the framework's operational predictions agree with weak ER=EPR (which would also be predicted by AdS/CFT, by quantum error correction in holography, and by other emergent-geometry approaches) but disagree with strong ER=EPR at the representative level. Distinguishing these experimentally would require probing substratum-scale features, which is currently beyond reach. The disagreement is therefore a structural prediction rather than a testable one at present, but it concretely positions the framework relative to the broader ER=EPR program.

---

4. The Substratum Gauge Group

The equivalence relation $\sim$ in the reconstruction theorem has a precise structure. Define: $(S, \varphi) \sim (S', \varphi')$ if the two systems produce identical emergent physics — the same transition probabilities $T_{ij}(t)$, the same emergent Hamiltonian (up to D-gauge), and the same $\hbar$ — for all partitions of the same structural class. The set of transformations mapping (S, φ) to an equivalent (S', φ') is a group — the *substratum gauge group* $\mathcal{G}_{\text{sub}}$.

Theorem 24 (Generators of the substratum gauge group). *$\mathcal{G}_{sub}$ contains at least four independent families of transformations:*

(i) State relabeling. For any bijection $\sigma : S \to S$, the conjugate $(S, \sigma \circ \varphi \circ \sigma^{-1}) \sim (S, \varphi)$. The transition probabilities depend on the coupling structure of φ, not on which labels are attached to which states. This is an $|S|!$-element subgroup — vastly larger than any gauge group in the Standard Model.

(ii) Alphabet change. Replacing the local state space $\mathbb{Z}/q\mathbb{Z}$ with $\mathbb{Z}/q'\mathbb{Z}$ for any $q' \geq 2$, while preserving the coupling graph and dynamics class, leaves all observables unchanged ([SM, §2.7]). This family is parametrized by all integers $q \geq 2$.

(iii) Deep-sector enlargement. Adjoining additional degrees of freedom to $\mathcal{C}_D$ (the deep hidden sector beyond the boundary layer), with arbitrary dynamics satisfying $\tau_B^D \gg \tau_S$, does not change the emergent description. The boundary-only dependence lemma [GR, §3.2] proves $T_{ij}(t) = T_{ij}^{(B)}(t) + \mathcal{O}(t/\tau_B)$: observables depend only on $\mathcal{C}_V \times \mathcal{C}_B$. The deep sector may be finite of any size, or infinite.

(iv) Graph isomorphism (up to statistical isotropy). Two coupling graphs G_φ and $G_{\varphi'}$ that are quasi-isometric with the same polynomial growth exponent d, the same spectral properties, and the same statistical isotropy at large scales

produce the same emergent physics. The regular cubic lattice $\mathbb{Z}^3$ and any bounded-degree random graph with $d = 3$ polynomial growth and statistical isotropy are gauge-equivalent.

Proof. Each generator preserves all inputs to the derivation chain. (i): conjugation preserves the coupling graph G_φ up to relabeling, hence all graph-dependent quantities (area law, dispersion, dimension, eigenvalue multiplicities). (ii): [SM, §2.7] proves q-independence of every prediction. (iii): the boundary-only dependence lemma gives the result directly. (iv): the derivation chain uses only statistical properties of G_φ (dimension via Myrheim-Meyer, isotropy, bounded degree), not the specific graph. □

Remark (Structure of the four families). The four generators are heterogeneous in character — a permutation of states, a recoding of the alphabet, a change of cardinality of the deep sector, an isomorphism class of graphs. This heterogeneity reflects the layered structure of the substratum description, with each generator acting on the layer where its corresponding redundancy lives: (i) on the configuration-space level, (ii) on the alphabet level, (iii) on the cardinality level of inaccessible degrees of freedom, (iv) on the coupling-graph level. $\mathcal{G}_{\text{sub}}$ is naturally a discrete equivalence classification rather than a Lie group because it operates on the substratum's combinatorial structure; the continuous Lie-group character of the Standard Model gauge group $\mathrm{SU}(3)\times\mathrm{SU}(2)\times\mathrm{U}(1)$ arises at the *emergent* level under the trace-out, as the commutant of the cubic-group action on the $K = 6$ internal components ([SM §3.1]). The four-generator structure of $\mathcal{G}_{\text{sub}}$ and the continuous structure of the SM gauge group are not redundant: $\mathcal{G}_{\text{sub}}$ classifies which substratum descriptions are observationally equivalent, while $\mathrm{SU}(3) \times \mathrm{SU}(2) \times \mathrm{U}(1)$ is a feature of any specific equivalence-class representative.

Completeness of the generators. The four families exhaust $\mathcal{G}_{\text{sub}}$. The proof proceeds in two steps: first characterizing the class of observationally-equivalent transformations using the framework's foundational commitments, then showing that any transformation in this class decomposes into (i)–(iv).

Step 1: Characterization of observationally-equivalent transformations. The equivalence relation $\sim$ defined above is observational equivalence — preservation of the embedded observer's marginal statistics. Two structural restrictions follow from the classical-substratum ontology and Stinespring uniqueness.

(a) *Bijection structure.* Non-bijection dynamics (probabilistic kernels) lift via Stinespring to non-permutational unitaries on $\ell^2(S)$, which do not descend to S-level transformations preserving classical product structure (cf. §3.1's analysis of A2 and the descent argument used in Step 2 below). Probabilistic-kernel candidates therefore violate the classical-substratum ontology rather than producing a distinct gauge equivalence class.

(b) *Tensor factorization.* Non-tensor enlargements of the hidden Hilbert space (e.g., $\mathcal{H}_H \oplus \mathcal{H}_{\text{extra}}$ rather than $\mathcal{H}_H \otimes \mathcal{H}_{\text{extra}}$) destroy the visible-hidden factor-

ization $\mathcal{H} = \mathcal{H}_V \otimes \mathcal{H}_H$, leaving the partial trace undefined and the visible-sector CPTP channel unconstructible. Such transformations do not produce a well-defined observable structure.

Three additional candidate sources of gauge freedom beyond (i)-(iv) are subsumed in the explicit fifth-family analysis below: time reversal, hidden-sector dynamical reparametrization, and visible-sector global phase. Observer-choice redefinitions (changing the visible- hidden partition) are not in $\mathcal{G}_{\text{sub}}$: different observer choices produce different observed physics, not the same physics in different gauge representatives. The gauge group is parameterized given a fixed observer/visible-sector identification.

The bijection-preserving and tensor-factorized character of $\mathcal{G}_{\text{sub}}$ is therefore derived from observational equivalence together with the classical-substratum ontology and Stinespring uniqueness.

Step 2: Decomposition into (i)–(iv). Let $g : (S, \varphi) \to (S', \varphi')$ preserve all observables (transition probabilities $T_{ij}(t)$, emergent Hamiltonian up to D-gauge, and $\hbar$). By assumption, g preserves the visible-sector CPTP channel Φ. Stinespring's uniqueness theorem [Main, §3.2] constrains the freedom at the *Hilbert-space* level: any two dilations of the same channel on the same visible Hilbert space differ by a partial isometry on the hidden-sector Hilbert space $\mathcal{H}_H = \ell^2(\mathcal{C}_H)$. The substratum-level transformation g acts on the classical configuration space $\mathcal{C}_H$, not on the full $\mathcal{H}_H$, and the only partial isometries on $\mathcal{H}_H$ that descend to $\mathcal{C}_H$-level bijections — i.e., that preserve the classical product structure of $S = \mathcal{C}_V \times \mathcal{C}_H$ rather than producing superpositions of classical configurations — are permutations of $\mathcal{C}_H$. Non-permutational unitaries on $\mathcal{H}_H$ are valid Stinespring freedoms at the channel level but do not lift to substratum-level bijections; they are excluded from $\mathcal{G}_{\text{sub}}$ by the descent restriction of Step 1. The Stinespring partial isometry therefore reduces, at the substratum level, to a relabeling of hidden-sector states (generator (i) restricted to $\mathcal{C}_H$) when the hidden sectors have equal cardinality, or to a composition of relabeling and deep-sector enlargement/reduction (generators (i) + (iii)) when they differ in size. The alphabet may change freely (generator (ii), by [SM, §2.7]). The coupling graph $G_{\varphi'}$ must have the same statistical properties as G_φ — dimension, spectral dimension, isotropy — since these determine the derivation chain's outputs; two such graphs are related by generator (iv). These four degrees of freedom — hidden-sector relabeling, deep-sector size, alphabet, and graph statistical class — exhaust the free parameters in the reconstruction, so the four generators span $\mathcal{G}_{\text{sub}}$. □

Three candidate fifth families are explicitly subsumed:

- *Time reversal* ($\varphi \to \varphi^{-1}$): the wave equation's T-invariance gives $\varphi^{-1} = T \circ \varphi \circ T^{-1}$ where T is the phase-space layer swap $(x(t), x(t+1)) \mapsto (x(t+1), x(t))$. This is generator (i) with $\sigma = T$.
- *Hidden-sector dynamical reparametrization* (beyond enlargement): by Stinespring uniqueness, any two same-channel dilations of equal hidden-

sector dimension differ by a hidden-sector unitary; the substratum-level descent restricts this to permutations of $\mathcal{C}_H$ (the classical-structure-preserving subset), which is generator (i) restricted to $\mathcal{C}_H$.

- *Visible-sector emergent global phase* ($U \to e^{i\theta}U$): at the substratum level S is a finite set with no complex structure; the emergent phase is trivially the identity on (S, φ).

The gauge hierarchy. Three levels of gauge symmetry appear in the framework, each projecting onto the next through the trace-out:

Level 3 (substratum): $\mathcal{G}_{\text{sub}}$ acts on (S, φ) before the trace-out. It is the largest gauge group and includes transformations with no analog in the emergent description (deep-sector enlargement, alphabet change).

Level 2 (emergent QFT): $\mathrm{SU}(3) \times \mathrm{SU}(2) \times \mathrm{U}(1)$ is the commutant of the coupling matrix M, acting on the emergent fields. It is the image of $\mathcal{G}_{\text{sub}}$ restricted to transformations that permute internal components within the eigenspaces of M.

Level 1 (emergent Hamiltonian): The D-gauge $H \to DHD^\dagger$ with D a diagonal unitary, acting on the emergent Hamiltonian within the emergent QM. It is the residual freedom after all transition-probability data has been extracted.

Each level is contained in the one above: Level 1 $\subset$ Level 2 $\subset$ Level 3. The trace-out projects Level 3 onto Level 2 (the SM gauge group is the shadow of $\mathcal{G}_{\text{sub}}$ visible to the emergent QFT), and restricting to the Hamiltonian projects Level 2 onto Level 1.

Remark. The substratum gauge group is not a symmetry of a Lagrangian or an action — no Lagrangian exists at the substratum level. It is a symmetry of the *equivalence class of substrata*, defined by the condition that all observables are preserved. The emergent gauge symmetries (Levels 1 and 2) are Lagrangian symmetries in the standard sense, derived from the substratum through the trace-out.

---

5. Synthesis: Three Projections of (S, ϕ)

The reconstruction theorem (§3) establishes that observed physics — quantum mechanics with Bell violations, finite boundary entropy, and spatial isotropy — uniquely determines the equivalence class $[(S, \varphi)]/\mathcal{G}_{\text{sub}}$ at the lattice level. The substratum gauge group (§4) makes the equivalence relation precise and identifies the Standard Model gauge group as the visible-sector shadow of $\mathcal{G}_{\text{sub}}$. This section makes the synthesis claim explicit: quantum mechanics, general relativity, and the arrow of time are not three independent theories but three projections of the same finite deterministic construction.

5.1 The three projections

The framework's derivations apply the same trace-out machinery to the same (S, φ) along three projections: a visible-sector projection that produces emergent QM ([Main]) and the Standard Model ([SM]); a boundary-thermodynamic projection that produces general relativity ([GR]); and an arrow-of-time projection (§5.4) that produces the emergent cosmological, thermodynamic, memory, and measurement arrows from a single structural clock and the C1–C3 observer-selection theorem of [Main, §4.6].

Visible-sector projection. At the level of the embedded observer's epistemic access, the trace-out over the hidden sector produces unitary quantum mechanics with the wave function, Born rule, and Schrödinger evolution as derived structures (rather than postulated ones). The proof in [Main, §3] establishes this as a theorem: under the three structural conditions C1 (non-trivial coupling), C2 (slow bath), and C3 (high-capacity hidden sector), the embedded observer's compressed description is necessarily quantum mechanical, with the conditions both necessary and sufficient. Applied to a cubic lattice with the wave equation as substratum dynamics — itself uniquely selected among second-order reversible nearest-neighbor dynamics by center independence, isotropy, and linearity ([SM, §4.1]) — this projection produces the Standard Model gauge group $\mathrm{SU}(3) \times \mathrm{SU}(2) \times \mathrm{U}(1)$ (as the commutant of the coupling matrix, [SM, §§4.4–4.6]), three chiral generations and the Higgs as a composite scalar in the singlet staggered taste ([SM, §4.7], Theorems 8–11), anomaly-free hypercharges ([SM, §4.9], Theorems 14–15), and $\bar{\theta} = 0$ at all energy scales ([SM, §5], Theorems 17–21). Twenty-two quantitative predictions follow ([SM, §7]), including the Cabibbo angle from a single Brillouin-zone distance, the Koide angle from a cubic-group quadratic Casimir, all three PMNS angles within 1.1σ (vs NuFIT 6.0), six fermion masses from one empirical input to better than 1%, and all three SM gauge couplings at M_Z ([SM, §6.3]).

Boundary-thermodynamic projection. At the level of the partition boundary, classical horizon thermodynamics — the temperature, entropy, and dynamical evolution of the causal horizon as a gravitating object — produces general relativity through Jacobson's thermodynamic argument: the Clausius relation $dE = T\,dS$ applied at local causal horizons yields Einstein's equations with the same structural inputs that give the visible-sector projection its form. Applied to the cosmological horizon as a causal partition ([GR, §2]), this projection determines the emergent action scale $\hbar = c^3(2l_p)^2/(4G)$ from thermal self-consistency ([GR, §3]), fixes the discreteness scale $\epsilon = 2l_p$ as the unique simultaneous solution ([GR, §4]), derives the Bekenstein-Hawking entropy $S = A/(4l_p^2)$ including the 1/4 coefficient by direct mode counting ([GR, §5]) — recently confirmed at 99.999% confidence by GW250114 — and dissolves the cosmological constant problem by identifying the quantum vacuum energy and the effective Λ as properties of logically distinct levels of description rather than commensurable quantities whose 10^{122} ratio requires cancellation ([GR, §6]). The framework predicts dynamical dark energy in Type II running-vacuum functional form as

a structural prediction (magnitude not derived at theorem level), consistent with the Bertini et al. (2025) direct DESI-DR2-era fit at 2σ (which is consistent with the ΛCDM limit); a ~95% dark sector corollary as a structural feature rather than a new particle species; and a MOND acceleration scale $a_0 = cH/6$ from entropy displacement at the boundary ([GR, §7]).

The three projections share the same source ((S, φ)), the same trace-out machinery (marginalization over the hidden sector under conditions C1–C3), and the same structural inputs (the partition geometry, the boundary entropy, the substratum gauge group). They differ only in which structure of the embedded observer's description they derive: the visible-sector projection (§5.1, §5.3) works on the bulk dynamics and produces emergent QM and the Standard Model; the boundary-thermodynamic projection (§5.1) works on the classical thermal data at the partition boundary and produces general relativity; the arrow-of-time projection (§5.4) works on the horizon-clock parameter along observer worldlines and produces the cascade of emergent arrows.

5.2 The QM-GR incompatibility as a category error

The conventional formulation of the QM-GR unification problem treats quantum mechanics and general relativity as two competing theories in the same logical category — two attempts to describe the same regime — and asks how to merge them into a single mathematically consistent framework. Every program of unification proceeds from this assumption: quantum gravity programs treat the metric as a quantum field to be quantized; geometric programs treat the wave function as a structure on the spacetime manifold; emergent programs treat one of the two as derived from a deeper substrate that recovers the other. The persistent failure of all three approaches to produce a quantitatively confirmed unification suggests that the underlying assumption is wrong.

In the present framework, the assumption is wrong because quantum mechanics and general relativity occupy different positions in the trace-out hierarchy. They are not two theories of the same regime at all — they are two projections of the same construction, viewed at different levels. The visible-sector projection that produces QM and the boundary-thermodynamic projection that produces GR are not in tension because they refer to *different objects in the construction*. The wave function is a property of the embedded observer's compressed description of the visible sector; the metric is a property of the classical dynamics of the partition boundary. These are not two descriptions of the same physical system at different levels of approximation. They are descriptions of two different substructures of the same total object (S, φ).

The analogy that captures the structure most clearly is the one between a thermodynamic and a statistical-mechanical description of a gas. The thermodynamic description deals with pressure, temperature, and entropy; the statistical-mechanical description deals with particle positions, momenta, and microstate counting. These are not two competing theories of the gas, and the question

"how do we unify thermodynamics and statistical mechanics?" is not a coherent question — they describe different things about the same system, and the relationship between them is one of projection (statistical mechanics produces thermodynamic quantities by averaging) rather than unification. The QM-GR relationship in the present framework is structurally similar: GR describes the thermodynamic (boundary, classical, deterministic) projection of (S, φ), and QM describes the statistical (visible-sector, compressed, stochastic-emergent) projection. The two are related by a definite procedure (the trace-out under conditions C1–C3), and the question "how do we unify them?" is dissolved rather than answered.

This is not the same as saying that quantum mechanics is "more fundamental" than general relativity, or vice versa. Both are emergent. Both depend on the trace-out and the partition. Both are derived rather than fundamental. The fundamental object is (S, φ) — a finite set with a deterministic bijection — and neither QM nor GR is a feature of (S, φ) itself. They are features of how an embedded observer or a horizon-bounded thermodynamic regime sees (S, φ) from inside.

5.3 The three-level hierarchy made explicit

The substratum gauge group (§4) provides the structural framework for the synthesis claim at the level of the two gauge-bearing projections (the arrow-of-time projection is developed in §5.4 and has no gauge-hierarchy analog). At the substratum level, the only object is the bijection and its gauge group $\mathcal{G}_{\text{sub}}$. The trace-out projects this onto two derived structures simultaneously: the emergent quantum field theory at the visible-sector level, with the Standard Model gauge group as the commutant of the coupling matrix ([SM, §4.4], Theorem 5) and the Standard Model representations as the cubic decomposition of the link directions ([SM, §4.6], Theorem 7); and the classical horizon thermodynamics at the boundary level, with the metric, the surface gravity, the entropy, and the temperature determined by the partition geometry and the area-law theorem ([GR, §3]). Both derived structures inherit the framework's structural inputs from the substratum, and both are exact rather than approximate at the lattice level.

The three-level gauge hierarchy makes this exact. At Level 3 (the substratum), $\mathcal{G}_{\text{sub}}$ acts on (S, φ) before any trace-out and includes transformations with no analog in the emergent description (state relabeling, alphabet change, deep-sector enlargement, graph isomorphism up to statistical isotropy). At Level 2 (the emergent QFT), the Standard Model gauge group acts on the emergent fields as the commutant of the coupling matrix, and is the image of $\mathcal{G}_{\text{sub}}$ restricted to transformations that permute internal components within the eigenspaces of M. At Level 1 (the emergent Hamiltonian), the diagonal-unitary D-gauge acts on the emergent Hamiltonian within the emergent QM and is the residual freedom after all transition-probability data has been extracted. Each level is contained in the one above, and the trace-out projects each onto the

next.

The boundary-thermodynamic projection that produces GR is a parallel structure at Level 2 — but acting on the *partition* rather than on the internal field content. Where the emergent QFT is the trace-out's effect on the bulk dynamics, the classical horizon thermodynamics is the trace-out's effect on the partition geometry itself. Both are at Level 2. Both descend from Level 3. The framework's claim is that this structural relationship is exact: the SM gauge group and Einstein's equations are not two independent theoretical inputs but two co-derived structures, both consequences of the same underlying (S, φ) and the same trace-out under the same conditions C1–C3.

5.4 The arrow of time as a third projection

After Main §4.6 (structural observer-selection theorem), the arrow of time joins quantum mechanics and general relativity as a third emergent structure that the framework derives from the same underlying (S, φ) and the same trace-out machinery. Before §4.6, the arrow of time was treated as external to the derivation chain — a past hypothesis or an anthropic selection, imposed on the framework rather than produced by it. With §4.6 in place, the observer's confinement to the non-equilibrium phase of (S, φ) is a structural fact, and every arrow the observer sees descends from this confinement together with the horizon growth that the accelerating phase produces. The third projection has the same form as the first two: a feature of how the embedded observer sees (S, φ) from inside, rather than a feature of (S, φ) itself.

Horizon growth as the structural clock. The framework's primary arrow is the cosmological horizon entropy $S_{\mathrm{dS}}(t) = A(t)/(4l_p^2)$, monotonically increasing along any observer worldline in the Λ-dominated phase. The monotonicity is a feature of the causal partition rather than of any local frame: every observer in the accelerating phase agrees that S_{dS} increases, just as every observer in a Schwarzschild geometry agrees on the exterior direction. The horizon clock is observer-independent, continuous, and monotonic for as long as $\ddot{a} > 0$, which the framework identifies as the regime of interest for the derivations of [GR]. At the substrate level, (S, φ) has no preferred direction: φ and φ^{-1} are equally valid as forward-time maps. At the observer level, the horizon clock picks out a direction, and all other arrows align with it.

The layered cascade. Four derived arrows align with the horizon clock through a structural cascade. *Cosmological:* $S_{\mathrm{dS}}(t)$ monotonic in the Λ-dominated phase, as above. *Thermodynamic:* via Jacobson's coupling $\rho_s = \rho_{\mathrm{crit}}$ ([GR, §3]), the entropy of any horizon-bounded system increases with the observer's clock — the thermodynamic arrow descends from the structural arrow without an independent postulate. *Memory:* C2 (the slow bath) implies the observer's hidden sector preserves correlations forward along the clock rather than backward, because the spectral gap of the hidden-sector dynamics is uniform in the two directions but the observer's measurement protocol

commits to one. *Measurement:* the observer records "past" outcomes and prepares "future" states — an asymmetry inherited from the memory layer, not added on top of it. The chain grounds in one structural fact (horizon growth) and one structural constraint (C1–C3 observer selection via Main §4.6). No additional axiom is needed.

What the framework derives, and the directional-language subtlety. The framework's quantitative content at the level of Main §4.6 is *symmetric* in time direction — the spectral-gap bound $\tau_B(V) \leq \tau_{\text{mix}}(\Sigma_{\text{loc}}(V)) + O(\epsilon)$ applies equally in both directions along any observer worldline. What is *imposed* by the observer, not derived, is the convention of which direction along the horizon-clock parameter to call "future." The two directions are gauge-equivalent at the substrate level ($\varphi \leftrightarrow \varphi^{-1}$), and the observer's choice of convention is the residual freedom after all physical content has been extracted. The framework therefore derives the existence of a monotonic parameter along observer worldlines, not a substrate-level arrow of time. This distinction answers Ellis's objection (a bijective substratum cannot carry an arrow of time) by agreeing with the objection's premise while deriving what the observer actually sees from the structure the substratum does have.

Scope note: causal topology as load-bearing. The memory-arrow step uses "the observer's worldline has a causal topology" as the carrier of the asymmetry. This is not a new axiom — [Main, §1.3] already assumes a causal topology on the partition — but it is load-bearing for the cascade and is noted explicitly here rather than treated as obvious. A framework in which the observer's worldline had no causal topology could not run the memory-arrow step, and the cascade would halt at the thermodynamic layer.

CP violation as the residual Ellis-class objection. The layered cascade closes the Ellis-axis objection for the arrow of time but does not automatically close the related question of CP violation. The substratum is T-symmetric (load-bearing for $\bar{\theta} = 0$, [SM, §5]), and observed CP violation in CKM and kaon/B systems is a flavor-basis feature of the specific bijection rather than a consequence of the cascade. The framework treats flavor-sector CP phases as solution-specific inputs — see [SM, §5.4] for the scope statement and §6.4 "what does not falsify" for the commitment that the framework makes no prediction of δ_{CKM}, δ_{PMNS}, or the Wolfenstein (ρ, η).

5.5 What the synthesis does and does not claim

The synthesis claim is structural and architectural rather than empirical. It does not claim that the framework predicts gravitational phenomena that conventional QFT plus GR cannot reproduce — most of [GR]'s predictions (the BH area law, the basic properties of horizon thermodynamics, the broad shape of dark energy phenomenology) are also recovered by other approaches. The framework's empirical content is concentrated in [SM] (the SM derivation, twenty-two quantitative predictions) and in the specific GR-side predictions of [GR] (Type

II RVM dark energy as a structural-form prediction, MOND $a_0 = cH/6$, dark sector concordance), which collectively distinguish the framework from standard ΛCDM plus the Standard Model.

What the synthesis claim *does* establish is that those two papers are not independent. The same construction that produces the SM in [SM] produces the gravitational sector in [GR], and the same trace-out that gives the SM gauge group as the commutant of the coupling matrix ([SM, §4.4], Theorem 5) gives the BH entropy as the boundary mode count ([GR, §5]). This is not a claim about new gravitational phenomena. It is a claim about the structural relationship between two derivations that, in the conventional picture, are independent and incommensurable — and that, in the present framework, are derived from the same object by the same procedure under the same conditions.

This matters for two reasons. First, it removes the QM-GR unification problem from the active research agenda by dissolving rather than solving it: the problem was based on a category error, and the category error is fixed by the substratum-level construction developed here. Second, it provides an explanation for why the SM has the gauge group it does — namely, that the SM gauge group is the visible-sector shadow of the substratum gauge group, with no choice of model and no landscape of alternatives to select among. The SM is not one possibility among many but the unique consequence of the framework's structural inputs.

---

6. Discussion

The reconstruction theorem identifies the question "is mathematics describing reality, or is it reality?" as gauge in the precise sense established by §4 — provably undecidable by any measurement — and reframes Wigner's puzzle of the unreasonable effectiveness of mathematics as a theorem rather than a mystery. The ontological hierarchy makes explicit that space, time, matter, and energy are derived rather than fundamental concepts. And the measurement problem dissolves once the wave function is recognized as a derived object rather than a component of the underlying reality. The pre-registration of falsification conditions, finally, is the empirical counterpart of the methodological discipline developed in §§3–5: a framework that derives rather than posits must be willing to specify what would invalidate the derivation.

6.1 Ontic structural realism on the equivalence class

The metaphysical commitment introduced in §1.1 can now be stated with the full technical machinery in place. The framework's claim is ontic structural realism applied to $[(S, \varphi)]/\mathcal{G}_{\mathrm{sub}}$: what exists is the equivalence class of bijections, uniquely determined by observations plus structural assumptions (Theorem 23), with individual substratum representatives related by the substratum gauge group (Theorem 24). The class is real; specific substrates are representations.

This is the strongest claim the framework's theorems license without overclaiming. Two alternative framings merit explicit comparison.

Specific-substratum realism — the stronger commitment that a particular bijection φ is the one our universe is in — is forbidden by Theorem 24. The four generators of $\mathcal{G}_{\text{sub}}$ relate representatives that produce identical observables, so no measurement can discriminate among them; specific-substratum realism commits to facts the framework's own gauge structure classifies as unobservable.

Pure explanatory economy — the weaker position that the framework is simply more economical than standard QM (fewer postulates, more derivations) without ontic commitment — undersells what Theorem 23 establishes. If observations plus structural assumptions uniquely determine the equivalence class, the class is not one possibility among many but the unique structure consistent with the evidence. The explanatory economy follows from this uniqueness rather than substituting for it.

The wave function, Hilbert space, emergent gauge group, and metric are features of representations — of the emergent description of a specific partition of a specific substratum — not of the equivalence class itself. At the structural level there is only the bijection and its symmetries; no quantum, no classical, no metric, no wave function. This is the structural reason the QM-GR incompatibility dissolves: both descriptions are emergent from the same structural object at different levels of projection (§5). Asking whether the wave function is "real" is then asking about a feature of the representation, and the question has a two-level answer — the wave function is real at the emergent level, gauge at the substratum level.

The question "is mathematics describing reality, or is it reality?" is, on this reading, provably gauge in the same technical sense that the alphabet size q and the relabeling of hidden-sector states are gauge. What the framework establishes is that the structural content is determinate and unique; the metaphysical attitude one takes toward that content is itself structural information the framework does not carry, and therefore information no measurement can determine. Wigner's "unreasonable effectiveness of mathematics" becomes a theorem modulo the structural assumptions rather than a mystery: physics is structural, mathematics is the language of structure, and the effectiveness is the reconstruction theorem.

6.2 The ontological hierarchy

The triple (S, ϕ, V) generates every concept in fundamental physics, not as independent substances but as different aspects of the same structure. **Space** is the coupling structure of ϕ — the graph G_ϕ determined by which degrees of freedom affect which others ([SM, §2.4]). **Matter** is the state — localized patterns that propagate through the coupling graph. **Energy** is the rate of change under iteration. **Time** is the iteration itself. **Quantum mechanics** is the observer's compressed description of the visible sector. **General relativity**

is the thermodynamic limit of the coupling structure. **Conservation laws** are emergent: energy conservation (Noether) is what information conservation (bijectivity) looks like in the emergent quantum description. None of these are independent entities; they are descriptions of (S, ϕ, V) at different scales.

6.3 The measurement problem

On the structural reading, the measurement problem is dissolved. The wave function is not a component of (S, ϕ, V) — it is a derived object. Since it is derived, not fundamental, asking "does it collapse?" is asking about the behavior of a compression artifact. In the double-slit experiment, the particle traverses a single slit in the deterministic substratum. In Wigner's friend, the Friend has a definite outcome; Wigner's superposition reflects his epistemic deficit.

Branching is forbidden by the rigidity of ϕ. A fixed bijection on a finite set has exactly one trajectory from any initial state. There is no point at which the trajectory splits. The appearance of branching in the emergent quantum description reflects the observer's uncertainty about which trajectory they are on (because they cannot see the hidden sector), not a physical splitting of worlds.

Non-locality in Bell correlations is explained by the coupling graph G_ϕ. Two visible sites prepared in a joint state (entangled) have correlated hidden-sector configurations — a consequence of the joint P-indivisible dynamics at preparation [Main, §3.3]. The correlations are mediated by the coupling graph, not by any superluminal influence. The graph structure ensures that the correlations respect the Tsirelson bound and violate Bell inequalities without violating parameter independence.

6.4 Relation to quantum no-go theorems

The framework's classical-substratum-with-emergent-QM ontology raises the question of how a local-classical substratum is consistent with experimentally verified Bell violations and with the standard no-go theorems against hidden-variable theories: Kochen-Specker, PBR, and Wigner-friend paradoxes such as Frauchiger-Renner. The general structure of the framework's relation to these theorems is that each targets hidden-variable theories where the hidden variables exist at the same descriptive level as the observable quantities; the framework's hidden variables — substratum configurations $x \in S$ — live at a different descriptive level, related to observables only through the trace-out over the hidden sector. Each theorem assumes a property at the hidden-variable level that, in the framework, holds only at the observable level. The level distinction is what determines how the framework relates to each theorem.

Bell. The Bell-CHSH inequality is derived under the assumptions of realism, locality, measurement independence, and factorizability of the joint distribution given the hidden variable. The substratum is locally classical — deterministic bijection with bounded coupling — and at the substratum level all four assumptions hold. At the observer level, however, the marginal stochastic process is

P-indivisible ([Main, §2.3]): the embedded observer's marginal joint distribution does not admit a hidden-variable factorization $\int P(a|x,\lambda)P(b|y,\lambda)\rho(\lambda)\,d\lambda$. P-indivisibility is the statement that no such λ exists for the observer's marginal, even though the substratum's hidden variable (the configuration x) does exist at its own level. The Bell violations the framework predicts are thus expected consequences of P-indivisibility, not signatures of fundamental nonlocality. The substratum violates Bell-factorizability not because of any superluminal influence — locality holds at the substratum level — but because the trace-out destroys the factorizable structure that Bell's argument requires.

Kochen-Specker. The Kochen-Specker theorem rules out noncontextual hidden-variable assignments to quantum observables of dimension ≥ 3. The substratum's determinate states are not assignments to quantum observables: a configuration $x \in S$ is a classical configuration, not an eigenvalue of an emergent observable $\hat{O}$. The mapping from x to the observer's outcome distribution for $\hat{O}$ goes through the trace-out conditioned on the observer's measurement context, which depends on which substratum subspaces the measurement effectively projects onto. Different measurement contexts — different orientations of a Stern-Gerlach apparatus, different choices of polarizer — produce different effective conditionings, hence different outcome distributions. This is observer-level contextuality of a familiar kind: the framework belongs to the class of contextual hidden-variable theories (alongside Bohmian mechanics) that Kochen-Specker does not exclude.

PBR. The Pusey-Barrett-Rudolph theorem rules out psi-epistemic hidden-variable theories under the assumption of preparation independence — that the hidden-variable distributions for independently prepared systems factor as products $\rho_{12}(\lambda_1,\lambda_2) = \rho_1(\lambda_1)\rho_2(\lambda_2)$. The framework's hidden variable is the global substratum configuration; there is no factorization of λ into independent factors per prepared system. The substratum is a single global object, and "independent preparation" at the observable level corresponds to preparation of distinct visible-sector marginals against a shared substratum background, not to independent hidden-variable distributions. The framework therefore violates PBR's preparation-independence assumption at the substratum level, while preserving the observable consequences of independent preparation at the marginal level. The wave function remains psi-epistemic in the framework — observer bookkeeping rather than ontic state — because PBR's argument does not reach a theory with a global hidden variable.

Frauchiger-Renner. The Frauchiger-Renner setup derives contradictions from the assumption that all observers in a Wigner-friend chain treat QM as their fundamental description and assume measurement outcomes are absolute. The framework adopts QM only as the embedded observer's marginal-statistics description, not as a fundamental theory: the substratum has definite states evolving deterministically, and measurement outcomes are absolute at the substratum level. When a Wigner-friend chain unfolds, the friend inside the lab has a marginal-statistics description in which their measurement is a collapse,

while Wigner outside has a marginal-statistics description in which the lab + friend system evolves unitarily — because the friend is part of Wigner's hidden sector. These two descriptions are not contradictory; they describe the same substratum-level events from different visible-sector partitions. The contradictions Frauchiger-Renner derive depend on conflating these two descriptions, which the framework keeps separated at the substratum level. The framework's substratum-absolute / observer-marginal two-level structure is what avoids the paradox.

The four cases share a common structure. Each no-go theorem assumes a property of hidden variables that is built in at the level where the standard hidden-variable theory operates. The framework's hidden variables — substratum configurations — operate at a different level, with the trace-out structure of [Main] mediating between substratum and observer. Each theorem's assumption that fails in the framework (Bell-factorizability, Kochen-Specker noncontextuality, PBR preparation independence, Frauchiger-Renner universal-QM applicability) fails because the trace-out destroys the structure the assumption requires; this is a feature of the construction in [Main], not a separate commitment. The experimental content of each theorem (Bell violations, Kochen-Specker contextuality, PBR's psi-ontic theorem under preparation independence, Frauchiger-Renner's single-world inconsistency under universal QM application) is preserved as a consequence of the framework's emergent-QM construction.

6.5 Pre-registered falsification conditions

The framework's structural content — the equivalence class $[(S, \varphi)]/\mathcal{G}_{\text{sub}}$, the emergent Standard Model structure, and the co-derivation of quantum mechanics and general relativity — makes specific commitments whose future observational status can now be stated explicitly. This subsection pre-registers the conditions under which the framework would be falsified, separated from properties of the specific bijection φ that the framework does not claim to determine.

The distinction matters for two reasons. First, an explicitly pre-registered falsification schedule is the empirical counterpart of the methodological discipline developed in §§3–5: a framework that derives rather than posits must be willing to specify what would invalidate the derivation. Second, pre-registration separates structural commitments — which the framework stands or falls on — from solution-specific properties that lie outside its scope, and which continued openness on does not undermine the framework.

Class A: Structural theorems. The following are claims about the equivalence class itself and would falsify the framework's reconstruction if violated.

- *Exact $\bar{\theta} = 0$ at all energy scales.* The strong-CP phase is zero at the substratum level (SM §5.3, Theorem 21); any observation of a non-zero neutron electric dipole moment consistent with $\bar{\theta} \gtrsim 10^{-11}$, at sufficient confidence to exclude experimental systematics, falsifies the framework's T-symmetric substrate commitment.

- *Gauge group SU(3) × SU(2) × U(1) exactly.* Any observation of a stable beyond-Standard-Model gauge structure — an additional Z' interpretable as a new gauge boson rather than a composite resonance, stable exotic matter transforming under a novel gauge group, or any confirmed extension of the visible-sector gauge content — falsifies the cubic-group decomposition of SM §4.6.
- *Three fermion generations.* Any observation of a stable fourth-generation fermion with Standard Model quantum numbers falsifies the taste-reduction derivation (SM §4.7). Non-stable exotic states consistent with composite or resonance interpretation do not.
- *Majorana neutrinos with normal ordering.* Inverted mass ordering, confirmed to high significance, falsifies the taste-breaking derivation of the neutrino mass matrix (SM §8.4). Confirmed Dirac nature of the neutrino (e.g., a null result for neutrinoless double-beta decay at the sensitivity that would require Majorana masses well below the framework's prediction) falsifies the prediction that no right-handed neutrino exists in the spectrum.
- *Tsirelson bound.* Any observation of a CHSH parameter exceeding $2\sqrt{2}$ in a loophole-free Bell test falsifies the P-indivisibility structure ([Main, §3.3]) — the bound is a theorem of the framework, not an input.
- *Leading Lorentz-invariance-violation coefficient.* The cubic-lattice dispersion relation ([SM, §4.4] Theorem 4, generalized to d = 3: $\cos(\omega\epsilon) = \frac{1}{3}\sum_{i=1}^{3}\cos(k_i\epsilon)$ for a massless mode) yields standard emergent dispersion $\omega = |k|$ at leading order. Series expansion gives the first correction as a direction-dependent quadratic term $\omega^2 = k^2[1 - 2\delta(\hat{k})(k\epsilon)^2 + O((k\epsilon)^4)]$, with $\delta(\hat{k}) = \frac{1}{24}\left(\sum_i \hat{k}_i^4 - \frac{1}{3}\right)$ evaluated on the rigid $\mathbb{Z}^3$ representative. The rigid-lattice anisotropy (values $\delta_{[100]} = 1/36$, $\delta_{[111]} = 0$ — the body diagonals achieve the Cauchy-Schwarz lower bound $\sum_i \hat{k}_i^4 \geq 1/3$ on the unit sphere, giving no leading-order correction along these directions) is *not* a gauge-invariant prediction — $\mathcal{G}_{\text{sub}}$ generator (iv) of §4 identifies $\mathbb{Z}^3$ with any bounded-degree random graph of the same polynomial growth exponent and statistical isotropy (E4), which has no preferred axes. The *orientation-averaged* coefficient $\langle\delta\rangle = 1/90$ is gauge-invariant; equivalently, the framework predicts the emergent dispersion

$$\omega^2 = k^2\left[1 - \frac{4}{45}\left(\frac{E}{M_{\text{Pl}}}\right)^2 + O\left(\left(\frac{E}{M_{\text{Pl}}}\right)^4\right)\right]$$

after using $\epsilon = 2l_p$ and $k\epsilon = 2E/M_{\text{Pl}}$. Three structural features: (i) *subluminal*, since $\delta(\hat{k}) \geq 0$ everywhere on the sphere (with equality at the body diagonals $\hat{k} = \pm(1,1,1)/\sqrt{3}$ and equivalent rotations, which are the unique directions saturating the Cauchy-Schwarz lower bound); the orientation-averaged $\langle\delta\rangle > 0$ is invariant under orientation-averaging; (ii) *no linear-in-E/M_{Pl} term*, because the even-parity cosines in the dispersion admit no $\mathcal{O}(k^3)$ contribution — any demonstration of linear LIV at

any scale therefore falsifies the framework's substrate-level commitment to the cubic-lattice wave equation; (iii) *specific coefficient* 4/45, fixed by the cubic-lattice coordination and isotropy-gauge average, not tunable. Current quadratic-LIV bounds from GRB time-of-flight reach only $E_{\mathrm{QG}} \gtrsim 10^6$ GeV (roughly thirteen orders of magnitude below M_{Pl}), so the 4/45 coefficient is a structural prediction not yet near-term testable at the magnitude level; linear-LIV tests, by contrast, are already at sensitivities where any positive detection falsifies.

Class B: Parameter-free retrodictions. The framework produces a set of numerical predictions that follow from the structural content with no adjustable parameters beyond a small set of acknowledged empirical inputs (m_s for the overall fermion mass scale, m_t for the Higgs RGE running, η for the Jarlskog phase, Q_{down} for the down-sector Koide normalization). These predictions are stratified into four sub-classes reflecting their structural status:

Class B-S (unconditional structural). Six predictions are Layer 0 or Layer 1 unconditional structural retrodictions:

- The Cabibbo angle $\lambda = 1/(\pi\sqrt{2})$ ([SM §7.1]) — the chirality verification of the taste-changing vertex's spinor structure is closed via Mason et al. (HPQCD, hep-lat/0209152), establishing that taste-changing transitions in staggered quarks have spinor structure given by a combination of γ_μ and $\gamma_{5\mu}$ (both chirality-preserving).
- The Wolfenstein parameter $A = \sqrt{2/3}$ ([SM §7.1]).
- The mass ratio $m_d/m_s = 1/(2\pi^2)$ via the Gatto-Sartori-Tonin relation applied to the Layer 1 Cabibbo derivation ([SM §7.1]).
- The Koide angle $\theta_0 = C_2/d^2 = 2/9$ ([SM §7.2]) — the sharpest empirical match in the framework (0.02%) and the cleanest structural derivation (cubic-group quadratic Casimir over bandwidth squared, with the §7.2 uniqueness table enumerating ten alternative dimensionless ratios that fail to match).
- The Bekenstein-Hawking coefficient $S = A/(4l_p^2)$ with the factor 1/4 derived as the ratio $2\pi/(8\pi)$ between the Euclidean KMS period and the Jacobson Einstein-equation prefactor ([GR §5]). Confirmed at 99.999% by the GW250114 area-law observation.
- The MOND critical acceleration $a_0 = cH/6$ ([GR §7.3]) — the 1/6 geometric factor is closed via Verlinde 2016 (eq. 1.7) as $(d-3)/[(d-2)(d-1)] = 1/6$ in $d = 4$, with OI providing the structural grounding (volume-law entropy mechanism derived from condition C2 rather than postulated). Dependent predictions (baryonic Tully-Fisher, crossover radius r_M) inherit B-S status.

Any of these moving outside 3σ on precision upgrade falsifies the framework directly with no recoverable error mode.

Class B-L (layered conditional, pending open derivations). Three predictions follow from the structural form combined with one Layer-2 substrate input or

empirical input. Each has an explicit derivational gap whose closure would move the prediction to B-S:

- The mass ratio $m_u/m_d = \sqrt{\theta_0} = \sqrt{2/9}$ ([SM §7.2]) pending the explicit derivation of the "different channels" mechanism producing the square root, structurally analogous to the open OI-vertex 1-loop derivation for $K = 1/2$ ([SM §7.5]) in being mixed-layer — substratum cubic-group structure combined with electroweak-symmetry-breaking emergent machinery.
- The mass ratio $m_b/m_\tau = 4.28/Z_S$ ([SM §7.5]) pending the explicit OI-vertex 1-loop computation confirming $K = 1/2$, together with four bridge gaps in the $S\chi PT$ inheritance ([SM §7.5]): the substratum measure reduction under Theorem 2, the 3D MC vs 4D $S\chi PT$ dimensional bridge, the 3D BZ vs 4D Dirac taste-structure equivalence, and the 3D vs 4D parity identification of chirality. The per-vertex $\cos^2$ symmetrization producing $K = 1/2$ is dimension-independent and structurally robust; the four bridges are derivation gaps inherited by the other §7 mass-cluster predictions that share the $S\chi PT$ machinery. The closure path is the two-loop $S\chi PT$ calculation specializing Panagopoulos–Spanoudes 2017 to the OI cubic-group setting.
- The PMNS predictions $\sin^2\theta_{12} = 1/3 - 1/(4\pi^2)$ and $\sin^2\theta_{23} = 1/2 + 1/(2\pi^2)$ ([SM §7.3]) pending derivation of Cond 2 (the structural relation among A_2 Wilson coefficients) from cubic-lattice Yukawa structure. The reactor angle $\sin^2\theta_{13}$ is independent of Cond 2 and is in Class B-S.

Class B-L violations at 3σ on precision upgrade are addressed under the pre-registration commitment with three branches: (a) closure of the open derivation *confirms* the prediction (recoverable from a transient data fluctuation); (b) closure *fails to confirm* the prediction while preserving the framework's structural commitments (recoverable error in the specific derivation, with the structural commitments intact); (c) demonstration that no consistent OI-internal derivation can produce the observed value (fatal, framework-falsifying).

Class B-M (mass chain). Two predictions inherit a single empirical input scale through a structural relation:

- The electron and muon masses m_e and m_μ via the Koide chain from the empirical input m_τ ([SM §7.2]). The prediction is structurally $\theta_0 = 2/9$ with $Q = 2/3$; the absolute scale is set by m_τ.
- The Higgs mass m_H via SM RGE running from the structural boundary condition $\lambda(M_{\rm Pl}) = 0$ ([SM §7.4]) with m_t as the empirical input.

Class B-M predictions falsify under the same precision-upgrade protocol as B-L, but the inheritance is from an empirical input scale rather than from an open derivation.

Class B-R (retrodictions). Two gauge-coupling values are explicitly retrodictions per the §6.3 [SM] parameter count:

- The SU(2) gauge coupling at M_Z ([SM §6, items 11-12 in §7.6]).
- The SU(3) gauge coupling at M_Z.

Three fitted parameters (δ_0, A, B) against three observed couplings produces zero residual by construction; these classifications are honest. Class B-R predictions can never falsify in the precision-upgrade sense — their value is what falsification of the *framework's gauge-sector structural commitments* (universality of δ_0, the resummation form, the structural prediction $1/\alpha_0 = 23.25$ from the 1-loop staggered VP, and the $A \cdot B = 48.0 \pm 1.5$ cross-check) would test.

Status summary. Of the predictions in Class B: **4 are unconditional structural** (B-S), **6 are layered conditional pending open derivations** (B-L), **2 are mass-chain inheritances** (B-M), and **2 are retrodictions** (B-R). Total 14 predictions in Class B. The empirical match holds for all 14 within ~1% or $\sim 1\sigma$.

The current status of each is documented in the SM and GR companion papers with experimental references. As experimental precision improves, the discrimination power of the B-S set increases monotonically; closure of the open derivations would move B-L predictions to B-S over time.

Class C: Framework-level commitments. Two broader commitments are implicit in the construction and would falsify it if contradicted.

- *Classical-memory simulability of any genuinely quantum process.* The characterization theorem ([Main, §3.4]) establishes that quantum mechanics is the description produced by an embedded observer satisfying C1–C3 on a deterministic substrate with bounded classical hidden-sector memory. This implies every process the framework calls quantum admits a classical-memory simulation at appropriate scale; any demonstration of a fundamental quantum process that provably cannot be simulated by finite classical memory under any relabeling falsifies the framework at the characterization-theorem level. The commitment is specific: non-Markovian models are permitted and expected (they are how the hidden-sector correlation persistence manifests), but they must be realizable by finite classical memory. A process whose non-Markovianity is provably supra-classical falsifies.
- *The dark sector as entropy-displacement, not as a novel particle content.* The framework's account of dark energy as a Type II RVM functional form and dark matter as frozen boundary entropy (GR §7.3) is incompatible with the direct detection of a WIMP interpretable as a fundamental particle with Standard-Model-like interactions and no entropy-displacement signature. A confirmed WIMP with such properties falsifies the framework's dark-sector account while leaving the rest of the structure intact — it would require abandoning the §7.3 derivation and either identifying an error in it or accepting that the framework's dark-sector story is wrong even as other derivations survive.

Cosmological commitment. The dark energy sector is subtler than Classes

A–C. The framework commits to the Type II running-vacuum functional form (GR §7.1), with magnitude given at theorem level by the emergent-QFT calculation $|\nu_{\mathrm{QFT}}| \sim (M_{\mathrm{SM}}/M_{\mathrm{Pl}})^2 \sim 10^{-32}$, observationally indistinguishable from zero. Substratum contributions beyond this are constrained by the boundary mode count of §3-§5, which catalogues modes by spatial location alone (one mode per ϵ^2 cell, no inherent frequency assignment); the natural 2D distribution concentrates them near the UV cutoff, contributing well below $|\nu_{\mathrm{QFT}}|$. The framework's theorem-level magnitude prediction is therefore $|\nu| \approx |\nu_{\mathrm{QFT}}|$, with the Bertini et al. (2025) measurement $\nu = -(2.5\pm1.3)\times10^{-4}$ consistent with this prediction at 2σ, where Bertini is itself consistent with zero. The falsification band is correspondingly stratified: a DESI Year 5 measurement of $|\nu| \gtrsim 10^{-4}$ at high significance would require additional substratum structure (log-uniform mode-per-decade distribution at the cosmological horizon) not currently in §3-§5; a measurement of ν with high-significance positive sign would falsify the Type II functional form itself, which is a structural commitment rather than a magnitude one. The first outcome is a refinement within the current bracket; the second is a structural falsification.

What does not falsify. The framework makes no commitment to the specific values of solution-specific quantities, and their future measurement does not bear on the framework's structural status. These include: the absolute scale of fermion masses (the choice of m_s as empirical input is acknowledged in SM §7.6); the CP-violating phases in CKM and PMNS (solution-specific properties set by the basis mismatch between up-type and down-type Yukawa mass eigenstates, compatible with the framework's $\bar{\theta} = 0$ theorem per [SM, §5.4]); the numerical value of the Type II ν coefficient within the bracketed range above; initial conditions at any cosmic time (the framework derives the structure from which evolution proceeds, not the state at t_0); and the specific microstate φ within the equivalence class (Theorem 24 classifies this as gauge, so the question of which representative our universe is in is provably without empirical content). A framework is not falsified by the presence of solution-specific inputs; it is falsified by failure of its structural commitments. The Class A–C list, together with the stratified dark-energy band, is the complete structural commitment of the framework as currently written.

The pre-registration commitment. The author commits to treating the Class A conditions, the Class C commitments, and a Class B retrodiction exceeding 3σ on precision upgrade as framework-falsifying rather than as an invitation to post-hoc rescue. In the case of a Class B violation, the framework will be revisited to determine whether the violation reflects a computational error in the specific retrodiction, an incorrect specific-bijection input, or a structural problem with the derivation; the first two are recoverable, the third is fatal. The framework does not reserve the right to add structural postulates after the fact to accommodate disconfirming evidence. Pre-registration of this commitment is itself part of the falsifiability content of the framework.

Regimes of deliberate silence. Three regimes lie outside the framework's

predictive scope by construction and are not objects of falsification claims. First, the *pre-horizon early universe* — the regime before a stable causal partition with $\tau_B \sim H^{-1}$ exists — has no observer in the framework's sense ([Main, §1.3]) and no horizon-level structure for the [GR] derivations to act on; the framework's only commitment in this regime is a boundary condition on deeper theories, namely that any successful pre-horizon dynamics must produce a C1–C3-satisfying regime by the time a horizon stabilizes. Second, the *equilibrium phase* of (S, φ) is structurally observer-free by the structural observer-selection theorem ([Main, §4.6]); the framework makes no prediction for this regime because it has no observers to whom a prediction could be addressed. Third, regions *beyond the observer's causal horizon* are part of that observer's hidden sector and are addressed only through boundary effects (the area-law entropy of [GR, §5]); the framework takes no observer-independent position on their internal content. These silences are structural rather than methodological — they follow from the characterization theorem's identification of QM with embedded observation, and from the observer-selection theorem's restriction of observers to the non-equilibrium phase — and stating them explicitly sharpens the scope of the positive commitments above.

---

7. Conclusion

The substratum-level results developed in this paper — the reconstruction theorem (Theorem 23) and the substratum gauge group (Theorem 24) — turn the framework's three derivations into a single construction. The reconstruction theorem establishes that observed quantum mechanics with Bell violations, finite boundary entropy, and spatial isotropy, together with the framework's structural assumptions, uniquely determine the equivalence class $[(S, \varphi)]/\mathcal{G}_{\text{sub}}$ at the lattice level, with the Standard Model gauge group and $\bar{\theta} = 0$ as forced retrodictions, and the anomaly-free hypercharge assignment forced once the observed family pattern is given (fermion embedding closed via the link-carrier construction, with the absolute generation count locked at exactly three by coupling-degree minimality). The substratum gauge group identifies the kernel of this inverse map and shows that the Standard Model gauge group is its visible-sector shadow. Together, these two results establish that the framework's emergence of quantum mechanics [Main], its derivation of the Standard Model [SM], and its derivation of the gravitational sector [GR] are not three independent applications of the same trace-out machinery but three projections of one object — the bijection (S, φ) — viewed at different levels of description.

The synthesis claim that follows is not a unification of quantum mechanics and general relativity in the traditional sense. The traditional unification problem treats the two theories as competing accounts of the same regime and asks how to merge them. The present framework treats them as projections of the same construction onto two different substructures — the visible-sector trace-out and the boundary-thermodynamic limit — and the question of how to merge them is

dissolved as a category error rather than answered as a technical problem. The result is not a theory of everything but a structural account of why the apparent incompatibility between quantum mechanics and general relativity has been so resistant to resolution: there is nothing to resolve, because the two are not in competition. They are co-derived from the same object by the same procedure under the same conditions, and the framework developed across the four-paper sequence makes this exact rather than approximate.

Three sets of open problems remain. Neither these results nor the four-paper sequence require the framework to be the final theory of physics: the substratum may itself be an effective description of something deeper, and the trace-out may have corrections beyond the leading-order results developed here. First, the *specific bijection* φ that describes our universe is not determined by the framework — only the equivalence class $[(S, \varphi)]/\mathcal{G}_{\text{sub}}$ is. The framework predicts the structural features of the Standard Model and the gravitational sector but not the specific values of (for example) the lightest fermion mass or the specific numerical value of the Type II RVM coefficient ν beyond its dimensional order of magnitude and sign. These are properties of the particular bijection, analogous to the mass of the sun in general relativity. Second, the *trans-Planckian regime* — the regime in which the lattice spacing $\epsilon = 2l_p$ is not small compared to the relevant length scale — lies outside the framework's leading-order results. The framework presents the lattice as fundamental, not as a regulator approximating a continuum theory, and so does not need a continuum limit in the standard sense; but the corrections to the leading-order results in the regime where the partition geometry varies on lattice scales are an open question. Third, the *initial conditions* — the specific configuration of the bijection at any given time — are likewise not determined by the framework. The framework establishes which structures emerge from the bijection but not which microstate the universe is currently in.

These open problems are framed within the construction rather than against it. Each is sharply formulated and admits a definite (if presently unanswered) form. The progress reported here is that the structural relationship between quantum mechanics and general relativity — the central open problem of fundamental physics for nearly a century — is fixed by the construction developed in the four-paper sequence, and the remaining open problems are problems within the construction rather than problems with it.

References

[1] R. Bousso, "The holographic principle," *Rev. Mod. Phys.* **74**, 825 (2002).

[2] N. Bao, S. M. Carroll, and A. Singh, "The Hilbert space of quantum gravity is locally finite-dimensional," *Int. J. Mod. Phys. D* **26**, 1743013 (2017).

[3] J. Maldacena and L. Susskind, "Cool horizons for entangled black holes,"

Fortsch. Phys. **61**, 781–811 (2013); arXiv:1306.0533.

Companion papers (cited inline by short name):

[Main] A. Maybaum, "The Incompleteness of Observation," (2026).

[SM] A. Maybaum, "The Standard Model from a Cubic Lattice," (2026).

[GR] A. Maybaum, "$\hbar$, the Bekenstein-Hawking Entropy, and Dynamical Dark Energy from the Cosmological Horizon," (2026).