

Class ticket

java.lang.Object
ticket

```
public class ticket
extends java.lang.Object
```

Field Summary

Fields

Modifier and Type	Field and Description
private double	<code>fine</code>
private int	<code>meterTime</code>
private int	<code>overdue</code>
private java.lang.String	<code>ticketDate</code>

Constructor Summary

Constructors

Constructor and Description

`ticket`(double f, java.lang.String td, int od)

Method Summary

All Methods Instance Methods Concrete Methods

Modifier and Type	Method and Description
java.lang.String	<code>getColor()</code>
java.lang.String	<code>getLicensePlateNum()</code>
java.lang.String	<code>getMake()</code>
java.lang.String	<code>getMeterNum()</code>
java.lang.String	<code>getMeterTime()</code>
java.lang.String	<code>getModel()</code>
java.lang.String	<code>getPoliceBadge()</code>
java.lang.String	<code>getPoliceName()</code>

```
java.lang.String    toString()
```

Methods inherited from class java.lang.Object

clone, equals, finalize, getClass, hashCode, notify, notifyAll, wait, wait, wait

Field Detail

fine

private double fine

ticketDate

private java.lang.String ticketDate

overdue

private int overdue

meterTime

private int meterTime

Constructor Detail

ticket

```
public ticket(double f,  
              java.lang.String td,  
              int od)
```

Method Detail

getMake

```
public java.lang.String getMake()
```

getModel

```
public java.lang.String getModel()
```

getColor

```
public java.lang.String getColor()
```

getLicensePlateNum

```
public java.lang.String getLicensePlateNum()
```

getMeterNum

```
public java.lang.String getMeterNum()
```

getMeterTime

```
public java.lang.String getMeterTime()
```

getPoliceName

```
public java.lang.String getPoliceName()
```

getPoliceBadge

```
public java.lang.String getPoliceBadge()
```

toString

```
public java.lang.String toString()
```

Overrides:

toString in class java.lang.Object