A GUIDE TO BUILDING

A RAG SYSTEM THAT WORKS!

+ Find solutions to fix all your RAG system issues.



COMPONENTS OF A RAG SYSTEM



Components of RAG Sytems: 1

RETRIEVAL PROCESS



Challenges:

- Data & Query Mismatch
- Search/ Retrieval Algorithm Shortcomings
- Challenges in Chunking
- Embedding Problems

Retrieval Process Failures: 1

DATA & QUERY



Solution:

- Add Possible Solutions Along with the Query.
- Add Other Similar Queries
- Personalise each query with context
- Consider which data source(s) will be the most relevant for that RAG system.

Retrieval Process Failures: 2

SEARCH/RETRIEVAL ALGORITHMS



Solution:

- Combine keyword (BM25) and semantic search for balanced results.
- Enhance queries (synonyms, context, rephrasing) for better retrieval.
- Use multiple methods (lexical, dense) with re-ranking for improved coverage and relevance.

CHUNKING



Solution:

- Use NLP to find natural breakpoints, creating meaningful chunks.
- Divide structured documents along existing sections/titles.
- Add overlapping text between chunks to maintain context/references.
- Employ AI to adapt chunk size based on topic shifts for relevance.

Retrieval Process Failures: 4

EMBEDDING



Solution:

- Adapt embeddings using domain-specific data for accuracy.
- Re-embed knowledge frequently to stay current.
- Combine traditional and contextual models for better understanding.

Limitations of RAG Systems: 2

GENERATION PROCESS FAILURES



Reasons:

- Context Integration Problems
- Reasoning Limitation
- Response Formatting Issues
- Context Window Utilization

Generation Process Failures: 1

CONTEXT INTEGRATION



Solution:

- Supervised FineTuning for Better Grounding
- Fact Verification Post-Processing
- Retrieval-Aware Training

REASONING



Solution:

- Chain-of-thought Prompting
- Multi-step Reasoning Frameworks
- Contradiction Detection Mechanisms

RESPONSE FORMATTING



Solution:

- Enforce structured formatting by using predefined templates
- model with prompt engineering for output formatting
- Automatically checks and corrects attribution, citations, and structure

Generation Process Failures: 3

CONTEXT WINDOW



Solution:

- Position key information where the model focuses most
- Maximize value by prioritizing important content and reducing redundancy
- Use structured prompts to direct the model's focus to essential sections.

SYSTEM LEVEL FAILURES



Reasons:

- Time & Latency Related Issues
- Evaluation Challenges
- Architectural Limitations
- Cost & Resource Efficiency

TIME & LATENCY RELATED ISSUES



Solution:

- Store common data in memory for faster access.
- Adjust retrieval complexity based on the query.
- Get quick results first, then refine if necessary.
- Refresh knowledge in the background without slowing responses.

EVALUATION CHALLENGES



Solution:

- Assess RAG using retrieval quality, accuracy, coherence, and user engagement.
- Measure user satisfaction via A/B tests, preference modeling, and feedback.
- Test system robustness and grounding by varying retrieval conditions

System Level Failures: 3

COST & RESOURCE EFFICIENCY



Solution:

- Use fast, approximate search first, then precise retrieval.
- Compress large models into smaller, efficient versions.
- Utilize methods like BM25/hybrid search to reduce compute/memory.
- Speed up retrieval and lower costs with optimized indexes (ANN, etc.)

READ THE BLOG
TO UNDERSTAND
HOW TO BUILD
AN EFFICIENT RAG
SYSTEM

READ MORE

Build a RAG System
That Works!