

Task 1 Submission Document: Deploy a Static Website on AWS S3

Candidate ID: BS/REG/124879

General purpose buckets (1) [Info](#)

Buckets are containers for data stored in S3.

<

1

>


⚙️

	Name	AWS Region	Creation date
☐	praveena-task1	Asia Pacific (Hyderabad) ap-south-2	July 8, 2026, 11:51:26 (UTC+05:30)

☐	Name	Type	Last modified	Size	Storage class
☐	 index.html	html	July 8, 2026, 12:06:35 (UTC+05:30)	660.0 B	Standard
☐	 style.css	css	July 8, 2026, 12:06:34 (UTC+05:30)	1.1 KB	Standard

Step B: Static Website Hosting Properties

Static website hosting was explicitly activated under the bucket properties window, assigning index.html as the default entry point.



Step C: Identity Access Management (IAM) Bucket Policy

To grant universal retrieval permissions, "Block all public access" was unchecked, and the following absolute s3:GetObject JSON execution block was committed to the bucket policy console:

JSON

```
{
  "Version": "2012-10-17",
  "Statement": [
    {
      "Sid": "PublicReadGetObject",
      "Effect": "Allow",
      "Principal": "*",
      "Action": "s3:GetObject",
      "Resource": "arn:aws:s3:::praveena-task1/*"
    }
  ]
}
```

Step D: Live Operational Website Check

When accessing the public HTTP endpoint routing address, the interface compiles and serves the application properly on the web.

