

```
ALTER TABLE Customers  
ADD LastModified DATE;
```

```
CREATE OR REPLACE TRIGGER UpdateCustomerLastModified  
BEFORE UPDATE  
ON Customers  
FOR EACH ROW  
BEGIN  
    :NEW.LastModified := SYSDATE;  
END;  
/
```

```
UPDATE Customers  
SET Balance = Balance + 1000  
WHERE CustomerID = 101;
```

```
COMMIT;
```

```
SELECT CustomerID,  
        CustomerName,  
        Balance,  
        LastModified  
FROM Customers;
```

```
CREATE TABLE Transactions(  
    TransactionID NUMBER PRIMARY KEY,  
    AccountID NUMBER,  
    TransactionType VARCHAR2(20),  
    Amount NUMBER  
);  
  
CREATE TABLE AuditLog(  
    LogID NUMBER GENERATED BY DEFAULT AS IDENTITY,  
    TransactionID NUMBER,  
    LogDate DATE,  
    Message VARCHAR2(100)  
);  
  
CREATE OR REPLACE TRIGGER LogTransaction  
AFTER INSERT  
ON Transactions  
FOR EACH ROW  
BEGIN  
  
    INSERT INTO AuditLog(  
        TransactionID,  
        LogDate,  
        Message  
    )
```

```
VALUES (
```

```
    :NEW.TransactionID,  
    SYSDATE,  
    'Transaction Added'
```

```
);
```

```
END;
```

```
/
```

```
INSERT INTO Transactions
```

```
VALUES (1, 101, 'Deposit', 5000);
```

```
COMMIT;
```

```
SELECT * FROM AuditLog;
```



SQL

All Rows Fetched: 4 in 0.066 seconds

	LOGID	TRANSACTIONID	LOGDATE	MESSAGE
1	1	1	03-07-26	Transaction Added
2	2	2	03-07-26	Transaction Added
3	3	3	03-07-26	Transaction Added
4	4	4	03-07-26	Transaction Added