

```
1 package designpatternsandprinciple.ques4;  
2  
3 public interface PaymentProcessor {  
4     void processPayment(double amount);  
5 }
```

```
1 package designpatternsandprinciple.ques4;
2
3
4 public class PayPalGateway {
5
6     public void sendPayment(double amount) {
7         System.out.println("Payment of Rs." + amount + " processed through PayPal.");
8     }
9 }
```

```
1 package designpatternsandprinciple.ques4;
2
3
4
5 public class StripeGateway {
6
7     public void makePayment(double amount) {
8         System.out.println("Payment of Rs." + amount + " processed through Stripe.");
9     }
10 }
```

```
1 package designpatternsandprinciple.ques4;
2
3
4
5 public class PayPalAdapter implements PaymentProcessor {
6
7     private PayPalGateway payPalGateway;
8
9     public PayPalAdapter() {
10         payPalGateway = new PayPalGateway();
11     }
12
13     @Override
14     public void processPayment(double amount) {
15         payPalGateway.sendPayment(amount);
16     }
17 }
```

```
1 package designpatternsandprinciple.ques4;
2
3
4 public class StripeAdapter implements PaymentProcessor {
5
6     private StripeGateway stripeGateway;
7
8     public StripeAdapter() {
9         stripeGateway = new StripeGateway();
10    }
11
12    @Override
13    public void processPayment(double amount) {
14        stripeGateway.makePayment(amount);
15    }
16 }
```

```
1 package designpatternsandprinciple.ques4;
2
3
4
5 public class AdapterTest {
6
7     public static void main(String[] args) {
8
9         PaymentProcessor paypal = new PayPalAdapter();
10        paypal.processPayment(5000);
11
12        PaymentProcessor stripe = new StripeAdapter();
13        stripe.processPayment(3000);
14    }
15 }
```

Payment of Rs.5000.0 processed through PayPal.
Payment of Rs.3000.0 processed through Stripe.