

 CREATE OR REPLACE PACKAGE CustomerManagement AS

 PROCEDURE AddCustomer(
 p_id NUMBER,
 p_name VARCHAR2,
 p_age NUMBER,
 p_balance NUMBER
);

 PROCEDURE UpdateCustomer(
 p_id NUMBER,
 p_name VARCHAR2
);

FUNCTION GetCustomerBalance(
 p_id NUMBER
) RETURN NUMBER;

END CustomerManagement;

/

 CREATE OR REPLACE PACKAGE BODY CustomerManagement AS

 PROCEDURE AddCustomer(
 p_id NUMBER,
 p_name VARCHAR2,
 p_age NUMBER,
 p_balance NUMBER
)

```
IS
BEGIN
    INSERT INTO Customers (CustomerID, CustomerName, Age, Balance, IsVIP)
    VALUES (p_id, p_name, p_age, p_balance, 'FALSE');

    COMMIT;
END;
```

```
PROCEDURE UpdateCustomer(
    p_id NUMBER,
    p_name VARCHAR2
)
IS
BEGIN
    UPDATE Customers
    SET CustomerName = p_name
    WHERE CustomerID = p_id;

    COMMIT;
END;
```

```
FUNCTION GetCustomerBalance(
    p_id NUMBER
)
RETURN NUMBER
IS
    v_balance NUMBER;
```

BEGIN

```
SELECT Balance  
INTO v_balance  
FROM Customers  
WHERE CustomerID = p_id;
```

RETURN v_balance;

END;

END CustomerManagement;

/

BEGIN

CustomerManagement.AddCustomer(110, 'Ankit', 25, 9000);

END;

/

BEGIN

CustomerManagement.UpdateCustomer(110, 'Ankit Sharma');

END;

/

SELECT CustomerManagement.GetCustomerBalance(110)

FROM dual;

CREATE OR REPLACE PACKAGE EmployeeManagement AS

```
PROCEDURE HireEmployee(  
    p_id NUMBER,  
    p_name VARCHAR2,  
    p_department VARCHAR2,  
    p_salary NUMBER  
);
```

```
PROCEDURE UpdateEmployee(  
    p_id NUMBER,  
    p_salary NUMBER  
);
```

```
FUNCTION AnnualSalary(  
    p_id NUMBER  
) RETURN NUMBER;
```

```
END EmployeeManagement;
```

```
/
```

```
CREATE OR REPLACE PACKAGE BODY EmployeeManagement AS
```

```
PROCEDURE HireEmployee(  
    p_id NUMBER,  
    p_name VARCHAR2,  
    p_department VARCHAR2,  
    p_salary NUMBER  
)
```

```
IS
BEGIN
    INSERT INTO Employees
    VALUES (p_id,p_name,p_department,p_salary);

    COMMIT;
END;
```

```
PROCEDURE UpdateEmployee(
    p_id NUMBER,
    p_salary NUMBER
)
IS
BEGIN
    UPDATE Employees
    SET Salary = p_salary
    WHERE EmployeeID = p_id;

    COMMIT;
END;
```

```
FUNCTION AnnualSalary(
    p_id NUMBER
)
RETURN NUMBER
IS
    v_salary NUMBER;
```

```
BEGIN
```

```
SELECT Salary  
INTO v_salary  
FROM Employees  
WHERE EmployeeID = p_id;
```

```
RETURN v_salary*12;
```

```
END;
```

```
END EmployeeManagement;
```

```
/
```

```
BEGIN
```

```
EmployeeManagement.HireEmployee(  
    5,  
    'Rohit',  
    'IT',  
    50000  
);
```

```
END;
```

```
/
```

```
BEGIN
```

```
EmployeeManagement.UpdateEmployee(  
    5,  
    55000  
);
```

```
SELECT EmployeeManagement.AnnualSalary(5)
FROM dual;
```

```
CREATE OR REPLACE PACKAGE AccountOperations AS
```

```
    PROCEDURE OpenAccount(
        p_id NUMBER,
        p_name VARCHAR2,
        p_balance NUMBER
    );
```

```
    PROCEDURE CloseAccount(
        p_id NUMBER
    );
```

```
    FUNCTION GetTotalBalance(
        p_id NUMBER
    ) RETURN NUMBER;
```

```
END AccountOperations;
/
```

```
CREATE OR REPLACE PACKAGE BODY AccountOperations AS
```

```
    PROCEDURE OpenAccount(
        p_id NUMBER,
        p_name VARCHAR2,
```



```
    p_id NUMBER,  
    p_name VARCHAR2,  
    p_balance NUMBER  
)  
IS  
BEGIN  
    INSERT INTO Accounts  
    VALUES (p_id,p_name,p_balance);  
  
    COMMIT;  
END;
```

```
☐ PROCEDURE CloseAccount(  
    p_id NUMBER  
)  
IS  
BEGIN  
    DELETE FROM Accounts  
    WHERE AccountID = p_id;  
  
    COMMIT;  
END;
```

```
☐ FUNCTION GetTotalBalance(  
    p_id NUMBER  
)  
RETURN NUMBER  
IS  
    v_balance NUMBER;
```



```
BEGIN
```

```
SELECT Balance  
INTO v_balance  
FROM Accounts  
WHERE AccountID = p_id;
```

```
RETURN v_balance;
```

```
END;
```

```
END AccountOperations;
```

```
/
```

```
BEGIN
```

```
AccountOperations.OpenAccount (  
    200,  
    'Karan',  
    25000  
);
```

```
END;
```

```
/
```

```
SELECT AccountOperations.GetTotalBalance(200)  
FROM dual;
```

```
BEGIN
```

```
AccountOperations.CloseAccount(200);
```

```
END;
```