Training and Placement papers

If you like the blog, Please click on recommend us on google button below



Are you looking for practice tests? then click Here

Home	IT Companies Papers	AMCAT	Elitmus	CoCubes	Quantitative Aptitude Material	Logical Reasoning	C Programming Material	Te
	Share 333 people like this. Be							

Popular Posts

AMCAT QUESTIONS

English Passage 2015 & 2016 Batch Freshers Registration Link This sue-for-anything philosophy was created in the 1960s, when jud...

AMCAT Quantitative Ability Previous Question Papers with solutions-1 AMCAT Quantitative Ability Previous Papers-1 1) The probability of getting at least one tail in 5 throws of a coin is? a)1/32

AMCAT (Aspiring Minds questions with solutions)-1
AMCAT (Aspiring Minds questions with solutions) 2015 & 2016 Batch Freshers Registration Link JOIN MY FACEBOOK GROUP FOR UPDATES ...

AMCAT Automata (Campus) Questions

2015 & 2016 Batch Freshers Registration Link 1) There is a colony of 8 cells arranged in a straight line where each day every

amcat questions -- all modules 2015 & 2016 Batch Freshers Registration Link Read the sentence to find out whether there is any grammatical error in it. The error...

AMCAT (Aspiring Minds) previous questions with solutions -1
AMCAT (Aspiring Minds) previous questions with solutions-1 2015 & 2016 Batch Freshers Registration Link JOIN MY FACEBOOK GROUP

AMCAT (Aspiring Minds) previous questions with solutions-5 AMCAT (Aspiring Minds) previous questions with solutions-5 2015 & 2016 Batch Freshers Registration Link JOIN MY FACEBOOK GROUP FO

	Sta
Tuesday, June 30, 2015	Er
AMCAT (Aspiring Minds) previous questions with solutions-3	Lab
AMCAT (Aspiring Minds) previous questions with solutions-3 2015 & 2016 Batch Freshers Registration Link	• <i>i</i>
Q1. A 8-bit signed integer has the following range: a. 0 to 255 b128 to 127 c255 to 254 d. 0 to 509 ans:ans:b signed integer ranges from negative to positive value and from around 127 range	
2)all the history books belonging to the mughal period have beenfrom sanskrit to english. atransferred bdictated	JC
c-translated	Te
ddubbed	re
ans:c translated	fr
3)MRN:NQP::SLU:	С
ans.ans. I KVV	re
M+1=N R-1=Q	_
N+2=P	Paç
Ques 4 : Choose the correct answer	•
A 10-bit unsigned integer has the following range: Option 1 : 0 to 1000	• (
Option 2 : 0 to 1024	•
Option 3 : 1 to 1025 Option 4 : 0 to 1023	• ,
	•
ans:using formula unsigned no range: 0 to 2^n-1 2^10-1=1023	Blo
5)What is the smallest four-digit number which when divided by 6, leaves a remainder of 5 and when	▶

Option 4: None of these

Cocubes Quantitative
Aptitude Questions-1
Quantitative Aptitude For
Competitive
Examinations (English)

7th Edition 1. The cost price of 10 articles is equal to the selling price o...

AMCAT (Aspiring Minds) previous questions with solutions-4 AMCAT (Aspiring Minds) previous questions with solutions-4 2015 & 2016 Batch Freshers Registration Link JOIN MY FACEBOOK GROUP F...

Answer is None of these because all options satisfy the given conditionss

Que6: Choose the correct answer

Srishti writes a program to find an element in the array A[5] with the following elements in order: 8 30 40 45 70. She runs the program to find a number X. X is found in the first iteration of binary search. What is the value of X?

Option

a) 40

b) 8

c) 70

d) 30

ans is a 40, because binary searches from the centre

7)A book store offers a discount of 10% on all books sold plus an additional discount of 5% on initial bill if initial bill is more than or equal to 1000 dilshan bought 3 books worth of 520,450 and 250 now how much money did dilshan save from the discount given by book store?

1)102 2)176.9

3)61

4)183

ans:2) 176.9

Total amount 1220

10%=122

remaining=1220-122=1098

additional disc= 5% of 1098=54.9

Total Disc=122+54.9=176.9

Ques8. 256 : 4086 :: ?
Op 1: 225 : 3365
Op 2: 144 : 3032
Op 3: 132 : 3012
Op 4: 160 : 3600
Op 5:
Correct Op : 1

2015 & 2016 Batch Freshers Registration Link

9)please remember all the words becoz amcat always repeat synonym and antonym...

1.conceit

2.conceal

3.preamble

4. Engendered

5.veteran

6..instigate 7.blighting

8.overt

9.verdict

10.avarice

11.set off

12. gruesome

13.vent

ans:1.arrogance

2.hide

3.preface

4.arouse,create,stir

5.experienced,old time 6.influence,provoke

7.ruin,destroy

8.unconcealed

9.judgement

10.greedy

11.compensate, redeem

12.horrible, awful

13.outlet

10)9,54,135,252,?

option:400,405,380,420

405

Since every digit of the number sums upto 9

11)Logical:

(i)Tom, Joy and John are honest .

(ii)Tom , jack and michel are ambitious.

```
(iii) michel and joy are hardwork
(iv)joy jack and john are intelligent.
Question:
a)neither hardwork nor intelligent.
B)one of the following person neither honest nor intelligent but is ambitious.
option: jack, tom, michel, john, jack
c)who are not hardworking?
option:joy,michel,none,cannot determine.
d)Which one of the following person is having any three qualities?
option:john,jack,tom,none
ans:
a) Tom
b)michel
c)none
d)none
12). Tushar was studying about the network topology of his company. He asked one of his colleagues to
guess the right topology on the following clues: 1. The topology used is point to point configured. 2. The
topology provides fault isolation property. 3. If one link becomes unusable, then whole system is not
incapacitated
Its Mesh Topology...
13)A bag contains 10-paisa, 20-paisa and 25-paisa coins in the ratio 7:4:3. If the total value is Rs. 90, the
number of 25-paisa coins in the bag is:
10p 20p 25p
743
7*10+4*20+3*25=225paise == 2.25rs
2.25*x=90
x = 40
25p
3x=3*40=120
14)Which of the following options will help in implementing the structure of a telephone answering system
where the calls are answered in the order they are received in i.e. the call that has waited the longest is
provided with highest prioroty?
1. Binary Trees
2. Heaps
3. m-way Trees
4. Binary Search Tree
Answer is Heaps because heap datastructure is a priority queue which gives importance to priority
15)coal:burn::bomb:?
1. Explosion
2.Timer
3.Noise
4. None of these
1.explosion
16)Consider this Pseudo-code
class rocket
{
private:
integer height, wight;
public; //statement 1
function input(int a,int b)
height=a;
weight=b;
function main()
rocket rocket1,rocket2;
}
```

```
1.rocket is a class with rocket1,rocket2 as it objects and
height and weight are as it attributes.
2.rocket is a class with rocket1,rocket2 as it attribute and
height and weight are as it objects.
3.rocket is a class with rocket1,rocket2,
height and weight are as it attributes.
4.rocket is a class with rocket1,rocket2,
height and weight are as it objects.
optn 1: as rocket is class name and height ,weight are attributes and rocket1 AND rocket2 are refference
variable..and that can be treated as obj.
17)A number divided by 5 gives a remainder 2.square of the same number divided by 25 to give remainder
5.what is the square number?
Ans:400/9
18)A number divided by 5 gives a remainder 2.
5 = Divisor*Quotient+2-----1
Square if same number divided by 25 gives a remainder 5.
25 = (Divisor)^2 * Quotient + 5-----2
Solve 1 and 2 we get
Quotient = 9/20 Divisor= 20/3
19)a,b,c,d are playing a game of cards together. a and b are partner.c is sitting with his back towards north.a
is sitting with his back towards east.who amongst the following sitting in north position
The answer is D
because
because
C
ВА
D
As a and b are partners they are facing eachother that is a is facing in West direction while b in East direction but c
is facing in South so d is facing in North.
20)A)Guilt and Self pleasure are B)two most strong drivers C)of any human act
1)A
2)B
3)C
4)NO ERROR
a ) bcz guilt & self pleasure refer to same thing so verb will be singular eg - bread and butter is my favourite
21)A is the only son of P.P is B mothers mother in law. How is A related to B?
option: father, brother, uncle, sister
p is the grand mother of B and A is the only son of p means A is the father of B
22)Q. What is the value of log(a+b)/c+log c/a.when it is given that 'b' is four times the value of 'a'.
Option
a) log 2
b) log 3
c) log 4
d) log 5
e) log 10
log(a+b)/c+log c/a
=log[(a+b)/c *c/a]
=log[(a+b)/a]
=log(1+ b/a)
=log(1+4) [given, b=4a => b/a=4]
=log5
d)loa 5
Que23): Choose the correct answer
A queue is implemented by a linear array of size 10 (and not as a circularly connected array). Front and Rear
are represented as an index in the array. To add an element, the rear index is incremented and the element is
added. To delete an element, the front index is incremented. The following operations are done on an empty
```

ADD 1: DELETE: ADD 2: ADD 3: ADD 4: DELETE. DELETE

After this set of operations, what is the maximum capacity of the queue?

```
Option
a) 6
b) 7
c) 10
d) None of these
2015 & 2016 Batch Freshers Registration Link
when queue is empty:
front = 0; rear =-1
add 1 => front = 0; rear = 0
del => front = 1; rear = 0
add 2 => front = 1; rear = 1
add 3 => front = 1; rear = 2
add 4 => front = 1; rear = 3
del => front = 2; rear = 3
del => front = 3; rear =3
now, array size = 9-3=6
thus, option a) is correct answer
24)A and B start together from the same point on a circular track and walk in the same direction till they both
again arrive together at the starting point. A completes one circle in 224 s and B in 364 s. How many times
will A have passed B?
13 times
LCM of 224,364=2912
so, A does 13 circles while B does 8 in 2912s.
Thus A crosses B 13 times.
25)Films are becoming a medium of cultural contacts, good relations and _____ among different countries.
1. Wars
2. Love
3. Harmony
4. Comformity
harmony as it is about strengthening relations among different countries
26) 4, 6, 8, 10, ___
Op 1: 11
Op 2: 12
Op 3: 13
Op 4: 14
Op 5:
Correct Op: 2
27)If (a4 - 2a2b2 + b4)x-1 = (a-b)2x (a+b)-2, then x equals to:
Taking log on both sides,
=>(x-1)\log(a^2-b^2)^2=\log[(a-b)^2x(a+b)^2]
=>2(x-1)\log(a2-b2)=2x\log(a-b)-2\log(a+b)
Cancelling 2 on both sides, and expanding log(a2-b2) into log [(a+b)(a-b)]=>log(a+b)+log(a-b),
=>(x-1)[\log(a+b)+\log(a-b)]=x\log(a-b)-\log(a+b)
=>x\log(a+b)-\log(a-b)-\log(a+b)+x\log(a-b)=x\log(a-b)-\log(a+b)
=>xlog(a+b)=log(a-b)
x = log(a-b)/log(a+b).
28)There are 4green,2purple,1orange and 5 yellow marble in pouch.samir chooses one marble at
random, records it color and replaces it. He repeats this process 25 times, which color did samir probably
chooses the greatest number of times?
option:green ,orange,purple,yellow
answer is because probability of yellow greater all of the other marbles
29)His recent success____him more arrogant than what he used to be.
1. make
2. have make him
3. has made
4. was making
has made option:C
30)BROADLY(OPPOSITE)
1. Specifically
2. Individually
3.Separately
4. Hardly
ans:Specifically
```

```
31)9,3,6,18,36, .. next no of series
12
(9,3) (6,18) (36,12)
9/3=3
6*3=18
36/3=12
32)There are 5 letters and five addressed envelops, the number of ways in which all the letters can be put in
wrong envelops is
N!( 1- 1/1! + 1/2! - 1/3! +.....+(-1)n 1/n!
33)A bag contain orange flavoured candies only .Malini takes out candy without looking into the bag.What is
the probability that she takes out an orange flavoured candy?
option:0,1/2,1/3,1
bag contain orange flavoured candies only so ans =1
Q34) D18H: G27k:: R60V: ...
Option
a) U111Y
b) U69Y
c) J69Y
d) J111Y
ans is b.
because (D+3)means(4+3)=G(7)
18+9=27,
and (H+3) means (8+3)=K(11) ==> G27K
so that's why
(R+3)means (18+3)=21(U)
(60+9)=69
(v+3) means (22+3)=25(Y)
so ans is U69Y
2015 & 2016 Batch Freshers Registration Link35)Rajeev multiplies a number by 10, the log (to base 10) of this
number will change in what way?
let no is X ,now no is 10X, then log10(10X) = log10(10) + log10(x) = 1 + log10(X)
36)Each bucket in a hash table is the head of
a. Heap
b. Stack
c. Array
d. Queue
f. Linked List
f.Linked List
Each bucket in the hash table is the head of a linked list.
Que37: Choose the correct answer
A queue is implemented as a (singly linked) linked-list for easy addition and deletion of elements. Each node
has an element and pointer to another node. Which node will point to empty/no location?
Option
a) Front
b) Rear
c) Both
d) None of these
Here we talk about single linked list...
and insertion done from rear and deletion is done from front and front always point to its previous node but
the rear node noly point to null location.
Answer is 2: Rear
38)solve log(base 16)64-log(base 64)16 ???????
log(base 16)64 = log(base 10)64/log(base 10)16 = log(base 2)64/log(base 2)16
log(base 64)16 = log(base 10)16/log(base 10)64 = log(base 2)16/log(base 2)64
So final ans is = 3/2 - 2/3 = 5/6
```

39)For the given list of numbers, how many swaps will take place in bubble sort so that the list becomes sorted.(Ascending order).

List: 23, 56, 78, 53, 11, 65.

- 1. 4
- 2. 5
- 3. 6
- 4. 7

option 4. 7

- 1. 23,56,53,78,11,65
- 2. 23,56,53,11,78,65 //1-3 1st iteration
- 3. 23,56,53,11,65,78
- 4.23,53,56,11,65,78

5.23.53.11.56.65.78 //4-5 2nd iteration

6.23,11,53,56,65,78 //3rd iteration 7.11,23,53,56,65,78 //4th iteration

40)How does inheritance relate to abstraction?

- 1. A base class is an abstraction of all its derived classes.
- 2. A derived class is an abstraction of all its base classes.
- 3. Base and derived classes are abstractions for each other.
- 4. Inheritance prevents abstraction
- 1. AS WE JUST WRITE THE HEADER IN BASE CLASS AND DEFINE IT IN THE DERIVED CLASS OR THE CHILD CLASS.

41)A = 1^1 * 2^2 * 3^3 * 4^4 * 5^5 *10^10. How many zeroes will be there at the end of A ?

 $\{2^5*5^5=(2^5)^*(2^5)^*(2^5)^*(2^5)^*(2^5)=10^10^10^10^10^10^10=10^5$

thats not 2^5 given in questn its 2^2

hence 10^10== 10 zeros

take two 2's, three 4's (or) four 4's, one 2 to multiply with 5 gives

5*2,5*2,5*4,5*4,5*4(hence 5*4 produces one zero)

there are 5 zeros here plus

10^10 gives us 10

so a total of 15 zeros

42)a manufacturing plant produces a batch of 10 containers out of which 4 are defective.in a quality inspection test,3 containers are choosen at random.what is the probability that atleast one whould be defective

1)0.25 2)3/19 3)0.784 4)3/4

Probability for none is defective = 6C3/10C3

Probability for at least one defective=1-(6C3/10C3) =5/6

correct ans is 5/6.

43)Ratio between speed of two trains is 5:3.first train runs 350km in 2hrs..then the speed of second train is??

if ratio of speed is 5:3 then assume that speed is 5x and 3x

and distance covered by first train is 350 km and time is 2hour

350/5x = 2, so x is 35 after calculation then by the value of x the speed of second train is 105 km/h.

44)Recursive function are executed in a

- (1) Last in first out order
- (2) First in first out order
- (3) Parallel fashion
- (4) All of the above

Recursive functions uses System Stack which is typically Last-In-First-Out (LIFO) data structure. Hence the last recursive call return the control and/or value first.

Ans: (1) Last In First Out order

45)If log52 - log5x = 4, what is the value of X?

- a. 2/625
- b. 1/250
- c. 2/125
- d. 4/25

log5 (2) - log5 (x) = 4

log5 (2/x) = 4

5^4=2/x

625 = 2/x

x=2/625

46)Ques. 7:11::31: ?

Op 1: 33

Op 2: 37

Op 3: 39 Op 4: 42

Op 5:

```
Correct Op: 2
47)Ques. 3, 12, 48, 192, 768, _
Op 1: 2868
Op 2: 2968
Op 3: 3072
Op 4: 3176
Op 5:
Correct Op: 3
48)in how many ways can 13 chairs divided among two conference halls in groups of 5 and 8 chairs
respectively.
1)13c8*13c5/8!5!
2)13c8*13c5*13!
3)13p5 8p5/13!
4)13!/5!8!
49)A bread machine can make 50kg dough in 3min.how many such machines are required to make bread of
30 kg dough in 6 min?
Q. If 2505/0.5 = 5010, then 25.05/0.5 = ?
2505/1/2=2505*2=5010
so 25.05*2=50.1
answer 50.1
50)In a class of 50 student ,the average age of girl is 12.3yrs and that of the boy is 12.5yrs. if the average age
of the calss is 12.42yrs then the no of boys and girls respectively in class b are
option:(25,25), (20,30), (30,20), (35,15),(40,10)
let number of girls=x
then number of boys=50-x
12.3*x+12.5*(50-x)=12.42*50
on solving x=20 =girls
boys=30
(30, 20)
51)Which of the following sorting methods is stable?
1. Straight Insertion Sort
2. Binary Insertion Sort
3. Shell Sort
4. Heap Sort
straight Insertion Sort is stable
option 1
52)_cb_ca_bacb_ca_bac_d
a)bddddb
b)addbbb
c)addddb
d)bbbddd
make the word of 4 alphabets each contains a,b,c,d(in any sequence)
so acbd
cadb
acbd
cadb
acbd
so c) is right addddb
53)1)COMMUNITY
2)LOCALITY
3)FAMILY
4)COUNTRY
5)PERSON
ARRANGE THEM IN ORDER
1)4,1,2,3,5,
2)4,2,1,3,5
3)5,3,2,1,4
4)5,3,1,4,2
ans:5 3 2 1 4
person->family->locality->community->country
54)3,_,12,27,50,105
(a)7
(b)9
(c)8
(d)none
ans:(3*2)+1=7
(7*2)-2=12
(12*2)+3=27
(27*2)-4=50
```

(50*2)+5=105

55)Choose the answer option that arranges the given set of words in meaningful order

1)Key

2)Door

3)Lock

4)Room

5)Light-on

increasing order

key>lock>door>room>light-on

that is 13245

56)From a pack of 52 cards, if 2 cards are selected one after the other without replacement, then what is the probability that the 1st card is a queen and the 2nd card is a heart.

4c1/52c1*13c1/51c1

2015 & 2016 Batch Freshers Registration Link

57)In which no system (242+444) divisible by 10

Option

a) hexa system

b) decimal sysytem

c) octal system

d) penta sytem

242+444=686base10

in hexadecimal

6*16^2+8*16^1+6*16^0=1536+128+6=1670 which is divisible by 10

hence option a) is correct

58)if the selling price of a watch is halved,the profit becomes quarted then find the profit percentage of watch.1)50 2)66.673)100 4)200

let selling price =100

and profit at 100 is x rupees

if sp=50

profit becomes x/4

therefore 3x/4=50 implies x=66.66

total profit=66.66rupees

now 100=cp+profit

=>cp=100-66.66=33.33

hence rofit=(sp-cp)/cp*100

=(100-33.33)/33.33=200%

Que59): Choose the correct answer

Reshama is debugging a piece of code which takes several iterations of modifying and executing code, while

Mohammad has to deliver a product to the customer, which the customer will run multiple times. Reshama wants her

debug cycle to take minimum possible time, while Mohammad wants that his products run time is minimum.

should Reshama and Mohammad respectively use on their code?

Option 1 : Compiler, Interpreter

Option 2 : Interpreter, Compiler

Option 3 : Compiler, Compiler

Option 4 : Interpreter, Interpreter

ans:interpreter,compiler

60)Skeptics argue the flying saucers and UFOS that are beleived to be guided by extraterristial begins or aliens are creation of human imagination. They have demonstrated that number of photo that apperently show flying saucer are either phony (or) are mis interpreted image of earthly or natural object such as aeroplane or metors. How ever there are scientist who have also contributed plenty of evidence and arrested that aliens do exist.

option:

a)Lack of crediability of photo evidence should be taken as proof of non existence of aliens.

b)While the existence of flying saucer and UFOS has been denied ,the possibility of alien being still a reality c)UFOS and flying saucers ,its a reality are of same shape and size of a alien and ufos.

d)The fact that a number of photo of flying saucers are fake cannot disapprove the existence of alien and UFOS

D) The fact that a number of photo of flying saucers are fake cannot disapprove the existence of alien and UFOS Since Scientists even after knowing the fact that photo of flying soccers are fake, believe that they exists

61)synonym of musty

antonym of ignite

musty synonym damp or mouldy ignite antonym is extinguish

62)whats is value of (10101) in decimal number system? A)42

```
B)21
C)22
D)20
(16*1)+(8*0)+(4*1)+(2*0)+(1*1)=21
63) Choose the correct answer
Shravanti writes the following program:
integer i = 0, j
while ( i < 2 )
j = 0;
while ( j <= 3*i )
print j
print blank space
j = j + 3
print end-of-line takes the cursor to the next line
i = i + 1
}
What will be the output of the program?
Option 1:
0
03
Option 2:
03
036
Option 3:
0
036
0369
Option 4:
036
0369
0 3 6 9 12
option 1
1. i=0:
2. check( i < 2 ) yes then enter to the while loop
3. j=0
4. check ( j < 3*0 ) yes then enter to the loop
5. print 0
6. j= 0+3 ,inner loop ends
7. again check ( j < 3*0) no then out of inner loop and proceed to next statement
8.end of line
9. i=i+1
10. repeat from 2-9 it will print 0 3
64)DISTANCE: MILE
a. liquid: pint b. weight: scale
c. ton : iron d. well : water
As mile is a measurement of distance so in the same way
pint is the measurement of liquid
65)Malini solved the following question i n her mathematics examination (6/4+5 1/6 of 3/7)/(5+2 1/3) and her
answer was 38/77. By how much was her answer wrong?
b)1/77
c)2
d)2/77
e)39/77
2015 & 2016 Batch Freshers Registration Link
6/4+(31/6 * 3/7) = 104/28
5 + 7/3 = 22/3
104/28 / 22/3 = 39/77
39/77 - 38/77 = 1/77
66)Based on the following passage find out which of the statement can be inferred from the passage.
The world production of sugar has been reported to be very scarce as compared to the global scales of four
years. The demand for sugar is extremely high but the supply has been low for quite some time now. This
could be because some chief sugar growers have switched to high - priced
jute. The price of sugar has soared in response to the phenomena of the demand supply disparity. The price
of sugar now equals that of jute.
option:
```

a. Sugar production is profitable only when the price of sugar is as high as that, that of jute


```
b. The sugar growers who had shifted to the higher price jute, will now move to producing sugar
c. Demand for jute was higher than the demand for sugar, which made sugar growers shift their production
d. If there continues to be a shortfall in the production of sugar, the price of sugar may even exceed that of
67) If ax = by, then: a) log(a/b) = x/y b) log(a) / log(b) = x/y c) log(a) / log(b) = y/x d) None of these
log ax=log by
log a+ log x= log b+ log y
log a- log b= log y- log x
log(a/b) = log(y/x)
ans: a/b= y/x
ans: None of the above
69)What will be the output of the following pseudo-code statements: integer a = 984, b, c, d =10 print remainder(a,d)
// remainder when a is divided by d a = a/d print remainder(a,d) // remainder when a is divided by d Option 1:48
Option 2: Error Option 3: 84 Option 4: 44
70)For operators with equal precedence, the precedence is from left-to-right in expression. integer a = 40, b =
35, c = 20, d = 10 Comment about the output of the following two statements: print a * b / c - d print a * b / (c -
d) Option 1 : Differ by 80 Option 2 : Same Option 3 : Differ by 50 Option 4 : Differ by 160
a*b/c-d a*b/(c-d)
* priority comes 1st----> a*b = 1400 () priority comes 1st---> c-d=10
/ priority comes next----> 1400/c= 70 * priority comes next a*b---> 1400
- priority comes last----> 70-d=60 / priority comes last---->a*b/(c-d)--->140
Ans: Differ By 80
71)In S.E creates a lan game there are 8 didgit code made up of 1,2,3,4,5,6,7,8 has to be decided on,as a
universal code.how many options does he have if each no has to be used and no number can be
reapeted???
Option
a) 8p8
b) 8c8
c) 8p8 - 8
d) 8* 8c1
ans:a
we have to arrange 8 nums in different ways such that no num can be repeated..
consider there are 8 places.
to fill 1st place we have 8 chances
2nd place==> 7 chances(bcoz one digit is already placed in 1st place and repetition is not allowed)
similarly.... 3rd place==> 6 chances
4th place==> 5 chances
so on....
*r****equired no.of ways=8*7*6*5*4*3*2*1= 8!=8p8
72)What is unit digit of following 1+2^2+3^3+4^4+5^5+6^6 sum???
1)0
2)1
3)4
4)9
ans is 4)9
1 unit digit=1
2^2 unit digit=4
3^3 unit digit=7
4^4 unit digit=6
5<sup>5</sup> unit digit=5
6^6 unit digit=6
so the sum
1+4+7+6+5+6=29 where unit digit is 9
73)A)Shalini win the race b)as she practiced too hard c)for the tournament
option:
a error
b error
c error
no error
a)Shalini won the race
74)It is preposterous on your part to look for a job without first completing your education.
a. Wise b. Imperative c. Advisable d. Most admirable e. Very absurd
option e
preposterous means absurd
```

75)Ques. Select the word or phrase which fits each definition. : A person who readily believes others. Op 1: Creditable Op 2: Credible
Op 3: Credulous
Op 4: Sensitive
Op 5: Sensible Correct Op : 3
ounce op . o
76)Ques. Select the word or phrase which best expresses the meaning of the given word. : VORACIOUS Op 1: Wild
Op 2: Hungry Op 3: Angry
Op 4: Quick
Op 5:
Correct Op: 2
77)Q. Directions: In the following question a part of the sentence is underlined. Beneath each sentence there are four ways of phrasing the underlined part. Choose the answer that expresses most effectively what is presented in the original sentence. The boss was very displeased for my conduct.
,,,,,,,, .
(1) on my conduct
(2) to my conduct
(3) at my conduct (4) in my conduct
(4) III IIIy conduct
At my conduct
78)My accountant advised me that one of the best way to paying taxes was to set up an offshore bank account.
a get away with
b get by with
c get down to d get around
a get al valia
a is the answer
79)i just one proper meal since yesterday morning.
a had
b ate
c have had
d would have eaten
c) have had "Have had" is using the verb have in the present perfect tense.
example:
I have had a lot of homework this week. If I say "have had", I connect the event to the present, so it is possible that I might have more homework
80)How many 3 digit numbers can be formed from the digits 2, 3, 5, 6, 7 and 9, which are divisible by 5 and none of the digits is repeated?
the lest digit is fived vehicle in F
the last digit is fixed which is 5. remaining two digit is from 2,3,6,7,9 so 5p2=584=20.
81)If logx (0.1) = -1/3, then the value of x is: a) 10 b) 100 c) 1000 d) 1/1000 $\log_{x}(0.1)=-1/3\log_{x}(x)$ 0.1=x^(-1/3)
1/10=1/x^1/3
ie x=1000 2015 & 2016 Batch Freshers Registration Link
tags: amcat previous question papers pdf amcat previous question papers with answers pdf amcat previous question papers free download amcat previous question papers with answers amcat previous question papers with answers free download amcat previous question papers with solutions
amcat question papers for cognizant
amcat question papers with answers 2013 pdf
at 2:12:00 AM
Labels: amcat

No comments yet		
Add a comment		
Newer Post	Home	Older Post
Subscribe to: Post Comments (Atom)		
Contact Form Name		
Email *		
Message *		
Send		

Google+ Followers

Bhanu Prakash Reddy



115 have me in circles

Total Pageviews

703147

Buy Micromax 32TSD6150FHD 81 cm (32) Full HD (FHD) LED Television with ... from Snapdeal

Simple template. Template images by fpm. Powered by Blogger.