Training and Placement papers

If you like the blog, Please click on recommend us on google button below

G+1 +77 Recommend this on Google

Are you looking for practice tests? then click Here

Home IT Companies Papers AMCAT Elitmus CoCubes Quantitative Aptitude Material Logical Reasoning C Programming Material Test

Popular Posts

AMCAT QUESTIONS

English Passage 2015 & 2016 Batch Freshers Registration Link This sue-for-anything philosophy was created in the 1960s, when jud...

AMCAT Quantitative Ability Previous Question Papers with solutions-1

AMCAT Quantitative Ability Previous Papers-1 1) The probability of getting at least one tail in 5 throws of a coin is? a)1/32

AMCAT (Aspiring Minds questions with solutions)-1

AMCAT (Aspiring Minds questions with solutions) 2015 & 2016 Batch Freshers Registration Link JOIN MY FACEBOOK GROUP FOR UPDATES ...

AMCAT Automata (Campus) Questions

2015 & 2016 Batch Freshers Registration Link 1) There is a colony of 8 cells arranged in a straight line where each day every

amcat questions -- all modules

2015 & 2016 Batch Freshers Registration Link Read the sentence to find out whether there is any grammatical error in it. The

AMCAT (Aspiring Minds) previous questions with solutions -1

AMCAT (Aspiring Minds) previous questions with solutions-1 2015 & 2016 Batch Freshers Registration Link JOIN MY FACEBOOK GROUP FOR

AMCAT (Aspiring Minds) previous questions with solutions-5

AMCAT (Aspiring Minds) previous questions with solutions-5 2015 & 2016 Batch Freshers Registration Link JOIN MY FACEBOOK GROUP FO...

Monday, August 17, 2015

AMCAT Quantitative Ability Previous Papers-8

2015 & 2016 Batch Freshers Registration Link

JOIN MY FACEBOOK GROUP FOR UPDATES

71. Find the remainder when 2^{21} is divided by 6.

A. 0 B. 1 c. 2 D. 3

72. Which of the following numbers is the smallest number?

A. 1/12 B. 1/6 C. ½ D. 1/3

Ans: (A)

73. A phone company offers 5 phone plan options: call waiting, call forwarding, voice mail, conferencing, and caller ID. A customer can choose 3 options. The number of ways one can avail the plan options is:

Sta

ΙEn

Lab

JC

Τe

re

fre

C

re

Pag

Blo

1/4

A. 5 B. 10 C. 3 D. 20

Solution:

5c3 =10 is correct answer

74. If $\log_{32} x + \log_{32} (1/8) = 1/5$, then the value of x is equal to:

A. 8 B. 5 C. 16 D. 32

Solution:

 $\log_b x + \log_b y = \log_b xy$

http://trainingandplacement1.blogspot.in/2015/08/amcat-quantitative-ability-previous_52.html

Training and Placement papers: AMCAT Quantitative Ability Previous Papers-8

Cocubes Quantitative
Aptitude Questions-1
Quantitative Aptitude For
Competitive
Examinations (English)
7th Edition 1. The cost price of 10

7th Edition 1. The cost price of 10 articles is equal to the selling price o...

AMCAT (Aspiring Minds) previous questions with solutions-4

AMCAT (Aspiring Minds) previous questions with solutions-4 2015 & 2016 Batch Freshers Registration Link JOIN MY FACEBOOK GROUP F...

so $\log_{32} x + \log_{32} (1/8) = 1/5$
$\log_{32} x(1/8) = 1/5$
$x/8 = 32^{1/5}$ x/8 = 2
x= 16

75. Length and breadth of a rectangle are directly proportional. If length increases from 6 cm to 21 cm and if breadth now is 14 cm, then what was the breadth before any change in length occurred?

A. 4 cm B. 1.5 cm C. 2 cm

D. 3 cm

Solution:

since they are directly proportional

6/21=x/14

x=(14*6)/21=4

breadth=4cm..

76. At an election there are 5 candidates among which 3 members are to be elected and a voter may vote for any number of candidates not greater than the number to be elected. Then the number of ways in which a voter may vote are ?

A.

25

B.

30

32

C.

D.

None of the above

Solution:

77. One card is drawn from a pack of 52 cards, each of the 52 cards being equally likely to be drawn. Find the probability that the card drawn is '9' of hearts.

A. 1/13

B. 1/26

C. 1/52

D.

3/52

Solution:

78. If $2^{x} * 3^{y} = 18$ and $2^{2x} * 3^{y} = 36$, the value of x is:

Α.

1

2

C.

D.

E. None of

the above

Solution:

second equation can be written as,

 $2^x^2^x^3^y=36$. substituting the first equation value,

B.

2^x*18=36.

2^x=2^1;

 $a^m=a^n$, then m=n, so we get x=1

79. An unbiased coin is tossed 5 times. If tail appears on first 4 tosses, then probability of tail appearing on the fifth toss is: A. $\frac{1}{2}$ B.


1 C. 0 D. 4/5

Solution: (A) Appearing tail on fifth toss is independent of first 4 tosses.

80. In a single throw of dice, what is the probability to get a number greater than or equal to 4?


A. 1/3

B. 2/3



Google+ Followers

Bhanu Prakash Reddy



115 have me in circles

Total Pageviews

703058

Buy Micromax 32TSD6150FHD 81 cm (32) Full HD (FHD) LED Television with ... from Snapdeal

Simple template. Template images by fpm. Powered by Blogger.