

# Outline

## 1 Reintroducing Hypermedia

- 1.1 So, What Is Hypermedia?
- 1.2 Why Use Hypermedia?
- 1.3 REST
- 1.4 When Should You Use Hypermedia?
- 1.5 When Shouldn't You Use Hypermedia?
- 1.6 Summary

## 2 A Simple Web Application

- 2.1 A Simple Contact Management Web Application
- 2.2 A Brief Introduction to Flask & Our First Route
- 2.3 Contact.App Functionality
- 2.4 Summary

## 3 Extending HTML As Hypermedia

- 3.1 The Shortcomings of "Plain" HTML
- 3.2 Extending HTML as a Hypermedia with htmx
- 3.3 Triggering HTTP Requests
- 3.4 Targeting Other Elements
- 3.5 Swap Styles
- 3.6 Using Other Events
- 3.7 Passing Request Parameters
- 3.8 History Support
- 3.9 Summary

## 4 Putting Hypermedia Into Action

- 4.1 Installing htmx
- 4.2 Adding AJAX Navigation

### 4.3 Deleting Contacts

### 4.4 Next Steps: Validating Emails

### 4.5 Another Improvement: Paging

### 4.6 Summary

## 5 Advanced Hypermedia Patterns

### 5.1 Active Search

### 5.2 Lazy Loading

### 5.3 Inline Delete

### 5.3 Bulk Delete

### 5.4 Summary

## 6 Hyperview: A Mobile Hypermedia

### 6.1 State of Mobile App Development

### 6.2 Hypermedia for Mobile Apps

### 6.3 Introduction to HXML

### 6.4 Summary

## 7 Building a Contacts App with Hyperview

### 7.1 Creating a mobile app

### 7.2 A Searchable List of Contacts

### 7.3 Editing a Contact

### 7.4 Deleting a Contact

### 7.5 Adding a New Contact

### 7.6 One Backend, Multiple Hypermedia formats

### 7.7 Summary

## 8 Extending The Hyperview Client

### 8.1 Adding Phone Calls and Email

### 8.2 Adding Toast Messages

---

### 8.3 Swipe gesture on Contacts

### 8.4 Conclusion

## 9 Client Side Scripting

### 9.1 Scripting in Hypermedia-Driven Applications

### 9.2 Scripting languages for the Web

### 9.3 Using off-the-shelf components

### 9.4 Events and the DOM

### 9.5 Adding a Keyboard Shortcut for Focusing the Search Input With VanillaJS

### 9.6 Adding Support for Re-Ordering Contacts (No Scripting Needed!)

### 9.7 Adding Support for a Drop-Down with AlpineJS

### 9.8 Adding a Nicier Confirmation for Deleting Contacts With `_hyperscript`

### 9.9 Being Pragmatic

### 9.10 Summary

## 10 Data APIs & Hypermedia Driven Applications

### 10.1 Data APIs

### 10.2 Hypermedia APIs & Data APIs

### 10.3 Adding a JSON Data API To Contact.app

### 10.4 Summary

## 11 Creating A Dynamic Download UI

### 11.1 A Dynamic Archive UI

### 11.2 Polling

### 11.3 Smoothing Things Out: More On The htmx Swap Model

### 11.4 Dismissing The Download UI

### 11.5 Auto-Download

### 11.6 Summary

## 12 Developing With htmx

- a. 12.1 Getting Deeper Into htmx
- b. 12.2 htmx Attributes
- c. 12.3 Events
- d. 12.4 HTTP Requests & Responses
- e. 12.5 Updating Other Content
- f. 12.6 Debugging
- g. 12.7 Security Considerations
- h. 12.8 Configuring
- i. 12.9 Summary

## 13 Other Hypermedia-Oriented Technologies

### 13.1 Unpoly

### 13.2 Hotwire

### 13.3 jQuery

### 13.4 VanillaJS

### 13.5 Summary

## 14 Hypermedia: The New/Old Way

### 14.1 Hypermedia Reconsidered

### 14.3 Pausing, And Reflecting

## Appendix 1: A Review of Chapter 5 of Roy Fielding's Dissertation On The Web

---