

Advanced data networking — acronyms

10baseT	10 Mbit/s Ethernet over twisted pair cable	BGP	border gateway protocol
100baseT	100 Mbit/s Ethernet over twisted pair cable	BIB	British Interactive Broadcasting
AAL	ATM adaptation layer	B-ICI	Broadband Inter-Carrier Interface
ABR	area border router	B-ISDN	broadband ISDN
ACE	automatic crossconnect equipment	B-ISUP	broadband ISDN users part
ADM	add/drop multiplexer	BMA	broadcast multiple-access
ADSL	asymmetric digital subscriber line	BRI	basic rate interface
AESA	ATM end system address	BTL	BT Laboratories
AH	authenticating header	BUS	broadcast unknown server
ALG	application layer gateway	CAA	Civil Aviation Authority
ANSI	American National Standards Institute	CAC	connection admission control
API	application programming interface	CBDS	Connectionless Broadband Data Service
AR	access rate	CBR	constant bit rate
ARP	address resolution protocol	CD-ROM	compact disc read only memory
AS	autonomous system	CDV	cell delay variation
ASBR	autonomous system border router	CHAP	challenge handshake authentication protocol
ASTC	advanced services technical centre	CIDR	classless inter-domain routing
ATM	asynchronous transfer mode	CIR	committed information rate
ATMF	ATM Forum	CLI	calling line identity
AU	administrative unit	CLNP	connectionless network protocol
BAP	bandwidth allocation protocol	CLNS	connectionless network service
Bc	committed burst size	CLP	cell loss priority
BCD	binary coded decimal	CLS	connectionless server
BDC	back-up domain controller	CMIP	common management information protocol
BECN	backward explicit congestion notification	CNM	customer network management

CORBA	Common Object Request Broker Architecture	DXI	data exchange interface
CoS	class of service	ECC	embedded communications channel
CPCS	common part convergence sub-layer	EFCI	explicit forward congestion notification
CPE	customer premises equipment	ELAN	Ethernet LAN
CPU	central processing unit	EM	element manager
CRC	cyclic redundancy check	ENA	equipment network access
CSC	customer service centre	EPD	early packet discard
CSMA/CD	carrier sense multiple access with collision detection	ESIG	European SMDS Interest Group
CUG	closed user group	ESIS	end system to intermediate system.
DAVIC	Digital Audio-Visual Council	ESP	encapsulating security payload
DCC	data country code	ETSI	European Telecommunications Standards Institute
DCCm	data communications channel multiplexer	FBS	flexible bandwidth service
DCCr	data communications channel regenerator	FCS	frame check sequence
DCN	data communications network	FDDI	fibre distributed data interface
DDF	digital distribution frame	FECN	forward explicit congestion notification
DDSN	digital derived services network	FM	frequency modulation
DE	discard eligibility	FR	Frame Relay
DLE	digital local exchange	FRF	Frame Relay Forum
DLCI	data link connection identifier	FTP	file transfer protocol
DMSU	digital main switching unit	FUNI	framed-UNI
DPCN	digital private circuit network	GFC	generic flow control
DSA	digital signature algorithm	GFR	guaranteed frame rate
DSM-CC	digital storage media — command and control	GNE	gateway network element
DVB	digital video broadcasting	GoS	grade of service
DVMRP	distance vector multicast routeing protocol	GPS	global positioning system
DXC	digital crossconnect	GSTN	general switched telephone network
		GUI	graphical user interface
		HDLC	high-level data link control

HEC	header error check	L2F	layer 2 forwarding
HSSI	high-speed serial interface	L2TP	level 2 tunnelling protocol
HTML	hypertext mark-up language	LAN	local area network
HTTP	hypertext transfer protocol	LANE	LAN emulation
IANA	Internet Assigned Numbers Authority	LAPB	link access protocol B
ICD	international code designator	LCC	line card control
ICMP	Internet control management protocol	LCP	link control protocol
IDL	interface definition language	LEC	LAN emulation client
IEEE	Institute of Electrical and Electronic Engineers	LIJ	leaf initiated join
IETF	Internet Engineering Task Force	LIS	logical IP subnet
IGI	Inmarsat geostationary overlay	LLC	logical link control
IGRP	interior gateway routing protocol	LMI	local management interface
IOP	Internet inter-orb protocol	LNNI	LAN emulation network/network interface
IISP	interim interswitch signalling protocol	LSA	link state advertisement
IKMP	Internet key management protocol	LSR	label switch router
IMS	interactive multimedia services	LUNI	LAN emulation user/network interface
IP	Internet protocol	MAC	media access control
IPLC	international private leased circuit	MAC	message authentication code
IPX	Internet packet exchange	MAN	metropolitan area network
I-SDH	initial synchronous digital hierarchy	MAU	media access unit
ISDN	integrated services digital network	MBS	maximum burst size
ISIS	intermediate system to intermediate system	MCIS	Microsoft Commercial Internet Service
ISO	International Standards Organisation	MIB	management information base
ISP	Internet service provider	MMP	(Cisco's) Multichassis Multilink PPP
ISSLOW	integrated services over slow serial links	MNS	managed network services
ITU-T	International Telecommunications Union - Telecommunications	M-OSPF	multicast extensions to OSPF
		MP	multilink point-to-point protocol
184	IWF	MPC	multi-protocol client

MPEG	Moving Pictures Expert Group	NRE	National Reference Exchange
MPLS	multi-protocol label switching	NSAP	network (layer) service access point
MPOA	multi-protocol over ATM	NSS	network synchronisation subsystem
MPOL	multi-protocol over LANs	NTE	network terminating equipment
MPS	MPOA server	NTP	network terminating point
MRTIE	maximum relative time interval error	OAM	operations, administration and maintenance
MSP	message security protocol	OAMT	operations and maintenance terminal
MSP	multiservice platform	OLTS	optical line transmission system
MTIE	maximum time interval error	ONP	open network provision
NACC	network administration computer centre	ORB	object request broker
NAT	network address translator	OS	operational system
NBMA	non-broadcast multi-access	OSI	open systems interconnection
NC	network computer(computing)	OSPF	open shortest path first
NCP	network control protocol	OSS	operational support systems
ND	neighbour discovery	PAP	password authentication protocol
NDS	NetWare Directory Services	PC	personal computer
NE	network element	PCM	pulse code modulation (modulated)
NHRP	next hop resolution protocol	PCR	peak cell rate
NIC	network interface card	PDC	primary domain controller
NIU	network interface unit	PDH	plesiochronous digital hierarchy
NIW	network interworking	PDU	protocol data unit
NLPID	network layer protocol identifier	PIM	protocol-independent multicast
NMC	network management centre	PLC	private leased circuit
NMF	Network Management Forum	PLP	packet layer protocol
NML	network management layer	PM	process monitoring
NNI	network/network interface, or network/node interface	PMD	physical medium dependent
NOU	network operations unit	PNNI	private network/network interface
NPL	National Physics Laboratory	PNO	public network operator

PoP	point of presence	SCS	service consumer system
POTS	plain old telephony service	SCX	synchronous crossconnect
PPP	point-to-point protocol	SDH	synchronous digital hierarchy
PPTP	point-to-point tunnelling protocol	SDU	service data unit
PRC	primary reference clock	SEC	SDH equipment clock
PRI	primary rate interface	SET	secure electronic transactions
PSA	proxy signalling agent	SIP	SMDS interface protocol
PSTN	public switched telephone network	SIW	service interworking
PT	payload type	SLA	service level agreement
PT	protocol translator	SLR	synchronous line repeater
PVC	permanent virtual circuit (connection)	SLT	synchronous line terminal
PVP	permanent virtual path	SM	session manager
PVPC	permanent virtual path connection	SMA	synchronous multiplexer add/drop
RADIUS	Remote Authentication Dial In User Service	SMDS	switched multi-megabit data service
RAM	random access memory	SNA	systems network architecture
RCU	remote concentrator unit	SNAP	sub-network access protocol
RED	random early detection	SNI	SMDS network interface
RFC	request for comment	SNMP	simple network management protocol
RIP	routeing information protocol	SONET	synchronous optical network
RPC	remote procedure call	SPF	shortest path first
RPF	reverse path forwarding	SPVC	soft-PVC
RSVP	resource reservation protocol	SPVP	soft-PVP
RTCP	real-time control protocol	SSB	supplemental services business
QoS	quality of service	SSCS	service specific convergence sub-layer
SAP	service advertisement protocol	SSL	secure sockets layer
SAR	segmentation and re-assembly	SSU	synchronisation supply unit
SB	systems business	STB	set-top box
186 SCR	sustained cell rate	STM	synchronous transfer mode (module)
		STP	shielded twisted pair

STU	set-top unit	U-N	user-network
SVC	switched virtual circuit	UNI	user/network interface
SVP	switched virtual path	USNO	US Naval Observatory
SXC	synchronous crossconnect	UTC	universal co-ordinated time
SYS	systems stream	UTP	unshielded twisted pair
TACACS	Terminal Access Controller Access Control System	U-U	user-user
TCP	transmission control protocol	VBR	variable bit rate
TCP/IP	transmission control protocol/Internet protocol	VC	virtual channel (container)
TDEV	time deviation	VCC	virtual circuit connection
TDM	time division multiplexing	VCI	virtual circuit identifier
TINA-C	Telecommunications Information Network Architecture Consortium	VLAN	virtual LAN
TM	transmission and multiplexing	VoD	video-on-demand
TMN	Telecommunications Management Network	VP	virtual path
TRS	transmission repeater station	VPI	virtual path identifier
TS	transport stream	WAN	wide area network
TU	tributary unit	WDM	wavelength division multiplexing
TVAR	time variance	WFQ	weighted fair queuing
UBR	unspecified/unassigned bit rate	WINS	Windows Internet Naming Service
UDP	user datagram protocol	WRED	weighted RED
		WWW	World Wide Web