

Access network technologies — acronyms

ABC	activity based costing	CPE	customer premises equipment
ACE	automatic crossconnect equipment	CRU	customer radio unit
ADC	analogue-to-digital converter	CSA	customer service advisor
ADM	add/drop multiplexer	CWC	Cable and Wireless Communications
ADPCM	adaptive differential PCM	CWSS	copper wideband serving section
ADSL	asymmetric digital subscriber line	DACS	digital access carrier system
AI	artificial intelligence	DAVIC	Digital Audio-Visual Council
ALC	analogue line card	DDI	direct dialling in
AM	amplitude modulation	DECT	digital enhanced cordless telecommunications
AM-VSB	amplitude modulated vestigial sideband	DEL	direct exchange line
ANSI	American National Standards Institute	DFB	distributed feedback
AoD	analogue-over-digital	DLA	distribution launch amplifier
API	application programming interface	DLC	digital line card
ATM	asynchronous transfer mode	DLE	digital local exchange
ATU-R	ADSL termination unit — remote	DLS	digital line system
BB	broadband	DMT	discrete multi-tone
BECS	Budgetary Estimate Calculation System	DMSU	digital main switching unit
BR	basic rate	DOCSIS	Data Over Cable System Interface Specification
BRAN	broadband radio access network	DP	distribution point
BRI	basic rate ISDN	DPCN	digital private circuit network
CAP	carrierless amplitude/phase modulation	DSL	digital subscriber line
CATV	cable TV	DSLAM	digital subscriber line access multiplexer
CDDI	copper distributed data interface	DTI	Department of Trade and Industry
CFL	card failure limit (= equipment hours in service/MTBF in years × 8760)	DTTV	digital terrestrial television
CLIP	calling line identification presentation	DVB	digital video broadcasting
CLIR	calling line identification restriction	DVB	(European) Digital Video Broadcasting
CNR	carrier-to-noise ratio	DVCR	digital video cassette recorder
COCA	communication object-oriented component architecture	DVD	digital video disk

ACCESS NETWORK TECHNOLOGIES

DWSS	digital wideband serving section	FTTx	generic term for fibre access
E1	European primary rate (2.048 Mbit/s)	GenOSys	genetic optimisation system
EIA	Electronic Industries Association	GEO	geostationary Earth orbit
EDFA	erbium-doped fibre amplifier	GIS	geographical information system
EMC	electro-magnetic compatibility	GMPCS	global mobile personal communications system
ENA	equipment network access	GRP	glass reinforced plastic
ERP	effective radiated power	GSM	global system for mobile communication
ETSI	European Telecommunications Standards Institute	GUI	graphical user interface
EU	exchange unit	HAN	home access network
FAC	financial approval case	HAP	high-altitude platform
FBS	flexible bandwidth service	HDSL	high bit rate digital subscriber line
FDD	frequency division duplexing	HDSL2	enhanced HDSL (North America)
FDM	frequency division multiplexing	HFC	hybrid fibre/co-axial (cable)
FDMA	frequency division multiple access	HHT	hand-held terminal
FEC	forward error protection coding/correction	HLN	home local network
FEXT	far-end crosstalk	HPF	high pass filter
FIT	failure in time (1 FIT = 1 failure in 10^9 equipment hours) FITS = 10^9 hours/MTBF in years $\times$ 8760	HRN	hazard rating number
FITT	forward intermediate/terminating trunk	IDACS	investment decision and control system
FM	frequency modulation	IEEE	Institute of Electrical and Electronic Engineers
FMC	fixed/mobile convergence	IFC	installed first costs
FP	Fabry-Perot	IMS	interactive multimedia services
FR	frame relay	IP	Internet protocol
FRU	field replaceable unit	ISDN	integrated services digital network
FSAN	Full Service Access Network initiative	ISDN2	basic rate integrated services digital network
FTP	foil twisted pair, <i>or</i> file transfer protocol	ISDN-BA, <i>or</i> ISDN-BRA	integrated services digital network, basic-rate access
FTTB	fibre to the building	ISI	inter-symbol interference
FTTC/FTTCab	fibre to the cabinet	ISM	in-service monitoring
FTTE/FTTExch	fibre to the exchange	ISP	Internet service provider
FTTH	fibre to the home	IP	Internet protocol
198 FTTK/FTTKerb	fibre to the kerb	ITU	International Telecommunication Union

ITT	invitation to tender	OFDM	orthogonal frequency division multiplexing
JV	Joint Venture	OLT	optical line termination
LAN	local area network	OMT	object modelling technology
LC	line card	ONU	optical network unit
LEO	low-Earth orbit	PAL	phase alternation line
LLFN	London Local Fibre Network	PBX	private branch exchange
LMDS	local multipoint distribution system	PC	personal computer
LPF	low pass filter	PCM	pulse code modulation
LT	line termination	PCN	personal communications network
LTE	line terminating equipment	PCP	primary cross-connection point
MAC	media access control	PDH	plesiochronous digital hierarchy
MAN	metropolitan area network	PLOAM	physical layer operations, administration and maintenance
MCNS	Multimedia Cable Network System	POF	plastic optical fibre
MDF	main distribution frame	PON	passive optical network
MEO	medium-Earth orbit	PoP	point of presence
MNC	multinational/corporate (business)	POTS	plain ordinary telephone service
MPEG	moving pictures expert group	PPP	point-to-point protocol
MQW	multiple quantum-well	PRI	primary rate ISDN
MSN	message sequence number	PSD	power spectral density
MTBF	mean time between failures	PSTN	public switched telephone network
MTTR	mean time to repair	PVC	polyvinyl chloride, or permanent virtual circuit
MVDS	microwave video distribution system	QAM	quadrature amplitude modulation
NB	narrowband	QoS	quality of service
NIC	network interface card	QPSK	quadrature phase shift keying
NEXT	near-end crosstalk	RAD	rapid application development
NT	network termination	RBB	residential broadband
NTE	network terminating equipment	RBOC	Regional Bell Operating Company
NTP	network terminating point	RC	bell capacitor and line termination
NTU	network terminating unit	RCA	recurring current account
N-UNI	narrowband user/network interface	RCU	remote concentrator unit
NVOD	near VOD	RENACE	remote ENA and ACE control equipment
OAM	operations, administration and maintenance		
OAN	optical network access		

ACCESS NETWORK TECHNOLOGIES

RF	radio frequency	TIA	Telecommunications Industries Association
RFI	radio frequency interference	TMN	Telecommunications Management Network
RIN	relative intensity noise	TNS	transmission network surveillance
RU	remote unit	TP	twisted pair
SASA	splitter array sub-assembly	TPON	telecommunications over passive optical network
SD	shallow defective	TV	television
SDH	synchronous digital hierarchy	UDP	user datagram protocol
SLA	service level agreement	U/G	underground
SLB	single line business	UMTS	Universal Mobile Telecommunications System
SME	small-to-medium enterprise	UNI	user/network interface
SNR	signal-to-noise ratio	USB	universal serial bus
SOHO	small office/home office	UTP	unscreened twisted pair
SOSA	splice-only sub-assembly	VAP	VDSL access point
SMDS	Switched Multi-megabit Data Service	VDSL	very high-rate DSL
SP	service provider	VOD	video-on-demand
STB	set-top box	VSAT	very small aperture terminal
STP	screened twisted pair	WAN	wide area network
T1	North American primary rate (1.544 Mbit/s)	WDM	wavelength division multiplexing
TCP	transmission control protocol	WLL	wireless local loop
TDD	time division duplexing	xDSL	generic term for digital subscriber line
TDM	time division multiplexing	YAG	yttrium aluminium garnet
TDMA	time division multiple access		
TEM	TPON element manager		