RWorksheet_Delatina#3A.Rmd

Angel

2024-10-01

```
#1A
first_11_letters <- LETTERS[1:11]</pre>
first_11_letters
## [1] "A" "B" "C" "D" "E" "F" "G" "H" "I" "J" "K"
#1B
odd_letters <- LETTERS [seq(1,26, by=2)]
odd_letters
## [1] "A" "C" "E" "G" "I" "K" "M" "O" "Q" "S" "U" "W" "Y"
#1C
vowels <- LETTERS[c(1,5,9,15,21)]</pre>
## [1] "A" "E" "I" "O" "U"
#1D
last_5_letter <- letters [22:26]</pre>
last_5_letter
## [1] "v" "w" "x" "y" "z"
\#1E
letter_15_to_24 <- letters[15:24]</pre>
letter_15_to_24
## [1] "o" "p" "q" "r" "s" "t" "u" "v" "w" "x"
\#2A
```

```
city <- c("Tuguegarao City", "Manila", "Iloilo City", "Tacloban", "Samal Island", "Davao City")
city
## [1] "Tuguegarao City" "Manila"
                                           "Iloilo City"
                                                             "Tacloban"
## [5] "Samal Island" "Davao City"
\#2B
temp \leftarrow c(42, 39, 34, 34, 30, 27)
temp
## [1] 42 39 34 34 30 27
#2C
weather_data <- data.frame(City = city, Temperature = temp)</pre>
weather_data
                City Temperature
## 1 Tuguegarao City
## 2
             Manila
                              39
## 3
                             34
       Iloilo City
## 4
         Tacloban
                             34
## 5
      Samal Island
                             30
## 6
        Davao City
                             27
#2D
names(weather_data) <- c("City", "Temperature")</pre>
weather_data
               City Temperature
##
## 1 Tuguegarao City
                              42
## 2
             Manila
                              39
## 3
        Iloilo City
                              34
## 4
                              34
           Tacloban
## 5
      Samal Island
                              30
## 6
        Davao City
                             27
\#2E
str(weather_data)
## 'data.frame':
                   6 obs. of 2 variables:
## $ City
            : chr "Tuguegarao City" "Manila" "Iloilo City" "Tacloban" ...
## $ Temperature: num 42 39 34 34 30 27
#2F
```

```
weather_data[3:4, ]
##
           City Temperature
## 3 Iloilo City
## 4
       Tacloban
                         34
#2G
highest_temp_city <- weather_data[which.max(weather_data$Temperature), "City"]</pre>
lowest_temp_city <- weather_data[which.min(weather_data$Temperature), "City"]</pre>
highest_temp_city
## [1] "Tuguegarao City"
lowest_temp_city
## [1] "Davao City"
Α
matrix_data <- matrix(c(1:8, 11:14), nrow = 3, ncol = 4)</pre>
matrix_data
        [,1] [,2] [,3] [,4]
##
## [1,]
## [2,]
        2 5
                    8
                        13
## [3,]
        3 6 11
                        14
В
matrix_times_2 <- matrix_data * 2</pre>
matrix_times_2
        [,1] [,2] [,3] [,4]
##
## [1,]
        2 8 14
## [2,]
        4 10 16
                        26
## [3,]
        6 12
                   22
                        28
\mathbf{C}
matrix_data[2, ]
## [1] 2 5 8 13
D
```

```
matrix_data[1:2, 3:4]
       [,1] [,2]
##
## [1,] 7
            12
## [2,] 8
             13
Ε
matrix_data[3, 2:3]
## [1] 6 11
F
matrix_data[, 4]
## [1] 12 13 14
G
rownames(matrix_data) <- c("isa", "dalawa", "tatlo")</pre>
colnames(matrix_data) <- c("uno", "dos", "tres", "quatro")</pre>
matrix_data
##
         uno dos tres quatro
## isa
        1 4
                  7
## dalawa 2 5
                         13
                 8
## tatlo 3 6 11
                         14
Η
dim(matrix_data)<- c (6,2)</pre>
matrix_data
##
       [,1] [,2]
## [1,]
       1
             7
## [2,]
        2
             8
## [3,]
        3 11
## [4,]
        4
             12
        5 13
## [5,]
## [6,]
        6 14
#3A
array_values <- c (1, 2, 3, 6, 7, 8, 9, 0, 3, 4, 5, 1)
array_data <- array(rep(array_values, 2), dim = c(2, 4, 3))</pre>
array_data
```

```
## , , 1
##
    [,1] [,2] [,3] [,4]
## [1,] 1 3 7 9
## [2,] 2 6 8
##
## , , 2
##
## [,1] [,2] [,3] [,4]
## [1,] 3 5 1
## [2,]
       4 1 2
##
## , , 3
##
##
     [,1] [,2] [,3] [,4]
## [1,]
       7 9 3 5
## [2,] 8 0 4 1
#3B
dim(array_data)
## [1] 2 4 3
#3C
dimnames(array_data) <- list(c("a", "b"), c("A", "B", "C", "D"), c("1st-Dimensional Array", "2nd-Dimens</pre>
array_data
## , , 1st-Dimensional Array
##
## A B C D
## a 1 3 7 9
## b 2 6 8 0
##
\mbox{\tt \#\#} , , 2nd-Dimensional Array
##
## A B C D
## a 3 5 1 3
## b 4 1 2 6
## , , 3rd-Dimensional Array
##
## A B C D
## a 7 9 3 5
## b 8 0 4 1
```