



Analysis date (UTC): 20 June 2026, 15:27	VM's OS: Windows 10 Professional (build: 19044, 64 bit)
---	--

Analysis result

Threat level:

Malicious activity

Tags:

auto

generic

metasploit

framework

evasion

python

github

phorpiex

botnet

phishing

massbass

ipfs

powershell

stealer

remus

glamour

rat

rustystealer

possible-phishing

loader

purehvc

quasar

stealc

valley

action1rmm

screenconnect

tool

rmm-tool

remote

clickfix

tinynuke

havoc

cobaltstrike

santastealer

lumma

guloader

koiloader

njrat

meterpreter

telegram

bruteratel

donutloader

datto

pastebin

stealerium

purelogs

cryptowall

ransomware

networm

amus

redline

adware

websocket

discord

wannacry

remcos

amadey

pythonstealer

putty

pyinstaller

qrcode

whitesnakestealer

bladabindi

gh0st

asynrat

autoit

vidar

pushware

ghostsocks

proxyware

dattormm

neshta

Full analysis:

<https://app.any.run/tasks/96c8ddff-af63-425d-9276-1b00f3104398>

Submitted object

Main analyzed object:

hgf.zip

MIME:

application/zip

File info:

Zip archive data, at least v2.0 to extract, compression method=deflate

MD5:

B897899EBA465CB228F23373E95D6F04

SHA1:

3DD667C2FE15A1F0A96DEE46C7EA8AF109145237

SHA256:

1CFA0BE60378BA94C6753D535B15FB6FD34944C9D3F0F12A1E60097D588D566C

AI Summary

Analytical classification

• Threat level:

Malicious activity

• Main analyzed object:

hgf.zip (opened from an email; archive opened by the user; contained content was launched manually)

• Description:

Multi-stage malware with credential theft, persistence, and evasion capabilities

• Tags & interpretation:

• phorpiex:

Phorpiex malware family signal.

• botnet:

Botnet-related infrastructure or coordinated malware distribution signal.

• stealer:

Information-stealing behavior, commonly browser credential/cookie theft.

• rat:

Remote access tool functionality or family signal.

• loader:

Loader or staged-payload delivery capability signal.

• stealc:

Stealc credential-stealer family signal.

• vidar:

Vidar stealer family signal.

• evasion:

Environment/sandbox checks consistent with evasion gating were observed.

• python:

Python-related files/libraries were present (Python-based tooling or payload).

• massbass:

MassBass campaign or malware family signal.

• ipfs:

Use of IPFS (distributed storage/content delivery) was observed.

• powershell:

PowerShell delivered or invoked via HTTP with suspicious parameters was observed.

Executive summary

The hgf.zip archive contained a multi-stage malware chain that executed a Python-based loader, established persistence via scheduled tasks, and performed credential theft using PowerShell and VBScript. The malware also attempted to evade detection by modifying system settings and using obfuscation techniques.

Execution flow

1. [User-driven]

The user opened the hgf.zip archive, which contained an executable file named virusvippro.exe.

2. [Preparatory]

The virusvippro.exe file was executed, dropped Python modules, and created a scheduled task to run on user logon.

3. [Autonomous]

The malware used PowerShell and VBScript to perform credential theft, modify system settings, and evade detection. It also attempted to download additional payloads from external URLs.

Behavioral analysis

• Loader / Staging:

The virusvippro.exe file acted as a loader, dropping Python modules and establishing persistence via scheduled tasks.

• Execution & Pivots (LOLBins / interpreters):

PowerShell and VBScript were used to execute malicious commands, bypass execution policies, and perform credential theft.

• Persistence (if observed):

A scheduled task was created to run the malware on user logon.

• Discovery / Collection (if observed):

The malware performed credential theft using PowerShell and VBScript.

• Network / C2 or Exfiltration (if observed):

The malware attempted to download additional payloads from external URLs.

• Errors / Crashes (if observed):

Not observed.

Conclusion

The hgf.zip archive contained a multi-stage malware chain with credential theft, persistence, and evasion capabilities. The malware used PowerShell and VBScript to perform malicious activities and attempted to download additional payloads from external URLs.

AI Recommendations

Auto-generated from sandbox analysis data. Always validate before use. The final decision is yours.

Phase 1. Detect	1.1. URL Analysis (D3-UA) COVERS: T1204.001, T1566.002 WHY: URL Analysis can surface the observed behavior because the case touches URL. ACTIONS: ☐ Create mail-gateway / proxy blocks for the case-specific hosts 178.16.54.109 , serasoo.direct.quickconnect.to , ny.lshdw.cc , furysta ff.tech , and quarantine messages or click-through traffic only when they reference the same lure, attachment hash, or redirect pattern. ☐ Create a detection for Outlook/Acrobat launching a browser to the exact case-specific target(s) http: //178.16.54.109/twizt.exe http://178.16.54.109/newtpp.exe http://178.16.54.109/64.exe ; avoid globally denying the entire shared host. ☐ Proxy / SIEM rule: alert on HTTP POST or session-init requests to the observed URL path(s) http://178.16.54.109/twizt.exe http://178.16.54.109/newtpp.exe http://178.16.54.109/64.exe and correlate them with the same process chain. LOG SOURCES: EDR telemetry, Windows Event Logs
Phase 2. Isolate	
Phase 3. Evict	
Phase 4. Restore	
Phase 5. Harden	
Phase 6. Model / Deceive	
Manual Recommendations for Unmapped ATT&CK	1.2. URL Reputation Analysis (D3-URA) COVERS: T1204.001, T1566.002 WHY: URL Reputation Analysis can surface the observed behavior because the case touches URL. ACTIONS: ☐ Create mail-gateway / proxy blocks for the case-specific hosts 178.16.54.109 , serasoo.direct.quickconnect.to , ny.lshdw.cc , furysta ff.tech , and quarantine messages or click-through traffic only when they reference the same lure, attachment hash, or redirect pattern. ☐ Create a detection for Outlook/Acrobat launching a browser to the exact case-specific target(s) http: //178.16.54.109/twizt.exe http://178.16.54.109/newtpp.exe http://178.16.54.109/64.exe ; avoid globally denying the entire shared host. ☐ Proxy / SIEM rule: alert on HTTP POST or session-init requests to the observed URL path(s) http://178.16.54.109/twizt.exe http://178.16.54.109/newtpp.exe http://178.16.54.109/64.exe and correlate them with the same process chain. LOG SOURCES: EDR telemetry, Windows Event Logs
Coverage Matrix	1.3. Homoglyph Detection (D3-HD) COVERS: T1204.001, T1566.002 WHY: Homoglyph Detection can surface the observed behavior because the case touches URL. ACTIONS: ☐ Create mail-gateway / proxy blocks for the case-specific hosts 178.16.54.109 , serasoo.direct.quickconnect.to , ny.lshdw.cc , furysta ff.tech , and quarantine messages or click-through traffic only when they reference the same lure, attachment hash, or redirect pattern. ☐ Create a detection for Outlook/Acrobat launching a browser to the exact case-specific target(s) http: //178.16.54.109/twizt.exe http://178.16.54.109/newtpp.exe http://178.16.54.109/64.exe ; avoid globally denying the entire shared host. ☐ Proxy / SIEM rule: alert on HTTP POST or session-init requests to the observed URL path(s) http://178.16.54.109/twizt.exe http://178.16.54.109/newtpp.exe http://178.16.54.109/64.exe and correlate them with the same process chain. LOG SOURCES: EDR telemetry, Windows Event Logs
Open Questions	1.4. Review non-whitelisted network destinations (manual) WHY: These destinations are not whitelisted, but they also do not carry a confirmed malicious reputation. Validate them in network and process telemetry before turning them into containment targets. ACTIONS: ☐ Review proxy, DNS, TLS, and parent-process telemetry for 64.89.160.17 , 91.92.240.109 , 5.252.155.72 and confirm whether the requests belong to the malicious chain or to background application traffic. ☐ Do not create a global block for these destinations while their reputation remains uncertain; escalate to containment only if follow-on evidence or threat intelligence confirms them as malicious. LOG SOURCES: Proxy logs, DNS logs, TLS telemetry, EDR process graph

- ACTIONS:

☐ Block and investigate traffic to the malicious destination(s) 196.251.107.104 , 62.60.226.159 , 103.226.124.232 when it is tied to the suspicious process chain from this case.

☐ Review whether downloads, callbacks, or credential submissions reached these destinations to refine containment scope.

LOG SOURCES: Proxy logs, DNS logs, TLS telemetry, EDR process graph

Action Checklist

Immediate

- ☐ Create mail-gateway / proxy blocks for the case-specific hosts 178.16.54.109 , serasoo.direct.quickconnect.to , ny.lshdw.cc , furystaff.tech , and quarantine messages or click-through traffic only when they reference the same lure, attachment hash, or redirect pattern.

☐ Create a detection for Outlook/Acrobat launching a browser to the exact case-specific target(s) http:
 - //178.16.54.109/twizt.exe
 - http://178.16.54.109/newtpp.exe
 - http://178.16.54.109/64.exe ; avoid globally denying the entire shared host.

☐ Proxy / SIEM rule:
 - alert on HTTP POST or session-init requests to the observed URL path(s) http://178.16.54.109/twizt.exe
 - http://178.16.54.109/newtpp.exe
 - http://178.16.54.109/64.exe and correlate them with the same process chain.

☐ Review proxy, DNS, TLS, and parent-process telemetry for 64.89.160.17 , 91.92.240.109 , 5.252.155.72 and confirm whether the requests belong to the malicious chain or to background application traffic.

☐ Do not create a global block for these destinations while their reputation remains uncertain; escalate to containment only if follow-on evidence or threat intelligence confirms them as malicious.

☐ Block and investigate traffic to the malicious destination(s) 196.251.107.104 , 62.60.226.159 , 103.226.124.232 when it is tied to the suspicious process chain from this case.

☐ Review whether downloads, callbacks, or credential submissions reached these destinations to refine containment scope.

☐ Add detection for obfuscation and decoding patterns because the case includes encoded or transformed content without a strong direct D3FEND mapping.

☐ Manual detection and response logic is required for T1027.010 because no strong D3FEND mapping was produced.

☐ Manual detection and response logic is required for T1135 because no strong D3FEND mapping was produced.
- Post-containment
- ☐ Quarantine or delete the observed malicious or manipulated artifacts after forensic collection:
 - hgf.zip
 - C:\ProgramData\ + 'Vy.ps1
 - C:\ProgramData\ + 'NgOVP.ps1
 - c:\programdata\vy.ps1
 - c:\programdata\windows nt\windows 任务的主机进程.exe
 - c:\programdata\fysxgtjxi.vbs
 - C:\Users\admin\AppData\Local\Temp__PSScriptPolicyTest_zqef2aez.aol.ps1
 - C:\Users\admin\AppData\Local\Temp__PSScriptPolicyTest_zebv24y2.q55.ps1
 - C:\Users\admin\AppData\Local\Temp__PSScriptPolicyTest_xqpnv2yu.hcu.ps1
 - C:\Users\admin\AppData\Local\Temp__PSScriptPolicyTest_x0nvvrh4.c1s.ps1
 - C:\Users\admin\AppData\Local\Temp__PSScriptPolicyTest_vup4jjof.vf1.ps1
 - C:\Users\admin\AppData\Local\Temp__PSScriptPolicyTest_unx31k35.12z.ps1

☐ Sweep the estate for the same filenames, hashes, domains, or parent-child execution chain before closing containment.

☐ Terminate or isolate surviving instances of virusvippro.exe started by virusvippro.exe after preserving process ancestry and file hashes.

☐ Rotate wallet-related secrets or access where wallet extensions or seed-related data may have been exposed on the affected host.

☐ Restore hosts-file contents from a known-good baseline and validate its ACLs after containment.

☐ Clear browser cache and site data related to the suspicious redirect chain or landing page after evidence preservation.

☐ Review the affected mailbox and PST/OST data for the lure, identify recipients or clickers, and remove similar messages where possible.
- Hardening
- ☐ Create SIEM rule: Defender exclusions or realtime-monitoring changes performed by user-launched PowerShell or a payload outside trusted admin paths.

☐ Monitor Defender settings, exclusions, and security-policy changes from the same process chain that executed the sample.

☐ Alert: powershell.exe spawned by wscript.exe outside a standard administrative path.

☐ Review permission or content changes around sensitive files such as hosts and restore them from a known-good baseline.

☐ Manual detection and response logic is required for T1562.004 because no strong D3FEND mapping was produced.

☐ Manual detection and response logic is required for T1564.004 because no strong D3FEND mapping was produced.

☐ Monitor and restrict service-control execution such as net.exe stop commands, especially when they target AV or EDR services.
- IOCs
- Filters:

All237

Malicious36

Suspicious0

Unknown201
- https://any.run/report/96c8ddff-af63-425d-9276-1b00f3104398/summary/brief?_gl=1*nwvf7d*_gcl_au*NTU2NjQyNDQ0LjE3ODE5NjU1Nzk.*_ga*MTI... 3/10

URLs
http://www.microsoft.com/pkiops/crl/MicSecSerCA2011_2011-10-18.crl
http://ocsp.digicert.com/MFEwTzBNMEswSTAJBgUrDgMCGGUABBTjrjdRyt%2BApF3GSPypfHBxR5XtQQUs9tlpPmhdliuNkHMEWNPYim8S8YCEAjTtAB8my1oj8MfWpz%2F7Y%3D
http://oneocsp.microsoft.com/ocsp/MFQwUjBQME4wTDAJBgUrDgMCGGUABBBQ3L3%2F%2Fa6ADK8NraY2GXzVaYrHG4AQUB6t%2B2v%2BXQ3Ls02d33oJhNYhHQoUCEzMAAAAGb6JMMcOVb6sAAAAAAY%3D
https://www.bing.com/threshold/xls.aspx?t=5&dl=1&f=9&wsbc=1
https://go.microsoft.com/fwlink/?LinkID=2257403&clcid=0x409
http://microsoft.com:8768/
http://91.92.242.236/files-129312398/files/file_37b904483beaa60e.exe
http://185.149.120.3/download/net_launcher.exe
http://furststaff.tech/download/net_launcher.exe
http://62.60.226.159/api.php
http://91.224.92.80/Bin/ScreenConnect.Client.manifest
http://178.16.54.109/xmrget.exe
http://193.233.113.59:8085/f04translator.exe
http://ocsp.digicert.com/MFEwTzBNMEswSTAJBgUrDgMCGGUABBTfIs%2BLjDtGwQ09XEB1Yeq%2BtX%2BBgQU7NfgjtJxXWRM3y5nP%2Be6mK4cD08CEaitQLJg0pxMn17Nqb2Trtk%3D
http://ocsp.digicert.com/MFEwTzBNMEswSTAJBgUrDgMCGGUABBSRxF0FeSWRripTgTkcJWMm7iQUaDfg67Y7%2BF8Rhvv%2BYXsliGX0TKlCEAUtYAUbzPzMqMjmnNW6l84%3D
http://112.213.121.130/1.exe
http://178.16.54.109/64.exe
http://91.92.242.236/files-129312398/files/file_b584670f7ec2f317.exe
https://kidsko.shop/files/telemetriawork/telepuz.dll
http://wittenhorst.eu/tmp/imgs.exe
http://sutterpoint.com/Qbix01.exe
http://178.16.54.109/32.exe
http://178.16.54.109/newtpp.exe
http://noithaticon.vn/DRIVEapplet.exe
http://47.120.32.72:8075/02.08.2022.exe
http://124.223.73.186:8888/WxWorkMultiOpen.exe
http://175.178.174.23:8888/WxWorkMultiOpen.exe
http://ojang.pe.kr/calendar/down/jeditor/jeditor.exe
http://106.55.134.240:8888/WxWorkMultiOpen.exe
http://mininews.kpzip.com/n/tui/mininews/mininewsplus/3.0.0.26165/mininewsplus-2.exe
http://117.72.178.246:4848/02.08.2022.exe
http://202.79.174.54/task/getdevice
http://202.79.174.54/task/getproxy
http://43.139.88.161:8888/WxWorkMultiOpen.exe
http://196.251.107.104/cripted_build.exe
http://2398.35go.net/defend/o1/jcqx.ini
http://infoc0.duba.net/c/
http://42.194.199.15:8888/WxWorkMultiOpen.exe
http://115.190.250.28:5521/02.08.2022.exe
http://123.ywxww.net:820/svchost.exe
http://www.r-tt.com/downloads/rod_en_1.exe
http://www.microsoft.com/pkiops/crl/Microsoft%20ECC%20Product%20Root%20Certificate%20Authority%202018.crl
http://crl.sectigo.com/SectigoPublicCodeSigningRootR46.crl
http://ocsp.sectigo.com/MFEwTzBNMEswSTAJBgUrDgMCGGUABBRdJozUYXMqqW4y4zJrLcMCRSkaQUgTKSQSsozUblxKLGKjkS7EipPxQCEEV%2F6oPpCGe%2BJ43kKfDM9ME%3D
http://sec.xiaoshabi.nl/javaw2/instance.ps1
http://178.16.52.80/hold.bat
http://sec.xiaojiji.nl/javaw2/instance.ps1
http://dfgjhklkhuuk.info/load/hjbk.exe
http://92.127.156.174:8880/master.exe
http://dfgjhklkhuuk.info/load/hnmh.exe
http://dfgjhklkhuuk.info/load/bjbh.exe
http://dfgjhklkhuuk.info/load/kliulij.exe
http://dfgjhklkhuuk.info/load/os1/crz.exe
http://116.171.106.3:3435/tomcat8/bin/tomcat8.exe
http://www.zhikey.com/crm/xinjiancengengxin.txt
http://crl.microsoft.com/pki/crl/products/MicRooCerAut2011_2011_03_22.crl
http://178.16.54.109/us.exe
http://91.224.92.80/Bin/ScreenConnect.Client.application?h=91.224.92.80&p=8041&k=BglAAACKAABSU0ExAAgAAAEAAQCpKB1Au%2fwPMIDgOrXTD7CvISH3lr3ui%2b4c24qrZvlaOLvTW8RrPII02Hw96P3M7dhQ41Ksg
http://178.16.54.109/twizt.exe
http://103.231.14.104/win.exe
http://103.45.68.4/1.exe
http://192.3.233.166:59850/02.08.2022.exe
http://111.228.4.54:4455/02.08.2022.exe
http://198.50.242.157/FXServer.exe
http://92.127.156.174:8880/wp.ps1
http://43.136.88.193:8888/WxWorkMultiOpen.exe
http://book.rollingvideogames.com/temp/putty.exe
http://kuakuawenjian.oss-cn-hangzhou.aliyuncs.com/QQ%E5%8D%8E%E5%A4%8F%E6%9B%B4%E6%96%B0%E6%96%87%E4%BB%B6/%E8%87%AA%E5%8A%A8%E6%9B%B4%E6%96%B0%E8%BE%85%E5%8A%A9%E7%A
http://103.247.164.242:8126/ConfigureRegistrySettings.ps1
http://ocsp.comodoca.com/MFEwTzBNMEswSTAJBgUrDgMCGGUABBRtU9ufqGVGHhJwXZYWCNxmVR5ngQUoBEKiz6W8Qfs4q8p74Klf9AwpLQCEEJ8k7RgVZSNNqfJionWIBY%3D
http://119.91.58.97:8888/WxWorkMultiOpen.exe
http://www.zhikey.com/crm/exe/update.exe
http://114.132.86.182:8888/WxWorkMultiOpen.exe
http://download.pdf00.com/pc/pdfconvert/PDFConverter_P2W154-zx-666.exe
http://81.69.185.184:8888/WxWorkMultiOpen.exe
http://115.190.237.175:35555/02.08.2022.exe
http://ocsp.sectigo.com/MFEwTzBNMEswSTAJBgUrDgMCGGUABBSdE3gf41Waic8H9lF92%2BIJqh5qwQUMuuSmv81lkgvKEBCcCA2kVwXheYCEDPXCKIRQFMZ4qW70zm5rW4%3D
http://ny.lshdw.cc/FB/32.exe

? http://172.245.209.253/203/goodthingsarebestbetterwayscomingforu.vbs
? http://124.44.3.74:88/beacon.exe
? http://49.233.172.4:8888/WxWorkMultiOpen.exe
? http://www.r-tt.com/downloads/rxd_en_1.exe
? http://209.145.51.44/keepon.exe
? http://121.4.92.72:5000/02.08.2022.exe
? http://182.92.99.95/kaijiorder/cert/2a.hta
? http://ojang.pe.kr/calendar/down/calendar.exe
? http://64.89.160.17/System1.vbs
? http://www.r-tt.com/downloads/rmd_en_1.exe
🔥 http://62.60.226.185/v49922.exe
? http://www.microsoft.com/pkiops/crl/Microsoft%20ECC%20Update%20Secure%20Server%20CA%202.1.crl
? http://sec.xiaoshabi.nl/javaw2/inst.ps1
? http://cat.xiaoshabi.nl/netstat.ps1
? http://crl.sectigo.com/SectigoPublicCodeSigningCAEVR36.crl
? http://cat.dashabi.in/netstat.ps1
? http://dubacdn.cmccdn.com/sem/installer/35.png
? http://cat.xiaojiji.nl/netstat.ps1
? http://146.0.42.82/kg.exe
? http://43.136.51.89:8888/WxWorkMultiOpen.exe
? http://146.0.42.82/keygen.exe
🔥 http://serasoo.direct.quickconnect.to/wordpress/wp-content/build.exe
? http://log.ahhxwavi.cn/api/data/sync
? http://91.224.92.80/Bin/ScreenConnect.ClientSetup.exe
? http://dfghjklkhuuk.info/load/ojujn.exe
? http://qiniuyunxz.yxflzs.com/msf.exe
? http://d.kzip.com/kzxiaopeng2/KuaiZip_Setup_-808202126_xiaopeng2_001.exe

Domains 132	
	123.ywxww.net
	2cfc0222.salamanderprocessing.pages.dev
	60aaf9c6.salamanderprocessing.pages.dev
	99194034-96-20180108171507.webstarterz.com
	acc.jiangsujiaxue.com
	alpanel.screenconnect.com
	api.ezilax.com
	areyouready.co.za
	audicontadores.com
	baolongwes.oss-ap-southeast-1.aliyuncs.com
	book.rollingvideogames.com
	bunnellmc.com
	cal.joycedoula.com.br
	creativevoltage.com
	csg-app.com
	dcwblida.dz
	dfgjhklkhuuk.info
	dialkwik.in
	download.haozip.com
	dubacdn.cmcmcdn.com
	fb6390d5.infinityindians.pages.dev
	fmrio.com
	furystaff.tech
	horion-static.pages.dev
	ia802801.us.archive.org
	kavacanada.ca
	kidsko.shop
	kuakuawenjian.oss-cn-hangzhou.aliyuncs.com
	landonirwin.com
	log.ahhxwavi.cn
	lomejordesalamanca.es
	luizmatoso.com.br
	mininews.kpzip.com
	mogimall.com
	ny.lshdw.cc
	ojang.pe.kr
	ossapp.suning.com
	pardu.pages.dev
	pinaview.com
	plasteredplayn.com
	preciosasjoyitas.com.mx
	pub-0478b308b8cf46709a73d0eed5afd633.r2.dev
	pub-bbbdebc2599c4d74b04c5d53e439f7a7.r2.dev
	pub-cdd0dd27ae6a4aee9841d397e0496374.r2.dev
	public.demo.securecloudsandbox.com
	refaccionesalma.com.mx
	royalindiancurryclub.com
	scoala1gherla.ro
	sec.xiaojiji.nl
	serasoo.direct.quickconnect.to
	solar-sanat.net
	stats.pinaview.com
	talk-chief.gl.at.ply.gg
	thatdimensionalwebsite.com
	tj.kpzip.com
	toolshare.com.tr
	versaclean.com.br
	vizonuniversitesi.com.tr
	windriversfiles.imeitools.com
	wittenhorst.eu
	www.150.co.il
	www.newkey.co.kr
	www.ojang.pe.kr
	www.vuelaviajero.com
	www.zhikey.com
	xn--h6qpop2cq9nl9c.pages.dev
	youngel.biz
	176.190.153.160.host.secureserver.net
	185-55-196-13.crapid.com
	2seguro2025.duckdns.org
	a-gwo.pages.dev
	a.clickdata.37wan.com
	aaronart.com
	agrovelca.com
	alineeleuterio.com.br
	backupso.com
	bafybeibh6u74fuvyazu2q7y6pginkxprjuxchgfschwigrs5y77qcbj6i.ipfs.dweb.link

? best10cdn.blob.core.windows.net ? c0e5b87c.solaraweb-alj.pages.dev ? c3436037.salamanderprocessing.pages.dev ? c9791c08-f1e4-4402-9510-d04c13c50ea3.selstorage.ru ? cat.dashabi.in ? cat.xiaojiji.nl ? cat.xiaoshabi.nl ? cdn.gomlab.com 🔥 checkfivem.com ? corporacioncrf.com ? cstaipas.pt ? d.14yaa.com ? d.kpzip.com ? d.wanyouxii7.com ? d2314eac.solaraweb-alj.pages.dev ? delte-mobrey.com 🔥 down.ruanmei.com ? download.pdf00.com ? dowonline.ru ? dubapkg.cmcmcdn.com ? fz.tiansys.cn 🔥 hobobot.net ? icoffeecloud.com ? imagefiles-backup.oss-ap-southeast-7.aliyuncs.com 🔥 joyeriatauro.com ? kokorostore.it ? lcportal.kbinsure.co.kr ? m.jkoa.co.kr ? matthewsigmondv5.pages.dev 🔥 news.7654.com ? noithaticon.vn 🔥 o24o.ru 🔥 pub-bfc34934a91a4893817098f73415917a.r2.dev ? pub-ec081eb0fab74385a17d8d77afeeda3b.r2.dev ? pvsaxgfugy.cn ? qiniuyunxz.yxflzs.com ? rheddh.com ? sec.xiaoshabi.nl ? spasopro.at ? sutterpoint.com ? tapestryoftruth.com ? theoremaliveoil.com ? thtp2.volamngayxua.net ? tobecation.github.io 🔥 transparenciacanaa.com.br ? tube-18.xyz 🔥 update.cg100iii.com ? vizyonuniversitesi.web.tr ? vrajras.com ? www.astenterprises.com.pk ? www.benshamcentre.co.uk ? www.blackhattoolz.com ? www.drgenov.com ? www.namuvpn.com ? www.salonmarketing.ca	
---	--

IPs	No data
No data found	

MITRE ATT&CK TTPs

Tactics	Techniques	Detection names
Discovery	T1016 System Network Configuration Discovery (1)	Checks for external IP
	T1012 Query Registry (664)	- Reads the machine GUID from the registry (61) - Reads Microsoft Outlook installation path - Reads the computer name (128) - Reads security settings of Internet Explorer (135) - Checks supported languages (190) - Reads mouse settings - Reads Environment values (15) - Reads the Windows owner or organization settings (8) - Reads Internet Explorer settings (110) - Reads the date of Windows installation (9) - Reads CPU info (2)

			• Checks transactions between databases Windows and Oracle (4)
	T1082	System Information Discovery (410)	• Reads the machine GUID from the registry (61) • Reads the computer name (128) • WiFi password harvest via netsh • Checks supported languages (190) • Reads mouse settings • Reads Environment values (15) • Reads the date of Windows installation (9) • Accesses environment variables (SCRIPT) (3) • Reads CPU info (2)
	T1033	System Owner/User Discovery (8)	• Reads the Windows owner or organization settings (8)
	T1049	System Network Connections Discovery (1)	• Uses NETSH.EXE to obtain data on the network
	T1497	Virtualization/Sandbox Evasion (4)	• The process checks if it is being run in the virtual environment (4)
	T1083	File and Directory Discovery (6)	• Gets TEMP folder path (SCRIPT) (3) • Gets full path of the running script (SCRIPT) (2) • Checks whether a specified folder exists (SCRIPT)
	T1135	Network Share Discovery (2)	• Starts NET.EXE to display or manage information about active sessions (2)
Other	T1057	Process Discovery (1)	• Get information on the list of running processes
	T1547.001	T1547.001 (26)	• Changes the autorun value in the registry (22) • Create files in the Startup directory (4)
	T1569.002	T1569.002 (1)	• Executes as Windows Service
	T1518	T1518 (11)	• Reads Microsoft Outlook installation path • Actions looks like stealing of personal data (10)
	T1059.003	T1059.003 (61)	• Starts CMD.EXE for commands execution (35) • Reads command from file • Executing commands from ".cmd" file (2) • Executing commands from a ".bat" file (17) • Hides command output (3) • Starts CMD.EXE with output disabled (3)
	T1614	T1614 (8)	• Process checks computer location settings (8)
	T1016.002	T1016.002 (1)	• WiFi password harvest via netsh
	T1562.002	T1562.002 (19)	• Disables trace logs (19)
	T1027.002	T1027.002 (4)	• Malware-specific behavior (creating "System.dll" in Temp) (4)
	T1059.005	T1059.005 (7)	• The process executes VB scripts (7)
	T1036.005	T1036.005 (15)	• The process creates files with name similar to system file names (11) • The process executes files with name similar to system file names (4)
	T1564.004	T1564.004 (44)	• Using the short paths format (44)
	T1027.010	T1027.010 (5)	• Using short paths in the command line (2) • Obfuscation pattern (POWERSHELL) (3)
	T1059.001	T1059.001 (186)	• Returns hidden items found within a container (POWERSHELL) (82) • Starts POWERSHELL.EXE for commands execution (19) • Adds exclusion path to Windows Defender (POWERSHELL) • The process executes Powershell scripts (31) • Bypass execution policy to execute commands (31) • Creates new registry property (POWERSHELL) • Changes powershell execution policy (Bypass) (14) • BASE64 encoded PowerShell command has been detected • Manipulates environment variables • The process bypasses the loading of PowerShell profile settings • Starts process via Powershell • Changes settings for real-time protection • Disables Windows Defender real-time protection (POWERSHELL) • Downloads file from URI via Powershell
	T1552.001	T1552.001 (55)	• Possible stealing from crypto wallets (16) • Possible stealing of email data (3) • Possible stealing of FTP data (8)

		- Possible stealing of messenger data (4) - Possible stealing of VPN data (6) - Actions looks like stealing of personal data (10) - Possible stealing from notes - Possible stealing from password managers (3) - Possible stealing from 2fa - Possible stealing of cloud data (3)
	T1132.002 T1132.002 (2)	Uses base64 encoding (POWERSHELL) (2)
	T1562.001 T1562.001 (5)	- Changes Windows Defender settings (2) - Adds path to the Windows Defender exclusion list (2) - Changes settings for real-time protection
	T1219.002 T1219.002 (3)	- DATTO has been detected (2) - PUTTY has been detected
	T1218.005 T1218.005 (14)	Starts MSHTA.EXE for opening HTA or HTMLS files (14)
	T1059.006 T1059.006 (13)	Loads Python modules (13)
	T1573 T1573 (2)	Attempting to use instant messaging service (2)
	T1222.001 T1222.001 (2)	Modifies hosts file to alter network resolution (2)
	T1518.001 T1518.001 (1)	The process verifies whether the antivirus software is installed
	T1497.003 T1497.003 (11)	- Reads the date of Windows installation (9) - Uses sleep, probably for evasion detection (SCRIPT) - Uses Task Scheduler to autorun other applications
	T1021.004 T1021.004 (1)	PUTTY has been detected
	T1564.003 T1564.003 (1)	Run PowerShell with an invisible window
	T1678 T1678 (3)	Runs PING.EXE to delay simulation (3)
	T1553.004 T1553.004 (12)	- Changes settings of System certificates (6) - Adds/modifies Windows certificates (6)
	T1562.004 T1562.004 (12)	Disables Windows Defender (12)
	T1070.004 T1070.004 (6)	- Self-deletion pattern has been detected (3) - Starts CMD.EXE for self-deleting (3)
	T1480.002 T1480.002 (1)	GLAMOUR mutex has been found
	T1218.011 T1218.011 (1)	Uses RUNDLL32.EXE to load library
	T1548.002 T1548.002 (3)	Known privilege escalation attack (3)
	T1543.003 T1543.003 (5)	Creates or modifies Windows services (5)
	T1053.005 T1053.005 (5)	- Creates scheduled task with ONLOGON parameter (2) - Uses Task Scheduler to autorun other applications - Creates scheduled task with highest privileges (2)
Execution	T1059 Command-Line Interface (2)	- Uses input redirection - Usage of PowerShell observed
	T1106 Execution through API (3)	REMCOS mutex has been found (3)
	T1047 Windows Management Instrumentation (1)	Uses WMI to retrieve WMI-managed resources (SCRIPT)
Defense Evasion	T1027 Obfuscated Files or Information (3)	Probably obfuscated PowerShell command line is found (3)
	T1140 Deobfuscate/Decode Files or Information (2)	Uses base64 encoding (POWERSHELL) (2)
	T1112 Modify Registry (7)	- DATTO has been detected - Creates new registry property (POWERSHELL) - Creates or modifies Windows services (5)
	T1497 Virtualization/Sandbox Evasion (4)	The process checks if it is being run in the virtual environment (4)

	T1107	File Deletion (3)	File deletion via cmd.exe (3)
Command And Control	T1105	Remote File Copy (5)	- SCREENCONNECT has been detected (2) - Generic malicious agent network activity observed - Copies file to a new location (SCRIPT) (2)
	T1071	Standard Application Layer Protocol (3)	Stealers network behavior (3)
Lateral Movement	T1105	Remote File Copy (5)	- SCREENCONNECT has been detected (2) - Generic malicious agent network activity observed - Copies file to a new location (SCRIPT) (2)
Impact	T1489	Service Stop (2)	Uses TASKKILL.EXE to kill process (2)

i ANY.RUN is an interactive service which provides full access to the guest system. Information in this report could be distorted by user actions and is provided for user acknowledgement as it is. ANY.RUN does not guarantee maliciousness or safety of the content.



Interactive malware hunting service [ANY.RUN](#)
© 2017-2026 ANY.RUN LLC. ALL RIGHTS RESERVED