


# Summary statistics

DATA MANIPULATION WITH PANDAS



Maggie Matsui

Content Developer at DataCamp

# Summarizing numerical data

```
dogs["height_cm"].mean()
```

```
49.714285714285715
```

- `.median()` , `.mode()`
- `.min()` , `.max()`
- `.var()` , `.std()`
- `.sum()`
- `.quantile()`

# Summarizing dates

Oldest dog:

```
dogs["date_of_birth"].min()
```

```
'2011-12-11'
```

Youngest dog:

```
dogs["date_of_birth"].max()
```

```
'2018-02-27'
```

# The .agg() method

```
def pct30(column):  
    return column.quantile(0.3)
```

```
dogs["weight_kg"].agg(pct30)
```

```
22.599999999999998
```

# Summaries on multiple columns

```
dogs[["weight_kg", "height_cm"]].agg(pct30)
```

```
weight_kg    22.6
height_cm    45.4
dtype: float64
```

# Multiple summaries

```
def pct40(column):  
    return column.quantile(0.4)
```

```
dogs["weight_kg"].agg([pct30, pct40])
```

```
pct30      22.6  
pct40      24.0  
Name: weight_kg, dtype: float64
```

# Cumulative sum

```
dogs["height_cm"]
```

```
0      56  
1      43  
2      46  
3      49  
4      59  
5      18  
6      77  
  
Name: height_cm, dtype: int64
```

```
dogs["height_cm"].cumsum()
```

```
0      56  
1      99  
2     145  
3     194  
4     253  
5     271  
6     348  
  
Name: height_cm, dtype: int64
```

# Cumulative statistics

- `.cummax()`
- `.cummin()`
- `.cumprod()`

# Walmart

```
sales.head()
```

	store	type	dept	date	weekly_sales	is_holiday	temp_c	fuel_price	unemp
0	1	A	1	2010-02-05	24924.50	False	5.73	0.679	8.106
1	1	A	2	2010-02-05	50605.27	False	5.73	0.679	8.106
2	1	A	3	2010-02-05	13740.12	False	5.73	0.679	8.106
3	1	A	4	2010-02-05	39954.04	False	5.73	0.679	8.106
4	1	A	5	2010-02-05	32229.38	False	5.73	0.679	8.106

# Let's practice!

## DATA MANIPULATION WITH PANDAS

# Counting

DATA MANIPULATION WITH PANDAS



Maggie Matsui

Content Developer at DataCamp

# Avoiding double counting



# Vet visits

```
print(vet_visits)
```

```
      date      name     breed  weight_kg
0  2018-09-02    Bella  Labrador     24.87
1  2019-06-07     Max  Labrador     28.35
2  2018-01-17   Stella Chihuahua     1.51
3  2019-10-19    Lucy  Chow Chow     24.07
..    ...
71 2018-01-20   Stella Chihuahua     2.83
72 2019-06-07     Max  Chow Chow     24.01
73 2018-08-20    Lucy  Chow Chow     24.40
74 2019-04-22     Max  Labrador     28.54
```

# Dropping duplicate names

```
vet_visits.drop_duplicates(subset="name")
```

	date	name	breed	weight_kg
0	2018-09-02	Bella	Labrador	24.87
1	2019-06-07	Max	Chow Chow	24.01
2	2019-03-19	Charlie	Poodle	24.95
3	2018-01-17	Stella	Chihuahua	1.51
4	2019-10-19	Lucy	Chow Chow	24.07
7	2019-03-30	Cooper	Schnauzer	16.91
10	2019-01-04	Bernie	St. Bernard	74.98
(6	2019-06-07	Max	Labrador	28.35)

# Dropping duplicate pairs

```
unique_dogs = vet_visits.drop_duplicates(subset=[ "name" , "breed" ])  
print(unique_dogs)
```

	date	name	breed	weight_kg
0	2018-09-02	Bella	Labrador	24.87
1	2019-03-13	Max	Chow Chow	24.13
2	2019-03-19	Charlie	Poodle	24.95
3	2018-01-17	Stella	Chihuahua	1.51
4	2019-10-19	Lucy	Chow Chow	24.07
6	2019-06-07	Max	Labrador	28.35
7	2019-03-30	Cooper	Schnauzer	16.91
10	2019-01-04	Bernie	St. Bernard	74.98

# Easy as 1, 2, 3

```
unique_dogs["breed"].value_counts()
```

```
Labrador      2  
Schnauzer     1  
St. Bernard    1  
Chow Chow      2  
Poodle         1  
Chihuahua      1  
Name: breed, dtype: int64
```

```
unique_dogs["breed"].value_counts(sort=True)
```

```
Labrador      2  
Chow Chow      2  
Schnauzer     1  
St. Bernard    1  
Poodle         1  
Chihuahua      1  
Name: breed, dtype: int64
```

# Proportions

```
unique_dogs[ "breed" ].value_counts(normalize=True)
```

```
Labrador      0.250
Chow Chow     0.250
Schnauzer     0.125
St. Bernard    0.125
Poodle        0.125
Chihuahua     0.125
Name: breed, dtype: float64
```

# Let's practice!

## DATA MANIPULATION WITH PANDAS

# Grouped summary statistics

DATA MANIPULATION WITH PANDAS



Maggie Matsui

Content Developer at DataCamp

# Summaries by group

```
dogs[dogs["color"] == "Black"]["weight_kg"].mean()  
dogs[dogs["color"] == "Brown"]["weight_kg"].mean()  
dogs[dogs["color"] == "White"]["weight_kg"].mean()  
dogs[dogs["color"] == "Gray"]["weight_kg"].mean()  
dogs[dogs["color"] == "Tan"]["weight_kg"].mean()
```

```
26.0  
24.0  
74.0  
17.0  
2.0
```

# Grouped summaries

```
dogs.groupby("color")["weight_kg"].mean()
```

```
color
Black      26.5
Brown      24.0
Gray       17.0
Tan        2.0
White     74.0
Name: weight_kg, dtype: float64
```

# Multiple grouped summaries

```
dogs.groupby("color")["weight_kg"].agg([min, max, sum])
```

	min	max	sum
color			
Black	24	29	53
Brown	24	24	48
Gray	17	17	17
Tan	2	2	2
White	74	74	74

# Grouping by multiple variables

```
dogs.groupby(["color", "breed"])["weight_kg"].mean()
```

```
color   breed
Black   Chow  Chow      25
          Labrador      29
          Poodle        24
Brown   Chow  Chow      24
          Labrador      24
Gray    Schnauzer      17
Tan     Chihuahua      2
White   St. Bernard    74
Name: weight_kg, dtype: int64
```

# Many groups, many summaries

```
dogs.groupby(["color", "breed"])[["weight_kg", "height_cm"]].mean()
```


color	breed	weight_kg	height_cm
Black	Labrador	29	59
	Poodle	24	43
Brown	Chow Chow	24	46
	Labrador	24	56
Gray	Schnauzer	17	49
Tan	Chihuahua	2	18
White	St. Bernard	74	77

# Let's practice!

## DATA MANIPULATION WITH PANDAS

# Pivot tables

DATA MANIPULATION WITH PANDAS



Maggie Matsui

Content Developer at DataCamp

# Group by to pivot table

```
dogs.groupby("color")["weight_kg"].mean()
```

```
color
Black    26
Brown    24
Gray     17
Tan      2
White    74
Name: weight_kg, dtype: int64
```

```
dogs.pivot_table(values="weight_kg",
                  index="color")
```

```
weight_kg
color
Black      26.5
Brown      24.0
Gray       17.0
Tan        2.0
White      74.0
```

# Different statistics

```
import numpy as np  
dogs.pivot_table(values="weight_kg", index="color", aggfunc=np.median)
```

	weight_kg
color	
Black	26.5
Brown	24.0
Gray	17.0
Tan	2.0
White	74.0

# Multiple statistics

```
dogs.pivot_table(values="weight_kg", index="color", aggfunc=[np.mean, np.median])
```

color	mean	median
	weight_kg	weight_kg
Black	26.5	26.5
Brown	24.0	24.0
Gray	17.0	17.0
Tan	2.0	2.0
White	74.0	74.0

# Pivot on two variables

```
dogs.groupby(["color", "breed"])["weight_kg"].mean()
```

```
dogs.pivot_table(values="weight_kg", index="color", columns="breed")
```

breed	Chihuahua	Chow Chow	Labrador	Poodle	Schnauzer	St. Bernard
color						
Black	NaN	NaN	29.0	24.0	NaN	NaN
Brown	NaN	24.0	24.0	NaN	NaN	NaN
Gray	NaN	NaN	NaN	NaN	17.0	NaN
Tan	2.0	NaN	NaN	NaN	NaN	NaN
White	NaN	NaN	NaN	NaN	NaN	74.0

# Filling missing values in pivot tables

```
dogs.pivot_table(values="weight_kg", index="color", columns="breed", fill_value=0)
```

breed	Chihuahua	Chow Chow	Labrador	Poodle	Schnauzer	St. Bernard
color						
Black	0	0	29	24	0	0
Brown	0	24	24	0	0	0
Gray	0	0	0	0	17	0
Tan	2	0	0	0	0	0
White	0	0	0	0	0	74

# Summing with pivot tables

```
dogs.pivot_table(values="weight_kg", index="color", columns="breed",
                  fill_value=0, margins=True)
```

breed	Chihuahua	Chow Chow	Labrador	Poodle	Schnauzer	St. Bernard	All
color							
Black	0	0	29	24	0	0	26.500000
Brown	0	24	24	0	0	0	24.000000
Gray	0	0	0	0	17	0	17.000000
Tan	2	0	0	0	0	0	2.000000
White	0	0	0	0	0	74	74.000000
All	2	24	26	24	17	74	27.714286

# Let's practice!

## DATA MANIPULATION WITH PANDAS