

Table of Contents

Unit 5: Web Development with HTML, CSS, and JavaScript.....	2
Question Bank — MCQs & Short Questions.....	2
PART A: Multiple Choice Questions (MCQs)	3
Section 5.1 & 5.2 — Web Development & Its Components.....	3
Section 5.3 — Getting Started with HTML.....	5
Section 5.4 — HTML Basic Structure	7
Section 5.5 — Creating Content with HTML.....	7
Section 5.6 — Styling with CSS	11
Section 5.7 — Introduction to JavaScript	15
PART B: Short Questions	20
Section 5.1 — Web Development.....	20
Section 5.2 — Basic Components of Web Development	20
Section 5.3 — Getting Started with HTML.....	20
Section 5.4 — HTML Basic Structure	21
Section 5.5 — Creating Content with HTML.....	21
Section 5.6 — Styling with CSS	21
Section 5.7 — Introduction to JavaScript	22
General / Mixed Questions	23

Unit 5: Web Development with HTML, CSS, and JavaScript

Question Bank — MCQs & Short Questions

PART A: Multiple Choice Questions (MCQs)

Instructions: Circle the letter of the correct answer.

Section 5.1 & 5.2 — Web Development & Its Components

Q1. What is web development?

- A) The process of repairing computers
 - B) **The process of creating websites and web applications ✓**
 - C) The process of designing graphics
 - D) The process of writing emails
-

Q2. Which of the following is the "skeleton" of a web page?

- A) CSS
 - B) JavaScript
 - C) **HTML ✓**
 - D) PHP
-

Q3. Which technology makes a web page look visually appealing?

- A) HTML
 - B) **CSS ✓**
 - C) JavaScript
 - D) Python
-

Q4. Which technology makes a web page interactive?

- A) HTML
 - B) CSS
 - C) **JavaScript ✓**
 - D) SQL
-

Q5. Front-end development focuses on:

- A) Servers and databases
 - B) **What users see and interact with on a website ✓**
 - C) Behind-the-scenes functionality
 - D) Network connections
-

Q6. Back-end development manages:

- A) Fonts and colors of a website
 - B) **Servers, databases, and application logic ✓**
 - C) Images and links on a web page
 - D) Browser compatibility
-

Q7. Which of the following is a back-end programming language?

- A) HTML
 - B) CSS
 - C) **PHP ✓**
 - D) JavaScript alone
-

Q8. A full-stack developer is someone who:

- A) Only designs the user interface
 - B) Only manages databases
 - C) **Manages both front-end and back-end development ✓**
 - D) Only writes CSS
-

Q9. Hotmail was created by:

- A) Bill Gates and Steve Jobs
 - B) Tim Berners-Lee
 - C) **Sabeer Bhatia and Jack Smith ✓**
 - D) Brendan Eich
-

Q10. The first website was created by:

- A) Brendan Eich
 - B) **Tim Berners-Lee ✓**
 - C) Sabeer Bhatia
 - D) Mark Zuckerberg
-

Q11. The first website was created in which year?

- A) 1989
 - B) **1991 ✓**
 - C) 1995
 - D) 2000
-

Q12. Which of the following is a web server's main job?

- A) Style web pages with CSS
 - B) Run JavaScript animations
 - C) **Store and deliver web pages to users ✓**
 - D) Write HTML code
-

Section 5.3 — Getting Started with HTML

Q13. What does HTML stand for?

- A) Hyper Transfer Markup Language
 - B) **HyperText Markup Language ✓**
 - C) High Text Making Language
 - D) Hyper Technical Machine Language
-

Q14. Which of the following is a popular text editor for writing HTML?

- A) Google Chrome
 - B) **Visual Studio Code ✓**
 - C) Mozilla Firefox
 - D) Microsoft Edge
-

Q15. What extension should you use when saving an HTML file?

- A) .css
 - B) .js
 - C) **.html** ✓
 - D) .txt
-

Q16. What does the `<!DOCTYPE html>` declaration tell the browser?

- A) The file is a CSS document
 - B) The file is a JavaScript document
 - C) **The document is an HTML5 document** ✓
 - D) The file is a text document
-

Q17. Which tag is the root element of an HTML page?

- A) `<head>`
 - B) `<body>`
 - C) `<title>`
 - D) **`<html>`** ✓
-

Q18. Where is the title of a web page placed in HTML?

- A) Inside the `<body>` tag
 - B) Inside the `<h1>` tag
 - C) **Inside the `<head>` tag, using the `<title>` tag** ✓
 - D) Inside the `<p>` tag
-

Q19. The visible content of a web page is placed inside which tag?

- A) `<head>`
 - B) `<title>`
 - C) `<html>`
 - D) **`<body>`** ✓
-

Section 5.4 — HTML Basic Structure

Q20. HTML tags that come in pairs (opening and closing) are called:

- A) Singular tags
 - B) Self-closing tags
 - C) **Paired tags** ✓
 - D) Empty tags
-

Q21. Which of the following is an example of a singular (self-closing) tag?

- A) `<p>`
 - B) `<h1>`
 - C) `<img>` ✓
 - D) `<html>`
-

Q22. Which tag defines a large heading on a web page?

- A) `<head>`
 - B) `<h1>` ✓
 - C) `<p>`
 - D) `<title>`
-

Q23. Which tag defines a paragraph in HTML?

- A) `<br>`
 - B) `<li>`
 - C) `<h2>`
 - D) `<p>` ✓
-

Section 5.5 — Creating Content with HTML

Q24. How many heading levels does HTML provide?

- A) 3
- B) 4
- C) 5
- D) **6** ✓

Q25. Which heading tag has the largest text by default?

- A) `<h6>`
- B) `<h3>`
- C) `<h1>` ✓
- D) `<h2>`

Q26. Which heading tag has the smallest text by default?

- A) `<h1>`
- B) `<h3>`
- C) `<h5>`
- D) `<h6>` ✓

Q27. Which tag is used to create a hyperlink in HTML?

- A) `<link>`
- B) `<href>`
- C) `<a>` ✓
- D) `<url>`

Q28. Which attribute of the `<a>` tag specifies the destination URL?

- A) `src`
- B) `alt`
- C) `href` ✓
- D) `link`

Q29. A link that opens an email program when clicked uses which prefix?

- A) `http://`
 - B) `https://`
 - C) `file://`
 - D) `mailto:` ✓
-

Q30. Which tag is used to add an image to a web page?

- A) `<image>`
 - B) `<pic>`
 - C) `<img>` ✓
 - D) `<src>`
-

Q31. The `alt` attribute in the `<img>` tag is used to:

- A) Set the image size
 - B) Link the image to another page
 - C) **Provide a text description of the image** ✓
 - D) Set the image border
-

Q32. Which tag is used to create an unordered (bulleted) list?

- A) `<ol>`
 - B) `<li>`
 - C) `<ul>` ✓
 - D) `<list>`
-

Q33. Which tag is used to create an ordered (numbered) list?

- A) `<ul>`
 - B) `<ol>` ✓
 - C) `<li>`
 - D) `<dl>`
-

Q34. Which tag represents each item inside a list?

- A) `<ul>`
 - B) `<ol>`
 - C) `<li>` ✓
 - D) `<item>`
-

Q35. Which tag is used to create a table in HTML?

- A) `<th>`
 - B) `<td>`
 - C) `<tr>`
 - D) `<table>` ✓
-

Q36. Which tag defines a row in an HTML table?

- A) `<table>`
 - B) `<td>`
 - C) `<tr>` ✓
 - D) `<th>`
-

Q37. Which tag defines a data cell in an HTML table?

- A) `<tr>`
 - B) `<th>`
 - C) `<table>`
 - D) `<td>` ✓
-

Q38. Which tag is used to define a header cell in an HTML table?

- A) `<tr>`
 - B) `<td>`
 - C) `<th>` ✓
 - D) `<head>`
-

Q39. HTML comments begin with which set of characters?

- A) `//`
 - B) `/*`
 - C) `<!--` ✓
 - D) `#`
-

Q40. HTML comments end with which set of characters?

- A) `///`
 - B) `*/`
 - C) `-->` ✓
 - D) `#>`
-

Q41. What happens to HTML comments when displayed in a browser?

- A) They appear in bold text
 - B) They appear in a different color
 - C) **They are not displayed at all** ✓
 - D) They appear at the bottom of the page
-

Section 5.6 — Styling with CSS

Q42. What does CSS stand for?

- A) Computer Style Sheets
 - B) Creative Style System
 - C) **Cascading Style Sheets** ✓
 - D) Colorful Style Sheets
-

Q43. In CSS, what is a selector?

- A) A value assigned to a property
 - B) A color used to style an element
 - C) **A pattern that specifies which HTML elements the styles apply to** ✓
 - D) A type of HTML tag
-

Q44. What is the correct basic structure of a CSS rule?

- A) `property { selector: value; }`
 - B) `selector { property: value; }` ✓
 - C) `value { selector: property; }`
 - D) `selector: property { value }`
-

Q45. Which method of adding CSS writes styles directly inside an HTML tag using the `style` attribute?

- A) External style
 - B) Internal style
 - C) **Inline style** ✓
 - D) Embedded style
-

Q46. Which method of adding CSS places styles inside the `<style>` tag in the `<head>` section?

- A) Inline style
 - B) **Internal style** ✓
 - C) External style
 - D) Linked style
-

Q47. Which method of adding CSS uses a separate `.css` file linked with the `<link>` tag?

- A) Inline style
 - B) Internal style
 - C) **External style** ✓
 - D) Embedded style
-

Q48. Which tag is used to link an external CSS file to an HTML document?

- A) `<style>`
 - B) `<css>`
 - C) `<script>`
 - D) **`<link>`** ✓
-

Q49. Which CSS property is used to change the text color?

- A) `background-color`
 - B) `font-size`
 - C) **`color`** ✓
 - D) `text-style`
-

Q50. Which CSS property changes the background color of an element?

- A) `color`
 - B) `background-color` ✓
 - C) `font-color`
 - D) `border-color`
-

Q51. Which CSS property sets the font used for text?

- A) `font-size`
 - B) `font-weight`
 - C) `font-family` ✓
 - D) `text-align`
-

Q52. Which CSS property controls the size of text?

- A) `font-family`
 - B) `font-weight`
 - C) `font-size` ✓
 - D) `text-size`
-

Q53. Which CSS property makes text bold?

- A) `font-style`
 - B) `font-size`
 - C) `text-weight`
 - D) `font-weight` ✓
-

Q54. Which CSS property makes text italic?

- A) `font-weight`
 - B) `font-style` ✓
 - C) `text-align`
 - D) `font-family`
-

Q55. Which HTML element is commonly used to group and layout sections of content?

- A) `<p>`
 - B) `<table>`
 - C) `<div>` ✓
 - D) `<span>`
-

Q56. What CSS property value is used to enable CSS Grid on a container?

- A) `display: flex`
 - B) `display: block`
 - C) `display: inline`
 - D) `display: grid` ✓
-

Q57. What CSS property value is used to enable CSS Flexbox on a container?

- A) `display: grid`
 - B) `display: block`
 - C) `display: flex` ✓
 - D) `display: table`
-

Q58. Which CSS layout method is best for arranging items into rows and columns in a complex grid?

- A) Flexbox
 - B) **CSS Grid** ✓
 - C) Inline styles
 - D) Float
-

Q59. Which CSS layout method is best for aligning items in a flexible row or column?

- A) CSS Grid
 - B) **Flexbox** ✓
 - C) Internal style
 - D) Table layout
-

Section 5.7 — Introduction to JavaScript

Q60. What is JavaScript primarily used for?

- A) Structuring web content
 - B) Styling web pages
 - C) **Making web pages interactive and engaging** ✓
 - D) Managing databases
-

Q61. JavaScript was created by:

- A) Tim Berners-Lee
 - B) Sabeer Bhatia
 - C) **Brendan Eich** ✓
 - D) Bill Gates
-

Q62. In which year was JavaScript created?

- A) 1991
 - B) 1993
 - C) **1995** ✓
 - D) 1999
-

Q63. How many days did it take Brendan Eich to create JavaScript?

- A) 3 days
 - B) 7 days
 - C) **10 days** ✓
 - D) 30 days
-

Q64. What was JavaScript initially called?

- A) LiveScript
 - B) **Mocha** ✓
 - C) JScript
 - D) WebScript
-

Q65. JavaScript code is placed inside which HTML tag?

- A) `<js>`
 - B) `<code>`
 - C) `<style>`
 - D) `<script>` ✓
-

Q66. Which JavaScript function is used to display a pop-up message box?

- A) `console.log()`
 - B) `print()`
 - C) `alert()` ✓
 - D) `display()`
-

Q67. Which keyword is used to declare a variable in JavaScript that can be reassigned?

- A) `const`
 - B) `define`
 - C) `let` ✓
 - D) `fixed`
-

Q68. Which keyword is used to declare a variable in JavaScript whose value cannot be changed?

- A) `var`
 - B) `let`
 - C) `const` ✓
 - D) `static`
-

Q69. Which of the following correctly declares a variable named `age` with value `15` in JavaScript?

- A) `variable age = 15;`
 - B) `int age = 15;`
 - C) `var age = 15;` ✓
 - D) `age := 15;`
-

Q70. In JavaScript, a variable is best described as:

- A) A fixed value that never changes
 - B) A function that performs operations
 - C) **A container that holds data ✓**
 - D) A type of HTML tag
-

Q71. What does the following JavaScript code do?

```
var name = "Athar"; alert("Name: " + name);
```

- A) Prints "Athar" on the web page
 - B) Creates a link with the name Athar
 - C) **Displays an alert box showing "Name: Athar" ✓**
 - D) Stores the name in a database
-

Q72. What is a function in JavaScript?

- A) A type of variable
 - B) A CSS selector
 - C) **A reusable block of code that performs a specific task ✓**
 - D) An HTML element
-

Q73. Which keyword is used to define a function in JavaScript?

- A) `define`
 - B) `method`
 - C) `procedure`
 - D) **`function` ✓**
-

Q74. What does the following code do?

```
function greet() { alert("Hello, Student!"); }  
greet();
```

- A) Defines a function but does not run it
- B) Deletes a function named greet
- C) **Defines a function and then calls it, displaying an alert ✓**

- D) Creates a variable named greet
-

Q75. In JavaScript, values passed into a function are called:

- A) Variables
 - B) **Parameters (or arguments)** ✓
 - C) Methods
 - D) Selectors
-

Q76. What will the following code display?

```
function addNumbers(a, b) { var sum = a + b; alert("The sum is: " + sum); }  
addNumbers(5, 3);
```

- A) The sum is: 53
 - B) The sum is: 0
 - C) **The sum is: 8** ✓
 - D) The sum is: 53
-

Q77. Which of the following is the correct way to call a function named `greet` in JavaScript?

- A) `call greet()`
 - B) `run greet()`
 - C) **`greet();`** ✓
 - D) `execute greet()`
-

Q78. Which of the following is a correct JavaScript comment for a single line?

- A) `<!-- This is a comment -->`
 - B) `/* This is a comment`
 - C) **`// This is a comment`** ✓
 - D) `# This is a comment`
-

Q79. Where is JavaScript code usually placed in an HTML document?

- A) Inside the `<head>` tag only

- B) Inside the `<style>` tag
 - C) Inside the `<link>` tag
 - D) Inside the `<script>` tag, in the `<head>` or `<body>` ✓
-

Q80. Which of the following is NOT a way to declare a variable in JavaScript?

- A) `var`
 - B) `let`
 - C) `const`
 - D) `int` ✓
-
-

PART B: Short Questions

Instructions: Answer each question in 2–5 sentences.

Section 5.1 — Web Development

1. What is web development? Name any two skills it requires.
 2. List any three reasons why learning web development is beneficial for students.
 3. How does web development help develop problem-solving skills?
 4. What is meant by "digital literacy" in the context of web development?
 5. How can web development support entrepreneurship? Give one example.
-

Section 5.2 — Basic Components of Web Development

1. What is front-end development? Name the three technologies used in it.
 2. What is back-end development? Give two examples of back-end technologies.
 3. What is a web server? What is its role in web development?
 4. What is a database? Give one example of data stored in a database.
 5. What is full-stack development? Why are full-stack developers in high demand?
 6. Using the example of a login system, explain the role of front-end development.
 7. Using the example of a login system, explain the role of back-end development.
-

Section 5.3 — Getting Started with HTML

1. What is HTML? Why is it compared to "LEGO pieces"?
 2. Name any two text editors and two web browsers used in web development.
 3. What are the steps to create and view a basic HTML file on your computer?
 4. What does the `.html` extension tell your computer?
 5. Write a basic HTML page that displays the heading "My School" and a paragraph "I study in 9th class."
-

Section 5.4 — HTML Basic Structure

1. List and briefly describe four basic HTML tags that every HTML document must have.
 2. What is the difference between the `<head>` section and the `<body>` section in HTML?
 3. What is the purpose of the `<title>` tag? Where does the title appear?
 4. What is the difference between paired tags and singular (self-closing) tags? Give one example of each.
 5. What does `<!DOCTYPE html>` do? Why is it important?
-

Section 5.5 — Creating Content with HTML

1. Why are headings important in HTML? List any two reasons.
 2. What is the difference between `<h1>` and `<h6>` in terms of appearance and use?
 3. What is the purpose of the `<p>` tag in HTML?
 4. What is a hyperlink? Which HTML tag is used to create one?
 5. What is the purpose of the `href` attribute in an anchor tag?
 6. What is a `mailto:` link? When would you use one?
 7. Which HTML tag is used to add an image? What is the purpose of the `alt` attribute?
 8. What is the difference between an ordered list and an unordered list in HTML? Give the tags used for each.
 9. Which tag is used for individual list items in both ordered and unordered lists?
 10. What is an HTML table? Name three tags used to create a table.
 11. What is the difference between `<td>` and `<th>` tags in an HTML table?
 12. What are HTML comments used for? Write the syntax of an HTML comment.
 13. Give three situations where HTML comments are useful for a developer.
-

Section 5.6 — Styling with CSS

1. What is CSS? What does it stand for?
2. What is the basic structure (syntax) of a CSS rule? Explain what a selector, property, and value are.
3. What are the three ways to add CSS to an HTML document? Name each method.
4. What is inline CSS? Give one advantage and one disadvantage of using it.

5. What is internal CSS? When would you prefer internal CSS over external CSS?
 6. What is external CSS? Why is it the most efficient method for larger projects?
 7. How do you link an external CSS file to an HTML document? Write the HTML tag used.
 8. List any four CSS properties related to fonts and explain what each one does.
 9. Write CSS code to change the background color of a page to light blue and the color of all `<h1>` headings to white.
 10. What is the purpose of the `<div>` tag in HTML? How is it used with CSS?
 11. What is CSS Grid? In which situation is it most useful?
 12. What is CSS Flexbox? How is it different from CSS Grid?
 13. What CSS property and value do you use to activate Flexbox on a container?
 14. What is a `<section>` tag? How does it differ from a `<div>` tag in usage?
 15. Explain what `grid-template-columns: auto auto auto;` means in CSS Grid.
-

Section 5.7 — Introduction to JavaScript

1. What is JavaScript? What is it used for in web development?
2. Who created JavaScript, and in what year? What was it originally called?
3. Where in an HTML document do you write JavaScript code? Which tag is used?
4. What is an `alert()` function in JavaScript? Write an example.
5. What is a variable in JavaScript? Give one example of declaring a variable.
6. What is the difference between `var`, `let`, and `const` in JavaScript?
7. What is a function in JavaScript? Why are functions useful?
8. How do you define a function in JavaScript? Write the syntax.
9. What is the difference between defining a function and calling a function?
10. What are parameters in a JavaScript function? Give an example of a function with two parameters.
11. Write a JavaScript function that takes two numbers and displays their sum in an alert box.
12. Write a JavaScript function that takes a student's name as a parameter and displays a greeting message.

13. Perform a dry run of the following code. Show what is displayed step by step:

```
javascript
var name = "Athar";
var age = 15;
alert("Name: " + name + ", Age: " + age);
```

14. What is the purpose of the `//` symbol in JavaScript?

15. Give one real-life example of JavaScript being used on a website (e.g., a pop-up, animation, or button response).

General / Mixed Questions

1. What are the three main languages of front-end web development and what is the role of each?
2. Draw a simple diagram (or write a description) showing how HTML, CSS, and JavaScript work together to create a web page.
3. A student saved their HTML file as `mypage.txt`. When they open it in a browser, the code is displayed as plain text instead of a web page. What went wrong? How can they fix it?

4. A student wrote the following HTML but the image does not appear. Identify the error:

```

```

What important attribute is missing?

5. What is the difference between front-end and back-end development? Give one example of a task done by each.
-

End of Chapter 5 Question Bank