Status	Finished
Started	Sunday, 25 October 2026, 10:04 PM
Completed	Sunday, 25 October 2026, 10:08 PM
Duration	4 mins 17 secs
Grade	**12.00** out of 15.00 (**80**%)

Question **1**

Correct

Mark 1.00 out of 1.00

A python tuple can be created without using any parentheses. (True/False)

a. False

b. True ✓

Question **2**

Correct

Mark 1.00 out of 1.00

Find the output of the given Python program?

```
>>>t = (1, 2, 4, 3, 8, 9)
>>>[t[i] for i in range(0, len(t), 2)]
```

a. [1, 2, 4, 3, 8, 9]

b. [1, 4, 8] ✓

c. (1, 4, 8)

d. [2, 3, 9]

Question **3**

Correct

Mark 1.00 out of 1.00

Write the Output of the following Code?

```
t = (15,83,83,52,60,45,52,85,100)
print(min(t)+max(t)+t.count(52))
```

a. 2

b. 117 ✓

c. Error

d. 100

Question **4**

Correct

Mark 1.00 out of 1.00

Find the output of the given Python program?

t = (11, 3)

x = 3 * t

print(x)

a. (11,3,11,11,3,11,11,11,3)

b. [11,11,11,3,3,3]

c. (11, 3, 11, 3, 11, 3) ✓

d. (11,3)(11,3)(11,3)

Question **5**

Correct

Mark 1.00 out of 1.00

What is the output of the given below program?

```
t1 = (1,2,3)
t2 = (4,5,6)
x = t1+t2
print(x)
```

a. Error

b. (1,2,3,3,2,1)

c. (1,2,3)(4,5,6)

d. (1,2,3,4,5,6) ✓

Question **6**

Correct

Mark 1.00 out of 1.00

What will be the output of following Python code?

```
list1=[1,3,4,2]

x=list1.pop(2)

print(set([x]))
```

a. {4} ✓

b. {2}

c. {1,3,2}

d. {1,3,4}

Question **7**

Correct

Mark 1.00 out of 1.00

What is the output of the following union operation

```
set1 = {10, 20, 30, 40}
set2 = {50, 20, "10", 60}

set3 = set1.union(set2)
print(set3)
```

a. {40, 10, '10', 50, 20, 60, 30} ✓

b. SynatxError: Different types cannot be used with sets

c. {40, '10', 50, 20, 60, 30}

d. {40, 10, 50, 20, 60, 30}

Question **8**

Incorrect

Mark 0.00 out of 1.00

What will set1|set2 do?

```
If set1={"a","b",3}
set2={3,7}
```

a. Elements of set1 will get appended to set2

b. Elements of set2 will get appended to set1

c. A new set will be created with the unique elements of set1 and set2. ✗

d. A new set will be created with the elements of both set1 and set2

Question **9**

Correct

Mark 1.00 out of 1.00

Select all the correct options to remove “ECE” from the set.

```
sampleSet = {"ECE", "R&A", "MCT"}
```

a. del.sampleSet("ECE")

b. sampleSet.delete("ECE")

c. sampleSet.discard("ECE") ✓

d. remove.sampleSet("ECE")

Question **10**

Correct

Mark 1.00 out of 1.00

What is the output of the following

```
set1 = {10, 20, 30, 40, 50}
set2 = {60, 70, 10, 30, 40, 80, 20, 50}

print(set1.issubset(set2))
print(set2.issuperset(set1))
```

a. False
True

b. True
False

c. True ✓
True

d. False
False

Question **11**

Correct

Mark 1.00 out of 1.00

What is the output of the following set operation

```
sampleSet = {"Yellow", "Orange", "Black"}
sampleSet.update(["Blue", "Green", "Red"])
print(sampleSet)
```

a. {'Yellow', 'Orange', 'Red', 'Black', 'Green', 'Blue'} ✓

b. Name Error

c. TypeError: update() doesn't allow list as a argument.

d. {'Yellow', 'Orange', 'Black', ["Blue", "Green", "Red"]}

Question **12**

Incorrect

Mark 0.00 out of 1.00

What is the output of the following code

```
aSet = {1, 'rec', ('cse', 'ece'), True}
print(aSet)
```

a. {'rec', 1, ('cse', 'ece')}

b. Error

c. {'rec', 1, ('cse', 'ece'),True}

d. ✗
{'rec', True, ('cse', 'ece')}

Question **13**

Incorrect

Mark 0.00 out of 1.00

Which of the following options will produce the same output?

```
t = (15, 83, 21, 49, 60,45,52,85,100)
# options i, ii, iii, or iv
print(t[:-1])
print(t[0:5])
print(t[0:8])
print(t[-7:])
```

- a. ii,iv ✗
- b. i,ii
- c. i,iii
- d. iii,iv

Question **14**

Correct

Mark 1.00 out of 1.00

What will be the output of the below Python code?

t1=(55,12,78,64,25)

t1.pop(12)

print(tuple1)

- a. (12)
- b. 12
- c. (55,78,64,25)
- d. Error ✓

Question **15**

Correct

Mark 1.00 out of 1.00

What will be the output of following Python code?

```
set1={0,0,9}

print(set1)
```

- a. It will throw an error as there are two 0 while creating the set.
- b. {0,9} ✓
- c. {9}
- d. {0,0,9}