
Pelagos Scientific data on KMaP

Release 0.1

Pelagos Agreement

Mar 27, 2026

CONTENTS

1	Welcome to KMaP	3
1.1	What is KMaP?	3
1.2	Resource Types	3
1.3	Interoperable Services	5
1.4	Themes Available on KMaP	7
2	How to Find and Visualise Your Data	9
2.1	Accessing the Catalogue	9
2.2	Filtering and Searching the Catalogue	10
2.3	Step-by-Step Example: Finding a Pelagos Dataset	11
2.4	The Dataset Detail Page	11
3	Managing Metadata	13
3.1	Who Can Edit Metadata?	14
3.2	Opening the Metadata Editor	14
3.3	Overview of the Metadata Editor	14
3.4	Editing Key Metadata Fields	14
3.5	Saving Your Changes	17
3.6	Metadata Completeness Checklist	17
4	Exploring Maps	19
4.1	Finding a Map	20
4.2	The Map Viewer Interface	20
4.3	Navigating the Map	20
4.4	Working with Layers	21
4.5	Querying Features	21
4.6	Measurement Tools	22
4.7	Printing and Exporting the Map View	22
4.8	Saving Changes to a Map	23
4.9	Creating a New Map	23


User Documentation for the Pelagos Agreement Group

Note

This manual is dedicated to Kmap users that are also members of the **Pelagos Agreement** group. Some features described here may appear differently or not be visible to users outside this group.

Following The Permanent Secretariat of the Pelagos Agreement has signed a Memorandum of Understanding in 2024 to publish the results of scientific calls consisting in maps and geospatial data onto the UNEP-MAP Knowledge Management Platform (KMaP) managed by INFO/RAC; The KMaP platform is accessible at: <https://kmap.info-rac.org>

This manual describes how to access and visualize data, metadata and maps in the KMaP platform



WELCOME TO KMAP

1.1 What is KMaP?

KMaP (Knowledge Management Platform) is the Spatial Data Infrastructure developed by **INFO/RAC**, the Regional Activity Centre for Information and Communication of the [Mediterranean Action Plan](#) (UNEP/MAP).

KMaP is built on [GeoNode](#), an open-source web platform for managing and sharing geospatial information. It acts as a unified access hub to the environmental and spatial knowledge heritage of the Mediterranean region.

The platform is structured around three hubs:

Hub	Access	Description
Data Hub	<i>Maps</i> maps-but	Geospatial data: datasets, interactive maps, dashboards, and geostories.
Knowledge Hub	<i>Library</i> library-but	Documentary heritage: reports, publications, and reference documents.
Exchange Hub	<i>Network</i> network-but	Collaboration and knowledge exchange.

Note

As a member of the **Pelagos Agreement** group, you have access to specific resources, metadata editing rights, and group-level permissions that are not available to general public users.

1.2 Resource Types

KMaP organises all content into five resource types. Each type serves a distinct purpose.

1.2.1 Dataset

A **Dataset** is a geographic data layer representing real-world features or measurements. It is the foundational building block of the platform — the raw material from which maps, dashboards, and analyses are constructed.

Datasets can be:

- **Vector** – discrete geographic features represented as points, lines, or polygons (e.g. coastlines, protected area boundaries, monitoring station locations).
- **Raster** – continuous surfaces represented as a grid of cells (e.g. sea surface temperature, satellite imagery, depth models).

What you can do with a Dataset:

- View it interactively on a web map
- Inspect its attribute table
- Download it in standard formats (Shapefile, GeoTIFF, GeoJSON, KML, CSV, ...)
- Read and edit its metadata
- Add it as a layer to a Map

Tip

Datasets published for the Pelagos Agreement are tagged with the keywords `pelagos sanctuary` or `pelagos agreement`. Use these keywords to filter the catalogue quickly (see [How to Find and Visualise Your Data](#)).

1.2.2 Document

A **Document** is any uploaded file that complements spatial data: a PDF report, a field photograph, a spreadsheet, a presentation, or any other reference material.

Documents are fully integrated resources in KMaP — they have their own metadata page, can be searched and filtered, and can be linked to Datasets or Maps.

Supported file types include: `.pdf`, `.docx`, `.xlsx`, `.pptx`, `.jpg`, `.png`, `.tif`, `.mp4`, `.zip`, and many others.

1.2.3 Map

A **Map** is an interactive, multi-layer web map created by composing one or more Datasets. Maps are built and viewed using the integrated **MapStore** map viewer.

Each Map:

- Combines multiple Dataset layers with individual styles and visibility settings
- Includes a basemap (e.g. OpenStreetMap or satellite imagery)
- Supports pan, zoom, feature query, measurement, and print tools
- Can be shared via a permanent link or embedded in external websites

1.2.4 GeoStory

A **GeoStory** is a scrollable, multimedia narrative that weaves together text, interactive maps, images, and video — similar to a story map.

GeoStories are composed of sections:

Section type	Description
Title	Full-screen opening panel with background image or video.
Banner	Horizontal divider or chapter header with text and/or image.
Paragraph	Free-form text and media (image, video, map).
Immersive	Full-screen interactive map that the text scrolls over.
GeoCarousel	Slideshow linked to map locations.
Web page	Embedded live webpage displayed inline.

GeoStories are ideal for communicating environmental topics to non-specialist audiences.

1.2.5 Dashboard

A **Dashboard** is a configurable panel of interactive widgets — charts, tables, maps, counters, and text blocks — linked to one or more Datasets.

Available widget types:

Widget	Description
Map	Interactive mini-map displaying dataset layers.
Chart	Bar, line, pie, or scatter plots derived from dataset attributes.
Table	Sortable and filterable tabular view of dataset attributes.
Counter	Large-format summary statistic (count, sum, average, ...).
Text	Free-text block for titles or commentary.

Widgets in a Dashboard are interconnected: selecting a region on the map widget automatically filters all other widgets to display data for that region only.

1.3 Interoperable Services

KMaP exposes its data through standard **OGC web services**, allowing any compatible GIS software or web application to access the data directly without downloading files.

Service	Standard	Description
WMS	OGC Web Map Service	Returns dataset layers as rendered map images. Ideal for visualisation in desktop GIS (QGIS, ArcGIS) or web applications.
WFS	OGC Feature Service	Returns raw vector feature data (geometries + attributes) for download or analysis. Supports filtering by attribute or bounding box.
WCS	OGC Web Coverage Service	Returns raw raster data (grids) for analysis. Available for raster datasets.
WMTS	OGC Web Map Tile Service	Returns pre-rendered map tiles for fast display in web maps.
CSW	OGC Catalogue Service	Exposes KMaP's metadata catalogue for search and harvest by external portals.

How to get service URLs

On any Dataset detail page, click the **OGC Services** tab (or look for the *Download / OGC* section). The WMS, WFS, and WCS endpoint URLs are listed there and can be copied directly into QGIS or any other OGC-compatible client.

Tip

In QGIS, go to **Layer** → **Add Layer** → **Add WMS/WMTS Layer**, paste the WMS URL, and browse the list of available layers to add KMaP data directly to your project without downloading any files. Consider also the [QGIS Geonode Plugin](#) to connect directly with kmap resources.




Fig. 1: The ogc service links in metadata section

1.4 Themes Available on KMaP

KMaP organises its datasets into the the following categories according with UNEP-MAP themes:

-  **Pollution**
-  **Marine Biodiversity**
-  **Sustainability and Blue Economy**
-  **Climate Change**
-  **Marine Spatial Planning**
-  **Fishery and Aquaculture**
-  **Governance**

Resources related to the [Scientific Studies](#) financed by Pelagos Agreement are categorized under dtheir respective themes, mainly Marine Biodiversity and Pollution.

HOW TO FIND AND VISUALISE YOUR DATA

On this page

- *Accessing the Catalogue*
- *Filtering and Searching the Catalogue*
 - *Using the Search Bar*
 - *Using Filters*
- *Step-by-Step Example: Finding a Pelagos Dataset*
 - *Step 1 – Open the catalogue*
 - *Step 2 – Search by keyword*
 - *Step 3 – Filter to Datasets only*
 - *Step 4 – Select a Dataset*
- *The Dataset Detail Page*
 - *Thumbnail and Actions*
 - *Interactive Preview*
 - *Metadata Panel*
 - *Full Metadata View*
 - *Downloading a Dataset*

This section explains how to discover resources in KMaP, apply filters to narrow your search, and explore the detail page and preview of a Dataset.

2.1 Accessing the Catalogue

The KMaP catalogue lists all public resources and all resources shared with your group. There are two main ways to reach it:

1. **From the navigation bar** – click **Maps** (for spatial resources) or **Library** (for documents and publications) in the top menu.
2. **Directly via URL** – navigate to <https://kmap.info-rac.org/resources/>

The catalogue page displays resources as cards, each showing a thumbnail, title, resource type, and summary metadata.

Tip

Make sure you are **logged in** to see resources that are shared exclusively with the Pelagos Agreement group. Resources restricted to your group are not visible to unauthenticated users.

2.2 Filtering and Searching the Catalogue

2.2.1 Using the Search Bar

The search bar at the top of the catalogue page accepts free-text queries. It searches across titles, abstracts, and keyword fields.

To find Pelagos-related content:

1. Type `pelagos sanctuary` in the search bar and press **Enter**.
2. Alternatively, search for `pelagos agreement` to retrieve resources tagged with that keyword.

Note

Both `pelagos sanctuary` and `pelagos agreement` are controlled keywords used by the Pelagos Agreement group when publishing resources on KMaP. Using these exact terms will return the most relevant results.

2.2.2 Using Filters

On the left side of the catalogue page you will find a filter panel. Filters can be combined freely and are applied immediately.

Filter	How to use it
Resource type	Select <i>Dataset</i> , <i>Document</i> , <i>Map</i> , <i>GeoStory</i> , or <i>Dashboard</i> to restrict results to one type.
Keywords	Type or select a keyword (e.g. <code>pelagos sanctuary</code>) to filter by thematic tag.
Category / Theme	Select a thematic category such as <i>Marine Biodiversity</i> or <i>Governance</i> .
Date	Filter by publication or modification date range.
Owner	Filter by the user or organisation that published the resource.
Extent	Draw a bounding box on the mini-map to filter by geographic area.

Tip

To find all Pelagos-related datasets quickly:

1. Set **Resource type** → *Dataset*
2. In the **Keywords** filter, type `pelagos sanctuary`
3. The catalogue will update to show only datasets tagged with that keyword.

2.3 Step-by-Step Example: Finding a Pelagos Dataset

The following example walks through finding, previewing, and reading the metadata of a Dataset relevant to the Pelagos Agreement.

2.3.1 Step 1 – Open the catalogue

Go to <https://kmap.info-rac.org> and click **Maps** in the top navigation bar. This opens the Data Hub catalogue, filtered to spatial resource types.

2.3.2 Step 2 – Search by keyword

In the search bar, type:

pelagos sanctuary

Press **Enter**. The results panel updates to show resources matching that keyword.

2.3.3 Step 3 – Filter to Datasets only

In the left filter panel, under **Resource type**, tick **Dataset**. The list now shows only datasets tagged with *pelagos sanctuary*.

2.3.4 Step 4 – Select a Dataset

Click on a dataset card to open its **detail page**.

2.4 The Dataset Detail Page

The detail page is the central information page for any resource. It is divided into several sections.

2.4.1 Thumbnail and Actions

At the top of the page you will see:

- A **map thumbnail** or preview image of the dataset.
- Action buttons:
 - **View map** – opens the dataset in the interactive map viewer.
 - **Download** – downloads the dataset in your chosen format.
 - **Edit** (if you have permission) – opens the metadata editor.
 - **Share** – copies the permalink to the resource.

2.4.2 Interactive Preview

Below the thumbnail, the **map preview panel** displays the dataset rendered on a basemap. You can:

- Pan and zoom using mouse or touch gestures.
- Click on a feature to open a **pop-up** showing its attribute values.
- Use the layer panel ( icon) to toggle visibility or inspect the legend.

Note

The preview is a live, interactive map — not a static image. You can explore the data spatially before deciding whether to download or use it.

2.4.3 Metadata Panel

Below the preview, the **metadata panel** contains detailed information about the dataset. The key fields are:

Field	Description
Title	The full name of the dataset.
Abstract	A plain-language description of what the dataset contains and its purpose.
Keywords	Thematic and geographic tags (look for <i>pelagos sanctuary</i> or <i>pelagos agreement</i> here).
Category	The INSPIRE or thematic category (e.g. <i>Marine Biodiversity</i>).
Date	Publication date and last modification date.
Spatial extent	Bounding box or geographic region covered by the data.
Coordinate Reference System (CRS)	The projection used (e.g. WGS 84 / EPSG:4326).
Owner	The user or organisation responsible for the dataset.
Licence	The usage licence (e.g. Creative Commons, ODbL, ...).
Point of contact	Who to contact for questions about the data.
OGC Services	WMS, WFS, and WCS endpoint URLs for direct integration in GIS software.
Related resources	Links to Maps, Documents, or other Datasets connected to this resource.

2.4.4 Full Metadata View

To see the complete metadata record, click the **Metadata** tab (or the *View full metadata* link near the bottom of the detail page). This view displays all metadata fields in their full form, including ISO 19115 / INSPIRE-compliant fields.

2.4.5 Downloading a Dataset

Click the **Download** button on the detail page. A format selector appears. Common options include:

- **ESRI Shapefile** – for use in QGIS, ArcGIS, and most desktop GIS.
- **GeoJSON** – for web mapping and lightweight GIS use.
- **KML/KMZ** – for Google Earth.
- **GeoPackage** – a single-file format supported by QGIS.
- **GeoTIFF** – for raster datasets.
- **CSV** – attribute table only (no geometry).

Select your preferred format and click **Download** to save the file.

MANAGING METADATA

On this page

- *Who Can Edit Metadata?*
- *Opening the Metadata Editor*
- *Overview of the Metadata Editor*
- *Editing Key Metadata Fields*
 - *Title*
 - *Abstract*
 - *Keywords*
 - *Category*
 - *Spatial Extent*
 - *Date Fields*
 - *Licence*
 - *Point of Contact*
 - *Thumbnail*
- *Saving Your Changes*
- *Metadata Completeness Checklist*

Good metadata is what makes a resource discoverable and trustworthy. This section explains how to view and edit the metadata of a Dataset or Document in KMaP.

Note

You can only edit the metadata of resources that you **own** or for which you have been granted **edit permissions**. Members of the Pelagos Agreement group may have edit rights on resources shared within the group — check with your group administrator if you are unsure.

3.1 Who Can Edit Metadata?

KMaP has a permission model with several levels:

Role	Metadata editing rights
Resource owner	Full edit rights on all metadata fields.
Group manager	Can edit resources owned by any member of their group.
Group member (editor)	Can edit resources explicitly shared with the group with <i>edit</i> permission.
Viewer / public	Read-only access. Cannot edit metadata.

If you see an **Edit** button on the resource detail page, you have the right to edit that resource’s metadata.

3.2 Opening the Metadata Editor

There are two ways to open the metadata editor:

From the detail page:

1. Navigate to the resource detail page (see [How to Find and Visualise Your Data](#) for how to find a resource).
2. Click the **Edit** button (pencil icon) in the top-right action bar.
3. A dropdown menu appears. Select **Edit metadata**.

From the catalogue:

1. In the catalogue, hover over a resource card.
2. Click the (more options) menu that appears.
3. Select **Edit metadata**.

The metadata editor opens as a multi-tab form.

3.3 Overview of the Metadata Editor

The metadata editor is organised into tabs. The most important tabs are:

Tab	Content
Basic info	Title, abstract, language, category, keywords, point of contact.
Location and licences	Spatial extent, CRS, date fields, licence, attribution.
Optional metadata	Additional ISO 19115 fields (edition, purpose, supplemental information, ...).
Settings	Permissions, featured status, advertised status.

3.4 Editing Key Metadata Fields

3.4.1 Title

The **title** is the primary way users find your resource. It should be:

- Descriptive and specific (avoid generic titles like “Data” or “Map layer”).
- Consistent with the naming conventions used by the Pelagos Agreement group.

To edit: click on the **Title** field in the *Basic info* tab and type your changes.

3.4.2 Abstract

The **abstract** is a plain-language description of the resource. A good abstract answers:

- What does this resource contain?
- What geographic area does it cover?
- What time period does it represent?
- What is it used for?
- What are its known limitations?

The abstract field supports basic formatting. Aim for at least two or three sentences.

3.4.3 Keywords

Keywords are the primary mechanism for filtering and discovering resources in KMaP.

Important

All resources related to the Pelagos Agreement **must include** at least one of the following keywords:

- pelagos sanctuary
- pelagos agreement

Without these keywords, your resource will not appear when other group members filter the catalogue by these terms.

To add a keyword:

1. In the **Keywords** field, start typing the keyword.
2. If the keyword already exists in the system, it will appear in a dropdown — select it.
3. If it is new, type the full keyword and press **Enter** or click **Add**.
4. To remove a keyword, click the × next to it.

3.4.4 Category

The **category** assigns the resource to a thematic classification. Select the most appropriate category from the dropdown:

- Fishery and Aquaculture
- Marine Biodiversity
- Pollution
- Climate Change
- Marine Spatial Planning
- Sustainability and Blue Economy
- Governance

A resource can belong to only one primary category. Use keywords for additional thematic tagging.

3.4.5 Spatial Extent

The **spatial extent** defines the geographic bounding box of the resource. For datasets, this is usually set automatically when the data is uploaded. You can refine it manually:

1. Go to the **Location and licences** tab.
2. In the *Spatial extent* section, use the map widget to draw or adjust the bounding box, or enter coordinates (min/max longitude and latitude) manually.

Tip

For Pelagos-related resources, the spatial extent should cover at least the Pelagos Sanctuary area (approximately between France, Italy, and Monaco in the Ligurian Sea and adjacent western Mediterranean).

3.4.6 Date Fields

Three date fields are available:

Field	Description
Date (creation date)	When the resource was originally created or the data was collected.
Publication date	When the resource was published on KMaP.
Revision date	When the resource was last updated.

Keep these dates accurate — they are used to filter and sort resources in the catalogue.

3.4.7 Licence

The **licence** defines how others may use the resource.

1. Go to the **Location and licences** tab.
2. Select a licence from the dropdown. Common options include:
 - *Creative Commons Attribution (CC BY)* – free reuse with attribution.
 - *Creative Commons Attribution ShareAlike (CC BY-SA)* – reuse with attribution and same licence.
 - *Open Database Licence (ODbL)* – for datasets.
 - *No restrictions* – public domain.

Note

If you are unsure which licence to apply, consult your group administrator. Applying the wrong licence may restrict the reuse of your data inappropriately.

3.4.8 Point of Contact

The **point of contact** identifies who to contact for questions about the resource. It can be a person or an organisation.

1. In the *Basic info* tab, find the **Point of contact** field.
2. Start typing a name to search registered KMaP users, or enter an organisation name.

3.4.9 Thumbnail

The **thumbnail** is the preview image displayed in catalogue cards. It is generated automatically for Datasets and Maps, but can be replaced manually:

1. Click **Edit** on the detail page.
2. Select **Edit thumbnail**.
3. Upload a new image (recommended: 600 × 400 px, JPEG or PNG).

3.5 Saving Your Changes

When you have finished editing, scroll to the bottom of the editor and click **Save** (or **Update** — the label may vary). A confirmation message will appear.

Warning

Metadata changes are applied immediately and are visible to all users with access to the resource. There is no draft or staging mode.

After saving, you are returned to the resource detail page where you can verify that all fields have been updated correctly.

3.6 Metadata Completeness Checklist

Use the following checklist before publishing or sharing a resource:

✓	Item
	Title is descriptive and specific.
	Abstract explains what, where, when, and why.
	At least one Pelagos keyword is present (pelagos sanctuary or pelagos agreement).
	Category is set.
	Spatial extent is defined and covers the correct area.
	Date fields are filled in.
	Licence is set.
	Point of contact is identified.
	Thumbnail is representative.

EXPLORING MAPS

On this page

- *Finding a Map*
- *The Map Viewer Interface*
- *Navigating the Map*
 - *Basic Navigation*
 - *Going to a Specific Location*
- *Working with Layers*
 - *Opening the Layer Panel*
 - *Toggling Layer Visibility*
 - *Changing Layer Order*
 - *Adjusting Layer Opacity*
 - *Viewing the Legend*
- *Querying Features*
 - *Clicking on a Feature*
 - *Identify Tool*
 - *Selecting and Filtering Features*
- *Measurement Tools*
 - *Distance Measurement*
 - *Area Measurement*
- *Printing and Exporting the Map View*
 - *Print*
 - *Share / Permalink*
 - *Embed*
- *Saving Changes to a Map*
- *Creating a New Map*

A **Map** in KMaP is an interactive, multi-layer web map built from one or more Datasets. This section explains how to find, open, and navigate Maps, how to work with layers, and how to extract information from the data displayed.

4.1 Finding a Map

Maps are listed in the catalogue alongside all other resource types. To filter the catalogue to show only Maps:

1. Open the catalogue: click **Maps** in the top navigation bar.
2. In the filter panel on the left, under **Resource type**, select **Map**.
3. To find Pelagos-related maps, also apply the keyword filter: in the **Keywords** field, type `pelagos sanctuary` or `pelagos agreement`.

Alternatively, search for a map by title using the search bar.

Click on a Map card to open its **detail page**. From there, click **View map** to open it in the interactive map viewer.

4.2 The Map Viewer Interface

The map viewer (powered by **MapStore**) opens in a full-screen layout. Its main interface elements are:

Element	Description
Main map canvas	The central interactive map area.
Layer panel ()	Toggles layer visibility, reorders layers, accesses layer settings.
Basemap switcher	Changes the background map (OpenStreetMap, satellite imagery, ...).
Zoom controls (+ / -)	Zoom in and out. Also supports mouse wheel and pinch gesture.
Toolbar	Row of tool icons at the top or side of the map canvas.
Scale bar	Displays the current map scale.
Coordinates panel	Shows the geographic coordinates of the mouse cursor position.

4.3 Navigating the Map

4.3.1 Basic Navigation

Action	How to perform it
Pan (move the map)	Click and drag on the map canvas.
Zoom in	Scroll the mouse wheel forward, click +, or double-click on the map.
Zoom out	Scroll the mouse wheel backward or click -.
Zoom to full extent	Click the <i>Home</i> icon () in the toolbar to return to the default view.
Zoom to a layer	In the Layer panel, right-click a layer and select <i>Zoom to layer extent</i> .

4.3.2 Going to a Specific Location

Use the **Search / Geocoder** tool in the toolbar ( icon) to search for a place name. Type the name and press Enter — the map will zoom to that location.

4.4 Working with Layers

4.4.1 Opening the Layer Panel

Click the (hamburger) icon to open the layer panel. It lists all layers included in the map, grouped into:

- **Overlays** – the thematic data layers (e.g. Pelagos Sanctuary boundary, cetacean sighting points, shipping lanes).
- **Background layers** – the basemap options (only one can be active at a time).

4.4.2 Toggling Layer Visibility

Each layer in the panel has an **eye icon** (). Click it to show or hide that layer. Hidden layers remain in the map composition but are not displayed on the canvas.

4.4.3 Changing Layer Order

Layers are drawn in the order they appear in the panel (top layers are drawn on top). To reorder:

1. Click and hold a layer name in the panel.
2. Drag it up or down to the desired position.
3. Release to drop.

4.4.4 Adjusting Layer Opacity

1. In the Layer panel, click the (options) icon next to a layer.
2. Select **Settings** (or the slider icon).
3. Use the **Opacity** slider to set transparency between 0 % (invisible) and 100 % (solid).

4.4.5 Viewing the Legend

1. Click the (options) icon next to a layer.
2. Select **Legend** to expand the symbol key for that layer.

Alternatively, some map configurations display a persistent legend panel on the side of the canvas.

4.5 Querying Features

4.5.1 Clicking on a Feature

Click on any visible feature (point, line, or polygon) on the map canvas to open an **attribute pop-up**. The pop-up displays the attribute values associated with that feature — for example, the name of a marine protected area, a species name, or a monitoring value.

If multiple layers overlap at the clicked location, the pop-up may show results from all overlapping layers. Use the arrow buttons in the pop-up to navigate between them.

4.5.2 Identify Tool

The **Identify** tool (icon in the toolbar) works similarly to clicking directly on the map. It queries all visible layers at the clicked point and returns their attributes in a panel.

4.5.3 Selecting and Filtering Features

For vector layers, MapStore offers a **Filter** tool:

1. In the Layer panel, click  next to the desired layer.
2. Select **Filter**.
3. Define a filter condition using the attribute fields (e.g. show only records where *country* = “*France*”).
4. Click **Apply**. Only features matching the filter are displayed.

Tip

Use the filter tool to focus on a specific subset of Pelagos data — for example, showing only cetacean sightings from a specific year, or only routes that pass through the sanctuary.

4.6 Measurement Tools

4.6.1 Distance Measurement

1. Click the **Measure** tool () in the toolbar.
2. Select **Distance**.
3. Click points on the map to define a line. Double-click to end.
4. The total distance is displayed in the unit of your choice (km, miles, nm).

4.6.2 Area Measurement

1. Click the **Measure** tool.
2. Select **Area**.
3. Click to define the vertices of a polygon. Double-click to close.
4. The calculated area is displayed.

Note

Measurements are performed on the map projection and may have small geometric inaccuracies for large areas. For precise measurements, use a desktop GIS application.

4.7 Printing and Exporting the Map View

4.7.1 Print

1. Click the **Print** tool () in the toolbar.
2. A print dialog appears. Configure:
 - **Title** – a title to display on the printed map.
 - **Paper size** – A4, A3, Letter, etc.
 - **Resolution** – 72, 150, or 300 dpi.

- **Layout** – portrait or landscape.
3. Click **Print** to generate a PDF or image.

4.7.2 Share / Permalink

To share the current map view (including zoom level, active layers, and centre point):

1. Click the **Share** button (link icon) in the toolbar.
2. A permalink URL is generated. Copy and share this URL — recipients will open the map in the same state.

4.7.3 Embed

1. Click the **Share** button.
2. Switch to the **Embed** tab.
3. Copy the HTML `<iframe>` code and paste it into your website or report.

4.8 Saving Changes to a Map

If you have **edit permission** on a Map, you can save changes to layers, styles, and the initial view:

1. Make your changes in the map viewer (reorder layers, change styles, set a new initial extent, etc.).
2. Click the **Save** button ( icon) in the toolbar.
3. Choose **Save** (overwrite the existing map) or **Save as** (create a new map).

Warning

Saving overwrites the map for all users who have access to it. If you want to experiment without affecting others, use **Save as** to create a personal copy first.

4.9 Creating a New Map

Members of the Pelagos Agreement group with appropriate permissions can create new Maps:

1. Go to **Maps** in the navigation bar.
2. Click + **Create map** (or the equivalent button at the top of the catalogue).
3. The map viewer opens with an empty canvas.
4. Use the **Add layer** button (+ icon in the Layer panel) to search for and add Datasets from the KMaP catalogue.
5. Style each layer as needed.
6. Click **Save** and provide a title, abstract, and keywords (remember to include `pelagos sanctuary` or `pelagos agreement`).