
Pelagos Scientific data on KMaP

Release 0.1

Pelagos Agreement

Aug 07, 2026

CONTENTS

1	Welcome to KMaP	3
1.1	What is KMaP?	3
1.2	Resource Types	4
1.3	Interoperable Services	7
1.4	Themes Available on KMaP	8
1.5	Manage your user's profile	10
1.6	Updating the Profile	10
2	How to Find and Visualise Your Data	13
2.1	Accessing the Catalogue	13
2.2	Filtering and Searching the Catalogue	14
2.3	Step-by-Step Example: Finding a Pelagos Dataset	16
2.4	The Dataset Detail Page	18
3	Managing Metadata	25
3.1	Who Can Edit Metadata?	25
3.2	Opening the detail page in edit mode	25
3.3	Overview of the Metadata Editor	27
3.4	Editing Metadata	28
3.5	Advanced Metadata editing	32
3.6	Saving Your Changes	32
3.7	Metadata Completeness Checklist	32
4	Exploring Maps	33
4.1	Finding a Map	33
4.2	The Map Viewer Interface	34
4.3	Navigating the Map	35
4.4	Working with Layers	35
4.5	Querying Features	36
4.6	Measurement Tools	36
4.7	Exporting the Map View	37
4.8	Saving Changes to a Map	37
4.9	Creating a New Map	38


User Documentation for the Pelagos Agreement Group

Note

This manual is dedicated to Kmap users that are also members of the **Pelagos Agreement** group. Some features described here may appear differently or not be visible to users outside this group.

Following The Permanent Secretariat of the Pelagos Agreement has signed a Memorandum of Understanding in 2024 to publish the results of scientific calls consisting in maps and geospatial data onto the UNEP-MAP Knowledge Management Platform (KMaP) managed by INFO/RAC; The KMaP platform is accessible at: <https://kmap.info-rac.org>.

This manual describes how to access and visualize data, metadata and maps in the KMaP platform.



WELCOME TO KMAP

1.1 What is KMaP?




KMaP (Knowledge Management Platform) is the Spatial Data Infrastructure developed by **INFO/RAC**, the Regional Activity Centre for Information and Communication of the **Mediterranean Action Plan** (UNEP/MAP).

KMaP is built on **GeoNode**, an open-source web platform for managing and sharing geospatial information. It acts as a unified access hub to the environmental and spatial knowledge heritage of the Mediterranean region.



Fig. 1: Screenshot of KMaP Home Page

The platform is structured around three hubs:

Hub	Access	Description
Data Hub	<i>Maps</i> 	Geospatial data: datasets, interactive maps, dashboards, and geostories.
Knowledge Hub	<i>Library</i> 	Documentary heritage: reports, publications, and reference documents.
Exchange Hub	<i>Network</i> 	Collaboration and knowledge exchange.

Note

As a member of the **Pelagos Agreement** group, you have access to specific resources, metadata editing rights, and group-level permissions that are not available to general public users.

1.2 Resource Types

KMaP organises all content into five resource types. Each type serves a distinct purpose.

1.2.1 Dataset

A **Dataset** is a geographic data layer representing real-world features or measurements. It is the foundational building block of the platform — the raw material from which maps, dashboards, and analyses are constructed.

Datasets can be:

- **Vector** – discrete geographic features represented as points, lines, or polygons (e.g. coastlines, protected area boundaries, monitoring station locations).
- **Raster** – continuous surfaces represented as a grid of cells (e.g. sea surface temperature, satellite imagery, depth models).

What you can do with a Dataset:




Fig. 2: Dataset Page

- View it interactively on a web map
- Inspect its attribute table
- Download it in standard formats (Shapefile, GeoTIFF, GeoJSON, KML, CSV, ...)
- Read and edit its metadata
- Add it as a layer to a Map

Tip

Datasets published for the Pelagos Agreement are tagged with the keywords `pelagos sanctuary` or `pelagos agreement`. Use these keywords to filter the catalogue quickly (see [How to Find and Visualise Your Data](#)).

1.2.2 Document

A **Document** is any uploaded file that complements spatial data: a PDF report, a field photograph, a spreadsheet, a presentation, or any other reference material.

Documents are fully integrated resources in KMaP — they have their own metadata page, can be searched and filtered, and can be linked to Datasets or Maps.

Supported file types include: `.pdf`, `.docx`, `.xlsx`, `.pptx`, `.jpg`, `.png`, `.tif`, `.mp4`, `.zip`, and many others.

1.2.3 Map

A **Map** is an interactive, multi-layer web map created by composing one or more Datasets. Maps are built and viewed using the integrated **MapStore** map viewer.

Each Map:

- Combines multiple Dataset layers with individual styles and visibility settings
- Includes a basemap (e.g. OpenStreetMap or satellite imagery)
- Supports pan, zoom, feature query, measurement, and print tools




Fig. 3: Document Page




Fig. 4: Map Page

- Can be shared via a permanent link or embedded in external websites

1.2.4 GeoStory

A **GeoStory** is a scrollable, multimedia narrative that weaves together text, interactive maps, images, and video — similar to a story map.

GeoStories are composed of sections:

Section type	Description
Title	Full-screen opening panel with background image or video.
Banner	Horizontal divider or chapter header with text and/or image.
Paragraph	Free-form text and media (image, video, map).
Immersive	Full-screen interactive map that the text scrolls over.
GeoCarousel	Slideshow linked to map locations.
Web page	Embedded live webpage displayed inline.

GeoStories are ideal for communicating environmental topics to non-specialist audiences.

1.2.5 Dashboard

A **Dashboard** is a configurable panel of interactive widgets — charts, tables, maps, counters, and text blocks — linked to one or more Datasets.

Available widget types:

Widget	Description
Map	Interactive mini-map displaying dataset layers.
Chart	Bar, line, pie, or scatter plots derived from dataset attributes.
Table	Sortable and filterable tabular view of dataset attributes.
Counter	Large-format summary statistic (count, sum, average, ...).
Text	Free-text block for titles or commentary.

Widgets in a Dashboard are interconnected: selecting a region on the map widget automatically filters all other widgets to display data for that region only.

1.3 Interoperable Services

KMaP exposes its data through standard **OGC web services**, allowing any compatible GIS software or web application to access the data directly without downloading files.

Service	Standard		Description
WMS	OGC	Web Map Service	Returns dataset layers as rendered map images. Ideal for visualisation in desktop GIS (QGIS, ArcGIS) or web applications.
WFS	OGC	Web Feature Service	Returns raw vector feature data (geometries + attributes) for download or analysis. Supports filtering by attribute or bounding box.
WCS	OGC	Web Coverage Service	Returns raw raster data (grids) for analysis. Available for raster datasets.
WMTS	OGC	Web Map Tile Service	Returns pre-rendered map tiles for fast display in web maps.
CSW	OGC	Catalogue Service	Exposes KMaP's metadata catalogue for search and harvest by external portals.

How to get service URLs

On any Dataset detail page, click the **OGC Services** tab (or look for the *Download / OGC* section). The WMS, WFS, and WCS endpoint URLs are listed there and can be copied directly into QGIS or any other OGC-compatible client.

Tip

In QGIS, go to **Layer** → **Add Layer** → **Add WMS/WMTS Layer**, paste the WMS URL, and browse the list of available layers to add KMaP data directly to your project without downloading any files. Consider also the [QGIS Geonode Plugin](#) to connect directly with kmap resources.

1.4 Themes Available on KMaP

KMaP organises its datasets into the the following categories according with UNEP-MAP themes:

- 
Pollution
- 
Marine Biodiversity
- 
Sustainability and Blue Economy
- 
Climate Change
- 
Marine Spatial Planning




Fig. 5: The ogc service links in metadata section

-  **Fishery and Aquaculture**

-  **Governance**

Resources related to the [Scientific Studies](#) financed by Pelagos Agreement are categorized under their respective themes, mainly Marine Biodiversity and Pollution.

1.5 Manage your user's profile

1.6 Updating the Profile

Once having an account you can enrich your profile with useful information, you can also edit or delete the existing ones. You can connect the account with your social network, associate many e-mail addresses to it and manage many options such as preferences about notifications.

You can update these information anytime from your *Profile* page which is accessible from the user menu.

So, click on your profile picture in the top right of the screen. A drop-down list will show. Click on *Profile* to enter the *Profile* settings page.




Fig. 6: Link to your profile

The *Profile* page looks like the one shown in the picture below.

Your personal information is shown under the username. At the bottom of the page are listed all the resources associated to your *Profile*, you can decide to view only datasets, maps ,documents, dashboard or geostory by clicking on the corresponding tab.

To add personal information to your profile choose the **Edit profile** link.

1.6.1 Editing Profile Information

Your *Profile* contains personal information such as your address, your telephone number, your organization and so on but it is empty by default at the beginning.

Through the *Edit profile* button of the *Profile* page you can set your details,
including your avatar.




Fig. 7: User profile page




Fig. 8: Updating Profile information

When finished, click *Update profile*. You will be redirected to the *Profile* page.
A message will confirm the profile has been correctly updated.

1.6.2 Change the Password

To change your password, click on the *Set/Change password* link of the *Profile* page. You will be asked to enter your current password and the new one (two times). Click on *Change my password* to perform the change.


The screenshot shows a web browser window with the address bar displaying 'kmap.info-rac.org/account/password/change/'. The page features a dark blue header with logos for UN Environment Programme, Mediterranean Action Plan, and infoRAC, alongside the KMaP logo and the text 'UNEP-MAP Knowledge Management Platform'. Below the header, the main content area is titled 'Password Change' and contains the instruction 'Change your password here'. There are three input fields: 'Current Password', 'New Password', and 'New Password (again)'. A blue button labeled 'Change my password' is positioned at the bottom of the form.

Fig. 9: Change your password

If no errors occur you will see a confirmation message.

HOW TO FIND AND VISUALISE YOUR DATA

This section explains how to discover resources in KMaP, apply filters to narrow your search, and explore the detail page and preview of a Dataset.

2.1 Accessing the Catalogue

The KMaP catalogue lists all public resources and all resources shared with your group. There are two main ways to reach it:

1. **From the navigation bar** – click **Maps** (for spatial resources) or **Library** (for documents and publications) in the top menu.
2. **Directly via URL** – navigate to <https://kmap.info-rac.org/maps/#/>

The catalogue page displays resources as cards, each showing a thumbnail, title, resource type, and summary metadata.




Fig. 1: Catalogue initial view

Tip

Make sure you are **logged in** to see resources that are shared exclusively with the Pelagos Agreement group. Resources restricted to your group are not visible to unauthenticated users. As a contributor you will also have the editing rights on the related resources only if you're logged in. To view the catalog as a contributor and to access the resources for editing purposes see [Managing Metadata](#)

2.2 Filtering and Searching the Catalogue




Fig. 2: Catalogue filter button

The initial view of the catalogue contains all the resources (maps and datasets) that your user is allowed to see. You need to use the **Filter** tool to restrict the list of resources and find the dataset or map of your interest.

2.2.1 Using the Search Bar

Clicking on the **Filter** button on top left corner of the catalogue view will open the filter panel. There are two tabs and by default the tab with Kmap categories is selected. The search bar is on the top of the filter panel and accepts free-text queries. It searches across titles, abstracts, and keyword fields.

To find Pelagos-related content:

1. Type `pelagos sanctuary` in the search bar and press **Enter**.
2. Alternatively, search for `pelagos agreement` to retrieve resources tagged with that keyword.

Note

Both `pelagos sanctuary` and `pelagos agreement` are controlled keywords used by the Pelagos Agreement group when publishing resources on KMaP. Using these exact terms will return the most relevant results.

As long as you type into the search bar the catalogue view will update: hide the filter panel to view the number of filtered resource. the appearance of the **Filter** button will change. Remember to click on **Clear filters** before make a new search




Fig. 3: Sequence of filtering catalogue using search bar

2.2.2 Using advanced filter

On the Advanced tab of the filter panel you will find a detailed list of filters based on the metadata fields of the resources. Filters can be combined freely and are applied immediately.




Fig. 4: Filter for Pelagos datasets

Filter	How to use it
Resource type	Select <i>Dataset</i> , <i>Document</i> , <i>Map</i> , <i>GeoStory</i> , or <i>Dashboard</i> to restrict results to one type.
Keywords	Type or select a keyword (e.g. <i>pelagos agreement</i>) to filter by thematic tag.
Category / Theme	Select a thematic category such as <i>Marine Biodiversity</i> or <i>Governance</i> .
Date	Filter by publication or modification date range.
Owner	Filter by the user or organisation that published the resource.
Extent	Draw a bounding box on the mini-map to filter by geographic area.

Tip

To find all Pelagos-related datasets quickly:

1. Set **Resource type** → *Dataset*
2. In the **Keywords** filter, type *pelagos agreement*
3. The catalogue will update to show only datasets tagged with that keyword.

2.3 Step-by-Step Example: Finding a Pelagos Dataset

The following example walks through finding, previewing, and reading the metadata of a Dataset relevant to the Pelagos Agreement.




Fig. 5: Filter for Pelagos datasets

2.3.1 Step 1 – Open the catalogue

Go to <https://kmap.info-rac.org> and click **Maps** in the top navigation bar. This opens the catalogue, filtered to spatial resource types (datasets and maps). Click on the **Filter** button then select **Advanced** tab

2.3.2 Step 2 – Filter to Datasets only

In the **Advanced** tab of the filter panel, under **Resources** list of checkbox, tick **Dataset**. The list now shows only resource of type datasets.

2.3.3 Step 3 – Search by keyword

In the **keyword** form field start typing *pelagos agreement* and select this exact keyword from the dropdown list.

All the scientific calls results has been tagged with this keyword (two words). Other resources not managed by the agreement but regarding the Pelagos sanctuary may have the *pelagos sanctuary* keyword.

The catalogue now list only the resources of type datasets that are tagged with keyword **Pelagos agreement**




Fig. 6: Open filter panel




Fig. 7: Advanced filter




Fig. 8: Filter for Pelagos datasets

2.3.4 Step 4 – Select a Dataset




Fig. 9: The view button

Click on the View button of a dataset card to open its **detail page**.

2.4 The Dataset Detail Page

The detail page contains the main information for any resource. It is divided into several sections.




Fig. 10: The dataset detail page

2.4.1 Information Panel

The resource detail page by default shows the **information panel** that summarize the essential elements of the dataset.

On the top left of the panel there is the **map thumbnail** usually a small preview image of the dataset. The thumbnail can be replaced by the users that have edit permissions on metadata, either re-generating the map-preview or uploading a custom image. The thumbnail is used in the catalogue cards and in the search results.




Fig. 11: Thumbnail area in information panel

On the top center of the panel there is the title of the dataset and just below it the owner of this resource. Clicking on the owner's name you will

- The action buttons :



– **Add to favorites** – Adds this dataset to your favorites. You can easy find your favorites using *advanced filter*




Fig. 12: Dataset title in information panel




Fig. 13: Dataset Action Button

-  **Download** – downloads the dataset in ESRI Shapefile format (for vector datasets) or Geotiff (for raster datasets).
-  **Share** – copies the permalink to the resource.
-  **OGC services** – copies the URL of OGC services (WMS and WCS/WFS depending on user's authorization) for this dataset only

2.4.2 Metadata Preview




Fig. 14: The tabs of metadata preview

The **info** tab contains detailed information about the dataset. The key fields are:

Field	Description
Owner	The user or organisation responsible for the dataset.
Creation/Added to Catalog/Last modification	Dates of creation, addition to the catalogue, and last modification.
Resource type	Dataset, Map, Document, GeoStory, or Dashboard.
Category	The INSPIRE or thematic category (e.g. <i>Marine Biodiversity</i>).
Point of contact	Usually metadata manager or dataset owner.
Attribution	Copyright and credit information for the dataset.
Keywords	Thematic and geographic tags.
Regions	The geographic regions related to the dataset.
Licence	The usage licence (e.g. Creative Commons, ODbL, ...).
Point of contact	Who to contact for questions about the data.
Supplemental Information	Other information mainly related to origin and lineage of the dataset
Related resources	Links to Maps, Documents, or other Datasets connected to this resource.

On the bottom of the **info** tab there is a link to the **full metadata** page. The other tabs **Location** and **Attributes** show the extent and attribute of the dataset. The tab **Linked resources** shows the resources that are linked to this dataset.

2.4.3 Full Metadata Page

To see the complete metadata record, click the **Metadata** tab (or the *View full metadata* link near the bottom of the detail page). This view displays all metadata fields in their full form.

Tip

If you're part of **Pelagos** group as a contributor your user may be authorized to **edit** metadata of selected resources. To improve metadata content see [Managing Metadata](#).

To download the metadata in a standard format, e.g ISO 19115 or Dublin Core, you will find the correspondent entry in the **Download** menu.



Fig. 15: Download menu for data and metadata

2.4.4 Interactive Preview

You can hide the information panel choosing the X button on the top right. To show again the information panel choose the X button on the top right. On the map preview the dataset is rendered on a basemap. You can:

- Pan and zoom using mouse or touch gestures.
- Click on a feature to open a **pop-up** showing its attribute values.
- Use the legend panel  to toggle visibility or inspect the legend.
- Visualize data attribute table and filter dataset by attribute value or spatial extent

Note

The preview is a live, interactive map — not a static image. You can explore the data spatially before deciding whether to download or use it.

Please refer to [The Map Viewer Interface](#) section for further information on the map viewer. Download dataset —

To download the dataset choose the **Dataset** entry from the **Download** menu. A dialog will open to select the format of the dataset to download. The available formats depend on the type of dataset (vector or raster). You can also choose




Fig. 16: Dataset preview page



Fig. 17: Download menu for data and metadata

the WGS84 coordinate system instead of native coordinate system, crop the data to the current map extent, and choose to download only the currently filtered features (see [View attribute table and filtering Features](#) for more information on filtering features).

MANAGING METADATA

Good metadata is what makes a resource discoverable and trustworthy. This section explains how to view and edit the metadata of a Dataset or Document in KMaP.

Note

You can only edit the metadata of resources that you **own** or for which you have been granted **edit permissions**. Members of the Pelagos Agreement group may have edit rights on resources shared within the group — check with your group administrator if you are unsure.

3.1 Who Can Edit Metadata?

KMaP has a permission model with several levels:

Role	Metadata editing rights
Resource owner and Superusers	Full edit rights on data and metadata fields.
Pelagos Group member (editor)	Can edit resources explicitly shared with the group with <i>edit</i> permission.
Viewer / public	Read-only access. Cannot edit metadata.

If you see an **Edit** button on the resource detail page, you have the right to edit that resource's metadata. All users in contributors group have access to the

3.2 Opening the detail page in edit mode

If you open a resource from the **maps** menu the detail page is showed in read-only mode, as a contributor user you have an acces to TO open the catalogue in edit mode select the **Catalogue** entry from the user menu. Fist Click on the user logo on the top right corner and then on the **Catalogue** link. You can also go directly to the url <https://kmap.info-rac.org/catalogue/>.

The catalogue view in edit mode lists all resources and filters as already explained in the [How to Find and Visualise Your Data](#) section. You can see the difference because there is an **Add Resource** button in the top right of the section and the page does not show other section (**navigate by theme** and **recently added**).

Navigate to the resource detail page (see [Using advanced filter](#) for how to find a resource). On the dataset preview page you have an **Edit** menu, select the entry **Edit Metadata**.




Fig. 1: Catalogue entry in user's menu




Fig. 2: Catalogue page in edit mode



Fig. 3: The edit menu in detail dataset page

3.3 Overview of the Metadata Editor




Fig. 4: The metadata editor page

The metadata editor is organised into tabs:

Tab	Content
Basic Metadata	Title, thumbnail, date fields, abstract, category, group, keywords, UNEP-MAP themes point of contact.
Location and licences	Language, region, license, attribution, data quality statement.
Optional metadata	Point of Contact, related resources on the platform and additional ISO 19115 fields (edition, purpose, supplemental information, ...).
Dataset attributes (vector datasets)	Label, description visibility and display order of attribute fields.
Additional info	Access constraints, resolution and accuracy.

Use *next* >> or << *back* to navigate through those steps. Once you have finished click on *Update*.

3.4 Editing Metadata

3.4.1 Basic Metadata Tab

3.4.2 Title

The **title** is the primary way users find your resource. It should be:

- Descriptive and specific (avoid generic titles like “Data” or “Map layer”).
- Consistent with the naming conventions used by the Pelagos Agreement group.

To edit: click on the **Title** input text field in the *Basic info* tab and type your changes.

The **thumbnail** is the preview image displayed in catalogue cards. It is generated automatically for Datasets and Maps. In this page you can re-generate the thumbnail by clicking the *edit* button under the image, a small map view will be displayed, you can zoom and pan to select the area to use for the thumbnail and click *save*.

You can also change the **title** and **thumbnail** from the information panel in the dataset detail page (see [Information Panel](#) for more information).

3.4.3 Abstract

The **abstract** is a plain-language description of the resource. Based on the *INSPIRE guidelines* <https://knowledge-base.inspire.ec.europa.eu/publications/inspire-metadata-implementing-rules-technical-guidelines-based-en-iso-19115-and-en-iso-19119_en> an abstract is a succinct description that can include: - A brief summary with the most important details that summarise the data or service - Coverage: linguistic transcriptions of the extent or location in addition to the bounding box - Main attributes - Data sources - Legal references - Importance of the work




Fig. 5: The editor for the abstract field.

The abstract field supports html formatting. You can use the formatting buttons in the editor toolbar to insert headings, images, links, and lists. Keep in mind that the abstract is served also in the catalogue and trough CSW service and could be rendered in different ways, so be sure that the content is understandable also without formatting and images.

3.4.4 Date Fields

Fig. 6: The dropdown for date fields.

Three date fields are available from the dropdown menu in the *Basic info* tab:

Field	Label	Description
Creation date	(creation date) <i>Creation</i>	When the resource was originally created or the data was collected. By default this is the date in which the resource was uploaded into the platform. If you know the exact date of creation, you can change it to improve metadata quality..
Publication date	<i>Added to catalog</i>	When the resource was published on KMaP (automatically generated).
Revision date	<i>Last catalog modification</i>	When the resource was last updated (automatically generated).

Keep these dates accurate — they are used to filter and sort resources in the catalogue.

3.4.5 Category

The **category** assigns the resource to a thematic classification. Select the most appropriate category from the dropdown. The available categories are an extension of the the *INSPIRE Topic Category* <<http://inspire.ec.europa.eu/metadata-codelist/TopicCategory>>.

A resource can belong to only one category. Use keywords for additional thematic tagging.

3.4.6 Keywords

Keywords are the primary mechanism for filtering and discovering resources in KMaP. you can add multiple keywords to a resource, and create new keywords if they do not already exist in the platform.

Tip

Be sure to not duplicate keywords for the same concept and avoid misspelling (e.g. “marinemammals” vs. “Marine Mammals”). Ask your group administrator if you are unsure about which keywords to use.

The screenshot shows a form titled 'Pelagos Agreement' with a dropdown arrow. Below it is a section 'Free-text Keywords' with a help icon. This section contains two rows of keyword tags: 'pelagos sanctuary' and 'Marine Mammals' in the first row, and 'Pelagos agreement' in the second row. Each tag has a small 'x' icon to its left and a larger 'x' icon to its right. Below the keywords is a section 'UNEP-MAP themes:' which contains one tag: 'Marine Biodiversity', also with 'x' icons on either side.

Fig. 7: The keywords and UNEP Theme fields.

To add a keyword:

1. In the **Keywords** field, start typing the keyword.
2. If the keyword already exists in the system, it will appear in a dropdown — select it.
3. If it is new, type the full keyword and press **Enter** or click **Add**.
4. To remove a keyword, click the × next to it.

Pelagos Agreement related resources should include the following keywords: pelagos sanctuary and pelagos agreement.

3.4.7 Location and Licenses Tab

3.4.8 Licence

The **licence** defines how others may use the resource.

Select a licence from the dropdown. Common options include:

- *Creative Commons Attribution (CC BY)* – free reuse with attribution.
- *Creative Commons Attribution ShareAlike (CC BY-SA)* – reuse with attribution and same licence.
- *Open Database Licence (ODbL)* – for datasets.
- *No restrictions* – public domain.

Note

If you are unsure which licence to apply, start with *Pelagos data policy* that refers to the data policy document for sharing scientific data.

3.4.9 Attribution

Write the name of the copyright holder, eg. Pelagos Agreement.

3.4.10 Regions

The Regions field can be filled with multiple values (region names) in the same way as the keywords field. For Pelagos Agreement data the regions are Europe, France, Italy and Monaco. At the present time mainly countries names are listed, marine regions could be added in the future..

3.4.11 Optional metadata tab

3.4.12 Point of Contact and Owner

The **point of contact** identifies the user or the users to contact for questions about the resource. By default is the user that compiled metadata. Start typing and select from existing list or add new one just like the keywords field. The **owner** is the user that has full edit rights on the resource. The owner can be different from the point of contact, for example if the resource is managed by a group of users. In geonode the owner is always a user account, so you can select only users that have an account in the platform. You will see a link to toggle more contact roles

3.4.13 Related resources

The **related resources** field allows you to link other resources in KMaP that are related to this one. For the scientific results of Pelagos Calls there is a document linked that describes how the data were produced. The maps that uses the dataset will be showed also in the related resources section, but you can add also other datasets. You need to know the title of the resource to link, start typing and select the resource from the dropdown list. You will see the resource type in brackets next to the title. You can add multiple related resources.

3.4.14 Supplemental information

Fill in this field with any additional information that is relevant to the resource, for example the origin of the data and the lineage. The field supports html formatting

3.4.15 Dataset Attributes tab

If you are editing metadata of a vector dataset, in this tab you can setup how the attributes will be displayed in the information popup of the *Identify Tool*. You can set a more readable label that will be rendered instead of the fieldname, a description, whether the attribute should be visible or not and in which order will appear. The display type by default is *label* but for attributes that contain URL an hyperlink will be showed or if the attribute contains a path to media file, the media itself will be rendered.

It is possible to define a completely custom HTML template for the *Get Feature Info* outcome. That is possible by enabling the *Use a custom template?* flag as shown in the figure below.

By using the keyword `${properties.<attribute_name>}`, you can tell to GeoNode to render the actual value of the attribute on the map.

3.4.16 Additional Info

In this tab you can add constraints for use the data (ask the geoportal admin to add access constraints to the dropdown list) and an estimation of resolution and accuracy values.




Fig. 8: Use a custom template

3.5 Advanced Metadata editing

On the top right of the page the button *Advanced Metadata* will open a single page with all metadata fields

3.6 Saving Your Changes

When you have finished editing click *Update* on the bottom of the page. A confirmation message will appear.

3.7 Metadata Completeness Checklist

Use the following checklist before publishing or sharing a resource:

✓	Item
	Title is descriptive and specific.
	Abstract explains what, where, when, and why.
	At least one Pelagos keyword is present (pelagos sanctuary or pelagos agreement).
	Category is set.
	Spatial extent is defined and covers the correct area.
	Date fields are filled in.
	Licence is set.
	Point of contact is identified.
	Thumbnail is representative and coherent with similar datasets.

EXPLORING MAPS

A **Map** in KMaP is an interactive, multi-layer web map built from one or more Datasets. This section explains how to find, open, and navigate Maps, how to work with layers, and how to extract information from the data displayed.

Geonode use *Mapstore* <<https://mapstore.io/>> map viewer to interact with the maps. See also the *Mapstore documentation* <<https://docs.mapstore.geosolutionsgroup.com/en/latest/>> for advanced use of map viewer.

4.1 Finding a Map

Maps are listed in the catalogue alongside all other resource types. To filter the catalogue to show only Maps:

1. Open the catalogue: click **Maps** in the top navigation bar.
2. In the filter panel on the left, under **Resource type**, select **Map**.
3. To find Pelagos-related maps, also apply the keyword filter: in the **Keywords** field, type **pelagos sanctuary** or **pelagos agreement**.

Alternatively, search for a map by title using the search bar.




Fig. 1: Map view button

Click on *View* button on a Map card to open it in the interactive map viewer.

4.2 The Map Viewer Interface

The map viewer (powered by **MapStore**) opens in a full-screen layout. `_static/map_view.png`




Fig. 2: Map view components

Its main interface elements are:

ref	Element	Description
1	Main map canvas	The central interactive map area.
2	Layer panel	Toggles layer visibility, reorders layers, display legend, accesses layer settings.
3	Basemap switcher	Changes the background map. By default use a light background map hosted by Info-Rac
4	Navigation Bar	Zoom in and out. Query tool and 3D view
5	Search bar	Type in to search by location, name and coordinates.
6	Sidebar	Contains print, add layers and measure tools
7	Menu tools	Link to catalog (<i>All resources</i>), show map info, save and share the map, edit metadata and add dataset to the map.

4.3 Navigating the Map

4.3.1 Basic Navigation

Action	How to perform it
Pan (move the map)	Click and drag on the map canvas.
Zoom in	Scroll the mouse wheel forward, click +, or double-click on the map.
Zoom out	Scroll the mouse wheel backward or click -.
Zoom to full extent	Click the <i>Home</i> icon () in the toolbar to return to the default view.
Zoom to a layer	In the Layer panel, right-click a layer and select <i>Zoom to layer extent</i> .

4.3.2 Going to a Specific Location

Use the **Search bar** to search for a place name. Type the name and press Enter — the map will zoom to that location. The place names are geocoded using *nominatim* <<https://nominatim.openstreetmap.org>>

4.4 Working with Layers

4.4.1 Table of Contents (TOC)

Click the  icon to open the TOC. It lists all layers included in the map, divided into different groups and subgroups: you can expand and collapse the groups by clicking the > on the left of the layer name.

Layer names mostly reflects the layer title but the map author can change them. The link to the effective layers/datasets is listed in the map information > linked resources

4.4.2 Toggling Layer Visibility

Each layer in the panel has a **radio button** . Click it to show or hide that layer. Hidden layers remain in the map composition but are not displayed on the canvas. If the group is a **mutually exclusive group** only one layer at time can be visible. Check the group settings with right click on the group name and open the context menu

4.4.3 Changing Layer Order

Layers are drawn in the order they appear in the panel (top layers are drawn on top). To reorder:

1. Click and hold a layer name in the panel.
2. Drag it up or down to the desired position.
3. Release to drop.

4.4.4 Viewing the Legend

Click the  arrow to a layer name and the legend is shown under the layer. Use the **Opacity** slider at the bottom to set transparency between 0 % (invisible) and 100 % (solid).

4.4.5 Compare two layers

When two solid layers overlaps the **opacity** control can be not sufficient to compare them. Mapstore provide a **Swipe tool** to compare different layers.

1. First make visible the bottom layer checking its radio button.

2. Select the layer on top that will covers the first layer and make it visible as well
3. Right click on the second layer and select **Swipe tool**
4. A vertical line will appear on the map: on the left the selected layer is transparent and on the right is visible.
5. Move the swipe line dragging it by mouse or pan and zoom the map to compare the two layers.

4.4.6 Time based layers

Mapstore viewer can manage also layers with **time** dimension. See for instances the map about pelagos **ToR2** at <https://kmap.info-rac.org/catalogue/#/map/20208>. Since it contains the remote layer of monthly vessel density from Emodnet server <<https://emodnet.ec.europa.eu/geoviewer/?layers=12707@0f2f3ff1-30ef-49e1-96e7-8ca78d58a07c:1:1,12432@5d89d371-a52a-476b-92de-a423f6d2c15d:1:0,12445@5d89d371-a52a-476b-92de-a423f6d2c15d:1:0&basemap=ebwbl&active=12707&bounds=-419329.86269369797,4523009.9685573215,1271431.3853908484,564>>

When the map opens with a Timeline control on the bottom. Although this remote service is not fully compatible with Mapstore you can still move from monthly frames using **Up** and **Down** arrows over the month field.

4.5 Querying Features

The **Query tool**  is active by default in the navigation bar.

Click on any visible feature (point, line, or polygon) on the map canvas and in the side panel which displays the attribute values associated with the feature under the pin, or the cell value of the raster.

If no layer is selected a dropdown list with all the layer with a feature that intersects the query point is showed.

If a layer is selected on the TOC the panel shows only features/values from that layer. To deselect a layer click again over the layer name.

4.5.1 View attribute table and filtering Features

For vector layers, MapStore can show the attribute table and filter features by attribute or by area. Select a layer in the TOC and click on the **attribute table** icon

The attribute table will open on the bottom of the map. You can resize the panel by dragging the top border with mouse. On the top left of the attribute panel click on the **Advanced search** button.

On the left panel are the filter options, you can use **attribute filter** combining different conditions. You can also filter by area of interests and a target layer. Figure below shows an attribute filter on **Ports and moorings** layer in **ToR2 map**. Given this conditions only Features that have *country=Italy* and *capacity>100* are shown from the layer.

Filtered dataset can also be exported as a new dataset, click on the **download data**  and in the next window select **Download filtered dataset** checkbox.

4.6 Measurement Tools

4.6.1 Distance Measurement

1. Click the **Measure** tool in the sidebar.
2. Select **Distance**, **Area**, or **Bearing**
3. Click points on the map to define a line. Double-click to end.
4. The total distance is displayed in the unit of your choice (km, miles, nm).

4.6.2 Area Measurement

1. Click the **Measure** tool.
2. Select **Area**.
3. Click to define the vertices of a polygon. Double-click to close.
4. The calculated area is displayed.

Note

Measurements are performed on the map projection and may have small geometric inaccuracies for large areas. For precise measurements, use a desktop GIS application.

4.7 Exporting the Map View

4.7.1 Share / Permalink

To share the current map view (including zoom level, active layers, and centre point):

1. Click the **Share** button (link icon) in the toolbar.
2. A permalink URL is generated. Copy and share this URL — recipients will open the map in the same state.

The permalink could be used by users that already have access rights to the map.

4.7.2 Embed

1. Click the **Share** button.
2. Switch to the **Embed** tab.
3. Copy the HTML `<iframe>` code and paste it into your website or report.

Warning

If you embed a map in an external website please be sure that all the layers and the map itself are publicly accessible. Log out and test as a non-logged user.

4.8 Saving Changes to a Map

If you have **edit permission** on a Map, you can save changes to the map configuration that include layers, styles, and the initial view:

1. Make your changes in the map viewer (reorder layers, change styles, set a new initial extent, etc.).
2. Select the **Save** entry from **Resource** menu.
3. Choose **Save** (overwrite the existing map) or **Save as** (create a new map).

Warning

Saving overwrites the map for all users who have access to it. If you want to experiment without affecting others, use **Save as** to create a personal copy first.

4.9 Creating a New Map

Members of the Pelagos Agreement group with appropriate permissions can create new Maps:

1. Open the **Catalogue** in *edit mode* <Opening the detail page in edit mode>
2. Click **Add Resource** button at the top of the catalogue.
3. The map viewer opens with an empty canvas.
4. Use the **Add layer** menu to search for and add Datasets from the KMaP catalogue.
5. Arrange the layer order Style each layer as needed.
6. Click **Save** and provide a title, abstract, and keywords (remember to include pelagos sanctuary or pelagos agreement).