

References

1. Wang, H. *et al.* Semiconductor heterojunction photocatalysts: design, construction, and photocatalytic performances. *Chem. Soc. Rev.* **43**, 5234–5244 (2014).
2. Gbadamasi, S. *et al.* Interface chemistry of two-dimensional heterostructures – fundamentals to applications. *Chem. Soc. Rev.* **50**, 4684–4729 (2021).
3. Duan, T. *et al.* Chiral-structured heterointerfaces enable durable perovskite solar cells. *Science* **384**, 878–884 (2024).
4. Bediako, D. K. *et al.* Heterointerface effects in the electrointercalation of van der Waals heterostructures. *Nature* **558**, 425–429 (2018).
5. Tan, S. *et al.* Stability-limiting heterointerfaces of perovskite photovoltaics. *Nature* **605**, 268–273 (2022).
6. Thiel, S., Hammerl, G., Schmehl, A., Schneider, C. W. & Mannhart, J. Tunable quasi-two-dimensional electron gases in oxide heterostructures. *Science* **313**, 1942–1945 (2006).
7. Ohtomo, A. & Hwang, H. Y. A high-mobility electron gas at the LaAlO₃/SrTiO₃ heterointerface. *Nature* **427**, 423–426 (2004).
8. Liu, C. *et al.* Two-dimensional superconductivity and anisotropic transport at KTaO₃ (111) interfaces. *Science* **371**, 716–721 (2021).
9. Iannaccone, G., Bonaccorso, F., Colombo, L. & Fiori, G. Quantum engineering of transistors based on 2D materials heterostructures. *Nat. Nanotechnol.* **13**, 183–191 (2018).
10. Gao, Z., Mogni, L. V., Miller, E. C., Railsback, J. G. & Barnett, S. A. A perspective on low-temperature solid oxide fuel cells. *Energy Environ. Sci.* **9**, 1602–1644 (2016).
11. Zheng, J. *et al.* Design principles for heterointerfacial alloying kinetics at metallic anodes in rechargeable batteries. *Sci. Adv.* **8**, eabq6321 (2022).
12. Sata, N., Eberman, K., Eberl, K. & Maier, J. Mesoscopic fast ion conduction in nanometre-scale planar heterostructures. *Nature* **408**, 946–949 (2000).
13. Liang, C. C. Conduction Characteristics of the Lithium Iodide-Aluminum Oxide Solid Electrolytes. *J. Electrochem. Soc.* **120**, 1289 (1973).
14. Harrington, G. F. *et al.* Tailoring Nonstoichiometry and Mixed Ionic Electronic Conductivity in Pr_{0.1}Ce_{0.9}O_{2-δ}/SrTiO₃ Heterostructures. *ACS Appl. Mater. Interfaces* **11**, 34841–34853 (2019).

15. Schichtel, N. *et al.* Elastic strain at interfaces and its influence on ionic conductivity in nanoscaled solid electrolyte thin films—theoretical considerations and experimental studies. *Phys. Chem. Chem. Phys.* **11**, 3043–3048 (2009).
16. Garcia-Barriocanal, J. *et al.* Colossal ionic conductivity at interfaces of epitaxial $\text{ZrO}_2\text{:Y}_2\text{O}_3/\text{SrTiO}_3$ heterostructures. *Science* **321**, 676–680 (2008).
17. Siebenhofer, M. *et al.* Engineering surface dipoles on mixed conducting oxides with ultra-thin oxide decoration layers. *Nat. Commun.* **15**, 1–10 (2024).
18. Riedl, C. *et al.* Surface Decorations on Mixed Ionic and Electronic Conductors: Effects on Surface Potential, Defects, and the Oxygen Exchange Kinetics. *ACS Appl. Mater. Interfaces* **15**, 26787–26798 (2023).
19. Schwenkel, D. M., De Souza, R. A. & Harrington, G. F. Understanding the role of acidity on the surface exchange reaction in mixed conductors: what is the effect of surface hydration? *J Mater. Chem. A* **13**, 8541–8548 (2025).
20. Steinbach, C. *et al.* Space Charges at SrTiO_3 |Mixed Ionic and Electronic Conducting Oxide Heterojunctions and Their Relation to Defect Chemistry. *ACS Appl. Mater. Interfaces* **17**, 17543–17557 (2025).
21. Nicollet, C. *et al.* Acidity of surface-infiltrated binary oxides as a sensitive descriptor of oxygen exchange kinetics in mixed conducting oxides. *Nat. Catal.* **3**, 913–920 (2020).
22. Staerz, A., Seo, H. G., Defferriere, T. & Tuller, H. L. Silica: ubiquitous poison of metal oxide interfaces. *J Mater. Chem. A* **10**, 2618–2636 (2022).
23. Seo, H. G. *et al.* Reactivation of chromia poisoned oxygen exchange kinetics in mixed conducting solid oxide fuel cell electrodes by serial infiltration of lithia. *Energy Environ. Sci.* **15**, 4038–4047 (2022).
24. Seo, H. G. *et al.* Tuning Surface Acidity of Mixed Conducting Electrodes: Recovery of Si-Induced Degradation of Oxygen Exchange Rate and Area Specific Resistance. *Adv. Mater.* **35**, 2208182 (2023).
25. Ding, D., Li, X., Lai, S. Y., Gerdes, K. & Liu, M. Enhancing SOFC cathode performance by surface modification through infiltration. *Energy Environ. Sci.* **7**, 552–575 (2014).
26. Kim, S. *et al.* Microstructure tailoring of solid oxide electrolysis cell air electrode to boost performance and long-term durability. *Chem. Eng. J.* **410**, 128318 (2021).

27. Chen, G. *et al.* Roadmap for Sustainable Mixed Ionic-Electronic Conducting Membranes. *Adv. Funct. Mater.* **32**, 2105702 (2022).
28. Crumlin, E. J. *et al.* Surface strontium enrichment on highly active perovskites for oxygen electrocatalysis in solid oxide fuel cells. *Energy Environ. Sci.* **5**, 6081–6088 (2012).
29. Jeong, J. W. *et al.* High-resolution nanotransfer printing applicable to diverse surfaces via interface-targeted adhesion switching. *Nat. Commun.* **5**, 1–12 (2014).
30. Lee, G. R. *et al.* Efficient and sustainable water electrolysis achieved by excess electron reservoir enabling charge replenishment to catalysts. *Nat. Commun.* **14**, 1–12 (2023).
31. Lee, G. R. *et al.* Unraveling oxygen vacancy-driven catalytic selectivity and hot electron generation on heterointerfaces using nanostructured platform. *Nat. Commun.* **16**, 1–12 (2025).
32. Kim, Y. J. *et al.* Highly efficient oxygen evolution reaction via facile bubble transport realized by three-dimensionally stack-printed catalysts. *Nat. Commun.* **11**, 1–11 (2020).
33. Zhang, S., Fang, Z., Chi, M. & Perry, N. H. Facile Interfacial Reduction Suppresses Redox Chemical Expansion and Promotes the Polaronic to Ionic Transition in Mixed Conducting (Pr,Ce)O_{2-δ} Nanoparticles. *ACS Appl. Mater. Interfaces* **17**, 880–898 (2024).
34. Seo, H. G., Kim, H., Jung, W. C. & Tuller, H. L. Reversal of chronic surface degradation of Sr(Ti,Fe)O₃ perovskite-based fuel cell cathodes by surface acid/base engineering. *Appl. Catal. B–Environ. Energy* **355**, 124172 (2024).
35. Kim, H., Seo, H. G., Ahn, S., Tuller, H. L. & Jung, W. C. Unveiling critical role of metal oxide infiltration in controlling the surface oxygen exchange activity and polarization of SrTi_{1-x}Fe_xO_{3-δ} perovskite oxide electrodes. *J Mater. Chem. A* **13**, 9708–9714 (2025).
36. Smith, D. W. An acidity scale for binary oxides. *J. Chem. Edu.* **64**, 480–481 (1987).
37. Guo, X. & Waser, R. Electrical properties of the grain boundaries of oxygen ion conductors: Acceptor-doped zirconia and ceria. *Prog. Mater. Sci.* **51**, 151–210 (2006).
38. Guo, X. & Waser, R. Space charge concept for acceptor-doped zirconia and ceria and experimental evidences. *Solid State Ion.* **173**, 63–67 (2004).
39. Toyama, S., Seki, T., Feng, B., Ikuhara, Y. & Shibata, N. Direct observation of space-charge-induced electric fields at oxide grain boundaries. *Nat. Commun.* **15**, 1–9 (2024).
40. Tschöpe, A., Kilassonia, S., Zapp, B. & Birringer, R. Grain-size-dependent thermopower of polycrystalline cerium oxide. *Solid State Ion.* **149**, 261–273 (2002).