


As a user I can register with valid input

<https://altashop-api.fly.dev/api/auth/register>

Severity	Priority	Behavior	Type
<input type="radio"/> Normal	— Not set	Positive	Functional
Layer	Is Flaky	Milestone	Automation
API	No	-	Automated
Status			
Actual			

Attachments



RegisterValidInpu... RegisterValidInpu...

Scenario


Given I set API endpoint for register
When I send request to register with valid input
Then I receive status code 200
And I receive registered account data

As a user I can't register with existed input

<https://altashop-api.fly.dev/api/auth/register>

Severity	Priority	Behavior	Type
○ Normal	— Not set	Negative	Functional
Layer	Is Flaky	Milestone	Automation
API	No	-	Automated
Status			
Actual			

Attachments



RegisterExistedIn... RegisterExistedIn...

Scenario


Given I set API endpoint for register
When I send request to register with existed input
Then I receive status code 400
And I receive register account error

As a user I can't register with invalid email

<https://altashop-api.fly.dev/api/auth/register>

Severity	Priority	Behavior	Type
<input type="radio"/> Normal	— Not set	Negative	Functional
Layer	Is Flaky	Milestone	Automation
API	No	-	Automated
Status			
Actual			

Attachments



RegisterInvalidEm.. RegisterInvalidEm..

Scenario

Given I set API endpoint for register

When I send request to register with invalid email

Then I receive status code 400

And I receive register account error

As a user I can't register with invalid password

<https://altashop-api.fly.dev/api/auth/register>

Severity	Priority	Behavior	Type
<input type="radio"/> Normal	— Not set	Negative	Functional
Layer	Is Flaky	Milestone	Automation
API	No	-	Automated
Status			
Actual			

Attachments



RegisterInvalidPa... RegisterInvalidPa...

Scenario

Given I set API endpoint for register
When I send request to register with invalid password
Then I receive status code 400
And I receive register account error

As a user I can't register with invalid full name

<https://altashop-api.fly.dev/api/auth/register>

Severity	Priority	Behavior	Type
○ Normal	— Not set	Negative	Functional
Layer	Is Flaky	Milestone	Automation
API	No	-	Automated
Status			
Actual			

Attachments



RegisterInvalidFu... RegisterInvalidFu...

Scenario


Given I set API endpoint for register
When I send request to register with invalid full name
Then I receive status code 400
And I receive register account error

As a user I can login with valid input

<https://altashop-api.fly.dev/api/auth/login>

Severity	Priority	Behavior	Type
○ Normal	— Not set	Positive	Functional
Layer	Is Flaky	Milestone	Automation
API	No	-	Automated
Status			
Actual			

Attachments



LoginValidInput.p... LoginValidInput_P...

Scenario

Given I set API endpoint for login
When I send request to login with valid input
Then I receive status code 200
And I receive logged in account data

As a user I can't login with non exist input

<https://altashop-api.fly.dev/api/auth/login>

Severity	Priority	Behavior	Type
<input type="radio"/> Normal	— Not set	Negative	Functional
Layer	Is Flaky	Milestone	Automation
API	No	-	Automated
Status			
Actual			

Attachments



LoginNonExistInpu. LoginNonExistInpu.

Scenario

Given I set API endpoint for login

When I send request to login with non exist input

Then I receive status code 400


And I receive login account error

As a user I can't login with invalid email

<https://altashop-api.fly.dev/api/auth/login>

Severity	Priority	Behavior	Type
<input type="radio"/> Normal	— Not set	Negative	Functional
Layer	Is Flaky	Milestone	Automation
API	No	-	Automated
Status			
Actual			

Attachments



LoginInvalidEmail... LoginInvalidEmail...

Scenario


Given I set API endpoint for login
When I send request to login with invalid email
Then I receive status code 400
And I receive login account error

As a user I can't login with invalid password

<https://altashop-api.fly.dev/api/auth/login>

Severity	Priority	Behavior	Type
<input type="radio"/> Normal	— Not set	Negative	Functional
Layer	Is Flaky	Milestone	Automation
API	No	-	Automated
Status			
Actual			

Attachments



LoginInvalidPassw.. LoginInvalidPassw..

Scenario

Given I set API endpoint for login

When I send request to login with invalid password

Then I receive status code 400


And I receive login account error

As a user I can get hello Index data

<https://altashop-api.fly.dev/api/hello>

Severity	Priority	Behavior	Type
○ Normal	— Not set	Positive	Functional
Layer	Is Flaky	Milestone	Automation
API	No	-	Automated
Status			
Actual			

Attachments



IndexHello.png

IndexHello_Postm..

Scenario

Given I set API endpoint for get hello Index

When I send request to get hello Index

Then I receive status code 200

And I receive valid data for hello Index

As a user I can get all products data

<https://altashop-api.fly.dev/api/products>

Severity	Priority	Behavior	Type
○ Normal	— Not set	Positive	Functional
Layer	Is Flaky	Milestone	Automation
API	No	-	Automated
Status			
Actual			

Attachments



GetAllProducts_Po... GetAllProducts.png

Scenario

Given I set API endpoint for get all products

When I send request to get all products

Then I receive status code 200


And I receive valid data for all products

As a user I can get product data with valid ID

<https://altashop-api.fly.dev/api/products/85528>

Severity	Priority	Behavior	Type
○ Normal	— Not set	Positive	Functional
Layer	Is Flaky	Milestone	Automation
API	No	-	Automated
Status			
Actual			

Attachments



GetProductByVali... GetProductByVali...

Scenario

Given I set API endpoint with valid Id for get product

When I send request to get valid Id product

Then I receive status code 200


And I receive valid data for product

As a user I can't get product data with invalid ID

<https://altashop-api.fly.dev/api/products/1>

Severity	Priority	Behavior	Type
<input type="radio"/> Normal	— Not set	Negative	Functional
Layer	Is Flaky	Milestone	Automation
API	No	-	Automated
Status			
Actual			

Attachments



GetProductByInva.. GetProductByInva..

Scenario

Given I set API endpoint with invalid Id for get product

When I send request to get invalid Id product

Then I receive status code 404

And I receive error for product

As a user I can create new product with valid inputs

<https://altashop-api.fly.dev/api/products>

Severity	Priority	Behavior	Type
○ Normal	— Not set	Positive	Functional
Layer	Is Flaky	Milestone	Automation
API	No	-	Automated
Status			
Actual			

Attachments



CreateNewProduc.. CreateNewProduc..

Scenario

Given I set API endpoint for create new product
When I send request to create new product with valid inputs
Then I receive status code 200
And I receive valid data for create new product

As a user I can delete product with valid ID

<https://altashop-api.fly.dev/api/products/85531>

Severity	Priority	Behavior	Type
○ Normal	— Not set	Positive	Functional
Layer	Is Flaky	Milestone	Automation
API	No	-	Automated
Status			
Actual			

Attachments



DeleteAProductVa.. DeleteAProductVa..

Scenario

Given I set API endpoint with valid Id for delete product

When I send request to delete product with valid ID

Then I receive status code 200

And I receive deleted product data

As a user I can delete product with invalid ID

<https://altashop-api.fly.dev/api/products/1>

Severity	Priority	Behavior	Type
○ Normal	— Not set	Negative	Functional
Layer	Is Flaky	Milestone	Automation
API	No	-	Automated
Status			
Actual			

Attachments



DeleteAProductIn... DeleteAProductIn...

Scenario

Given I set API endpoint with invalid Id for delete product

When I send request to delete product with invalid ID

Then I receive status code 200

And I receive deleted product data

As a user I can't delete product with Undefined ID

<https://altashop-api.fly.dev/api/products>

Severity	Priority	Behavior	Type
○ Normal	— Not set	Negative	Functional
Layer	Is Flaky	Milestone	Automation
API	No	-	Automated
Status			
Actual			

Attachments



DeleteAProductUn. DeleteAProductUn.

Scenario

Given I set API endpoint with Undefined Id for delete product

When I send request to delete product with Undefined ID

Then I receive status code 405

As a user I can rate product with valid ID

<https://altashop-api.fly.dev/api/products/85534/ratings>

Severity	Priority	Behavior	Type
<input type="radio"/> Normal	— Not set	Positive	Functional
Layer	Is Flaky	Milestone	Automation
API	No	-	Automated
Status			
Actual			

Attachments



AssignProductRat...

Scenario

Given I set API endpoint with valid Id for rate product

When I send request to rate product with valid ID

Then I receive status code 200

And I receive rated product data

As a user I can rate product with invalid ID

<https://altashop-api.fly.dev/api/products/2/ratings>

Severity	Priority	Behavior	Type
<input type="radio"/> Normal	— Not set	Negative	Functional
Layer	Is Flaky	Milestone	Automation
API	No	-	Automated
Status			
Actual			

Attachments



AssignProductRat...

Scenario

Given I set API endpoint with invalid Id for rate product

When I send request to rate product with invalid ID


Then I receive status code 500

As a user I can get product rating data with valid ID

<https://altashop-api.fly.dev/api/products/85536/ratings>

Severity	Priority	Behavior	Type
○ Normal	— Not set	Positive	Functional
Layer	Is Flaky	Milestone	Automation
API	No	-	Automated
Status			
Actual			

Attachments



GetProductRating... GetProductRating...

Scenario

Given I set API endpoint with valid Id for get product rating

When I send request to get valid Id product rating

Then I receive status code 200


And I receive data for product rating

As a user I can't get product rating data with invalid ID

<https://altashop-api.fly.dev/api/products/1/ratings>

Severity	Priority	Behavior	Type
Normal	Not set	Negative	Functional
Layer	Is Flaky	Milestone	Automation
API	No	-	Automated
Status			
Actual			

Attachments



GetProductRating... GetProductRating...

Scenario

Given I set API endpoint with invalid Id for get product rating

When I send request to get invalid Id product rating

Then I receive status code 200

And I receive data for product rating

As a user I can get product comments data with valid ID

<https://altashop-api.fly.dev/api/products/85538/comments>

Severity	Priority	Behavior	Type
<input type="radio"/> Normal	— Not set	Positive	Functional
Layer	Is Flaky	Milestone	Automation
API	No	-	Automated
Status			
Actual			

Attachments



GetProductComm.. GetProductComm..

Scenario

Given I set API endpoint with valid Id for get product comments

When I send request to get valid Id product comments

Then I receive status code 200

And I receive data for product comments

As a user I can't get product comments data with invalid ID

<https://altashop-api.fly.dev/api/products/2/comments>

Severity	Priority	Behavior	Type
<input type="radio"/> Normal	— Not set	Positive	Functional
Layer	Is Flaky	Milestone	Automation
API	No	-	Automated
Status			
Actual			

Attachments



GetProductComm.. GetProductComm..

Scenario

Given I set API endpoint with invalid Id for get product comments

When I send request to get invalid Id product comments

Then I receive status code 200

And I receive data for product comments

As a user I can create product comment data with valid ID

<https://altashop-api.fly.dev/api/products/85543/comments>

Severity	Priority	Behavior	Type
<input type="radio"/> Normal	— Not set	Positive	Functional
Layer	Is Flaky	Milestone	Automation
API	No	-	Automated
Status			
Actual			

Attachments



CreateAComment..

Scenario

Given I set API endpoint with invalid Id for create product comment

When I send request to create invalid Id product comment

Then I receive status code 200

And I receive data for product comment

As a user I can get all categories data

Severity	Priority	Behavior	Type
O Normal	— Not set	Positive	Functional
Layer	Is Flaky	Milestone	Automation
API	No	-	Automated
Status			
Actual			

Attachments



GetAllCategories.... GetAllCategories_..

Scenario


Given I set API endpoint for get all categories
When I send request to get all categories
Then I receive status code 200
And I receive valid data for all categories

As a user I can get category data with valid ID

<https://altashop-api.fly.dev/api/categories/29729>

Severity	Priority	Behavior	Type
○ Normal	— Not set	Positive	Functional
Layer	Is Flaky	Milestone	Automation
API	No	-	Automated
Status			
Actual			

Attachments



GetCategoryByVa.. GetCategoryByVa..

Scenario

Given I set API endpoint with valid Id for get category

When I send request to get valid Id category

Then I receive status code 200

And I receive valid data for category

As a user I can't get category data with invalid ID

<https://altashop-api.fly.dev/api/categories/1>

Severity	Priority	Behavior	Type
<input type="radio"/> Normal	— Not set	Positive	Functional
Layer	Is Flaky	Milestone	Automation
API	No	-	Automated
Status			
Actual			

Attachments



GetCategoryByInv.. GetCategoryByInv..

Scenario

Given I set API endpoint with invalid Id for get category

When I send request to get invalid Id category

Then I receive status code 404


And I receive error for category

As a user I can create category with valid input

<https://altashop-api.fly.dev/api/categories>

Severity	Priority	Behavior	Type
<input type="radio"/> Normal	— Not set	Positive	Functional
Layer	Is Flaky	Milestone	Automation
API	No	-	Automated
Status			
Actual			

Attachments



CreateACategoryV. CreateACategoryV.

Scenario

Given I set API endpoint for create category
When I send request to create category with valid input
Then I receive status code 200
And I receive created category data

As a user I can't create category with invalid name

<https://altashop-api.fly.dev/api/categories>

Severity	Priority	Behavior	Type
<input type="radio"/> Normal	— Not set	Positive	Functional
Layer	Is Flaky	Milestone	Automation
API	No	-	Automated
Status			
Actual			

Attachments



CreateACategory1.. CreateACategory1..

Scenario

Given I set API endpoint for create category
When I send request to create category with invalid name
Then I receive status code 400
And I receive create category error

As a user I can't create category with invalid description

<https://altashop-api.fly.dev/api/categories>

Severity	Priority	Behavior	Type
<input type="radio"/> Normal	— Not set	Negative	Functional
Layer	Is Flaky	Milestone	Automation
API	No	-	Automated
Status			
Actual			

Attachments



CreateACategory1.. CreateACategory1..

Scenario

Given I set API endpoint for create category

When I send request to create category with invalid description

Then I receive status code 400

And I receive create category error

As a user I can delete category with valid ID

<https://altashop-api.fly.dev/api/categories/29733>

Severity	Priority	Behavior	Type
○ Normal	— Not set	Positive	Functional
Layer	Is Flaky	Milestone	Automation
API	No	-	Automated
Status			
Actual			

Attachments



DeleteACategoryV. DeleteACategoryV.

Scenario

Given I set API endpoint with valid Id for delete category

When I send request to delete category with valid ID

Then I receive status code 200

And I receive deleted category data

As a user I can delete category with invalid ID

<https://altashop-api.fly.dev/api/categories/1>

Severity	Priority	Behavior	Type
<input type="radio"/> Normal	— Not set	Positive	Functional
Layer	Is Flaky	Milestone	Automation
API	No	-	Automated
Status			
Actual			

Attachments



DeleteACategory... DeleteACCategoryl...

Scenario

Given I set API endpoint with invalid Id for delete category

When I send request to delete category with invalid ID

Then I receive status code 200


And I receive deleted category data

As a user I can't delete category with Undefined ID

<https://altashop-api.fly.dev/api/categories>

Severity	Priority	Behavior	Type
<input type="radio"/> Normal	— Not set	Negative	Functional
Layer	Is Flaky	Milestone	Automation
API	No	-	Automated
Status			
Actual			

Attachments



DeleteACategoryU. DeleteACategoryU.

Scenario

Given I set API endpoint with Undefined Id for delete category

When I send request to delete category with Undefined ID

Then I receive status code 405

As a user I can get user information data

<https://altashop-api.fly.dev/api/auth/info>

Severity	Priority	Behavior	Type
○ Normal	— Not set	Positive	Functional
Layer	Is Flaky	Milestone	Automation
API	No	-	Automated
Status			
Actual			

Attachments



GetUserInformati...

Scenario

Given I set API endpoint for get user information

When I send request to user information


Then I receive status code 200

And I receive valid data for user information

As a user I can get all orders data

Severity	Priority	Behavior	Type
O Normal	— Not set	Positive	Functional
Layer	Is Flaky	Milestone	Automation
API	No	-	Automated
Status			
Actual			

Attachments



GetAllOrders.png

GetAllOrders_Pos...

Scenario


Given I set API endpoint for get all orders
When I send request to get all orders
Then I receive status code 200
And I receive valid data for all orders

As a user I can get order data with valid ID

<https://altashop-api.fly.dev/api/orders/11925>

Severity	Priority	Behavior	Type
Normal	Not set	Positive	Functional
Layer	Is Flaky	Milestone	Automation
API	No	-	Automated
Status			
Actual			

Attachments



GetOrderByValidId... GetOrderByValidId...

Scenario


Given I set API endpoint with valid Id for get order
When I send request to get valid Id order
Then I receive status code 200
And I receive valid data for order

As a user I can't get order data with invalid ID

<https://altashop-api.fly.dev/api/orders/1>

Severity	Priority	Behavior	Type
○ Normal	— Not set	Negative	Functional
Layer	Is Flaky	Milestone	Automation
API	No	-	Automated
Status			
Actual			

Attachments



GetOrderByInvali... GetOrderByInvali...

Scenario

Given I set API endpoint with invalid Id for get order

When I send request to get invalid Id order

Then I receive status code 404

And I receive error for order

As a user I can create a new order with valid Inputs

<https://altashop-api.fly.dev/api/orders>

Severity	Priority	Behavior	Type
○ Normal	— Not set	Positive	Functional
Layer	Is Flaky	Milestone	Automation
API	No	-	Automated
Status			
Actual			

Attachments



CreateANewValid...


Scenario

Given I set API endpoint for create a new order
When I send request to create a new order with valid inputs
Then I receive status code 200
And I receive data for created order

As a user I can create product comment data with invalid Product

Severity	Priority	Behavior	Type
Normal	Not set	Negative	Functional
Layer	Is Flaky	Milestone	Automation
API	No	-	Automated
Status			
Actual			

Attachments



CreateANewInvali.. CreateANewInvali..

Scenario


Given I set API endpoint for create a new order
When I send request to create a new order with invalid Product Id
Then I receive status code 400
And I receive error create order

As a user I can create product comment data with invalid quantity

<https://altashop-api.fly.dev/api/orders>

Severity	Priority	Behavior	Type
O Normal	— Not set	Negative	Functional
Layer	Is Flaky	Milestone	Automation
API	No	-	Automated
Status			
Actual			

Attachments



CreateANewInvali.. CreateANewInvali..

Scenario

Given I set API endpoint for create a new order
 When I send request to create a new order with invalid quantity
 Then I receive status code 400
 And I receive error create order


As a user I can register with valid credentials

Severity	Priority	Behavior	Type
O Normal	— Not set	Positive	Functional
Layer	Is Flaky	Milestone	Automation
E2E	No	-	Automated

Status

Actual

Attachments



Register-ValidCre... Register-ValidCre...


Scenario

Given I am on the register page Altashop
When I enter valid email
And I enter valid password
And I enter valid full name
And I click Register button
Then I redirected to login page Altashop

As a user I can't register with used email

Severity	Priority	Behavior	Type
O Normal	— Not set	Negative	Functional
Layer	Is Flaky	Milestone	Automation
E2E	No	-	Automated
Status			
Actual			

Attachments



Register-UsedEma. Register-UsedEma.

Scenario

Given I am on the register page Altashop
When I enter used email
And I enter valid password
And I enter valid full name
And I click Register button
Then I redirected back to register page Altashop
And I receive error message


As a user I can't register with empty full name

Severity	Priority	Behavior	Type
O Normal	— Not set	Negative	Functional
Layer	Is Flaky	Milestone	Automation
E2E	No	-	Automated

Status

Actual

Attachments



Register-EmptyFu.. Register-EmptyFu..

Scenario

```

Given I am on the register page Altashop
When I enter valid email
And I enter valid password
And I let full name empty
And I click Register button
Then I redirected back to register page Altashop
And I receive error message
  
```


As a user I can't register with invalid email

Severity	Priority	Behavior	Type
O Normal	— Not set	Positive	Functional
Layer	Is Flaky	Milestone	Automation
E2E	No	-	Automated

Status

Actual

Attachments



Register-InvalidEm. Register-InvalidEm.

Scenario

Given I am on the register page Altashop
When I enter invalid email
And I enter valid password
And I enter valid full name
And I click Register button
Then I redirected back to register page Altashop
And I receive error message


As a user I can't register with empty password

Severity	Priority	Behavior	Type
O Normal	— Not set	Negative	Functional
Layer	Is Flaky	Milestone	Automation
E2E	No	-	Automated

Status

Actual

Attachments



Register-EmptyPa.. Register-EmptyPa..


Scenario

Given I am on the register page Altashop
When I enter valid email
And I let password empty
And I enter valid full name
And I click Register button
Then I redirected back to register page Altashop
And I receive error message

As a user I can login with valid credentials

Severity	Priority	Behavior	Type
Normal	— Not set	Positive	Functional
Layer	Is Flaky	Milestone	Automation
E2E	No	-	Automated
Status		-	Automated
Actual		-	Automated

Attachments



Login-ValidCreden. Login-ValidCreden.

Scenario

Given I am on the login page Altashop
When I enter valid email Login
And I enter valid password Login
And I click Login button
Then I redirected to dashboard page Altashop


As a user I can't login with invalid email

Severity	Priority	Behavior	Type
O Normal	— Not set	Negative	Functional
Layer	Is Flaky	Milestone	Automation
E2E	No	-	Automated

Status

Actual

Attachments



Login-InvalidEmail... Login-InvalidEmail...


Scenario

Given I am on the login page Altashop
When I enter invalid email Login
And I enter valid password Login
And I click Login button
Then I redirected back to login page Altashop
And I receive error message

As a user I can't login with invalid password

Severity	Priority	Behavior	Type
O Normal	— Not set	Negative	Functional
Layer	Is Flaky	Milestone	Automation
E2E	No	-	Automated
Status			
Actual			

Attachments



Login-InvalidPass... Login-InvalidPass...

Scenario

Given I am on the login page Altashop
When I enter valid email Login
And I enter invalid password Login
And I click Login button
Then I redirected back to login page Altashop
And I receive error message


As a user I can see the product detail

Severity	Priority	Behavior	Type
O Normal	— Not set	Positive	Functional
Layer	Is Flaky	Milestone	Automation
E2E	No	-	Automated

Status

Actual

Attachments



Products-Detail.pdf Products-Detail.pn.

Scenario

Given I am on the login page Altashop
When I enter valid email Login
And I enter valid password Login
And I click Login button
Then I redirected to dashboard page Altashop
When I click on product detail
Then I redirected to product detail page


As a user I can see product based on category

Severity	Priority	Behavior	Type
O Normal	— Not set	Negative	Functional
Layer	Is Flaky	Milestone	Automation
E2E	No	-	Automated

Status

Actual

Attachments



Products-Category. Products-Category.

Scenario

```


Given I am on the login page Altashop
When I enter valid email Login
And I enter valid password Login
And I click Login button
Then I redirected to dashboard page Altashop
When I click on category field
And I click on one of the option
Then Product with specific category will appears (if there are any)

```

As a user I can purchase the product

Severity	Priority	Behavior	Type
O Normal	— Not set	Negative	Functional
Layer	Is Flaky	Milestone	Automation
E2E	No	-	Automated
Status			
Actual			

Attachments



Products-Purchase. Products-Purchase.

Scenario

```


Given I am on the login page Altashop
When I enter valid email Login
And I enter valid password Login
And I click Login button
Then I redirected to dashboard page Altashop
When I click Buy on one of the product
And I go to Cart
And I click Pay
Then I redirected to the Transactions Page

```

As a user I can delete product from cart

Severity	Priority	Behavior	Type
O Normal	— Not set	Negative	Functional
Layer	Is Flaky	Milestone	Automation
E2E	No	-	Automated
Status			
Actual			

Attachments



Products-EmptyCart - Products-EmptyCart

Scenario

Given I am on the login page Altashop
When I enter valid email Login
And I enter valid password Login
And I click Login button
Then I redirected to dashboard page Altashop
When I click Buy on one of the product
And I go to Cart
And I click minus button until empty
Then I receive alert that Order is empty

As a user I can add new product

Severity	Priority	Behavior	Type
O Normal	— Not set	Positive	Other
Layer	Is Flaky	Milestone	Automation
E2E	No	-	Automated
Status			
Actual			

Attachments




image.png

Steps to reproduce

Step	1
Action	I open shopping_list app
Input data	
Expected result	
Step	2
Action	I click on the '+' button
Input data	
Expected result	
Step	3
Action	I enter Name
Input data	Name (String)
Expected result	
Step	4
Action	I enter Quantity
Input data	Quantity (Int)
Expected result	

Step	5
Action	I select the Type
Input data	
Expected result	
Step	6
Action	I click Add Item
Input data	
Expected result	

As a user I can't add new product with empty Name

Severity	Priority	Behavior	Type
O Normal	— Not set	Negative	Other
Layer	Is Flaky	Milestone	Automation
E2E	No	-	Automated
Status	Actual		
Actual			

Attachments




image.png

Steps to reproduce

Step	1
Action	I open shopping_list app
Input data	
Expected result	
Step	2
Action	I click on the '+' button
Input data	
Expected result	
Step	3
Action	I let Name empty
Input data	Name (String)
Expected result	
Step	4
Action	I enter Quantity
Input data	Quantity (Int)
Expected result	

Step	5
Action	I select the Type
Input data	
Expected result	
Step	6
Action	I click Add Item
Input data	
Expected result	

As a user I can't add new product with empty Name

Severity	Priority	Behavior	Type
○ Normal	— Not set	Negative	Other
Layer	Is Flaky	Milestone	Automation
E2E	No	-	Automated
Status			
Actual			

Attachments




image.png

Steps to reproduce

Step	1
Action	I open shopping_list app
Input data	
Expected result	
Step	2
Action	I click on the '+' button
Input data	
Expected result	
Step	3
Action	I enter Name
Input data	Name (String)
Expected result	
Step	4
Action	I let Quantity empty
Input data	Quantity (Int)
Expected result	

Step	5
Action	I select the Type
Input data	
Expected result	
Step	6
Action	I click Add Item
Input data	
Expected result	

As a user I can delete product by swiping it horizontally

Severity	Priority	Behavior	Type
O Normal	— Not set	Positive	Other
Layer	Is Flaky	Milestone	Automation
E2E	No	-	Automated
Status			
Actual			

Attachments




image.png

Steps to reproduce

Step	1
Action	I open shopping_list app
Input data	
Expected result	
Step	2
Action	I swipe on one of the product
Input data	
Expected result	