Definitions (Module 03)

Integer division - division where input and output are always integers

Linear combination of two numbers is the sum of multiples of those numbers
ex: a linear combination of x and y would be $ax + by$ where a,b are integers

Division algorithm - states that the quotient and the remainder are unique. For a number n.
$n = q_d d + r$ where $d > 0$, $0 \leq r \leq (d-1)$, n is an integer

Quotient of n is equal to $q = n \text{ div } d$ where $d > 0$ and div is integer division

Remainder of n is equal to $r = n \bmod d$ where $d > 0$ and mod is the modulus operation

mod m is a function that takes an integer X as input and outputs X mod m (where m is also an integer)

addition mod m - operation where the sum is calculated and then mod m is applied on the sum
ex: $x + y \bmod m$ is $(x+y) \bmod m$

multiplication mod m - operation where the product is calculated and then mod m is applied on the product
ex: x times y mod m is $(xy) \bmod m$

Ring - the closed mathematical system created by mod m. Contains m elements and is denoted by $\mathbb{Z}_m$.
$\{0, 1, \ldots, m-1\}$
ex $\mathbb{Z}_6 \equiv \{0, 1, 2, 3, 4, 5\}$

congruence mod m = let x and y be two integers such that $x \bmod m = y \bmod m$ If $x \bmod m = y \bmod m$, then x is congruent to y mod m and denoted
$x \equiv y \pmod m$

prime number - a number greater than 1 whose factors are only 1 and itself

composite number - a number that has factors in addition to 1 and itself

prime factorization - the product of the prime numbers that make up an integer, where the integer is >1 (in non-decreasing order)

The Fundamental Theorem of Arithmetic - the fact that every integer >1 has a unique prime factorization

Non-decreasing sequence - a sequence in which each number is equal to or greater than the one that came before
ex: 1, 1, 2, 3, 17 counter-ex: 1, 1, 3, 2, 17

Multiplicity of a prime factor is the # of times that prime factor appears in a number's prime factorization can be expressed via exponential notation