



User: Gambia Child Codebook
 Project: Provided by GroundWork to VMD Proxy Project
 std. dev: 384.975
 name: <unnamed>
 log: C:\Users\JWirth\Dropbox\GroundWork-Corporate\Projects\3_UNICEF\3.12_Gambia\UNICEF_Gam
 > _Child data_Codebook.smcl
 log type: smcl
 opened on: 15 Sep 2025, 16:17:06

1 . set more off

2 . codebook

ch0a

```

      type:  numeric (int)
      range:  [6,8750]
unique values: 660
      mean:   743.63
      std. dev: 384.975
      units:  1
missing ..: 364/1,743

percentiles:      10%      25%      50%      75%      90%
                  234      509      818      987      1102

```

ch0b

```

      type:  numeric (int)
      range:  [1,8751]
unique values: 1,379
      mean:   1727.58
      std. dev: 1977.21
      units:  1
missing ..: 364/1,743

percentiles:      10%      25%      50%      75%      90%
                  196      489      1073      1497      6081

```

ch1

```

      type:  numeric (int)
      range:  [2,390]
unique values: 71
      mean:   227.599
      std. dev: 107.743
      units:  1
missing ..: 364/1,743

percentiles:      10%      25%      50%      75%      90%
                  64      160      246      316      366

```

ch2

```

      type:  numeric (byte)
      range:  [1,21]
unique values: 21
      units:  1
missing ..: 364/1,743

```

```

      mean:    9.97027
    std. dev:  5.77315

percentiles:      10%      25%      50%      75%      90%
                  2         5         10         15         18

```

ch3

```

      type:  numeric (int)

      range:  [2,150]
unique values: 46
      units:  1
missing ..:  364/1,743

      mean:    11.0718
    std. dev:  14.8051

percentiles:      10%      25%      50%      75%      90%
                  4         5         8         13         18

```

ch3m

```

      type:  numeric (byte)
      label:  CH3M

      range:  [.,.]
unique values: 0
      units:  .
missing ..:  1,743/1,743

      tabulation:  Freq.  Numeric  Label
                   1,743      .

```

ch3y

```

      type:  numeric (int)

      range:  [.,.]
unique values: 0
      units:  .
missing ..:  1,743/1,743

      tabulation:  Freq.  Value
                   1,743  .

```

ch3t

```

      type:  numeric (int)

      range:  [.,.]
unique values: 0
      units:  .
missing ..:  1,743/1,743

      tabulation:  Freq.  Value
                   1,743  .

```

ch3h

```

      type:  numeric (byte)

      range:  [.,.]
unique values: 0
      units:  .
missing ..:  1,743/1,743

```

```

tabulation: Freq. Value
            1,743 .

```

ch3mm

```

type: numeric (byte)

range: [.,.]          units: .
unique values: 0      missing .: 1,743/1,743

tabulation: Freq. Value
            1,743 .

```

ch13

```

type: numeric (int)

range: [.,.]          units: .
unique values: 0      missing .: 1,743/1,743

tabulation: Freq. Value
            1,743 .

```

ch13h

```

type: numeric (byte)

range: [.,.]          units: .
unique values: 0      missing .: 1,743/1,743

tabulation: Freq. Value
            1,743 .

```

ch13m

```

type: numeric (byte)

range: [.,.]          units: .
unique values: 0      missing .: 1,743/1,743

tabulation: Freq. Value
            1,743 .

```

ch14

```

type: numeric (byte)
label: CH14

range: [1,1]          units: 1
unique values: 1      missing .: 364/1,743

tabulation: Freq. Numeric Label
            1,379      1 COMPLETED
            364      .

```

ch4m

```

      type:  numeric (byte)
      label:  CH4M

      range:  [1,12]
unique values: 12
                                units:  1
                                missing .: 364/1,743

      examples: 3    MARCH
                  6    JUNE
                  10   OCTOBER
                  .

```

ch4y

```

      type:  numeric (int)

      range:  [2013,2018]
unique values: 6
                                units:  1
                                missing .: 364/1,743

      tabulation:  Freq.  Value
                   181    2013
                   282    2014
                   281    2015
                   272    2016
                   271    2017
                    92    2018
                   364    .

```

ch5

```

      type:  numeric (byte)

      range:  [0,99]
unique values: 65
                                units:  1
                                missing .: 364/1,743

      mean:    29.4576
      std. dev: 17.5552

      percentiles:      10%      25%      50%      75%      90%
                        5        14        30        44        53

```

ch8

```

      type:  numeric (byte)
      label:  CH8

      range:  [1,8]
unique values: 4
                                units:  1
                                missing .: 364/1,743

      tabulation:  Freq.  Numeric  Label
                   426      1    Yes
                   923      2    No
                    11      3    Not sure if it was vitamin A
                    19      8    Dont Know
                   364      .

```

ch9

When did n

```

      type: numeric (byte)
      label: CH9

      range: [1,2]                units: 1
unique values: 2                missing .: 1,314/1,743

      tabulation: Freq.   Numeric   Label
                  422         1   From Card
                  7          2   From Recall
                  1,314        .

```

ch9a

```

      type: numeric (long)

      range: [1012017,31102017]    units: 1
unique values: 149                missing .: 1,314/1,743

      mean: 1.5e+07
      std. dev: 8.2e+06

      percentiles:      10%      25%      50%      75%      90%
                      4.0e+06  8.0e+06  1.5e+07  2.0e+07  2.7e+07

```

ch9ad

```

      type: numeric (byte)
      label: CH9AD, but 31 nonmissing values are not labeled

      range: [1,31]                units: 1
unique values: 31                missing .: 1,314/1,743

      examples: 23
                .
                .
                .

```

ch9am

```

      type: numeric (byte)
      label: CH9AM

      range: [1,12]                units: 1
unique values: 8                missing .: 1,314/1,743

      tabulation: Freq.   Numeric   Label
                  49         1   JANUARY
                  70         2   FEBRUARY
                  98         3   MARCH
                  19         4   APRIL
                  13         9   SEPTEMBER
                  53        10   OCTOBER
                  57        11   NOVEMBER
                  70        12   DECEMBER
                  1,314        .

```

ch9ay

```

      type: numeric (int)
      range: [2017,2018]
unique values: 2
      units: 1
      missing .: 1,314/1,743

      tabulation: Freq.  Value
                   197   2017
                   232   2018
                   1,314  .

```

ch10

```

      type: numeric (byte)
      label: CH10
      range: [1,1]
unique values: 1
      units: 1
      missing .: 364/1,743

      tabulation: Freq.  Numeric  Label
                   1,379         1  YES
                   364          .

```

an1

```

      type: numeric (byte)
      range: [4,85]
unique values: 19
      units: 1
      missing .: 364/1,743

      mean: 51.2422
      std. dev: 21.9006

      percentiles:      10%      25%      50%      75%      90%
                       14       34       54       64       84

```

an2a

```

      type: numeric (float)
      label: AN2A, but label does not exist
      range: [2.1,99.9]
unique values: 165
      units: .1
      missing .: 364/1,743

      mean: 11.2903
      std. dev: 4.07409

      percentiles:      10%      25%      50%      75%      90%
                       6.9      8.9      11.4     13.7     15.3

```

an2b

```

      type: numeric (float)
      label: AN2B, but label does not exist

```

```

      range: [2.1,99.9]
unique values: 165
      units: .1
      missing .: 364/1,743

      mean: 11.279
      std. dev: 4.08009

percentiles:      10%      25%      50%      75%      90%
                  6.9      8.8      11.4      13.7      15.2

```

an3

```

      type: numeric (byte)
      label: AN3

      range: [1,2]
unique values: 2
      units: 1
      missing .: 364/1,743

      tabulation: Freq.   Numeric   Label
                  1,369         1   YES
                   10         2   NO
                   364         .

```

an4u

```

      type: numeric (byte)
      label: AN4U

      range: [1,2]
unique values: 2
      units: 1
      missing .: 364/1,743

      tabulation: Freq.   Numeric   Label
                  544         1   Child's age less than 24 months
                  835         2   Child's age 24 months or above
                  364         .

```

an4n1

```

      type: numeric (float)
      label: AN4N1, but label does not exist

      range: [36.7,999.9]
unique values: 504
      units: .1
      missing .: 364/1,743

      mean: 85.7183
      std. dev: 28.5996

percentiles:      10%      25%      50%      75%      90%
                  65      75.5      86.5      96.5      103.2

```

an4n2

```

      type: numeric (float)
      label: AN4N2, but label does not exist

      range: [36.6,999.9]
unique values: 524
      units: .1
      missing .: 364/1,743

```

```

      mean:      85.724
    std. dev:    28.5987

percentiles:      10%      25%      50%      75%      90%
                  65      75.4      86.5      96.4      103.1

```

an5

```

      type: numeric (byte)
      label: AN5

      range: [1,2]                units: 1
unique values: 2                missing .: 364/1,743

      tabulation: Freq.    Numeric    Label
                  3          1    YES
                  1,376      2    NO
                  364        .

```

an6a

```

      type: numeric (float)
      label: AN6A, but label does not exist

      range: [10.5,99.9]          units: .1
unique values: 78                missing .: 364/1,743

      mean:      23.3552
      std. dev:   25.5636

percentiles:      10%      25%      50%      75%      90%
                  13.5     14.1     15      16      99.9

```

an6b

```

      type: numeric (float)
      label: AN6B, but label does not exist

      range: [10.5,99.9]          units: .1
unique values: 80                missing .: 364/1,743

      mean:      23.3627
      std. dev:   25.5612

percentiles:      10%      25%      50%      75%      90%
                  13.5     14.2     15      16      99.9

```

an6c

```

      type: numeric (float)
      label: AN6C, but label does not exist

      range: [30.3,99.9]          units: .1
unique values: 162                missing .: 364/1,743

      mean:      47.3105
      std. dev:   7.22365

```

percentiles:	10%	25%	50%	75%	90%
	42.2	45.2	47.2	49	50.1

an6d

```

type: numeric (float)
label: AN6D, but label does not exist

range: [30.2,99.9]          units: .1
unique values: 163          missing .: 364/1,743

mean: 47.3025
std. dev: 7.22534

percentiles:      10%      25%      50%      75%      90%
                  42.2     45.2     47.2     48.9     50.1

```

an7

```

type: numeric (byte)
label: AN7

range: [1,9]          units: 1
unique values: 4      missing .: 1,601/1,743

tabulation: Freq.   Numeric   Label
              1         1 Disabled, cannot stand on scale
              2         3 Uncooperative or uncontrollable
             137         8 Other (specify)
              2         9 Refused
            1,601         .

```

bs1

```

type: numeric (byte)

range: [11,84]          units: 1
unique values: 18      missing .: 364/1,743

mean: 50.2502
std. dev: 21.9214

percentiles:      10%      25%      50%      75%      90%
                  13       33       53       63       83

```

bs2

```

type: numeric (float)

range: [4,16.3]          units: .1
unique values: 80      missing .: 704/1,743

mean: 10.723
std. dev: 1.33362

percentiles:      10%      25%      50%      75%      90%
                  9        10      10.9     11.6     12.2

```

bs3

```

      type: numeric (byte)
      label: BS3

      range: [0,3]                units: 1
unique values: 4                missing .. 364/1,743

      tabulation: Freq.   Numeric   Label
                   343         0   None
                   3          1   About 1/4
                   9          2   About 1/2
                  1,024        3   About 3/4 or more
                   364         .

```

bs4

```

      type: numeric (byte)
      label: BS4

      range: [0,8]                units: 1
unique values: 4                missing .. 364/1,743

      tabulation: Freq.   Numeric   Label
                   1,054         0   Negative (after 15 minutes)
                   1          1   P. f positive
                   1          4   No valid test after 2 tries
                  323         8   Not done
                   364         .

```

bs5

```

      type: numeric (int)

      range: [704,9999]          units: 1
unique values: 466              missing .. 364/1,743

      mean: 2957.5
      std. dev: 3338.66

      percentiles:      10%      25%      50%      75%      90%
                       1110     1211     1431     1735     9999

```

bs5h

```

      type: numeric (byte)

      range: [7,99]              units: 1
unique values: 15              missing .. 364/1,743

      mean: 29.1711
      std. dev: 33.1197

      percentiles:      10%      25%      50%      75%      90%
                       11       12       14       17       99

```

bs5m

```

      type: numeric (byte)
      range: [0,99]
unique values: 61
      units: 1
      missing .: 364/1,743

      mean: 40.3814
      std. dev: 31.6854

percentiles:      10%      25%      50%      75%      90%
                  5        16        33        54        99

```

bs6m

```

      type: numeric (byte)
      label: BS6M
      range: [1,9]
unique values: 8
      units: 1
      missing .: 364/1,743

      tabulation: Freq.   Numeric   Label
                  100       1   JANUARY
                   4       2   FEBRUARY
                  696       3   MARCH
                  546       4   APRIL
                   30       5   MAY
                    1       7   JULY
                    1       8   AUGUST
                    1       9   SEPTEMBER
                  364       .

```

bs6y

```

      type: numeric (int)
      range: [2018,2018]
unique values: 1
      units: 1
      missing .: 364/1,743

      tabulation: Freq.   Value
                  1,379  2018
                   364   .

```

ref1

Coartem given to child

```

      type: numeric (byte)
      label: REF1
      range: [1,3]
unique values: 3
      units: 1
      missing .: 364/1,743

      tabulation: Freq.   Numeric   Label
                   6         1   YES
                  1,349       2   NO
                   24         3   NOT APPLICABLE
                  364         .

```

ref2

Child referred to h

```

      type: numeric (byte)
      label: REF2

      range: [1,2]
unique values: 2
units: 1
missing ..: 364/1,743

      tabulation: Freq.   Numeric   Label
                   13           1   YES
                   1,366         2   NO
                   364           .

```

cnum

```

      type: numeric (float)

      range: [2,390]
unique values: 71
units: 1
missing ..: 364/1,743

      mean: 227.599
      std. dev: 107.743

      percentiles:      10%      25%      50%      75%      90%
                       64       160       246       316       366

```

MICSNum_hh

```

      type: numeric (float)

      range: [202,39018]
unique values: 662
units: 1
missing ..: 364/1,743

      mean: 22769.9
      std. dev: 10773.9

      percentiles:      10%      25%      50%      75%      90%
                       6406     16002     24602     31616     36602

```

MICS_Cluster_Number

```

      type: numeric (int)

      range: [33,322]
unique values: 35
units: 1
missing ..: 1,495/1,743

      mean: 203.181
      std. dev: 72.018

      percentiles:      10%      25%      50%      75%      90%
                       113       150       205       261       303

```

MICS_Household_Number

```

      type: numeric (byte)

```

```

      range: [1,20]
unique values: 20
      units: 1
missing .: 1,495/1,743

      mean: 10.7016
      std. dev: 5.72724

percentiles:      10%      25%      50%      75%      90%
                  3         6         10         16         19

```

blood

```

      type: string (str2)

unique values: 1
missing "": 1,495/1,743

tabulation: Freq. Value
            1,495 ""
            248 "No"

```

Household_Label_Number

```

      type: numeric (int)

      range: [138,1194]
unique values: 124
      units: 1
missing .: 1,495/1,743

      mean: 753.31
      std. dev: 323.972

percentiles:      10%      25%      50%      75%      90%
                  245      531      738      1069      1151

```

C6

```

      type: string (strL)

unique values: 7
missing "": 1,706/1,743

tabulation: Freq. Value
            1,706 ""
              2 "Born after the MICS Data Collection"
              5 "CHILD BORN AFTER MICS DATA COLLECTION"
              4 "Child born after the MICS"
              3 "Child under 6 months"
              3 "Less than 6 months"
              7 "New born"
             13 "UNDER 6 MONTHS"

warning: variable has embedded blanks

```

merge_Noblood

```

      type: numeric (byte)
label: _merge

      range: [1,3]
unique values: 2
      units: 1
missing .: 364/1,743

```

tabulation:	Freq.	Numeric	Label
	1,131	1	master only (1)
	248	3	matched (3)
	364	.	

cLabelnum

type: numeric (**double**)

range: [1,8751] units: **1**

unique values: **1,379** missing .: **364/1,743**

mean: **1727.58**

std. dev: **1977.21**

percentiles:	10%	25%	50%	75%	90%
	196	489	1073	1497	6081

dupes_ch0b

type: numeric (**byte**)

range: [0,0] units: **1**

unique values: **1** missing .: **364/1,743**

tabulation:	Freq.	Value
	1,379	0
	364	.

Child_or_Woman

type: string (**str1**)

unique values: **1** missing "": **705/1,743**

tabulation:	Freq.	Value
	705	" "
	1,038	"C"

fer

type: numeric (**double**)

range: [1.61,223.45] units: **.0001**

unique values: **888** missing .: **705/1,743**

mean: **18.0916**

std. dev: **20.7233**

percentiles:	10%	25%	50%	75%	90%
	4.05	6.39	11.285	21.82	39.15

fer_flag

type: string (**str1**)

unique values: 1 missing "": 1,728/1,743

tabulation: Freq. Value
 1,728 ""
 15 "#"

stfr

type: numeric (double)

range: [3.61,60] units: 1.000e-06
 unique values: 880 missing .: 705/1,743

mean: 13.2928
 std. dev: 8.84473

percentiles: 10% 25% 50% 75% 90%
 6.225 7.43 9.81 16.615 24.59

stfr_flag

type: string (str1)

unique values: 1 missing "": 1,728/1,743

tabulation: Freq. Value
 1,728 ""
 15 "#"

bis

type: numeric (double)

range: [-13.732318,10.878096] units: 1.000e-11
 unique values: 1,038 missing .: 705/1,743

mean: -1.22612
 std. dev: 4.54261

percentiles: 10% 25% 50% 75% 90%
 -7.52798 -4.50349 -1.09183 2.25312 4.56716

rpb1

type: numeric (double)

range: [.295,2.03] units: 1.000e-08
 unique values: 284 missing .: 705/1,743

mean: .899921
 std. dev: .255391

percentiles: 10% 25% 50% 75% 90%
 .59 .72 .875 1.05 1.235

rbp2

```

      type:  numeric (double)

      range:  [.25,1.94]          units:  .01
unique values: 113              missing .: 705/1,743

      mean:   .753526
      std. dev: .223352

percentiles:      10%      25%      50%      75%      90%
                  .49      .6      .73      .88      1.03

```

rbp3

```

      type:  numeric (double)

      range:  [.2725,1.985]      units:  1.000e-08
unique values: 334              missing .: 705/1,743

      mean:   .826724
      std. dev: .239148

percentiles:      10%      25%      50%      75%      90%
                  .54      .66      .8025     .965     1.1325

```

rbp_flag

```

      type:  string (str1)

unique values: 1              missing "": 1,719/1,743

      tabulation: Freq.  Value
                  1,719  ""
                   24   "#"

```

crp

```

      type:  numeric (double)

      range:  [0,90.65]          units:  .0001
unique values: 501              missing .: 705/1,743

      mean:   2.8227
      std. dev: 8.62082

percentiles:      10%      25%      50%      75%      90%
                  .095      .2      .4875     1.63     6.125

```

agp

```

      type:  numeric (double)

      range:  [.25,2.785]        units:  1.000e-07
unique values: 340              missing .: 705/1,743

      mean:   .810503
      std. dev: .378834

```

percentiles:	10%	25%	50%	75%	90%
	.445	.535	.7	1	1.35

agp_flag

```

type: string (str1)
unique values: 1 missing "": 1,735/1,743
tabulation: Freq. Value
             1,735 ""
             8  "#"
```

PLATE__

```

type: string (str8)
unique values: 15 missing "": 715/1,743
examples: ""
           ""
           "PLATE 23"
           "PLATE 27"
warning: variable has embedded blanks
```

POS_NEG

```

type: string (str8)
unique values: 1 missing "": 1,655/1,743
tabulation: Freq. Value
             1,655 ""
             88  "POSITIVE"
```

cMolecular

```

type: numeric (byte)
label: label_cMolecular
range: [0,1] units: 1
unique values: 2 missing .: 715/1,743
tabulation: Freq. Numeric Label
             940      0 No
             88      1 Yes Malaria
             715      .
```

location

```

type: string (str9)
unique values: 5 missing "": 715/1,743
```

```

tabulation:  Freq.  Value
              715    ""
              338  "BASSE"
              313  "FAJARA"
               89  "FARAFENNI"
              155  "KENEBA"
              133  "UNKNOWN"

```

Pos

```

type:  numeric (byte)

range:  [,.]          units:  .
unique values:  0      missing .:  1,743/1,743

tabulation:  Freq.  Value
              1,743  .

```

C9

```

type:  numeric (int)

range:  [318,318]      units:  1
unique values:  1      missing .:  1,742/1,743

tabulation:  Freq.  Value
              1    318
            1,742  .

```

Stratum

```

type:  numeric (byte)

range:  [1,14]          units:  1
unique values:  14      missing .:  364/1,743

mean:    7.76722
std. dev: 4.34007

percentiles:    10%    25%    50%    75%    90%
                  2      3      8     12     14

```

res

```

type:  numeric (byte)
label:  label_res

range:  [1,2]          units:  1
unique values:  2      missing .:  364/1,743

tabulation:  Freq.  Numeric  Label
              565        1  Urban
              814        2  Rural
              364         .

```

lga

```

type: numeric (byte)

range: [1,8]          units: 1
unique values: 8      missing .: 364/1,743

tabulation: Freq. Value
             113  1
             114  2
             186  3
             184  4
             181  5
             151  6
             229  7
             221  8
             364  .

```

c_anthro_weight

```

type: numeric (double)

range: [.05403927,5.7381409]  units: 1.000e-09
unique values: 71             missing .: 364/1,743

mean: .998585
std. dev: 1.13155

percentiles:      10%      25%      50%      75%      90%
                 .216381 .399055 .573876 1.07427 2.74875

```

c_blood_weight

```

type: numeric (double)

range: [.05097952,7.5179112]  units: 1.000e-09
unique values: 71             missing .: 364/1,743

mean: 1.11551
std. dev: 1.38098

percentiles:      10%      25%      50%      75%      90%
                 .143817 .364849 .671855 1.26945 2.62041

```

Note

```

type: string (str22)

unique values: 2          missing "": 1,707/1,743

tabulation: Freq. Value
             1,707  ""
              15  "1=urban; 2 =rural"
              21  "clusters swap with 178"

warning: variable has embedded blanks

```

cID

Child ID

```

type: string (str8)

```

unique values: **1,379** missing "": **364/1,743**

examples: ""
"1501204"
"2401304"
"3161306"

dupes_cID

type: numeric (**byte**)

range: [0,0] units: **1**

unique values: **1** missing .: **364/1,743**

tabulation: Freq. Value

1,379	0
364	.

cage

type: numeric (**byte**)

range: [0,59] units: **1**

unique values: **60** missing .: **411/1,743**

mean: **29.9354**

std. dev: **17.2678**

percentiles:

10%	25%	50%	75%	90%
6	15	30	44	54

caged

type: numeric (**int**)

range: [2,1825] units: **1**

unique values: **920** missing .: **411/1,743**

mean: **911.327**

std. dev: **526.539**

percentiles:

10%	25%	50%	75%	90%
171	443.5	915.5	1345	1641

chweight

type: numeric (**double**)

range: [.127953,4.409135] units: **1.000e-06**

unique values: **71** missing .: **411/1,743**

mean: **.989224**

std. dev: **.933262**

percentiles:

10%	25%	50%	75%	90%
.27416	.386096	.638762	1.09122	2.35837

cinsurance

```

      type: numeric (byte)
      label: CINSURAN

      range: [1,2]                      units: 1
unique values: 2                      missing .. 411/1,743

      tabulation: Freq.   Numeric   Label
                   13         1   With insurance
                   1,319       2   Without insurance
                   411         .

```

cdisability

```

      type: numeric (byte)
      label: CDISABIL

      range: [1,2]                      units: 1
unique values: 2                      missing .. 925/1,743

      tabulation: Freq.   Numeric   Label
                   45         1   Has functional difficulty
                   773       2   Has no functional difficulty
                   925         .

```

caretakerdis

```

      type: numeric (byte)
      label: CARETAKE

      range: [1,7]                      units: 1
unique values: 3                      missing .. 411/1,743

      tabulation: Freq.   Numeric   Label
                   43         1   Has functional difficulty
                   1,212       2   Has no functional difficulty
                   77         7   No information
                   411         .

```

cBirthDate

```

      type: numeric (float)

      range: [19394,21284]              units: 1
unique values: 940                    missing .. 411/1,743

      mean: 20343.3
      std. dev: 527.339

      percentiles:      10%      25%      50%      75%      90%
                       19625    19907.5    20333.5    20808    21084

```

cIntDate

```

      type: numeric (float)

```

```

      range: [21208,21298]
unique values: 76
      units: 1
      missing .: 411/1,743

      mean: 21254.6
      std. dev: 21.5256

percentiles:      10%      25%      50%      75%      90%
                  21223      21238      21255      21269      21284

```

cAgeDay_MICS

```

      type: numeric (float)

      range: [2,1825]
unique values: 920
      units: 1
      missing .: 411/1,743

      mean: 911.327
      std. dev: 526.539

percentiles:      10%      25%      50%      75%      90%
                  171      443.5      915.5      1345      1641

```

cAgeMonth_MICS

```

      type: numeric (float)

      range: [.06574622,59.993427]
unique values: 920
      units: 1.000e-08
      missing .: 411/1,743

      mean: 29.9582
      std. dev: 17.309

percentiles:      10%      25%      50%      75%      90%
                  5.6213      14.5792      30.0953      44.2143      53.9448

```

cSex

```

      type: numeric (byte)
      label: HL4

      range: [1,2]
unique values: 2
      units: 1
      missing .: 369/1,743

      tabulation: Freq.   Numeric   Label
                  702         1   male
                  672         2   female
                  369         .

```

cDiarrhea

```

      type: numeric (byte)
      label: CA1

      range: [1,8]
unique values: 3
      units: 1
      missing .: 411/1,743

```

tabulation:	Freq.	Numeric	Label
	336	1	yes
	994	2	no
	2	8	dk
	411	.	

cFever

type:	numeric (byte)		
label:	CA14		
range:	[1,8]	units:	1
unique values:	3	missing .:	411/1,743

tabulation:	Freq.	Numeric	Label
	341	1	yes
	990	2	no
	1	8	dk
	411	.	

cCough

type:	numeric (byte)		
label:	CA16		
range:	[1,2]	units:	1
unique values:	2	missing .:	411/1,743

tabulation:	Freq.	Numeric	Label
	310	1	yes
	1,022	2	no
	411	.	

cChestcough

type:	numeric (byte)		
label:	CA18		
range:	[1,3]	units:	1
unique values:	3	missing .:	1,543/1,743

tabulation:	Freq.	Numeric	Label
	47	1	PROBLEM IN CHEST ONLY
	119	2	BLOCKED OR RUNNY NOSE ONLY
	34	3	both
	1,543	.	

cLRI

Child h

type:	numeric (float)		
label:	label_NY		
range:	[0,1]	units:	1
unique values:	2	missing .:	429/1,743

tabulation:	Freq.	Numeric	Label
	1,292	0	No
	22	1	Yes
	429	.	

cEverBF

type:	numeric (byte)		
label:	BD2		
range:	[1,9]	units:	1
unique values:	3	missing .:	955/1,743
tabulation:	Freq.	Numeric	Label
	770	1	yes
	14	2	no
	4	9	NO RESPONSE
	955	.	

cCurrentBF

type:	numeric (byte)		
label:	BD3		
range:	[1,2]	units:	1
unique values:	2	missing .:	973/1,743
tabulation:	Freq.	Numeric	Label
	469	1	yes
	301	2	no
	973	.	

cConsFortFodd**Child ate fortified baby food (gerber, hero, cerelac, nestu**

type:	numeric (byte)		
label:	BD8B		
range:	[1,9]	units:	1
unique values:	3	missing .:	1,229/1,743
tabulation:	Freq.	Numeric	Label
	58	1	yes
	451	2	no
	5	9	NO RESPONSE
	1,229	.	

cConsVitminSupp

type:	numeric (byte)		
label:	BD6		
range:	[1,9]	units:	1
unique values:	3	missing .:	1,229/1,743

tabulation:	Freq.	Numeric	Label
	57	1	yes
	452	2	no
	5	9	NO RESPONSE
	1,229	.	

cConsInfantfomula

type: numeric (**byte**)
 label: **BD7D**
 range: [1,9] units: 1
 unique values: 4 missing .: 1,229/1,743

tabulation:	Freq.	Numeric	Label
	22	1	yes
	486	2	no
	1	8	dk
	5	9	NO RESPONSE
	1,229	.	

cCaretakerID

Child's caretaker ID number (only constructed for those tha

type: string (**str7**)
 unique values: 466 missing "": 411/1,743
 examples: ""
 ". "
 ". "
 "1501520"

cVitMinSupps

type: numeric (**byte**)
 label: **BD6**
 range: [1,9] units: 1
 unique values: 3 missing .: 1,229/1,743

tabulation:	Freq.	Numeric	Label
	57	1	yes
	452	2	no
	5	9	NO RESPONSE
	1,229	.	

cMilk

type: numeric (**byte**)
 label: **BD7E**
 range: [1,9] units: 1
 unique values: 3 missing .: 1,229/1,743

tabulation:	Freq.	Numeric	Label
	87	1	yes
	422	2	no
	5	9	NO RESPONSE
	1,229	.	

cYogurt

type:	numeric (byte)		
label:	BD8A		
range:	[1,9]	units:	1
unique values:	3	missing .:	1,229/1,743

tabulation:	Freq.	Numeric	Label
	16	1	yes
	493	2	no
	5	9	NO RESPONSE
	1,229	.	

cIronfortfood

Child ate fortified baby food (gerber, hero, cerelac, nestu

type:	numeric (byte)		
label:	BD8B		
range:	[1,9]	units:	1
unique values:	3	missing .:	1,229/1,743

tabulation:	Freq.	Numeric	Label
	58	1	yes
	451	2	no
	5	9	NO RESPONSE
	1,229	.	

cGrain

type:	numeric (byte)		
label:	cGrain		
range:	[0,1]	units:	1
unique values:	2	missing .:	1,229/1,743

tabulation:	Freq.	Numeric	Label
	227	0	No
	287	1	Yes
	1,229	.	

cEgg

type:	numeric (byte)		
label:	cEgg		
range:	[0,1]	units:	1
unique values:	2	missing .:	1,229/1,743

tabulation:	Freq.	Numeric	Label
	486	0	No
	28	1	Yes
	1,229	.	

cNut

RECODE of BD8M (Child

type:	numeric (byte)		
label:	cNut		
range:	[0,1]		units: 1
unique values:	2		missing .: 1,229/1,743
tabulation:	Freq.	Numeric	Label
	440	0	No
	74	1	Yes
	1,229	.	

cOthFruit

RECOD

type:	numeric (byte)		
label:	cOthFruit		
range:	[0,1]		units: 1
unique values:	2		missing .: 1,229/1,743
tabulation:	Freq.	Numeric	Label
	477	0	No
	37	1	Yes
	1,229	.	

cDair1

type:	numeric (byte)		
label:	cDair1		
range:	[0,1]		units: 1
unique values:	2		missing .: 1,229/1,743
tabulation:	Freq.	Numeric	Label
	427	0	No
	87	1	Yes
	1,229	.	

cDair2

RECODE of BD8M

type:	numeric (byte)		
label:	cDair2		
range:	[0,1]		units: 1
unique values:	2		missing .: 1,229/1,743
tabulation:	Freq.	Numeric	Label
	499	0	No
	15	1	Yes
	1,229	.	

cDair3

```

      type:  numeric (float)
      range:  [0,2]
unique values: 3
      units:  1
      missing .: 1,229/1,743

      tabulation:  Freq.  Value
                   419    0
                   88    1
                    7    2
                  1,229  .

```

cDairy

```

      type:  numeric (float)
      label:  cDairy
      range:  [0,1]
unique values: 2
      units:  1
      missing .: 1,229/1,743

      tabulation:  Freq.  Numeric  Label
                   419         0    No
                    95         1    Yes
                  1,229         .

```

cMeal

RECODE of BD8I (Chi

```

      type:  numeric (byte)
      label:  cMeal
      range:  [0,1]
unique values: 2
      units:  1
      missing .: 1,229/1,743

      tabulation:  Freq.  Numeric  Label
                   502         0    No
                    12         1    Yes
                  1,229         .

```

cMea2

RECODE of BD8J (Child

```

      type:  numeric (byte)
      label:  cMea2
      range:  [0,1]
unique values: 2
      units:  1
      missing .: 1,229/1,743

      tabulation:  Freq.  Numeric  Label
                   490         0    No
                    24         1    Yes
                  1,229         .

```

cMea3

RECODE of B

```

      type:  numeric (byte)
      label:  cMea3

```

range: [0,1] units: 1
 unique values: 2 missing .: 1,229/1,743

tabulation:	Freq.	Numeric	Label
	342	0	No
	172	1	Yes
	1,229	.	

cMea4

type: numeric (float)

range: [0,3] units: 1
 unique values: 4 missing .: 1,229/1,743

tabulation:	Freq.	Value
	320	0
	181	1
	12	2
	1	3
	1,229	.

cMeat

type: numeric (float)
 label: cMeat

range: [0,1] units: 1
 unique values: 2 missing .: 1,229/1,743

tabulation:	Freq.	Numeric	Label
	320	0	No
	194	1	Yes
	1,229	.	

cVA1

RECODE o

type: numeric (byte)
 label: cVA1

range: [0,1] units: 1
 unique values: 2 missing .: 1,229/1,743

tabulation:	Freq.	Numeric	Label
	469	0	No
	45	1	Yes
	1,229	.	

cVA2

R

type: numeric (byte)
 label: cVA2

range: [0,1] units: 1
 unique values: 2 missing .: 1,229/1,743

tabulation:	Freq.	Numeric	Label
	464	0	No
	50	1	Yes
	1,229	.	

cVA3

type:	numeric (byte)		
label:	cVA3		
range:	[0,1]	units:	1
unique values:	2	missing .:	1,229/1,743
tabulation:	Freq.	Numeric	Label
	485	0	No
	29	1	Yes
	1,229	.	

cVA4

type:	numeric (float)		
range:	[0,3]	units:	1
unique values:	4	missing .:	1,229/1,743
tabulation:	Freq.	Value	
	414	0	
	77	1	
	22	2	
	1	3	
	1,229	.	

cVAFruitVeg

type:	numeric (float)		
label:	cVAFruitVeg		
range:	[0,1]	units:	1
unique values:	2	missing .:	1,229/1,743
tabulation:	Freq.	Numeric	Label
	414	0	No
	100	1	Yes
	1,229	.	

cMDD_Score

type:	numeric (float)		
range:	[0,6]	units:	1
unique values:	7	missing .:	1,229/1,743

```

tabulation:  Freq.  Value
              190    0
              82    1
              89    2
              83    3
              52    4
              10    5
               8    6
            1,229  .

```

cMDD

```

      type:  numeric (float)
      label:  cMDD

      range:  [0,1]                      units:  1
unique values: 2                      missing .:  1,229/1,743

      tabulation:  Freq.  Numeric  Label
                   444      0     No
                   70      1     Yes
                  1,229      .

```

merge_mics_child

```

      type:  numeric (byte)
      label:  _merge

      range:  [1,3]                      units:  1
unique values: 2                      missing .:  364/1,743

      tabulation:  Freq.  Numeric  Label
                   47      1  master only (1)
                  1,332    3  matched (3)
                   364      .

```

hID

```

      type:  numeric (float)

      range:  [202,39018]                units:  1
unique values: 660                      missing .:  364/1,743

      mean:    22769.9
      std. dev: 10773.9

      percentiles:      10%      25%      50%      75%      90%
                       6406     16002    24602    31616    36602

```

HH1

```

      type:  numeric (int)

      range:  [2,390]                    units:  1
unique values: 71                      missing .:  364/1,743

      mean:    227.599
      std. dev: 107.743

```

percentiles:	10%	25%	50%	75%	90%
	64	160	246	316	366

HH2

type:	numeric (byte)				
range:	[1,21]	units:	1		
unique values:	21	missing .:	364/1,743		
mean:	9.97027				
std. dev:	5.77315				
percentiles:	10%	25%	50%	75%	90%
	2	5	10	15	18

hint

type:	numeric (byte)				
range:	[12,86]	units:	1		
unique values:	40	missing .:	364/1,743		
mean:	51.6331				
std. dev:	21.2647				
percentiles:	10%	25%	50%	75%	90%
	23	34	53	66	82

HH3

type:	numeric (byte)				
range:	[12,86]	units:	1		
unique values:	40	missing .:	364/1,743		
mean:	51.6331				
std. dev:	21.2647				
percentiles:	10%	25%	50%	75%	90%
	23	34	53	66	82

HH4

type:	numeric (byte)				
range:	[11,81]	units:	1		
unique values:	8	missing .:	364/1,743		

```

tabulation:  Freq.  Value
              104    11
              118    21
              208    31
              199    41
              206    51
              201    61
              157    71
              186    81
              364    .

```

HH5D

```

type:  numeric (byte)

range:  [1,31]                units:  1
unique values: 31            missing .: 364/1,743

mean:    15.7114
std. dev: 8.70485

percentiles:      10%      25%      50%      75%      90%
                  5        8        16        23        28

```

HH5M

```

type:  numeric (byte)
label:  HH5M

range:  [1,4]                units:  1
unique values: 4            missing .: 364/1,743

tabulation:  Freq.  Numeric  Label
              82      1  january
              333     2  february
              710     3  march
              254     4  april
              364     .

```

HH5Y

```

type:  numeric (int)

range:  [2018,2018]          units:  1
unique values: 1            missing .: 364/1,743

tabulation:  Freq.  Value
              1,379  2018
              364   .

```

HH6

```

type:  numeric (byte)
label:  HH6

range:  [1,2]                units:  1
unique values: 2            missing .: 364/1,743

```

tabulation:	Freq.	Numeric	Label
	565	1	urban
	814	2	rural
	364	.	

HH7

```

type: numeric (byte)
label: HH7

range: [1,8]          units: 1
unique values: 8      missing .: 364/1,743

tabulation: Freq.    Numeric  Label
             113      1      banjul
             114      2      kanifing
             186      3      brikama
             184      4      mansakonko
             151      5      kerewan
             181      6      kuntaur
             229      7      janjanbureh
             221      8      basse
             364      .

```

HH8

```

type: numeric (byte)
label: HH8

range: [1,2]          units: 1
unique values: 2      missing .: 364/1,743

tabulation: Freq.    Numeric  Label
             665      1      yes
             714      2      no
             364      .

```

HH9

```

type: numeric (byte)
label: HH9

range: [1,2]          units: 1
unique values: 2      missing .: 364/1,743

tabulation: Freq.    Numeric  Label
             340      1      yes
             1,039    2      no
             364      .

```

HH10

```

type: numeric (byte)
label: HH10

range: [1,2]          units: 1
unique values: 2      missing .: 364/1,743

```

tabulation:	Freq.	Numeric	Label
	52	1	yes
	1,327	2	no
	364	.	

HH11H

type: numeric (**byte**)

range: [7,23] units: 1
unique values: 17 missing .: 364/1,743

mean: 13.4801
std. dev: 3.18881

percentiles:	10%	25%	50%	75%	90%
	10	11	13	16	18

HH11M

type: numeric (**byte**)

range: [0,59] units: 1
unique values: 60 missing .: 364/1,743

mean: 30.4873
std. dev: 17.4523

percentiles:	10%	25%	50%	75%	90%
	5	15	30	45	54

HH12

type: numeric (**byte**)
label: **HH12**

range: [1,1] units: 1
unique values: 1 missing .: 364/1,743

tabulation:	Freq.	Numeric	Label
	1,379	1	yes
	364	.	

HH46

type: numeric (**byte**)
label: **HH46**

range: [1,1] units: 1
unique values: 1 missing .: 364/1,743

tabulation:	Freq.	Numeric	Label
	1,379	1	completed
	364	.	

HH13H

```

      type:  numeric (byte)

      range:  [7,22]
unique values: 16
                                units:  1
                                missing .: 364/1,743

      mean:   14.1972
      std. dev: 3.13651

percentiles:      10%      25%      50%      75%      90%
                  10       12       14       17       19

```

HH13M

```

      type:  numeric (byte)

      range:  [0,59]
unique values: 60
                                units:  1
                                missing .: 364/1,743

      mean:   30.1516
      std. dev: 17.1011

percentiles:      10%      25%      50%      75%      90%
                  5       16       30       45       53

```

HH14

```

      type:  numeric (byte)
      label:  HH14

      range:  [1,1]
unique values: 1
                                units:  1
                                missing .: 364/1,743

      tabulation:  Freq.   Numeric   Label
                   1,379         1   english
                   364           .

```

HH15

```

      type:  numeric (byte)
      label:  HH15

      range:  [1,5]
unique values: 5
                                units:  1
                                missing .: 364/1,743

      tabulation:  Freq.   Numeric   Label
                   41         1   english
                   590        2   mandinka
                   687        3   wollof
                   45         4   fula
                   16         5   jola
                   364         .

```

HH16

```

      type:  numeric (byte)
      label:  HH16

```

```

      range: [1,96]
unique values: 11
      units: 1
      missing .: 364/1,743

      examples: 2   mandinka
                 3   wollof
                 4   fula
                 .

```

HH17

```

      type: numeric (byte)
      label: HH17

      range: [1,3]
unique values: 3
      units: 1
      missing .: 364/1,743

      tabulation: Freq.   Numeric   Label
                  14         1   YES, ENTIRE QUESTIONNAIRE
                  13         2   YES, PART OF QUESTIONNAIRE
                  1,352       3   NO, NOT USED
                  364         .

```

HH26A

```

      type: numeric (byte)

      range: [1,8]
unique values: 8
      units: 1
      missing .: 455/1,743

      tabulation: Freq.   Value
                  425     1
                  285     2
                  185     3
                  124     4
                  129     5
                   72     6
                   31     7
                   37     8
                  455     .

```

HH26B

```

      type: numeric (byte)

      range: [2,31]
unique values: 22
      units: 1
      missing .: 455/1,743

      mean: 7.75233
      std. dev: 5.30763

      percentiles:      10%      25%      50%      75%      90%
                      3         4         6         10         15

```

HH26C

```

      type: numeric (byte)

```

```

      range: [5,17]
unique values: 13
      mean: 9.6972
      std. dev: 3.50246

percentiles:      10%      25%      50%      75%      90%
                  5        7        9        13        15

```

HH33

```

      type: numeric (byte)
      label: HH33

      range: [1,1]
unique values: 1
      units: 1
missing ..: 1,312/1,743

tabulation: Freq.   Numeric   Label
             431         1   YES for all girls age 15-17
             1,312        .

```

HH39

```

      type: numeric (byte)
      label: HH39

      range: [1,1]
unique values: 1
      units: 1
missing ..: 1,544/1,743

tabulation: Freq.   Numeric   Label
             199         1   YES for all boy age 15-17
             1,544        .

```

HH44

```

      type: numeric (byte)
      label: HH44

      range: [1,1]
unique values: 1
      units: 1
missing ..: 1,403/1,743

tabulation: Freq.   Numeric   Label
             340         1   YES, PERMISSION IS GIVEN
             1,403        .

```

HH47

```

      type: numeric (byte)

      range: [1,45]
unique values: 20
      units: 1
missing ..: 364/1,743

      mean: 3.25308
      std. dev: 5.40082

percentiles:      10%      25%      50%      75%      90%
                  1        1        2        2        7

```

HH48

```

      type:  numeric (byte)

      range:  [2,54]
unique values: 39
      units:  1
missing .:   364/1,743

      mean:   14.5446
      std. dev: 9.69319

percentiles:      10%      25%      50%      75%      90%
                  5        8        12        19        27

```

HH49

```

      type:  numeric (byte)

      range:  [0,14]
unique values: 14
      units:  1
missing .:   364/1,743

      mean:   3.32995
      std. dev: 2.58819

percentiles:      10%      25%      50%      75%      90%
                  1        1        3        4        7

```

HH50

Number of men 15 - 49

```

      type:  numeric (byte)

      range:  [0,8]
unique values: 9
      units:  1
missing .:   364/1,743

      tabulation:  Freq.  Value
                  821    0
                  233    1
                  143    2
                   87    3
                   48    4
                   27    5
                    6    6
                   13    7
                    1    8
                   364    .

```

HH51

```

      type:  numeric (byte)

      range:  [0,14]
unique values: 13
      units:  1
missing .:   364/1,743

      mean:   3.32125
      std. dev: 2.38444

percentiles:      10%      25%      50%      75%      90%
                  1        2        3        4        7

```

HH52

```

      type:  numeric (byte)
      range:  [0,36]
unique values: 22
      mean:   5.22988
      std. dev: 4.65096
      percentiles:      10%      25%      50%      75%      90%
                        1         2         4         7        11

```

introhl

```

      type:  string (str1)
unique values: 1
      missing "": 364/1,743
      tabulation: Freq.  Value
                  364  ""
                  1,379 "1"

```

hhaux

```

      type:  numeric (byte)
      label:  HHAUX
      range:  [2,2]
unique values: 1
      missing "": 364/1,743
      tabulation: Freq.  Numeric  Label
                  1,379      2     no
                   364      .

```

hhwq

```

      type:  string (str1)
unique values: 1
      missing "": 1,403/1,743
      tabulation: Freq.  Value
                  1,403  ""
                   340  "1"

```

hhfin

```

      type:  numeric (byte)
      label:  HHFIN
      range:  [3,3]
unique values: 1
      missing "": 364/1,743
      tabulation: Freq.  Numeric  Label
                  1,379      3     Save questionnaire and finish
                   364      .

```

HC1A

```

      type: numeric (byte)
      label: HC1A

      range: [1,2]                      units: 1
unique values: 2                      missing .: 364/1,743

      tabulation: Freq.   Numeric   Label
                  1,366       1      islam
                   13        2      christianity
                   364        .

```

HC1B

```

      type: numeric (byte)
      label: HC1B

      range: [1,6]                      units: 1
unique values: 6                      missing .: 364/1,743

      tabulation: Freq.   Numeric   Label
                  1,273       1      gambian
                   47        2      senegalese
                   52        3      guinean
                    3        4      BISSAU GUINEAN
                    3        5      malian
                    1        6      nigerian
                   364        .

```

HC1C

```

      type: numeric (byte)
      label: HC1C

      range: [1,96]                    units: 1
unique values: 10                     missing .: 470/1,743

      examples: 1      mandinka
                 3      fula
                 4      jola
                 .

```

HC2

```

      type: numeric (byte)
      label: HC2

      range: [1,96]                    units: 1
unique values: 10                     missing .: 470/1,743

      examples: 2      wollof
                 3      fula
                 4      jola
                 .

```

HC3

```

      type: numeric (byte)
      label: HC3, but 22 nonmissing values are not labeled

      range: [1,26]                      units: 1
unique values: 22                      missing .: 364/1,743

      examples: 3
                  5
                  8
                  .

```

HC4

```

      type: numeric (byte)
      label: HC4

      range: [11,96]                    units: 1
unique values: 8                      missing .: 364/1,743

      tabulation: Freq.  Numeric  Label
                   238       11  EARTH / SAND
                   15       12  DUNG
                     6       21  WOOD PLANKS
                   224       32  LINOLEUM (Tapeh)
                   199       33  CERAMIC TILES
                   684       34  cement
                     7       35  carpet
                     6       96  other
                   364         .

```

HC5

```

      type: numeric (byte)
      label: HC5

      range: [12,35]                    units: 1
unique values: 9                      missing .: 364/1,743

      tabulation: Freq.  Numeric  Label
                   128       12  THATCH / PALM LEAF
                     1       22  PALM / BAMBOO
                     5       23  WOOD PLANKS
                     4       24  cardboard
                   1,191      31  METAL / TIN
                     2       32  wood
                     1       33  CALAMINE / CEMENT FIBRE
                     1       34  CERAMIC TILES
                     46       35  cement
                   364         .

```

HC6

```

      type: numeric (byte)
      label: HC6

```

```

        range: [21,96]
unique values: 10
                                units: 1
                                missing .: 364/1,743

        examples: 27    MUD/ MUD BRICKS
                   31    cement
                   31    cement
                   .

```

HC7A

```

        type: numeric (byte)
        label: HC7A

        range: [1,9]
unique values: 3
                                units: 1
                                missing .: 364/1,743

        tabulation: Freq.    Numeric    Label
                   14         1    yes
                   1,362       2    no
                       3         9    NO RESPONSE
                   364         .

```

HC7B

```

        type: numeric (byte)
        label: HC7B

        range: [1,2]
unique values: 2
                                units: 1
                                missing .: 364/1,743

        tabulation: Freq.    Numeric    Label
                   1,029       1    yes
                       350       2    no
                   364         .

```

HC7C

```

        type: numeric (byte)
        label: HC7C

        range: [1,2]
unique values: 2
                                units: 1
                                missing .: 364/1,743

        tabulation: Freq.    Numeric    Label
                   1,219       1    yes
                       160       2    no
                   364         .

```

HC7D

```

        type: numeric (byte)
        label: HC7D

        range: [1,2]
unique values: 2
                                units: 1
                                missing .: 364/1,743

```

tabulation:	Freq.	Numeric	Label
	401	1	yes
	978	2	no
	364	.	

HC7E

```

      type: numeric (byte)
      label: HC7E

      range: [1,9]                      units: 1
unique values: 3                      missing .: 364/1,743

      tabulation: Freq.  Numeric  Label
                   84      1    yes
                   1,293    2    no
                   2      9    NO RESPONSE
                   364      .

```

HC7F

```

      type: numeric (byte)
      label: HC7F

      range: [1,2]                      units: 1
unique values: 2                      missing .: 364/1,743

      tabulation: Freq.  Numeric  Label
                   608      1    yes
                   771      2    no
                   364      .

```

HC7G

```

      type: numeric (byte)
      label: HC7G

      range: [1,2]                      units: 1
unique values: 2                      missing .: 364/1,743

      tabulation: Freq.  Numeric  Label
                   1,107    1    yes
                   272     2    no
                   364     .

```

HC7H

```

      type: numeric (byte)
      label: HC7H

      range: [1,2]                      units: 1
unique values: 2                      missing .: 364/1,743

      tabulation: Freq.  Numeric  Label
                   81      1    yes
                   1,298    2    no
                   364     .

```

HC7I

```

      type: numeric (byte)
      label: HC7I

      range: [1,9]                      units: 1
unique values: 3                      missing ..: 364/1,743

      tabulation: Freq.   Numeric   Label
                   338         1    yes
                   1,040       2    no
                   1          9   NO RESPONSE
                   364         .

```

HC8

```

      type: numeric (byte)
      label: HC8

      range: [1,3]                      units: 1
unique values: 3                      missing ..: 364/1,743

      tabulation: Freq.   Numeric   Label
                   579         1    YES, INTERCONNECTED GRID
                   157         2    YES, OFF-GRID
                                (GENERATOR/ISOLATED SYSTEM)
                   643         3    no
                   364         .

```

HC9A

```

      type: numeric (byte)
      label: HC9A

      range: [1,2]                      units: 1
unique values: 2                      missing ..: 1,007/1,743

      tabulation: Freq.   Numeric   Label
                   593         1    yes
                   143         2    no
                   1,007       .

```

HC9B

```

      type: numeric (byte)
      label: HC9B

      range: [1,2]                      units: 1
unique values: 2                      missing ..: 1,007/1,743

      tabulation: Freq.   Numeric   Label
                   410         1    yes
                   326         2    no
                   1,007       .

```

HC9C

```

      type: numeric (byte)
      label: HC9C

      range: [1,2]
unique values: 2
units: 1
missing .: 1,007/1,743

      tabulation: Freq.   Numeric   Label
                   480         1   yes
                   256         2   no
                   1,007        .

```

HC9D

```

      type: numeric (byte)
      label: HC9D

      range: [1,9]
unique values: 3
units: 1
missing .: 1,007/1,743

      tabulation: Freq.   Numeric   Label
                   35         1   yes
                   699         2   no
                     2         9 NO RESPONSE
                   1,007        .

```

HC9E

```

      type: numeric (byte)
      label: HC9E

      range: [1,2]
unique values: 2
units: 1
missing .: 1,007/1,743

      tabulation: Freq.   Numeric   Label
                   366         1   yes
                   370         2   no
                   1,007        .

```

HC10A

```

      type: numeric (byte)
      label: HC10A

      range: [1,9]
unique values: 3
units: 1
missing .: 364/1,743

      tabulation: Freq.   Numeric   Label
                   704         1   yes
                   668         2   no
                     7         9 NO RESPONSE
                   364        .

```

HC10B

```

      type: numeric (byte)
      label: HC10B

```

range: [1,2] units: 1
 unique values: 2 missing .: 364/1,743

tabulation:	Freq.	Numeric	Label
	752	1	yes
	627	2	no
	364	.	

HC10C

type: numeric (byte)
 label: HC10C

range: [1,2] units: 1
 unique values: 2 missing .: 364/1,743

tabulation:	Freq.	Numeric	Label
	377	1	yes
	1,002	2	no
	364	.	

HC10D

type: numeric (byte)
 label: HC10D

range: [1,2] units: 1
 unique values: 2 missing .: 364/1,743

tabulation:	Freq.	Numeric	Label
	580	1	yes
	799	2	no
	364	.	

HC10E

type: numeric (byte)
 label: HC10E

range: [1,2] units: 1
 unique values: 2 missing .: 364/1,743

tabulation:	Freq.	Numeric	Label
	209	1	yes
	1,170	2	no
	364	.	

HC10F

type: numeric (byte)
 label: HC10F

range: [1,9] units: 1
 unique values: 3 missing .: 364/1,743

tabulation:	Freq.	Numeric	Label
	24	1	yes
	1,352	2	no
	3	9	NO RESPONSE
	364	.	

HC10G

type:	numeric (byte)		
label:	HC10G		
range:	[1,2]	units:	1
unique values:	2	missing .:	364/1,743
tabulation:	Freq.	Numeric	Label
	31	1	yes
	1,348	2	no
	364	.	

HC11

type:	numeric (byte)		
label:	HC11		
range:	[1,2]	units:	1
unique values:	2	missing .:	364/1,743
tabulation:	Freq.	Numeric	Label
	141	1	yes
	1,238	2	no
	364	.	

HC12

type:	numeric (byte)		
label:	HC12		
range:	[1,2]	units:	1
unique values:	2	missing .:	364/1,743
tabulation:	Freq.	Numeric	Label
	1,335	1	yes
	44	2	no
	364	.	

HC13

type:	numeric (byte)		
label:	HC13		
range:	[1,9]	units:	1
unique values:	3	missing .:	364/1,743
tabulation:	Freq.	Numeric	Label
	759	1	yes
	614	2	no
	6	9	NO RESPONSE
	364	.	

HC14

```

      type: numeric (byte)
      label: HC14

      range: [1,6]                units: 1
unique values: 4                missing .: 364/1,743

      tabulation: Freq.   Numeric   Label
                  849       1      own
                  171       2      rent
                  357       3      RENT-FREE
                   2       6      other
                  364       .

```

HC15**Any**

```

      type: numeric (byte)
      label: HC15

      range: [1,2]                units: 1
unique values: 2                missing .: 364/1,743

      tabulation: Freq.   Numeric   Label
                  784       1      yes
                  595       2      no
                  364       .

```

HC16A**Hectar**

```

      type: numeric (byte)
      label: HC16A

      range: [1,8]                units: 1
unique values: 3                missing .: 959/1,743

      tabulation: Freq.   Numeric   Label
                  523       1      hectares
                  181       2      acres
                   80       8      DON'T KNOW
                  959       .

```

HC16B**Hectar**

```

      type: numeric (byte)
      label: HC16B, but 27 nonmissing values are not labeled

      range: [0,98]                units: 1
unique values: 29                missing .: 959/1,743

      examples: 4
                95      95 OR MORE
                .
                .

```

HC17

```

      type: numeric (byte)
      label: HC17

      range: [1,2]
      unique values: 2

                        units: 1
      missing .: 364/1,743

      tabulation: Freq.   Numeric   Label
                   1,062       1   yes
                   317         2   no
                   364         .

```

HC18A

```

      type: numeric (byte)
      label: HC18A, but 18 nonmissing values are not labeled

      range: [0,98]
      unique values: 20

                        units: 1
      missing .: 681/1,743

      examples: 0
                0
                95   95+
                .

```

HC18B

```

      type: numeric (byte)
      label: HC18B, but 11 nonmissing values are not labeled

      range: [0,98]
      unique values: 12

                        units: 1
      missing .: 681/1,743

      examples: 0
                0
                30
                .

```

HC18C1

```

      type: numeric (byte)
      label: HC18C1, but 7 nonmissing values are not labeled

      range: [0,6]
      unique values: 7

                        units: 1
      missing .: 681/1,743

      tabulation: Freq.   Numeric   Label
                   765       0
                   109       1
                   116       2
                   35        3
                   21        4
                   8         5
                   8         6
                   681       .

```

HC18C2

```

      type: numeric (byte)
      label: HC18C2, but 10 nonmissing values are not labeled

      range: [0,10]                      units: 1
unique values: 10                      missing .: 681/1,743

      examples: 0
                  1
                  6
                  .

```

HC18D

```

      type: numeric (byte)
      label: HC18D, but 20 nonmissing values are not labeled

      range: [0,98]                      units: 1
unique values: 22                      missing .: 681/1,743

      examples: 0
                  4
                  40
                  .

```

HC18E

```

      type: numeric (byte)
      label: HC18E, but 18 nonmissing values are not labeled

      range: [0,98]                      units: 1
unique values: 19                      missing .: 681/1,743

      examples: 0
                  2
                  30
                  .

```

HC18F

```

      type: numeric (byte)
      label: HC18F, but 32 nonmissing values are not labeled

      range: [0,98]                      units: 1
unique values: 34                      missing .: 681/1,743

      examples: 2
                  8
                  98      dk
                  .

```

HC18G

```

      type: numeric (byte)
      label: HC18G, but 3 nonmissing values are not labeled

      range: [0,40]                      units: 10
unique values: 3                      missing .: 681/1,743

```

tabulation:	Freq.	Numeric	Label
	1,059	0	
	1	20	
	2	40	
	681	.	

HC19

```

      type: numeric (byte)
      label: HC19

      range: [1,9]                units: 1
unique values: 4                missing .: 364/1,743

      tabulation: Freq.  Numeric  Label
                  459      1      yes
                  854      2      no
                   64      8      dk
                   2      9      NO RESPONSE
                  364      .

```

EU1

```

      type: numeric (byte)
      label: EU1

      range: [3,97]              units: 1
unique values: 6                missing .: 364/1,743

      tabulation: Freq.  Numeric  Label
                  4        3      LIQUEFIED PETROLEUM GAS (LPG) /
                  369      7      COOKING GAS STOVE
                   11      8      MANUFACTURED SOLID FUEL STOVE
                   991      9      TRADITIONAL SOLID FUEL STOVE
                    2     96      THREE STONE STOVE / OPEN FIRE
                    2     96      other
                    2     97      NO FOOD COOKED IN HOUSEHOLD
                   364      .

```

EU2

```

      type: numeric (byte)
      label: EU2

      range: [1,2]                units: 1
unique values: 2                missing .: 1,363/1,743

      tabulation: Freq.  Numeric  Label
                  13        1      yes
                  367      2      no
                 1,363      .

```

EU3

```

      type: numeric (byte)
      label: EU3

```

range: [2,8] units: 1
 unique values: 2 missing .: 1,363/1,743

tabulation:	Freq.	Numeric	Label
	377	2	no
	3	8	dk
	1,363	.	

EU4

type: numeric (byte)
 label: EU4

range: [5,11] units: 1
 unique values: 4 missing .: 370/1,743

tabulation:	Freq.	Numeric	Label
	252	5	charcoal
	1,113	6	wood
	1	7	CROP RESIDUE / GRASS / STRAW / SHRUBS
	7	11	sawdust
	370	.	

EU5

type: numeric (byte)
 label: EU5

range: [1,5] units: 1
 unique values: 5 missing .: 366/1,743

tabulation:	Freq.	Numeric	Label
	2	1	IN MAIN HOUSE: NO SEPARATE ROOM
	165	2	IN MAIN HOUSE: IN A SEPARATE ROOM
	935	3	IN A SEPARATE BUILDING
	154	4	OUTDOORS: OPEN AIR
	121	5	OUTDOORS: ON VERANDA OR COVERED PORCH
	366	.	

EU6

type: numeric (byte)
 label: EU6

range: [3,97] units: 1
 unique values: 5 missing .: 364/1,743

tabulation:	Freq.	Numeric	Label
	1	3	TRADITIONAL SPACE HEATER
	3	4	MANUFACTURED COOKSTOVE
	24	6	THREE STONE STOVE / OPEN FIRE
	30	96	other
	1,321	97	NO SPACE HEATING IN HOUSEHOLD
	364	.	

EU7

```

      type: numeric (byte)
      label: EU7

      range: [2,2]                units: 1
unique values: 1                missing .: 1,739/1,743

      tabulation: Freq.    Numeric    Label
                   4        2        no
                   1,739    .

```

EU8

```

      type: numeric (byte)
      label: EU8

      range: [10,11]             units: 1
unique values: 2                missing .: 1,685/1,743

      tabulation: Freq.    Numeric    Label
                   30        10    charcoal
                   28        11    wood
                   1,685    .

```

EU9

```

      type: numeric (byte)
      label: EU9

      range: [1,96]              units: 1
unique values: 9                missing .: 364/1,743

      tabulation: Freq.    Numeric    Label
                   636        1    electricity
                   199        2    SOLAR LANTERN
                   63         3    RECHARGEABLE FLASHLIGHT, TORCH
                                OR LANTERN
                   394        4    BATTERY POWERED FLASHLIGHT,
                                TORCH OR LANTERN
                   14         5    BIOGAS LAMP
                   5          8    charcoal
                   1          9    wood
                   66        13    candle
                   1         96    other
                   364        .

```

TN1

```

      type: numeric (byte)
      label: TN1

      range: [1,2]                units: 1
unique values: 2                missing .: 364/1,743

```

tabulation:	Freq.	Numeric	Label
	1,319	1	yes
	60	2	no
	364	.	

TN2

```

type: numeric (byte)
range: [1,30]
unique values: 24
mean: 7.14481
std. dev: 5.32376
units: 1
missing .: 424/1,743

percentiles:      10%      25%      50%      75%      90%
                  2       3       6       9       15

```

IR1

```

type: numeric (byte)
label: IR1
range: [1,8]
unique values: 3
units: 1
missing .: 364/1,743

tabulation: Freq.  Numeric  Label
             635      1    yes
             740      2    no
             4       8    dk
             364      .

```

IR2A

```

type: string (str1)
unique values: 1
missing "": 1,115/1,743

tabulation: Freq.  Value
             1,115  ""
             628  "A"

```

IR2B

```

type: string (str1), but longest is str0
unique values: 0
missing "": 1,743/1,743

tabulation: Freq.  Value
             1,743  ""

```

IR2C

```

type: string (str1), but longest is str0
unique values: 0
missing "": 1,743/1,743

```

```

tabulation:  Freq.  Value
              1,743  ""

```

IR2X

```

type:  string (str1)

unique values:  1                               missing "":  1,742/1,743

tabulation:  Freq.  Value
              1,742  ""
              1      "X"

```

IR2Z

```

type:  string (str1)

unique values:  1                               missing "":  1,737/1,743

tabulation:  Freq.  Value
              1,737  ""
              6      "Z"

```

WS1

```

type:  numeric (byte)
label:  WS1

range:  [11,42]                                units:  1
unique values:  8                               missing .:  364/1,743

tabulation:  Freq.  Numeric  Label
              30      11  PIPED WATER : PIPED INTO
              369      12  PIPED WATER: PIPED TO YARD /
              85       13  PIPED WATER: PIPED TO NEIGHBOUR
              454      14  PIPED WATER: PUBLIC TAP /
              182      21  TUBE WELL / BOREHOLE
              89       31  DUG WELL: PROTECTED WELL
              169      32  DUG WELL: UNPROTECTED WELL
              1       42  SPRING: UNPROTECTED SPRING
              364      .

```

WS2**Main source of water u**

```

type:  numeric (byte)
label:  WS2

range:  [.,.]                                units:  .
unique values:  0                               missing .:  1,743/1,743

tabulation:  Freq.  Numeric  Label
              1,743      .

```

WS3

```

      type: numeric (byte)
      label: WS3

      range: [2,3]                units: 1
unique values: 2                missing .: 763/1,743

      tabulation: Freq.   Numeric   Label
                  44        2      IN OWN YARD / PLOT
                  936        3      elsewhere
                  763        .

```

WS4

```

      type: numeric (int)
      label: WS4, but 30 nonmissing values are not labeled

      range: [0,998]             units: 1
unique values: 32                missing .: 807/1,743

      examples: 10
                30
                .
                .

```

WS5

```

      type: numeric (byte)
      label: WS5, but 20 nonmissing values are not labeled

      range: [1,40]              units: 1
unique values: 20                missing .: 830/1,743

      examples: 2
                8
                .
                .

```

WS6

Num

```

      type: numeric (byte)
      label: WS6, but 48 nonmissing values are not labeled

      range: [1,98]              units: 1
unique values: 49                missing .: 830/1,743

      examples: 14
                35
                .
                .

```

WS7

Ther

```

      type: numeric (byte)
      label: WS7

```

```

      range: [1,8]
unique values: 3
      units: 1
missing .: 364/1,743

      tabulation: Freq.   Numeric   Label
                   184         1   yes
                   1,193       2   no
                       2         8   dk
                   364         .

```

WS8

```

      type: numeric (byte)
      label: WS8

      range: [1,6]
unique values: 4
      units: 1
missing .: 1,559/1,743

      tabulation: Freq.   Numeric   Label
                   149         1   WATER NOT AVAILABLE FROM SOURCE
                       1         2   WATER TOO EXPENSIVE
                       22         3   SOURCE NOT ACCESSIBLE
                       12         6   other
                   1,559         .

```

WS9

```

      type: numeric (byte)
      label: WS9

      range: [1,2]
unique values: 2
      units: 1
missing .: 364/1,743

      tabulation: Freq.   Numeric   Label
                   356         1   yes
                   1,023       2   no
                   364         .

```

WS10A

```

      type: string (str1), but longest is str0
unique values: 0
missing "": 1,743/1,743

      tabulation: Freq.   Value
                   1,743   ""

```

WS10B

```

      type: string (str1)
unique values: 1
missing "": 1,692/1,743

      tabulation: Freq.   Value
                   1,692   ""
                       51   "B"

```



```

tabulation:  Freq.  Value
              1,743  ""

```

WS10NR

```

type:  string (str1), but longest is str0

unique values:  0                      missing "":  1,743/1,743

tabulation:  Freq.  Value
              1,743  ""

```

WS11

```

type:  numeric (byte)
label:  WS11

range:  [11,95]                      units:  1
unique values:  7                      missing .:  364/1,743

tabulation:  Freq.  Numeric  Label
              113      11  FLUSH / POUR FLUSH: FLUSH TO
                        PIPED SEWER SYSTEM
              111      12  FLUSH / POUR FLUSH: FLUSH TO
                        SEPTIC TANK
              55       13  FLUSH / POUR FLUSH: FLUSH TO PIT
                        LATRINE
              31       21  PIT LATRINE: VENTILATED IMPROVED
                        PIT LATRINE
              388      22  PIT LATRINE: PIT LATRINE WITH
                        SLAB
              668      23  PIT LATRINE: PIT LATRINE WITHOUT
                        SLAB / OPEN PIT
              13       95  NO FACILITY / BUSH / FIELD
              364      .

```

WS12

```

type:  numeric (byte)
label:  WS12

range:  [1,8]                      units:  1
unique values:  5                      missing .:  490/1,743

tabulation:  Freq.  Numeric  Label
              111      1  YES, EMPTIED: WITHIN THE LAST 5
                        YEARS
              12       2  YES, EMPTIED: MORE THAN 5 YEARS
                        AGO
              3        3  YES, EMPTIED: DON'T KNOW WHEN
              1,117     4  NO, NEVER EMPTIED
              10       8  dk
              490      .

```

WS13

```

type:  numeric (byte)
label:  WS13

```

range: [1,8] units: 1
 unique values: 7 missing .: 1,617/1,743

tabulation:	Freq.	Numeric	Label
	35	1	REMOVED BY SERVICE PROVIDER: TO A TREATMENT PLANT
	9	2	REMOVED BY SERVICE PROVIDER: BURIED IN A COVERED PIT
	60	3	REMOVED BY SERVICE PROVIDER: TO DON'T KNOW WHERE
	5	4	EMPTIED BY HOUSEHOLD: BURIED IN A COVERED PIT
	10	5	EMPTIED BY HOUSEHOLD: TO UNCOVERED PIT, OPEN GROUND, WATER BODY OR ELSEWHERE
	4	6	other
	3	8	dk
	1,617	.	

WS14

type: numeric (byte)
 label: WS14

range: [1,9] units: 1
 unique values: 4 missing .: 377/1,743

tabulation:	Freq.	Numeric	Label
	92	1	IN OWN DWELLING
	1,173	2	IN OWN YARD / PLOT
	100	3	elsewhere
	1	9	NO RESPONSE
	377	.	

WS15

type: numeric (byte)
 label: WS15

range: [1,2] units: 1
 unique values: 2 missing .: 377/1,743

tabulation:	Freq.	Numeric	Label
	384	1	yes
	982	2	no
	377	.	

WS16

type: numeric (byte)
 label: WS16

range: [1,2] units: 1
 unique values: 2 missing .: 1,359/1,743

tabulation:	Freq.	Numeric	Label
	358	1	SHARED WITH KNOWN HOUSEHOLDS (NOT PUBLIC)
	26	2	SHARED WITH GENERAL PUBLIC
	1,359	.	

WS17

```

      type: numeric (byte)
      label: WS17

      range: [2,98]
unique values: 10
      units: 1
      missing .: 1,385/1,743

      examples: 8      Eight
                .
                .
                .

```

HW1

```

      type: numeric (byte)
      label: HW1

      range: [1,6]
unique values: 6
      units: 1
      missing .: 364/1,743

      tabulation: Freq.  Numeric  Label
                  72         1  OBSERVED: FIXED FACILITY
                                OBSERVED (SINK / TAP) IN
                                DWELLING
                  169         2  OBSERVED: IN YARD /PLOT
1,020             3  OBSERVED: MOBILE OBJECT OBSERVED
                   (BUCKET / JUG / KETTLE)
                  114         4  NOT OBSERVED: NO HANDWASHING
                                PLACE IN DWELLING / YARD / PLOT
                   3          5  NOT OBSERVED: NO PERMISSION TO
                                SEE
                   1          6  OTHER REASON
364               .

```

HW2

```

      type: numeric (byte)
      label: HW2

      range: [1,9]
unique values: 3
      units: 1
      missing .: 482/1,743

      tabulation: Freq.  Numeric  Label
                  525         1  WATER IS AVAILABLE
                  735         2  WATER IS NOT AVAILABLE
                   1          9  NO RESPONSE
                  482         .

```

HW3

```

      type: numeric (byte)
      label: HW3

      range: [1,2]
unique values: 2
      units: 1
      missing .: 482/1,743

```

tabulation:	Freq.	Numeric	Label
	362	1	YES, PRESENT
	899	2	NO, NOT PRESENT
	482	.	

HW4

```

type: numeric (byte)
label: HW4

range: [3,4]          units: 1
unique values: 2      missing .: 1,740/1,743

tabulation: Freq.   Numeric   Label
              2         3      MOBILE OBJECT (BUCKET / JUG /
              1         4      KETTLE)
              1,740      .      NO HANDWASHING PLACE IN DWELLING
                                   / YARD / PLOT

```

HW5

```

type: numeric (byte)
label: HW5

range: [1,2]          units: 1
unique values: 2      missing .: 726/1,743

tabulation: Freq.   Numeric   Label
              639      1      yes
              378      2      no
              726      .

```

HW6

```

type: numeric (byte)
label: HW6

range: [1,2]          units: 1
unique values: 2      missing .: 1,104/1,743

tabulation: Freq.   Numeric   Label
              511      1      YES, SHOWN
              128      2      NO, NOT SHOWN
              1,104      .

```

HW7A

```

type: string (str1)

unique values: 1      missing "": 966/1,743

tabulation: Freq.   Value
              966    ""
              777    "A"

```


tabulation:	Freq.	Numeric	Label
	322	1	SALT TESTED: 0 PPM (NO REACTION)
	79	2	SALT TESTED: BELOW 15 PPM (BETWEEN 0 AND 15 PPM)
	24	3	SALT TESTED: ABOVE 15 PPM (AT LEAST 15 PPM)
	1,318	.	

WQ1

type: numeric (**int**)

range: [2,390] units: **1**
unique values: **66** missing .: **1,403/1,743**

mean: **227.138**
std. dev: **113.604**

percentiles: 10% 25% 50% 75% 90%
 44 **141** **246** **328** **366**

WQ2

type: numeric (**byte**)

range: [0,21] units: **1**
unique values: **22** missing .: **1,403/1,743**

mean: **9.25588**
std. dev: **5.7409**

percentiles: 10% 25% 50% 75% 90%
 2 **4** **10** **14** **18**

WQ3

type: numeric (**byte**)

range: [17,87] units: **1**
unique values: **10** missing .: **1,403/1,743**

mean: **54**
std. dev: **22.98**

percentiles: 10% 25% 50% 75% 90%
 17 **37** **57** **77** **87**

WQ4

type: numeric (**byte**)

range: [0,86] units: **1**
unique values: **40** missing .: **1,403/1,743**

mean: **47.8235**
std. dev: **24.1432**

percentiles:	10%	25%	50%	75%	90%
	14	26	49	66	82

WQ5D

```

      type:  numeric (byte)

      range:  [1,31]
unique values: 31
      units:  1
missing ..:  1,403/1,743

      mean:   16.7382
      std. dev: 9.22477

      percentiles:  10%    25%    50%    75%    90%
                    5      8     18     25     30

```

WQ5M

```

      type:  numeric (byte)

      range:  [1,4]
unique values: 4
      units:  1
missing ..:  1,403/1,743

      tabulation:  Freq.  Value
                   23     1
                   80     2
                   175    3
                   62     4
                  1,403    .

```

WQ5Y

```

      type:  numeric (int)

      range:  [2018,2018]
unique values: 1
      units:  1
missing ..:  1,403/1,743

      tabulation:  Freq.  Value
                   340    2018
                  1,403    .

```

WQ6

```

      type:  numeric (byte)
      label:  WQ6

      range:  [1,2]
unique values: 2
      units:  1
missing ..:  1,403/1,743

      tabulation:  Freq.  Numeric  Label
                   52       1     yes
                   288       2     no
                  1,403      .

```

WQ8

```

      type: numeric (byte)
      label: WQ8

      range: [1,1]                      units: 1
unique values: 1                      missing .: 1,403/1,743

      tabulation: Freq.   Numeric   Label
                   340       1   YES, PERMISSION IS GIVEN
                   1,403       .

```

WQ31

```

      type: numeric (byte)
      label: WQ31

      range: [1,1]                      units: 1
unique values: 1                      missing .: 1,403/1,743

      tabulation: Freq.   Numeric   Label
                   340       1   completed
                   1,403       .

```

WQ10H

```

      type: numeric (byte)

      range: [9,20]                    units: 1
unique values: 12                    missing .: 1,403/1,743

      mean: 13.4853
      std. dev: 2.8414

      percentiles:      10%      25%      50%      75%      90%
                       10       11       13       16       18

```

WQ10M

```

      type: numeric (byte)

      range: [0,59]                    units: 1
unique values: 56                    missing .: 1,403/1,743

      mean: 28.4088
      std. dev: 17.9419

      percentiles:      10%      25%      50%      75%      90%
                       3.5      13.5      27       44       54

```

WQ23H

```

      type: numeric (byte)

      range: [9,21]                    units: 1
unique values: 13                    missing .: 1,403/1,743

      mean: 13.7088
      std. dev: 2.87814

```

percentiles:	10%	25%	50%	75%	90%
	10	11	13	16	18

WQ23M

```

type: numeric (byte)

range: [0,59]
unique values: 55
mean: 28.2618
std. dev: 17.544
units: 1
missing .: 1,403/1,743

percentiles: 10% 25% 50% 75% 90%
              5  14  26  45  51

```

WQ11**A glass of**

```

type: numeric (byte)
label: WQ11

range: [1,1]
unique values: 1
units: 1
missing .: 1,403/1,743

tabulation: Freq.  Numeric  Label
              340         1  yes
              1,403        .

```

WQ12

```

type: numeric (byte)
label: WQ12

range: [1,8]
unique values: 3
units: 1
missing .: 1,403/1,743

tabulation: Freq.  Numeric  Label
              1         1  DIRECT FROM SOURCE
              331        2  COVERED CONTAINER
              8         8  UNABLE TO OBSERVE
              1,403        .

```

WQ13

```

type: numeric (byte)

range: [0,8]
unique values: 6
units: 1
missing .: 1,403/1,743

tabulation: Freq.  Value
              1      0
              324    1
              10     2
               2     3
               1     5
               2     8
              1,403  .

```

WQ14

```

      type: numeric (byte)
      label: WQ14

      range: [1,2]
unique values: 2
                        units: 1
                        missing .: 1,403/1,743

      tabulation: Freq.   Numeric   Label
                   82       1       yes
                   258      2       no
                   1,403      .

```

WQ15A

```

      type: string (str1), but longest is str0

unique values: 0
                        missing "": 1,743/1,743

      tabulation: Freq.   Value
                   1,743  ""

```

WQ15B

```

      type: string (str1)

unique values: 1
                        missing "": 1,739/1,743

      tabulation: Freq.   Value
                   1,739  ""
                   4     "B"

```

WQ15C

```

      type: string (str1)

unique values: 1
                        missing "": 1,663/1,743

      tabulation: Freq.   Value
                   1,663  ""
                   80    "C"

```

WQ15D

```

      type: string (str1), but longest is str0

unique values: 0
                        missing "": 1,743/1,743

      tabulation: Freq.   Value
                   1,743  ""

```

WQ15E

```

      type: string (str1), but longest is str0

```

unique values: 0 missing "": 1,743/1,743

tabulation: Freq. Value
1,743 ""

WQ15F

type: string (**str1**), but longest is str0

unique values: 0 missing "": 1,743/1,743

tabulation: Freq. Value
1,743 ""

WQ15X

type: string (**str1**), but longest is str0

unique values: 0 missing "": 1,743/1,743

tabulation: Freq. Value
1,743 ""

WQ15Z

type: string (**str1**), but longest is str0

unique values: 0 missing "": 1,743/1,743

tabulation: Freq. Value
1,743 ""

WQ15NR

type: string (**str1**), but longest is str0

unique values: 0 missing "": 1,743/1,743

tabulation: Freq. Value
1,743 ""

WQ16

type: numeric (**byte**)
label: **WQ16**

range: [1,2] units: 1

unique values: 2 missing .: 1,403/1,743

tabulation: Freq. Numeric Label
295 1 yes
45 2 no
1,403 .

WQ17

```

      type: numeric (byte)
      label: WQ17

      range: [12,32]                units: 1
unique values: 6                    missing .: 1,698/1,743

      tabulation: Freq.   Numeric   Label
                   2         12    PIPED WATER: PIPED TO YARD /
                                PLOT
                   7         13    PIPED WATER: PIPED TO NEIGHBOUR
                   3         14    PIPED WATER: PUBLIC TAP /
                                STANDPIPE
                   6         21    TUBE WELL / BOREHOLE
                   14        31    DUG WELL: PROTECTED WELL
                   13        32    DUG WELL: UNPROTECTED WELL
                   1,698        .

```

WQ18

```

      type: numeric (byte)
      label: WQ18

      range: [1,4]                  units: 1
unique values: 3                    missing .: 1,403/1,743

      tabulation: Freq.   Numeric   Label
                   334        1    YES, SHOWN
                   3         2    NO: WATER SOURCE WAS NOT
                                FUNCTIONAL
                   3         4    NO: UNABLE TO ACCESS SOURCE
                   1,403        .

```

WQ19

```

      type: numeric (byte)
      label: WQ19

      range: [1,2]                  units: 1
unique values: 2                    missing .: 1,409/1,743

      tabulation: Freq.   Numeric   Label
                   327        1    SOURCE WATER COLLECTED
                   7         2    SOURCE WATER NOT COLLECTED
                   1,409        .

```

WQ20

```

      type: numeric (byte)
      label: WQ20

      range: [1,2]                  units: 1
unique values: 2                    missing .: 1,403/1,743

```

tabulation:	Freq.	Numeric	Label
	54	1	yes
	286	2	no
	1,403	.	

WQ21

type: numeric (**byte**)
label: **WQ21**

range: [1,1] units: 1
unique values: 1 missing .: 1,689/1,743

tabulation:	Freq.	Numeric	Label
	54	1	BLANK WATER SAMPLE AVAILABLE
	1,689	.	

WQ24D

type: numeric (**byte**)

range: [1,31] units: 1
unique values: 30 missing .: 1,403/1,743

mean: 15.5824
std. dev: 9.27023

percentiles:	10%	25%	50%	75%	90%
	2.5	8	14	26	27

WQ24M

type: numeric (**byte**)

range: [1,4] units: 1
unique values: 4 missing .: 1,403/1,743

tabulation:	Freq.	Value
	17	1
	84	2
	151	3
	88	4
	1,403	.

WQ24Y

type: numeric (**int**)

range: [2018,2018] units: 1
unique values: 1 missing .: 1,403/1,743

tabulation:	Freq.	Value
	340	2018
	1,403	.

WQ25H

```

      type:  numeric (byte)
      range:  [6,23]
unique values: 18
                        units: 1
                        missing .: 1,403/1,743

      mean:   14.1294
      std. dev: 4.787

percentiles:           10%           25%           50%           75%           90%
                      8             10             15             18             20

```

WQ25M

```

      type:  numeric (byte)
      range:  [0,59]
unique values: 55
                        units: 1
                        missing .: 1,403/1,743

      mean:   27.9676
      std. dev: 18.2329

percentiles:           10%           25%           50%           75%           90%
                      5             11             28             45.5          52

```

WQ26

```

      type:  numeric (int)
      label:  WQ26, but 40 nonmissing values are not labeled

      range:  [0,101]
unique values: 41
                        units: 1
                        missing .: 1,403/1,743

      examples: .
                .
                .
                .

```

WQ27

```

      type:  numeric (int)
      label:  WQ27, but 31 nonmissing values are not labeled

      range:  [0,101]
unique values: 32
                        units: 1
                        missing .: 1,416/1,743

      examples: .
                .
                .
                .

```

WQ29

```

      type:  numeric (int)
      label:  WQ29, but 1 nonmissing value is not labeled

      range:  [0,101]
unique values: 2
                        units: 1
                        missing .: 1,691/1,743

```

tabulation:	Freq.	Numeric	Label
	50	0	
	2	101	More than 100
	1,691	.	

hhsex

type:	numeric (byte)		
label:	HHSEX		
range:	[1,2]	units:	1
unique values:	2	missing .:	364/1,743
tabulation:	Freq.	Numeric	Label
	1,189	1	Male
	190	2	Female
	364	.	

whh53

type:	numeric (byte)				
range:	[0,14]	units:	1		
unique values:	13	missing .:	377/1,743		
mean:	3.25988				
std. dev:	2.53745				
percentiles:	10%	25%	50%	75%	90%
	1	1	3	4	7

whh54

type:	numeric (byte)	
range:	[0,8]	units: 1
unique values:	9	missing .: 1,185/1,743
tabulation:	Freq.	Value
	29	0
	239	1
	129	2
	88	3
	31	4
	30	5
	4	6
	7	7
	1	8
	1,185	.

whh55

type:	numeric (byte)	
range:	[0,14]	units: 1
unique values:	13	missing .: 367/1,743

```

      mean:    3.28706
    std. dev:  2.38779

percentiles:      10%      25%      50%      75%      90%
                  1        2        2.5        4        7

```

wHH56

```

      type:  numeric (byte)

      range:  [0,1]                units:  1
unique values: 2                missing .:  455/1,743

      tabulation:  Freq.  Value
                   32    0
                   1,256  1
                   455   .

```

hhweight

```

      type:  numeric (double)

      range:  [.115486,3.99025]    units:  1.000e-06
unique values: 71                missing .:  364/1,743

      mean:    .895328
    std. dev:  .848

percentiles:      10%      25%      50%      75%      90%
                  .247855  .347074  .577913  .987268  2.16579

```

wqhweight

```

      type:  numeric (double)

      range:  [.1169802,4.006548]  units:  1.000e-10
unique values: 70                missing .:  364/1,743

      mean:    .876582
    std. dev:  .854716

percentiles:      10%      25%      50%      75%      90%
                  .248064  .350466  .512553  .902763  2.15865

```

wqsweight

```

      type:  numeric (double)

      range:  [.11165055,4.2162847] units:  1.000e-09
unique values: 70                missing .:  364/1,743

      mean:    .897584
    std. dev:  .904513

percentiles:      10%      25%      50%      75%      90%
                  .234452  .333097  .48715   1.01229  2.20127

```

ethnicity

```

      type: numeric (byte)
      label: ETHNICIT

      range: [1,9]
unique values: 9
                        units: 1
                        missing .: 364/1,743

      tabulation: Freq.   Numeric   Label
                   330       1   Mandinka
                   301       2   Wollof
                   379       3   Fula
                    63       4   Jola
                   152       5   Sarahule
                    19       6   Serere
                     3       7   Manjago
                     2       8   Creole/ aku marabout
                   130       9   Other
                   364       .

```

helevel

```

      type: numeric (byte)
      label: HELEVEL

      range: [0,9]
unique values: 4
                        units: 1
                        missing .: 364/1,743

      tabulation: Freq.   Numeric   Label
                   1,002       0   Pre-primary or none
                    117       1   Primary
                    256       2   Secondary +
                     4       9   DK/Missing
                   364       .

```

HH53

```

      type: numeric (byte)

      range: [0,14]
unique values: 13
                        units: 1
                        missing .: 364/1,743

      mean: 3.22915
      std. dev: 2.54504

      percentiles:      10%      25%      50%      75%      90%
                       1         1         3         4         7

```

HH54

Number of man' questio

```

      type: numeric (byte)

      range: [0,8]
unique values: 9
                        units: 1
                        missing .: 364/1,743

```

```

tabulation:  Freq.  Value
              850    0
              239    1
              129    2
               88    3
               31    4
               30    5
                4    6
                7    7
                1    8
              364    .

```

HH50A

```

type:  numeric (byte)

range:  [0,10]          units:  1
unique values:  10      missing .:  364/1,743

mean:    1.95794
std. dev: 1.69254

percentiles:      10%      25%      50%      75%      90%
                  0        1        1        3        4

```

HH55

```

type:  numeric (byte)

range:  [0,14]          units:  1
unique values:  13      missing .:  364/1,743

mean:    3.27991
std. dev: 2.3901

percentiles:      10%      25%      50%      75%      90%
                  1        2        2        4        7

```

HH56

```

type:  numeric (byte)

range:  [0,1]          units:  1
unique values:  2      missing .:  364/1,743

tabulation:  Freq.  Value
              123    0
             1,256    1
              364    .

```

hReligion

```

type:  numeric (byte)
label:  HC1A

range:  [1,2]          units:  1
unique values:  2      missing .:  364/1,743

```

tabulation:	Freq.	Numeric	Label
	1,366	1	islam
	13	2	christianity
	364	.	

hNationality

type:	numeric (byte)		
label:	HC1B		
range:	[1,6]	units:	1
unique values:	6	missing .:	364/1,743
tabulation:	Freq.	Numeric	Label
	1,273	1	gambian
	47	2	senegalese
	52	3	guinean
	3	4	BISSAU GUINEAN
	3	5	malian
	1	6	nigerian
	364	.	

hLanguage

type:	numeric (byte)		
label:	HC1C		
range:	[1,96]	units:	1
unique values:	10	missing .:	470/1,743
examples:	1	mandinka	
	3	fula	
	4	jola	
	.		

hEthnic

type:	numeric (byte)		
label:	HC2		
range:	[1,96]	units:	1
unique values:	10	missing .:	470/1,743
examples:	2	wollof	
	3	fula	
	4	jola	
	.		

persroom

Ratio of numbe

type:	numeric (float)		
range:	[.6666667,12]	units:	1.000e-07
unique values:	103	missing .:	364/1,743
mean:	2.68271		
std. dev:	1.07161		

percentiles:	10%	25%	50%	75%	90%
	1.6	2	2.5	3	4

floor_11

```

      type: numeric (byte)
      label: floor_11

      range: [0,1]                units: 1
unique values: 2                missing .: 364/1,743

      tabulation: Freq.   Numeric   Label
                  1,141       0   Other materials
                   238       1   Earth/Sand
                   364       .

```

floor_32

```

      type: numeric (byte)
      label: floor_32

      range: [0,1]                units: 1
unique values: 2                missing .: 364/1,743

      tabulation: Freq.   Numeric   Label
                  1,155       0   Other materials
                   224       1   LINOLEUM
                   364       .

```

floor_33

```

      type: numeric (byte)
      label: floor_33

      range: [0,1]                units: 1
unique values: 2                missing .: 364/1,743

      tabulation: Freq.   Numeric   Label
                  1,180       0   Other materials
                   199       1   Ceramic tiles
                   364       .

```

floor_34

```

      type: numeric (byte)
      label: floor_34

      range: [0,1]                units: 1
unique values: 2                missing .: 364/1,743

      tabulation: Freq.   Numeric   Label
                  695       0   Other materials
                   684       1   Cement
                   364       .

```

roof_12

```

      type: numeric (byte)
      label: roof_12

      range: [0,1]                      units: 1
unique values: 2                      missing .: 364/1,743

      tabulation: Freq.   Numeric   Label
                   1,251       0   Other materials
                   128         1   Thatch/Palm Leaf
                   364         .

```

roof_31

```

      type: numeric (byte)
      label: roof_31

      range: [0,1]                      units: 1
unique values: 2                      missing .: 364/1,743

      tabulation: Freq.   Numeric   Label
                   188         0   Other materials
                   1,191       1   Metal/Tin
                   364         .

```

wall_27

```

      type: numeric (byte)
      label: wall_27

      range: [0,1]                      units: 1
unique values: 2                      missing .: 364/1,743

      tabulation: Freq.   Numeric   Label
                   948         0   Other materials
                   431         1   Mud / Mud Bricks
                   364         .

```

wall_31

```

      type: numeric (byte)
      label: wall_31

      range: [0,1]                      units: 1
unique values: 2                      missing .: 364/1,743

      tabulation: Freq.   Numeric   Label
                   551         0   Other materials
                   828         1   Cement
                   364         .

```

goods_B

```

      type: numeric (byte)
      label: goods_B

      range: [0,1]                      units: 1
unique values: 2                      missing .: 364/1,743

```

tabulation:	Freq.	Numeric	Label
	350	0	No-Radio
	1,029	1	Yes-Radio
	364	.	

goods_C

type:	numeric (byte)		
label:	goods_C		
range:	[0,1]		units: 1
unique values:	2		missing .: 364/1,743
tabulation:	Freq.	Numeric	Label
	160	0	No-Bed
	1,219	1	Yes-Bed
	364	.	

goods_D

type:	numeric (byte)		
label:	goods_D		
range:	[0,1]		units: 1
unique values:	2		missing .: 364/1,743
tabulation:	Freq.	Numeric	Label
	978	0	No-Sofa
	401	1	Yes-Sofa
	364	.	

goods_E

type:	numeric (byte)		
label:	goods_E		
range:	[0,1]		units: 1
unique values:	2		missing .: 364/1,743
tabulation:	Freq.	Numeric	Label
	1,295	0	No-Dining Table
	84	1	Yes-Dining Table
	364	.	

goods_F

type:	numeric (byte)		
label:	goods_F		
range:	[0,1]		units: 1
unique values:	2		missing .: 364/1,743
tabulation:	Freq.	Numeric	Label
	771	0	No-Cupboard
	608	1	Yes-Cupboard
	364	.	

goods_G

```

      type: numeric (byte)
      label: goods_G

      range: [0,1]                      units: 1
unique values: 2                      missing .: 364/1,743

      tabulation: Freq.   Numeric   Label
                   272         0   No-Mattress
                   1,107       1   Yes-Mattress
                   364         .

```

goods_H

```

      type: numeric (byte)
      label: goods_H

      range: [0,1]                      units: 1
unique values: 2                      missing .: 364/1,743

      tabulation: Freq.   Numeric   Label
                   1,298       0   No-Generator
                   81         1   Yes-Generator
                   364         .

```

goods_I

```

      type: numeric (byte)
      label: goods_I

      range: [0,1]                      units: 1
unique values: 2                      missing .: 364/1,743

      tabulation: Freq.   Numeric   Label
                   1,041       0   No-Solar
                   338         1   Yes-Solar
                   364         .

```

electric_1

```

      type: numeric (byte)
      label: electric_1

      range: [0,1]                      units: 1
unique values: 2                      missing .: 364/1,743

      tabulation: Freq.   Numeric   Label
                   800         0   Other electric option
                   579         1   Electricity-On Grid
                   364         .

```

electric_2

```

      type: numeric (byte)
      label: electric_2

```

range: [0,1] units: 1
 unique values: 2 missing .: 364/1,743

tabulation:	Freq.	Numeric	Label
	1,222	0	Other electric option
	157	1	Electricity-Off Grid
	364	.	

electric_3

type: numeric (byte)
 label: **electric_3**

range: [0,1] units: 1
 unique values: 2 missing .: 364/1,743

tabulation:	Freq.	Numeric	Label
	736	0	Electricity on of off grid
	643	1	No electricity
	364	.	

machine_A

type: numeric (byte)
 label: **machine_A**

range: [0,1] units: 1
 unique values: 2 missing .: 364/1,743

tabulation:	Freq.	Numeric	Label
	786	0	No-Television
	593	1	Yes-Television
	364	.	

machine_B

type: numeric (byte)
 label: **machine_B**

range: [0,1] units: 1
 unique values: 2 missing .: 364/1,743

tabulation:	Freq.	Numeric	Label
	969	0	No-Fridget
	410	1	Yes-Fridge
	364	.	

machine_C

type: numeric (byte)
 label: **machine_C**

range: [0,1] units: 1
 unique values: 2 missing .: 364/1,743

tabulation:	Freq.	Numeric	Label
	899	0	No-Fan
	480	1	Yes-Fan
	364	.	

machine_D

type:	numeric (byte)		
label:	machine_D		
range:	[0,1]	units:	1
unique values:	2	missing .:	364/1,743
tabulation:	Freq.	Numeric	Label
	1,344	0	No-Air Cond
	35	1	Yes-Air Cond
	364	.	

machine_E

type:	numeric (byte)		
label:	machine_E		
range:	[0,1]	units:	1
unique values:	2	missing .:	364/1,743
tabulation:	Freq.	Numeric	Label
	1,013	0	No-Satellite
	366	1	Yes-Satellite
	364	.	

vehicle_A

type:	numeric (byte)		
label:	vehicle_A		
range:	[0,1]	units:	1
unique values:	2	missing .:	364/1,743
tabulation:	Freq.	Numeric	Label
	675	0	No-Watch
	704	1	Yes-Watch
	364	.	

vehicle_B

type:	numeric (byte)		
label:	vehicle_B		
range:	[0,1]	units:	1
unique values:	2	missing .:	364/1,743
tabulation:	Freq.	Numeric	Label
	675	0	No-Bike
	704	1	Yes-Bike
	364	.	

vehicle_C

```

      type: numeric (byte)
      label: vehicle_C

      range: [0,1]                      units: 1
unique values: 2                      missing ..: 364/1,743

      tabulation: Freq.   Numeric   Label
                   675       0      No-Moto
                   704       1      Yes-Moto
                   364       .

```

vehicle_D

```

      type: numeric (byte)
      label: vehicle_D

      range: [0,1]                      units: 1
unique values: 2                      missing ..: 364/1,743

      tabulation: Freq.   Numeric   Label
                   675       0      No-Cart
                   704       1      Yes-Cart
                   364       .

```

vehicle_E

```

      type: numeric (byte)
      label: vehicle_E

      range: [0,1]                      units: 1
unique values: 2                      missing ..: 364/1,743

      tabulation: Freq.   Numeric   Label
                   675       0      No-Car
                   704       1      Yes-Car
                   364       .

```

tech_1

```

      type: numeric (byte)
      label: tech_1

      range: [0,1]                      units: 1
unique values: 2                      missing ..: 364/1,743

      tabulation: Freq.   Numeric   Label
                   1,238       0      No-Computer
                   141       1      Yes-Computer
                   364       .

```

tech_2

```

      type: numeric (byte)
      label: tech_2

```

range: [0,1] units: 1
 unique values: 2 missing .: 364/1,743

tabulation:	Freq.	Numeric	Label
	44	0	No-Mobile phone
	1,335	1	Yes-Mobile phone
	364	.	

tech_3

type: numeric (byte)
 label: tech_3

range: [0,1] units: 1
 unique values: 2 missing .: 364/1,743

tabulation:	Freq.	Numeric	Label
	620	0	No-Internet
	759	1	Yes-Internet
	364	.	

land

type: numeric (float)

range: [0,234.75011] units: 1.000e-07
 unique values: 46 missing .: 364/1,743

mean: 10.3711
 std. dev: 28.8705

percentiles:	10%	25%	50%	75%	90%
	0	0	2	7	22.2642

cow

type: numeric (byte)
 label: cow

range: [0,1] units: 1
 unique values: 2 missing .: 364/1,743

tabulation:	Freq.	Numeric	Label
	1,069	0	HH has No cows
	310	1	HH has some cows
	364	.	

cattle

type: numeric (byte)
 label: cattle

range: [0,1] units: 1
 unique values: 2 missing .: 364/1,743

tabulation:	Freq.	Numeric	Label
	1,093	0	HH has No cattle
	286	1	HH has some cattle
	364	.	

horse

type:	numeric (byte)		
label:	horse		
range:	[0,1]		units: 1
unique values:	2		missing .. 364/1,743
tabulation:	Freq.	Numeric	Label
	1,082	0	HH has No horses
	297	1	HH has some horses
	364	.	

donkey

type:	numeric (byte)		
label:	donkey		
range:	[0,1]		units: 1
unique values:	2		missing .. 364/1,743
tabulation:	Freq.	Numeric	Label
	821	0	HH has No donkey
	558	1	HH has some donkeys
	364	.	

goat

type:	numeric (byte)		
label:	goat		
range:	[0,1]		units: 1
unique values:	2		missing .. 364/1,743
tabulation:	Freq.	Numeric	Label
	679	0	HH has No goats
	700	1	HH has some goats
	364	.	

sheep

type:	numeric (byte)		
label:	sheep		
range:	[0,1]		units: 1
unique values:	2		missing .. 364/1,743
tabulation:	Freq.	Numeric	Label
	874	0	HH has No sheep
	505	1	HH has some sheep
	364	.	

chicken

```

      type: numeric (byte)
      label: chicken

      range: [0,2]                      units: 1
unique values: 3                      missing .. 364/1,743

      tabulation: Freq.   Numeric   Label
                   542         0   HH has no chickens
                   346         1   HH has 1 to 5 chickens
                   491         2   HH has 6 or more chickens
                   364         .

```

bank

```

      type: numeric (byte)
      label: bank

      range: [0,1]                      units: 1
unique values: 2                      missing .. 364/1,743

      tabulation: Freq.   Numeric   Label
                   920         0   No-Bank
                   459         1   Yes-Bank
                   364         .

```

stove_7

```

      type: numeric (byte)
      label: stove_7

      range: [0,1]                      units: 1
unique values: 2                      missing .. 364/1,743

      tabulation: Freq.   Numeric   Label
                   1,010       0   Other stove options
                   369         1   MANUFACTURED SOLID FUEL STOVE
                   364         .

```

stove_9

```

      type: numeric (byte)
      label: stove_9

      range: [0,1]                      units: 1
unique values: 2                      missing .. 364/1,743

      tabulation: Freq.   Numeric   Label
                   388         0   Other stove options
                   991         1   THREE STONE STOVE / OPEN FIRE
                   364         .

```

stove_97

```

      type: numeric (byte)
      label: stove_97

      range: [0,1]                      units: 1
unique values: 2                      missing .: 364/1,743

      tabulation: Freq.   Numeric   Label
                  1,377       0   Other stove options
                  2         1   NO FOOD COOKED IN HOUSEHOLD
                  364         .

```

fuel_5

```

      type: numeric (byte)
      label: fuel_5

      range: [0,1]                      units: 1
unique values: 2                      missing .: 364/1,743

      tabulation: Freq.   Numeric   Label
                  1,127       0   Other fuel options
                  252       1   Charcoal
                  364         .

```

fuel_6

```

      type: numeric (byte)
      label: fuel_6

      range: [0,1]                      units: 1
unique values: 2                      missing .: 364/1,743

      tabulation: Freq.   Numeric   Label
                  266       0   Other fuel options
                  1,113     1   Wood
                  364         .

```

cookroom_2

```

      type: numeric (byte)
      label: cookroom_2

      range: [0,1]                      units: 1
unique values: 2                      missing .: 364/1,743

      tabulation: Freq.   Numeric   Label
                  1,214       0   Other cooking room options
                  165       1   IN MAIN HOUSE: IN A SEPARATE
                  364         .   ROOM

```

cookroom_3

```

      type: numeric (byte)
      label: cookroom_3

      range: [0,1]                      units: 1
unique values: 2                      missing .: 364/1,743

```

tabulation:	Freq.	Numeric	Label
	444	0	Other cooking room options
	935	1	IN A SEPARATE BUILDING
	364	.	

cookroom_4

type:	numeric (byte)		
label:	cookroom_4		
range:	[0,1]	units:	1
unique values:	2	missing .:	364/1,743

tabulation:	Freq.	Numeric	Label
	1,225	0	Other cooking room options
	154	1	OUTDOORS: OPEN AIR
	364	.	

cookroom_5

type:	numeric (byte)		
label:	cookroom_5		
range:	[0,1]	units:	1
unique values:	2	missing .:	364/1,743

tabulation:	Freq.	Numeric	Label
	1,258	0	Other cooking room options
	121	1	OUTDOORS: ON VERANDA OR COVERED PORCH
	364	.	

light_1

type:	numeric (byte)		
label:	light_1		
range:	[0,1]	units:	1
unique values:	2	missing .:	364/1,743

tabulation:	Freq.	Numeric	Label
	743	0	Other lighting options
	636	1	Electricity
	364	.	

light_2

type:	numeric (byte)		
label:	light_2		
range:	[0,1]	units:	1
unique values:	2	missing .:	364/1,743

tabulation:	Freq.	Numeric	Label
	1,180	0	Other lighting options
	199	1	SOLAR LANTERN
	364	.	

light_4

```

      type: numeric (byte)
      label: light_4

      range: [0,1]                      units: 1
unique values: 2                      missing .: 364/1,743

      tabulation: Freq.   Numeric   Label
                  922       0   Other lighting options
                  457       1   Flashlight
                  364       .

```

light_13

```

      type: numeric (byte)
      label: light_13

      range: [0,1]                      units: 1
unique values: 2                      missing .: 364/1,743

      tabulation: Freq.   Numeric   Label
                  1,313       0   Other lighting options
                   66       1   Candle
                  364       .

```

water_11

```

      type: numeric (byte)
      label: water_11

      range: [0,1]                      units: 1
unique values: 2                      missing .: 364/1,743

      tabulation: Freq.   Numeric   Label
                  1,349       0   Other water options
                   30       1   PIPED WATER : PIPED INTO
                        DWELLING
                  364       .

```

water_12

```

      type: numeric (byte)
      label: water_12

      range: [0,1]                      units: 1
unique values: 2                      missing .: 364/1,743

      tabulation: Freq.   Numeric   Label
                  1,010       0   Other water options
                   369       1   PIPED WATER: PIPED TO YARD /
                        PLOT
                  364       .

```

water_13

```

      type: numeric (byte)
      label: water_13

      range: [0,1]
      unique values: 2

                        units: 1
                        missing .: 364/1,743

      tabulation: Freq.   Numeric   Label
                   1,294       0   Other water options
                   85         1   PIPED WATER: PIPED TO NEIGHBOUR
                   364         .

```

water_14

```

      type: numeric (byte)
      label: water_14

      range: [0,1]
      unique values: 2

                        units: 1
                        missing .: 364/1,743

      tabulation: Freq.   Numeric   Label
                   925       0   Other water options
                   454       1   PIPED WATER: PUBLIC TAP /
                   364       .   STANDPIPE

```

water_21

```

      type: numeric (byte)
      label: water_21

      range: [0,1]
      unique values: 2

                        units: 1
                        missing .: 364/1,743

      tabulation: Freq.   Numeric   Label
                   1,197       0   Other water options
                   182         1   TUBE WELL / BOREHOLE
                   364         .

```

water_32

```

      type: numeric (byte)
      label: water_32

      range: [0,1]
      unique values: 2

                        units: 1
                        missing .: 364/1,743

      tabulation: Freq.   Numeric   Label
                   1,121       0   Other water options
                   258         1   Dug Well: Protected and un
                   364         .   protected

```

watloc_1

```

      type: numeric (byte)
      label: watloc_1

```

```

      range: [0,1]
unique values: 2
units: 1
missing .: 364/1,743

      tabulation: Freq.   Numeric   Label
                  936         0   Other water options
                  443         1   Water in own dwelling or yard or
                                plot
                  364         .

```

watloc_2**RECODE**

```

      type: numeric (byte)
      label: watloc_2

      range: [0,1]
unique values: 2
units: 1
missing .: 364/1,743

      tabulation: Freq.   Numeric   Label
                  590         0   Water in plot or more than 30
                                mins away
                  789         1   Water less than 30 minutes away
                  364         .

```

watloc_3**RECODE**

```

      type: numeric (byte)
      label: watloc_3

      range: [0,1]
unique values: 2
units: 1
missing .: 364/1,743

      tabulation: Freq.   Numeric   Label
                  1,232        0   Water in plot or less than 30
                                mins away
                  147         1   Water more than 30 minutes away
                  364         .

```

watinsuff**RECODE of WS7 (There**

```

      type: numeric (byte)
      label: watinsuff

      range: [0,1]
unique values: 2
units: 1
missing .: 364/1,743

      tabulation: Freq.   Numeric   Label
                  1,195        0   No-Sufficient water
                  184         1   Yes-Insufficient Water
                  364         .

```

toilet_11

```

      type: numeric (byte)
      label: toilet_11

      range: [0,1]
unique values: 2
units: 1
missing .: 364/1,743

```

tabulation:	Freq.	Numeric	Label
	1,155	0	Other toilet options
	224	1	FLUSH / POUR FLUSH: FLUSH TO
	364	.	PIPED SEWEEwer of Septic Tank

toilet_22

type:	numeric (byte)		
label:	toilet_22		
range:	[0,1]	units:	1
unique values:	2	missing .:	364/1,743
tabulation:	Freq.	Numeric	Label
	960	0	Other toilet options
	419	1	VIP or PIT LATRINE: PIT LATRINE
	364	.	WITH SLAB

toilet_23

type:	numeric (byte)		
label:	toilet_23		
range:	[0,1]	units:	1
unique values:	2	missing .:	364/1,743
tabulation:	Freq.	Numeric	Label
	711	0	Other toilet options
	668	1	PIT LATRINE: PIT LATRINE WITHOUT
	364	.	SLAB

toiletloc_1

type:	numeric (byte)		
label:	toiletloc_1		
range:	[0,1]	units:	1
unique values:	2	missing .:	364/1,743
tabulation:	Freq.	Numeric	Label
	1,287	0	Other location options
	92	1	In own dwelling
	364	.	

toiletloc_2

type:	numeric (byte)		
label:	toiletloc_2		
range:	[0,1]	units:	1
unique values:	2	missing .:	364/1,743

tabulation:	Freq.	Numeric	Label
	206	0	Other location options
	1,173	1	In yark plot
	364	.	

toiletloc_3

type:	numeric (byte)
label:	toiletloc_3
range:	[0,1]
unique values:	2
units:	1
missing .:	364/1,743

tabulation:	Freq.	Numeric	Label
	1,278	0	Other location options
	101	1	elsewhere
	364	.	

latshare

type:	numeric (byte)
label:	latshare
range:	[0,1]
unique values:	2
units:	1
missing .:	364/1,743

tabulation:	Freq.	Numeric	Label
	995	0	No-shared toilet
	384	1	Yes-shared toilet
	364	.	

hSanitation

type:	numeric (float)
label:	label_hSanitation
range:	[0,1]
unique values:	2
units:	1
missing .:	364/1,743

tabulation:	Freq.	Numeric	Label
	875	0	Not Adeq
	504	1	Adequate
	364	.	

handwash

type:	numeric (byte)
label:	handwash , but 1 nonmissing value is not labeled
range:	[0,9]
unique values:	3
units:	1
missing .:	364/1,743

tabulation:	Freq.	Numeric	Label
	853	0	No-H2O not at handwash
	525	1	Yes-H2O at handwash
	1	9	
	364	.	

RE

h_weight

```

      type:  numeric (double)
      range:  [.05486972,5.3957701]      units:  1.000e-10
unique values: 71                        missing .:  364/1,743

      mean:   1.00049
      std. dev: 1.09993

percentiles:      10%      25%      50%      75%      90%
                  .286163  .428108  .560078  1.05698  2.48758

```

merge_mics_hh

```

      type:  numeric (byte)
      label:  _merge

      range:  [3,3]      units:  1
unique values: 1      missing .:  364/1,743

      tabulation:  Freq.   Numeric   Label
                  1,379       3   matched (3)
                   364       .

```

hh3

```

      type:  numeric (float)

      range:  [1,8750]      units:  1
unique values: 1,024      missing .:  0/1,743

      mean:   698.278
      std. dev: 448.494

percentiles:      10%      25%      50%      75%      90%
                  156      359      751      965      1101

```

hh5

```

      type:  numeric (long)

      range:  [1042018,31032018]      units:  1
unique values: 52      missing .:  369/1,743

      mean:   1.6e+07
      std. dev: 8.1e+06

percentiles:      10%      25%      50%      75%      90%
                  7.0e+06  8.0e+06  1.7e+07  2.3e+07  2.8e+07

```

hh5d

```

      type:  numeric (byte)

```

```

      range: [1,31]
unique values: 30
      units: 1
missing ..: 369/1,743

      mean: 16.1186
      std. dev: 8.09474

percentiles:      10%      25%      50%      75%      90%
                  7        8        17        23        28

```

hh5m

```

      type: numeric (byte)
      label: HH5M

      range: [3,5]
unique values: 3
      units: 1
missing ..: 369/1,743

tabulation: Freq.   Numeric   Label
              344           3   march
              1,002         4   april
                 28           5   may
                 369           .

```

hh5y

```

      type: numeric (int)

      range: [2018,2018]
unique values: 1
      units: 1
missing ..: 369/1,743

tabulation: Freq.   Value
              1,374  2018
                 369   .

```

merge_gmns_hh

```

      type: numeric (byte)
      label: _merge

      range: [1,3]
unique values: 2
      units: 1
missing ..: 364/1,743

tabulation: Freq.   Numeric   Label
              5           1   master only (1)
              1,374         3   matched (3)
                 364           .

```

cBirthDateGMNS

```

      type: numeric (float)

      range: [.,.]
unique values: 0
      units: .
missing ..: 1,743/1,743

tabulation: Freq.   Value
              1,743   .

```

cAgeMonths GMNS

```

type: numeric (float)

range: [0, 64]          units: 1.000e-06
unique values: 66       missing .: 364/1,743

mean: 29.37
std. dev: 17.3616

percentiles:      10%      25%      50%      75%      90%
                  5        14        30        44        53

```

cAgeMonthsCat

```

      type: numeric (float)
      label: cAgeMonthsCat

      range: [0, 6]
      unique values: 7
      units: 1
      missing : 364/1,743

      tabulation:
        Freq.   Numeric   Label
        143      0    0-5 months
        124      1    6-11 months
        273      2    12-23 months
        266      3    24-35 months
        297      4    36-47 months
        251      5    48-59 months
        25       6    60-64 months
        364      .

```

cAgeMonthsCat_COHA

```

type: numeric (float)
label: cAgeMonthsCat_COHA

range: [1,5] units: 1
unique values: 5 missing : 364/1,743

tabulation: Freq. Numeric Label
             48         1 <1 months
             219        2 1-11.9 months
             273        3 12-23 months
             814        4 24-59 months
              25        5 60-64 months
             364        .

```

cVAS

```

      type:  numeric (byte)
      label:  cVAS

      range:  [1,4]                      units:  1
unique values:  4                      missing :  364/1,743

```

tabulation:	Freq.	Numeric	Label
	426	1	Yes
	923	2	No
	11	3	DK or Not sure vit A
	19	4	DK
	364	.	

cVASCARDRecall

When did n

type:	numeric (byte)			
label:	CH9			
range:	[1,2]	units:	1	
unique values:	2	missing .:	1,314/1,743	
tabulation:	Freq.	Numeric	Label	
	422	1	From Card	
	7	2	From Recall	
	1,314	.		

cVASDate

type:	numeric (float)				
range:	[20820,21298]				
unique values:	145	units:	1		
		missing .:	1,314/1,743		
mean:	21189.8				
std. dev:	66.7338				
percentiles:	10%	25%	50%	75%	90%
	21104	21143	21193	21244	21264

cIntGNMSSDate

type:	numeric (float)				
range:	[21256,21309]				
unique values:	52	units:	1		
		missing .:	369/1,743		
mean:	21283				
std. dev:	11.8317				
percentiles:	10%	25%	50%	75%	90%
	21266	21274	21282	21293	21298

cDaysSinceVAS

type:	numeric (float)				
range:	[0,468]				
unique values:	178	units:	1		
		missing .:	1,316/1,743		
mean:	94.007				
std. dev:	66.2036				
percentiles:	10%	25%	50%	75%	90%
	18	38	92	141	175

cMonthsSinceVAS

```

      type: numeric (float)
      range: [0,15.471074]          units: 1.000e-08
unique values: 178                  missing .: 1,316/1,743

      mean: 3.10767
      std. dev: 2.18855

percentiles:      10%      25%      50%      75%      90%
                  .595041  1.2562  3.04132  4.66116  5.78512

```

cVASPast3M

```

      type: numeric (float)
      label: cVASPast3M

      range: [0,1]          units: 1
unique values: 2            missing .: 394/1,743

      tabulation: Freq.   Numeric   Label
                  1,137       0   >=3 months since VAS
                  212         1   0-3 months since VAS
                  394         .

```

cHb

```

      type: numeric (float)

      range: [40,163]        units: 1
unique values: 80            missing .: 704/1,743

      mean: 107.23
      std. dev: 13.3362

percentiles:      10%      25%      50%      75%      90%
                  90       100      109      116      122

```

cAnemiaCat

```

      type: numeric (float)
      label: cAnemiaCat

      range: [1,4]          units: 1
unique values: 4            missing .: 704/1,743

      tabulation: Freq.   Numeric   Label
                  12       1   Severe
                  229       2   Moderate
                  306       3   Mild
                  492       4   Adequate
                  704       .

```

cAnemiaYN

```

      type: numeric (float)
      label: cAnemiaYN

      range: [0,1]                      units: 1
unique values: 2                      missing .: 704/1,743

      tabulation: Freq.   Numeric   Label
                   492       0   Non anemic
                   547       1   Anemic
                   704       .

```

cAnemiaSev

```

      type: numeric (float)
      label: cAnemiaSev

      range: [0,1]                      units: 1
unique values: 2                      missing .: 704/1,743

      tabulation: Freq.   Numeric   Label
                   1,027       0   Mod/Mild/Norm Anem
                   12         1   Severe Anem
                   704       .

```

cAnemiaMod

```

      type: numeric (float)
      label: cAnemiaMod

      range: [0,1]                      units: 1
unique values: 2                      missing .: 704/1,743

      tabulation: Freq.   Numeric   Label
                   810       0   Sev/Mild/Norm Anem
                   229       1   Mod Anem
                   704       .

```

cAnemiaMild

```

      type: numeric (float)
      label: cAnemiaMild

      range: [0,1]                      units: 1
unique values: 2                      missing .: 704/1,743

      tabulation: Freq.   Numeric   Label
                   733       0   Sev/Mod/Norm Anem
                   306       1   Mild Anem
                   704       .

```

cMalariaRDTCat

```

      type: numeric (byte)
      label: BS4

      range: [0,8]                      units: 1
unique values: 4                      missing .: 364/1,743

```

tabulation:	Freq.	Numeric	Label
	1,054	0	Negative (after 15 minutes)
	1	1	P. f positive
	1	4	No valid test after 2 tries
	323	8	Not done
	364	.	

cMalariaRDTYN

type: numeric (**byte**)
 label: **cMalariaRDTYN**, but 2 nonmissing values are not labeled
 range: [0,8] units: 1
 unique values: 4 missing .: 364/1,743

tabulation:	Freq.	Numeric	Label
	1,054	0	Negative
	1	1	Malaria Positive
	1	4	
	323	8	
	364	.	

cMalariaYN

RDT Result - An

type: numeric (**byte**)
 label: **cMalariaYN**
 range: [0,1] units: 1
 unique values: 2 missing .: 688/1,743

tabulation:	Freq.	Numeric	Label
	1,054	0	Negative
	1	1	Malaria Positive
	688	.	

cHeight

type: numeric (**float**)
 range: [36.650002,999.90002] units: 1.000e-06
 unique values: 753 missing .: 364/1,743
 mean: 85.7212
 std. dev: 28.5991
 percentiles: 10% 25% 50% 75% 90%
 65 75.45 86.5 96.4 103.15

cWeight

type: numeric (**float**)
 range: [2.0999999,99.900002] units: 1.000e-07
 unique values: 274 missing .: 364/1,743
 mean: 11.2847
 std. dev: 4.07351

percentiles:	10%	25%	50%	75%	90%
	6.9	8.85	11.4	13.7	15.2

cMUAC

type:	numeric (float)				
range:	[10.5,19.049999]		units:	1.000e-06	
unique values:	130		missing .:	503/1,743	
mean:	14.833				
std. dev:	1.18019				
percentiles:	10%	25%	50%	75%	90%
	13.4	14.1	14.85	15.55	16.325

diffhead

type:	numeric (float)				
range:	[-.90000153,4]		units:	1.000e-09	
unique values:	18		missing .:	364/1,743	
mean:	.007977				
std. dev:	.136332				
percentiles:	10%	25%	50%	75%	90%
	-.099998	0	0	0	.099998

cHead

type:	numeric (float)				
range:	[30.25,54]		units:	1.000e-06	
unique values:	266		missing .:	384/1,743	
mean:	46.5325				
std. dev:	3.40886				
percentiles:	10%	25%	50%	75%	90%
	42.1	45.15	47.15	48.8	50.05

haz06

type:	numeric (double)				
range:	[-5.93,5.71]		units:	.01	
unique values:	501		missing .:	393/1,743	
mean:	-.867452				
std. dev:	1.41887				
percentiles:	10%	25%	50%	75%	90%
	-2.545	-1.73	-.94	-.05	.83

waz06

```

type: numeric (double)

range: [-4.78,6]          units: .01
unique values: 455        missing .: 386/1,743

mean: -.816669
std. dev: 1.19933

percentiles:      10%      25%      50%      75%      90%
                  -2.22    -1.57    -.86     -.14     .66

```

whz06

```

type: numeric (double)

range: [-4.84,4.21]      units: .01
unique values: 429        missing .: 392/1,743

mean: -.50849
std. dev: 1.09793

percentiles:      10%      25%      50%      75%      90%
                  -1.79    -1.25    -.53     .21     .83

```

bmiz06

```

type: numeric (double)

range: [-15.8,41.83]     units: .01
unique values: 437        missing .: 384/1,743

mean: -.40415
std. dev: 1.7286

percentiles:      10%      25%      50%      75%      90%
                  -1.71    -1.15    -.45     .29     .95

```

cStuntCat

```

type: numeric (double)
label: cStuntCat

range: [1,3]             units: 1
unique values: 3          missing .: 393/1,743

tabulation: Freq.   Numeric   Label
              75         1   Severe Stunting
              178         2   Moderate Stunting
             1,097         3   Normal
              393         .

```

cStuntYN

```

type: numeric (double)
label: cStuntYN

range: [0,1]             units: 1
unique values: 2          missing .: 393/1,743

```

tabulation:	Freq.	Numeric	Label
	1,097	0	Normal
	253	1	Stunted
	393	.	

cWasteCat

type:	numeric (double)		
label:	cWasteCat		
range:	[1,3]	units:	1
unique values:	3	missing .:	392/1,743
tabulation:	Freq.	Numeric	Label
	20	1	Severe wasting
	75	2	Moderate wasting
	1,256	3	Normal
	392	.	

cWasteYN

type:	numeric (double)		
label:	cWasteYN		
range:	[0,1]	units:	1
unique values:	2	missing .:	392/1,743
tabulation:	Freq.	Numeric	Label
	1,256	0	Normal
	95	1	Wasted
	392	.	

cUnderCat

type:	numeric (double)		
label:	cUnderCat		
range:	[1,3]	units:	1
unique values:	3	missing .:	386/1,743
tabulation:	Freq.	Numeric	Label
	36	1	Severe underweight
	155	2	Moderate underweight
	1,166	3	Normal
	386	.	

cUnderYN

type:	numeric (double)		
label:	cUnderYN		
range:	[0,1]	units:	1
unique values:	2	missing .:	386/1,743
tabulation:	Freq.	Numeric	Label
	1,166	0	Normal
	191	1	Underweight
	386	.	

cOverweightYN

```

      type: numeric (double)
      label: cOverweightYN

      range: [0,1]                      units: 1
unique values: 2                      missing .. 392/1,743

      tabulation: Freq.   Numeric   Label
                  1,327       0      Normal or wasted
                   24        1      Overweight
                   392        .

```

cSAM_MUAC

```

      type: numeric (float)
      label: cSAM_MUAC

      range: [0,1]                      units: 1
unique values: 2                      missing .. 503/1,743

      tabulation: Freq.   Numeric   Label
                  1,230       0      Normal
                   10        1      SAM-MUAC
                   503        .

```

cCRPHigh

```

      type: numeric (double)
      label: label_crp

      range: [0,1]                      units: 1
unique values: 2                      missing .. 705/1,743

      tabulation: Freq.   Numeric   Label
                  914        0      Normal CRP
                  124        1      Elevated CRP
                  705        .

```

cAGPHigh

```

      type: numeric (double)
      label: label_agp

      range: [0,1]                      units: 1
unique values: 2                      missing .. 705/1,743

      tabulation: Freq.   Numeric   Label
                  781        0      Normal AGP
                  257        1      Elevated AGP
                  705        .

```

cInflamCat

```

      type: numeric (double)
      label: label_inflamgrp

```

range: [0,3] units: 1
 unique values: 4 missing .: 705/1,743

tabulation:	Freq.	Numeric	Label
	746	0	None
	35	1	Incubation
	89	2	Early convalescent
	168	3	Late convalescent
	705	.	

cInflamYN

type: numeric (double)
 label: label_inflamYN

range: [0,1] units: 1
 unique values: 2 missing .: 705/1,743

tabulation:	Freq.	Numeric	Label
	746	0	None
	292	1	Any inflammation
	705	.	

cFER

type: numeric (double)

range: [1.61,223.45] units: .0001
 unique values: 888 missing .: 705/1,743

mean: 18.0916
 std. dev: 20.7233

percentiles:	10%	25%	50%	75%	90%
	4.05	6.39	11.285	21.82	39.15

cRBP

type: numeric (double)

range: [.2725,1.985] units: 1.000e-08
 unique values: 334 missing .: 705/1,743

mean: .826724
 std. dev: .239148

percentiles:	10%	25%	50%	75%	90%
	.54	.66	.8025	.965	1.1325

cCRP

type: numeric (double)

range: [.001,90.65] units: .0001
 unique values: 501 missing .: 705/1,743

mean: 2.82271
 std. dev: 8.62081

percentiles:	10%	25%	50%	75%	90%
	.095	.2	.4875	1.63	6.125

cAGP

type:	numeric (double)				
range:	[.25,2.785]		units:	1.000e-07	
unique values:	340		missing .:	705/1,743	
mean:	.810503				
std. dev:	.378834				
percentiles:	10%	25%	50%	75%	90%
	.445	.535	.7	1	1.35

LogFerritin

type:	numeric (double)				
range:	[.47623418,5.4091877]		units:	1.000e-10	
unique values:	882		missing .:	705/1,743	
mean:	2.49117				
std. dev:	.869756				
percentiles:	10%	25%	50%	75%	90%
	1.39872	1.85473	2.42347	3.08283	3.6674

LogRBP

type:	numeric (double)				
range:	[-1.3001167,.68561891]		units:	1.000e-12	
unique values:	334		missing .:	705/1,743	
mean:	-.231983				
std. dev:	.292087				
percentiles:	10%	25%	50%	75%	90%
	-.616186	-.415515	-.220023	-.035627	.124428

LogCRP

type:	numeric (double)				
range:	[-6.9077553,4.5070059]		units:	1.000e-10	
unique values:	493		missing .:	705/1,743	
mean:	-.488349				
std. dev:	1.61561				
percentiles:	10%	25%	50%	75%	90%
	-2.35388	-1.60944	-.718478	.48858	1.81238

LogAGP

```

type: numeric (double)

range: [-1.3862944, 1.0242479]      units: 1.000e-10
unique values: 340                  missing .: 705/1,743

mean: -.304497
std. dev: .425585

percentiles:      10%      25%      50%      75%      90%
                 - .809681 - .625489 - .356675      0      .300105

```

_logcrpcoeffSF

```

type: numeric (double)

range: [.09311276, .09311276]      units: 1
unique values: 1                  missing .: 364/1,743

tabulation: Freq. Value
             1,379 .09311276
             364 .

```

_logagpcoeffSF

```

type: numeric (double)

range: [.27344567, .27344567]      units: 1
unique values: 1                  missing .: 364/1,743

tabulation: Freq. Value
             1,379 .27344567
             364 .

```

LogFerAdj

```

type: numeric (double)

range: [.23964782, 5.0670639]      units: 1.000e-10
unique values: 1,037              missing .: 705/1,743

mean: 2.2402
std. dev: .833868

percentiles:      10%      25%      50%      75%      90%
                 1.19635    1.6394    2.1409    2.83371    3.39474

```

FerAdj

```

type: numeric (double)

range: [1.2708015, 158.70766]      units: 1.000e-10
unique values: 1,037              missing .: 705/1,743

mean: 13.5689
std. dev: 14.3358

percentiles:      10%      25%      50%      75%      90%
                 3.30803    5.15207    8.50708    17.0085    29.807

```

logcrpcoeffRBP

```

      type:  numeric (double)
      range:  [-.06054468,-.06054468]          units:  1.000e-08
unique values:  1                               missing.:  364/1,743

      tabulation:  Freq.  Value
                   1,379  -.06054468
                   364   .

```

logagpcoeffRBP

```

      type: numeric (double)
    range: [.06697033,.06697033]          units: 1
unique values: 1                        missing : 364/1,743

  tabulation: Freq.   Value
              1,379 .06697033
               364 .

```

LogRBPAdj

```

      type: numeric (double)
      range: [-1.2453692, .7622532]          units: 1.000e-12
unique values: 1,019                        missing.: 705/1,743

      mean: -.140522
    std. dev: .281516

percentiles:           10%           25%           50%           75%           90%
                  - .520976   - .317522   - .132389   .056666   .199659

```

RBPA_{adj}

```

type: numeric (double)

range: [.28783462, 2.1430996]      units: 1.000e-11
unique values: 1,019                missing.: 705/1,743

mean: .903475
std. dev: .254165

percentiles:      10%      25%      50%      75%      90%
                  .593941 .727951 .876    1.0583 1.22099

```

cID_Brinda

```

      type:  numeric (double)
      label:  label_cID_Brinda

      range:  [0,1]
      units:  1
unique values: 2
missing : 705/1,743

```

Iron Defi

tabulation:	Freq.	Numeric	Label
	388	0	No ID
	650	1	ID
	705	.	

cIDA_Brinda**Iron Deficiency Anemia**

type: numeric (**double**)
 label: **label_cIDA_Brinda**
 range: [0,1] units: **1**
 unique values: **2** missing .: **712/1,743**

tabulation:	Freq.	Numeric	Label
	599	0	No IDA
	432	1	IDA
	712	.	

cVAD_Brinda**Vitamin**

type: numeric (**double**)
 label: **label_cVAD_Brinda**
 range: [0,1] units: **1**
 unique values: **2** missing .: **705/1,743**

tabulation:	Freq.	Numeric	Label
	816	0	No Def
	222	1	Yes VAD
	705	.	

cID_NoAdj

type: numeric (**double**)
 label: **label_cID**
 range: [0,1] units: **1**
 unique values: **2** missing .: **705/1,743**

tabulation:	Freq.	Numeric	Label
	493	0	Normal
	545	1	Iron Deficienct
	705	.	

cFerrAdjThurn

type: numeric (**double**)
 range: [1.50626,186.1] units: **1.000e-06**
 unique values: **945** missing .: **705/1,743**
 mean: **15.8817**
 std. dev: **17.3237**
 percentiles:

10%	25%	50%	75%	90%
3.785	5.82	9.95254	19.74	34.355

cID_Thurn

```

      type: numeric (double)
      label: label_cID

      range: [0,1]                      units: 1
unique values: 2                      missing .: 705/1,743

      tabulation: Freq.   Numeric   Label
                  444         0   Normal
                  594         1   Iron Deficienct
                  705         .

```

cIDA_Thurn

Iron Deficiency Anemia

```

      type: numeric (double)
      label: label_cIDA_Thurn

      range: [0,1]                      units: 1
unique values: 2                      missing .: 707/1,743

      tabulation: Freq.   Numeric   Label
                  629         0   No IDA
                  407         1   IDA
                  707         .

```

cVAD_NoAdj

```

      type: numeric (double)
      label: label_cVAD

      range: [0,1]                      units: 1
unique values: 2                      missing .: 705/1,743

      tabulation: Freq.   Numeric   Label
                  719         0   Normal
                  319         1   Vit A Deficiency - Not adjusted
                  705         .

```

cRBPAdjThurn

```

      type: numeric (double)

      range: [.2725,1.985]              units: 1.000e-08
unique values: 512                      missing .: 705/1,743

      mean: .853388
      std. dev: .242042

      percentiles:      10%      25%      50%      75%      90%
                      .5625      .6925      .830467      .99      1.16212

```

cVAD_Thurn

VAD with

```

      type: numeric (double)
      label: cVAD_Thurn

```

range: [0,1] units: 1
 unique values: 2 missing .: 705/1,743

tabulation:	Freq.	Numeric	Label
	767	0	Normal
	271	1	VAD
	705	.	

cSTFR

type: numeric (double)

range: [3.61, 60] units: 1.000e-06
 unique values: 880 missing .: 705/1,743

mean: 13.2928
 std. dev: 8.84473

percentiles:	10%	25%	50%	75%	90%
	6.225	7.43	9.81	16.615	24.59

cIDsTFR

type: numeric (double)
 label: label_cIDsTFR

range: [0,1] units: 1
 unique values: 2 missing .: 705/1,743

tabulation:	Freq.	Numeric	Label
	376	0	Normal
	662	1	Iron Deficiency-sTFR
	705	.	

cweightconstant

type: numeric (double)

range: [1,1] units: 1
 unique values: 1 missing .: 364/1,743

tabulation:	Freq.	Value
	1,379	1
	364	.

reflib

type: string (str60), but longest is str11

unique values: 1 missing "": 364/1,743

tabulation:	Freq.	Value
	364	"
	1,379	"C:\ado\plus"

datalib

```

type: string (str60), but longest is str11
unique values: 1 missing "": 364/1,743
tabulation: Freq. Value
              364 ""
              1,379 "C:\ado\plus"

```

datalab

```

type: string (str30), but longest is str8
unique values: 1 missing "": 364/1,743
tabulation: Freq. Value
              364 ""
              1,379 "mysurvey"

```

gender

```

type: numeric (double)
range: [1,2] units: 1
unique values: 2 missing .: 369/1,743
tabulation: Freq. Value
              702 1
              672 2
              369 .

```

agemons

```

type: numeric (double)
range: [0,64] units: 1.000e-06
unique values: 66 missing .: 364/1,743
mean: 29.37
std. dev: 17.3616
percentiles: 10% 25% 50% 75% 90%
              5 14 30 44 53

```

ageunit

```

type: string (str6)
unique values: 1 missing "": 364/1,743
tabulation: Freq. Value
              364 ""
              1,379 "months"

```

weight

```

type: numeric (double)

```

```

      range: [2.0999999,99.900002]      units: 1.000e-07
unique values: 274                      missing .: 364/1,743

      mean: 11.2847
      std. dev: 4.07351

percentiles:      10%      25%      50%      75%      90%
                  6.9      8.85     11.4     13.7     15.2

```

height

```

      type: numeric (double)

      range: [36.650002,999.90002]      units: 1.000e-06
unique values: 753                      missing .: 364/1,743

      mean: 85.7212
      std. dev: 28.5991

percentiles:      10%      25%      50%      75%      90%
                  65      75.45     86.5     96.4     103.15

```

measure

```

      type: string (str6), but longest is str1

unique values: 2                      missing "": 364/1,743

tabulation:  Freq.  Value
              364    ""
              839    "H"
              540    "L"

```

head

```

      type: numeric (double)

      range: [30.25,54]                  units: 1.000e-06
unique values: 266                      missing .: 384/1,743

      mean: 46.5325
      std. dev: 3.40886

percentiles:      10%      25%      50%      75%      90%
                  42.1     45.15     47.15     48.8     50.05

```

muac

```

      type: numeric (double)

      range: [10.5,19.049999]           units: 1.000e-06
unique values: 130                      missing .: 503/1,743

      mean: 14.833
      std. dev: 1.18019

percentiles:      10%      25%      50%      75%      90%
                  13.4     14.1     14.85     15.55     16.325

```

triskin

```

      type:  numeric (double)
      range:  [.,.]
unique values: 0
      units:  .
missing .: 1,743/1,743

      tabulation:  Freq.  Value
                   1,743  .

```

subskin

```

      type:  numeric (double)
      range:  [.,.]
unique values: 0
      units:  .
missing .: 1,743/1,743

      tabulation:  Freq.  Value
                   1,743  .

```

oedema

```

      type:  string (str6), but longest is str1
unique values: 2
      missing "": 364/1,743

      tabulation:  Freq.  Value
                   364  ""
                   1,376 "N"
                      3  "Y"

```

sw

```

      type:  numeric (double)
      range:  [.05403927,5.7381409]
unique values: 71
      units:  1.000e-09
missing .: 364/1,743

      mean:  .998585
      std. dev: 1.13155

      percentiles:      10%      25%      50%      75%      90%
                       .216381  .399055  .573876  1.07427  2.74875

```

_agedays

```

      type:  numeric (float)
      range:  [0,1948]
unique values: 66
      units:  1
missing .: 364/1,743

      mean:  893.976
      std. dev: 528.442

      percentiles:      10%      25%      50%      75%      90%
                       152      426      913      1339      1613

```

_clenhei

```

      type:  numeric (float)

      range:  [36.650002,999.90002]      units:  1.000e-06
unique values: 753                      missing .: 364/1,743

      mean:   85.7212
      std. dev: 28.5991

percentiles:      10%      25%      50%      75%      90%
                  65       75.45    86.5     96.4    103.15

```

_cbmi

```

      type:  numeric (double)

      range:  [.0880176,100.1001]      units:  1.000e-10
unique values: 1,348                  missing .: 364/1,743

      mean:   15.3876
      std. dev: 3.49355

percentiles:      10%      25%      50%      75%      90%
                  13.3832  14.1647  15.1376  16.2527  17.2799

```

_zwei

```

      type:  numeric (double)

      range:  [-4.78,3.94]      units:  .01
unique values: 454              missing .: 387/1,743

      mean:   -.821696
      std. dev: 1.18539

percentiles:      10%      25%      50%      75%      90%
                  -2.22    -1.57    -.865    -.145    .65

```

_zlen

```

      type:  numeric (double)

      range:  [-5.93,5.71]      units:  .01
unique values: 501              missing .: 393/1,743

      mean:   -.867563
      std. dev: 1.41679

percentiles:      10%      25%      50%      75%      90%
                  -2.545    -1.73    -.93     -.06     .83

```

_zbmi

```

      type:  numeric (double)

```

```

      range:  [-4.84,4.63]
unique values: 427
      mean:   -.427361
      std. dev: 1.11032
percentiles:   10%      25%      50%      75%      90%
                -1.7     -1.14     -.45     .28     .92

```

_zwfl

```

      type:  numeric (double)
      range:  [-4.84,4.21]
unique values: 430
      mean:   -.508727
      std. dev: 1.09628
percentiles:   10%      25%      50%      75%      90%
                -1.79     -1.25     -.53     .2     .83

```

_zhc

```

      type:  numeric (double)
      range:  [-4.75,3.93]
unique values: 443
      mean:   -.484921
      std. dev: 1.17269
percentiles:   10%      25%      50%      75%      90%
                -1.9     -1.3     -.52     .28     1

```

_zac

```

      type:  numeric (double)
      range:  [-4.11,2.68]
unique values: 376
      mean:   -.502727
      std. dev: .963174
percentiles:   10%      25%      50%      75%      90%
                -1.65     -1.16     -.49     .11     .69

```

_zts

```

      type:  numeric (double)
      range:  [.,.]
unique values: 0
      mean:   .
      std. dev: .
percentiles:   10%      25%      50%      75%      90%
                .        .        .        .        .
      tabulation: Freq. Value
                  1,743 .

```

ZSS

```

      type:  numeric (double)
      range:  [.,.]
unique values:  0
                                units:  .
                                missing .:  1,743/1,743

  tabulation:  Freq.  Value
                1,743  .

```

fwfl

```

      type:  numeric (float)
      range:  [0,1]
      unique values: 2
      units:  1
      missing .: 388/1,743

      tabulation:  Freq.  Value
                   1,351  0
                   4      1
                   388  .

```

```

    _flen

```

```

      type:  numeric (float)
      range:  [0,1]
unique values: 2
      units:  1
      missing.: 381/1,743

      tabulation:  Freq.  Value
                   1,350  0
                   12    1
                   381   .

```

fwei

```

      type:  numeric (float)
      range:  [0,1]
unique values: 2
                                units: 1
                                missing : 384/1,743

      tabulation:  Freq.  Value
                   1,356  0
                   3      1
                   384  .

```

fbmi

```

type:    numeric (float)
range:    [0,1]
unique values: 2
units:    1
missing : 384/1,743

```

```

tabulation: Freq. Value
             1,353  0
              6    1
             384  .

```

_fhc

```

type: numeric (float)

range: [0,1] units: 1
unique values: 2 missing .: 400/1,743

tabulation: Freq. Value
             1,337  0
              6    1
             400  .

```

_fac

```

type: numeric (float)

range: [0,0] units: 1
unique values: 1 missing .: 518/1,743

tabulation: Freq. Value
             1,225  0
              518  .

```

_fts

```

type: numeric (float)

range: [.,.] units: .
unique values: 0 missing .: 1,743/1,743

tabulation: Freq. Value
             1,743  .

```

_fss

```

type: numeric (float)

range: [.,.] units: .
unique values: 0 missing .: 1,743/1,743

tabulation: Freq. Value
             1,743  .

```

merge_igrowup

```

type: numeric (byte)
label: _merge

range: [3,3] units: 1
unique values: 1 missing .: 364/1,743

```

tabulation:	Freq.	Numeric	Label
	1,379	3	matched (3)
	364	.	

cMicrocephaly

type:	numeric (double)		
label:	cMicrocephaly		
range:	[0,1]	units:	1
unique values:	2	missing .:	406/1,743

tabulation:	Freq.	Numeric	Label
	1,228	0	Normal
	109	1	Microcephaly
	406	.	

urban

type:	numeric (byte)		
label:	urban		
range:	[0,1]	units:	1
unique values:	2	missing .:	364/1,743

tabulation:	Freq.	Numeric	Label
	814	0	Rural
	565	1	urban
	364	.	

rural

type:	numeric (byte)		
label:	rural		
range:	[0,1]	units:	1
unique values:	2	missing .:	364/1,743

tabulation:	Freq.	Numeric	Label
	565	0	urban
	814	1	Rural
	364	.	

cStuntSev

RECODE

type:	numeric (double)		
label:	cStuntSev		
range:	[0,1]	units:	1
unique values:	2	missing .:	393/1,743

tabulation:	Freq.	Numeric	Label
	1,275	0	Mod stunt or normal
	75	1	Severe Stunt
	393	.	

cWasteSev

RECODE

```

      type: numeric (double)
      label: cWasteSev

      range: [0,1]                units: 1
unique values: 2                missing .. 392/1,743

      tabulation: Freq.   Numeric   Label
                  1,331       0      Mod waste or normal
                   20         1      Severe Waste
                   392         .

```

cUnderSev

RECODE of

```

      type: numeric (double)
      label: cUnderSev

      range: [0,1]                units: 1
unique values: 2                missing .. 386/1,743

      tabulation: Freq.   Numeric   Label
                  1,321       0      Mod Under or normal
                   36         1      Severe Under
                   386         .

```

hWealthscoreNATL

```

      type: numeric (float)

      range: [-6.4964385, 7.1343732]    units: 1.000e-10
unique values: 1,003                missing .. 13/1,743

      mean: -.675658
      std. dev: 3.67856

      percentiles:      10%      25%      50%      75%      90%
                      -5.0446 -3.83817 -1.44927 2.41237 5.04269

```

hWealthscoreURBAN

W

```

      type: numeric (float)

      range: [-7.7721605, 5.780767]    units: 1.000e-09
unique values: 593                missing .. 890/1,743

      mean: -.167185
      std. dev: 3.25655

      percentiles:      10%      25%      50%      75%      90%
                      -4.78782 -2.56594 .057461 2.48089 4.09323

```

hWealthscoreRURAL

W

```

      type: numeric (float)

```

```

      range: [-5.5805626,7.1811428]      units: 1.000e-10
unique values: 409                      missing .: 866/1,743

      mean: .517807
      std. dev: 3.0112

percentiles:      10%      25%      50%      75%      90%
                 -3.14556 -1.82879 .174769 2.78673 5.22409

```

hWealthscoreCOMBINED

Combined urban-rural w

```

      type: numeric (float)

      range: [-6.6480064,7.454895]      units: 1.000e-10
unique values: 1,002                      missing .: 13/1,743

      mean: -.529383
      std. dev: 3.5625

percentiles:      10%      25%      50%      75%      90%
                 -4.78507 -3.5279 -1.14341 2.30235 5.0431

```

hWealthquintile

```

      type: numeric (float)

      range: [1,5]                      units: 1
unique values: 5                      missing .: 13/1,743

tabulation:  Freq.  Value
              517    1
              367    2
              315    3
              258    4
              273    5
               13    .

```

3 . log close

name: <unnamed>

log: C:\Users\JWirth\Dropbox\GroundWork-Corporate\Projects\3_UNICEF\3.12_Gambia\UNICEF_Gam

> _Child data_Codebook.smcl

log type: smcl

closed on: 15 Sep 2025, 16:17:24
