



User: Gambia Woman Codebook
Project: Provided by GroundWork to VMD Proxy Project

```
name: <unnamed>
log: C:\Users\JWirth\Dropbox\GroundWork-Corporate\Projects\3_UNICEF\3.12_Gambia\UNICEF_Gam
> _Woman data_Codebook.smcl
log type: smcl
opened on: 15 Sep 2025, 15:29:59
```

1 . set more off

2 . codebook

wm1

```
type: numeric (int)
range: [2,390] units: 1
unique values: 71 missing .: 137/2,010

mean: 201.162
std. dev: 116.781

percentiles:      10%      25%      50%      75%      90%
                  33       94      208      307      358
```

wm2

```
type: numeric (byte)
range: [1,21] units: 1
unique values: 21 missing .: 137/2,010

mean: 9.95302
std. dev: 5.71949

percentiles:      10%      25%      50%      75%      90%
                  2        5       10       15       18
```

wm3

```
type: numeric (int)
range: [1,50] units: 1
unique values: 42 missing .: 137/2,010

mean: 6.59904
std. dev: 6.59164

percentiles:      10%      25%      50%      75%      90%
                  2        2        4        8       15
```

wm4

```
type: numeric (int)
range: [1,4004] units: 1
unique values: 888 missing .: 137/2,010
```

```

      mean:    682.406
    std. dev:  399.797

percentiles:      10%      25%      50%      75%      90%
                  144      337      747      960     1106

```

wm6

```

      type: numeric (byte)
    label: WM6

      range: [1,2]
unique values: 2
                units: 1
            missing .: 137/2,010

tabulation: Freq.    Numeric    Label
              158          1    YES
              1,715        2    NO
               137          .

```

wm7

```

      type: numeric (byte)
    label: WM7

      range: [1,1]
unique values: 1
                units: 1
            missing .: 137/2,010

tabulation: Freq.    Numeric    Label
              1,873          1    YES
               137          .

```

hour

```

      type: numeric (byte)

      range: [1,23]
unique values: 17
                units: 1
            missing .: 137/2,010

      mean:    12.4859
    std. dev:  2.41256

percentiles:      10%      25%      50%      75%      90%
                  10      11      12      14      16

```

minute

```

      type: numeric (byte)

      range: [1,59]
unique values: 59
                units: 1
            missing .: 137/2,010

      mean:    29.5622
    std. dev:  17.1542

percentiles:      10%      25%      50%      75%      90%
                  6      15      30      44      53

```

wm8

```

      type:  numeric (byte)
      range:  [0,84]
unique values: 22
      mean:   45.5008
      std. dev: 23.3627
      percentiles:      10%      25%      50%      75%      90%
                        12       22       42       62       82

```

wm9

```

      type:  numeric (byte)
      range:  [.,.]
unique values: 0
      units:  .
      missing .: 2,010/2,010
      tabulation: Freq. Value
                  2,010 .

```

month

```

      type:  numeric (byte)
      label:  MONTH
      range:  [3,5]
unique values: 3
      units:  1
      missing .: 137/2,010
      tabulation: Freq.   Numeric   Label
                  644      3   MARCH
                  1,123    4   APRIL
                   106     5   MAY
                   137     .

```

year

```

      type:  numeric (int)
      range:  [2018,2018]
unique values: 1
      units:  1
      missing .: 137/2,010
      tabulation: Freq.   Value
                  1,873  2018
                   137   .

```

nkaq1

```

      type:  numeric (byte)
      label:  NKAQ1
      range:  [1,2]
unique values: 2
      units:  1
      missing .: 138/2,010

```

tabulation:	Freq.	Numeric	Label
	1,733	1	Yes
	139	2	No
	138	.	

nkaq2

type: string (**str5**), but longest is str4

unique values: **18** missing "": **303/2,010**

examples: **"A"**
"AB"
"AB"
"Z"

nkaq2a

type: string (**str1**)

unique values: **8** missing "": **303/2,010**

tabulation:	Freq.	Value
	303	" "
	1,073	"A"
	147	"B"
	17	"C"
	5	"H"
	1	"S"
	38	"X"
	425	"Z"
	1	"J"

nkaq2b

Sickness/infecti

type: string (**str1**)

unique values: **6** missing "": **1,389/2,010**

tabulation:	Freq.	Value
	1,389	" "
	494	"B"
	52	"C"
	5	"E"
	1	"T"
	67	"X"
	2	"Z"

nkaq2c

type: string (**str1**)

unique values: **3** missing "": **1,961/2,010**

```

tabulation: Freq. Value
             1,961 ""
              6  "A"
             28  "C"
             15  "X"

```

nkaq2x

```

type: string (str1)

unique values: 3                               missing "": 2,003/2,010

tabulation: Freq. Value
             2,003 ""
              5  "V"
              1  "Y"
              1  "Z"

```

nkaq2y

```

type: string (str1)

unique values: 1                               missing "": 2,005/2,010

tabulation: Freq. Value
             2,005 ""
              5  "Y"

```

nkaq3

```

type: string (str6), but longest is str4

unique values: 23                               missing "": 311/2,010

examples: "A"
           "AB"
           "AC"
           "C"

```

nkaq3a

```

type: string (str1)

unique values: 9                               missing "": 315/2,010

tabulation: Freq. Value
             315 ""
            1,169 "A"
             105 "B"
              62 "C"
              60 "D"
               1 "H"
               1 "P"
               1 "T"
              18 "X"
             278 "Z"

```

nkaq3b**Sickness/infecti**

```

      type:  string (str1)

unique values:  8                               missing "":  1,156/2,010

tabulation:  Freq.  Value
              1,156  ""
                491  "B"
                172  "C"
                153  "D"
                 1   "E"
                 1   "O"
                 3   "W"
                32  "X"
                 1   "Z"

```

nkaq3c

```

      type:  string (str1)

unique values:  6                               missing "":  1,760/2,010

tabulation:  Freq.  Value
              1,760  ""
                198  "C"
                 39  "D"
                  4  "O"
                  1  "R"
                  1  "W"
                  7  "X"

```

nkaq3d

```

      type:  string (str1)

unique values:  4                               missing "":  1,993/2,010

tabulation:  Freq.  Value
              1,993  ""
                 1   "B"
                 12  "D"
                  1  "O"
                  3  "R"

```

nkaq3x

```

      type:  string (str1)

unique values:  4                               missing "":  2,004/2,010

tabulation:  Freq.  Value
              2,004  ""
                 1   "A"
                  3   "K"
                  1   "L"
                  1   "R"

```

nkaq3y

```

      type:  string (str1)
unique values:  3                               missing "":  2,004/2,010

  tabulation:  Freq.  Value
                2,004  ""
                  1  "K"
                  4  "L"
                  1  "O"

```

nkaq4

Do you usually drink b

```

      type:  numeric (byte)
      label:  NKAQ4

      range:  [1,2]                               units:  1
unique values:  2                               missing .:  138/2,010

  tabulation:  Freq.  Numeric  Label
                1,525      1  Yes
                 347      2  No
                 138      .

```

nkaq5

How often do you usual

```

      type:  numeric (byte)
      label:  NKAQ5

      range:  [1,8]                               units:  1
unique values:  4                               missing .:  485/2,010

  tabulation:  Freq.  Numeric  Label
                986      1  Once a day
                 512      2  2-3 times per day
                  21      3  >3 times per day
                   6      8  Don't know
                 485      .

```

ib1

```

      type:  numeric (byte)
      label:  IB1

      range:  [1,6]                               units:  1
unique values:  6                               missing .:  140/2,010

  tabulation:  Freq.  Numeric  Label
                1,322      1  Never or less than once a week
                  42      2  Once a week
                  31      3  2-4 times per week
                   4      4  5-6 times per week
                 429      5  Once a day
                   42      6  2-3 times per day
                 140      .

```

ib2

```

      type: numeric (byte)
      label: IB2

      range: [1,5]                      units: 1
unique values: 5                      missing .: 1,462/2,010

      tabulation: Freq.   Numeric   Label
                   12         1   1/4 baguette
                   228        2   1/2 baguette
                     2         3   3/4 baguette
                   303        4   1 whole baguette
                     3         5   1 1/2 baguetttes
                   1,462        .

```

ib3

```

      type: numeric (byte)
      label: IB3

      range: [1,5]                      units: 1
unique values: 5                      missing .: 140/2,010

      tabulation: Freq.   Numeric   Label
                   1,744        1   Never or less than once a week
                     73         2   Once a week
                     19         3   2-4 times per week
                      1         4   5-6 times per week
                     33         5   Once a day
                   140         .

```

ib4

Per ser

```

      type: numeric (byte)
      label: IB4

      range: [1,5]                      units: 1
unique values: 4                      missing .: 1,884/2,010

      tabulation: Freq.   Numeric   Label
                   5         1   1 slice
                   7         3   3 slices
                  31         4   1/2 loaf
                   83         5   1 whole loaf or more
                  1,884        .

```

ib5

```

      type: numeric (byte)
      label: IB5

      range: [1,6]                      units: 1
unique values: 6                      missing .: 140/2,010

```


tabulation:	Freq.	Numeric	Label
	501	1	Never or less than once a week
	184	2	Once a week
	220	3	2-4 times per week
	16	4	5-6 times per week
	864	5	Once a day
	85	6	2-3 times per day
	140	.	

ib6**Per serving, ho**

```

type: numeric (byte)
label: IB6

range: [1,6]          units: 1
unique values: 6      missing .: 641/2,010

tabulation: Freq.  Numeric  Label
             43       1     1/4 baguette
             884      2     1/2 baguette
              11      3     3/4 baguette
             413      4     1 whole baguette
               7      5     1 1/2 baguettttes
              11      6     2 or more baguettes
             641      .

```

ff1**Have you ever heard**

```

type: numeric (byte)
label: FF1

range: [1,9]          units: 1
unique values: 3      missing .: 140/2,010

tabulation: Freq.  Numeric  Label
             161      1     Yes
            1,678      2     No
               31      9     Don?t know
             140      .

```

ff2**Why do you thi**

```

type: string (str5), but longest is str3

unique values: 15      missing "": 1,860/2,010

examples: ""
          ""
          ""
          ""

```

ff3**Do you prefer purchasi**

```

type: numeric (byte)
label: FF3

range: [1,9]          units: 1
unique values: 3      missing .: 1,849/2,010

```

tabulation:	Freq.	Numeric	Label
	132	1	Yes
	23	2	No
	6	9	Don?t know
	1,849	.	

ff4

type: numeric (**byte**)
 label: **FF4**
 range: [1,9] units: 1
 unique values: 3 missing .: 140/2,010

tabulation:	Freq.	Numeric	Label
	79	1	Yes
	1,781	2	No
	10	9	Don?t know
	140	.	

ff5

Have you heard about

type: numeric (**byte**)
 label: **FF5**
 range: [1,9] units: 1
 unique values: 3 missing .: 140/2,010

tabulation:	Freq.	Numeric	Label
	45	1	Yes
	1,804	2	No
	21	9	Don?t know
	140	.	

ff6

Why do you think

type: string (**str7**), but longest is str4
 unique values: 11 missing "": 1,967/2,010
 examples: ""
 ""
 ""
 ""

wdd1

Please describe everyt

type: numeric (**byte**)
 range: [.,.] units: .
 unique values: 0 missing .: 2,010/2,010

tabulation:	Freq.	Value
	2,010	.

wdd1a

```

      type: numeric (byte)
      label: WDD1A

      range: [1,9]                      units: 1
unique values: 3                      missing .: 140/2,010

      tabulation: Freq.   Numeric   Label
                  1,637       1     Yes
                  232        2     No
                   1         9   Don?t know
                  140         .

```

wdd1b

```

      type: numeric (byte)
      label: WDD1B

      range: [1,9]                      units: 1
unique values: 3                      missing .: 140/2,010

      tabulation: Freq.   Numeric   Label
                  529       1     Yes
                 1,340       2     No
                   1         9   Don?t know
                  140         .

```

wdd1c

```

      type: numeric (byte)
      label: WDD1C

      range: [1,9]                      units: 1
unique values: 3                      missing .: 140/2,010

      tabulation: Freq.   Numeric   Label
                 1,093       1     Yes
                  773        2     No
                   4         9   Don?t know
                  140         .

```

wdd1d

```

      type: numeric (byte)
      label: WDD1D

      range: [1,9]                      units: 1
unique values: 3                      missing .: 140/2,010

      tabulation: Freq.   Numeric   Label
                  986       1     Yes
                  875        2     No
                   9         9   Don?t know
                  140         .

```

wdd1e

```

      type: numeric (byte)
      label: WDD1E

```

range: [1,9] units: 1
 unique values: 3 missing .: 140/2,010

tabulation:	Freq.	Numeric	Label
	1,764	1	Yes
	105	2	No
	1	9	Don?t know
	140	.	

wdd1f

type: numeric (byte)
 label: **WDD1F**

range: [1,9] units: 1
 unique values: 3 missing .: 140/2,010

tabulation:	Freq.	Numeric	Label
	213	1	Yes
	1,650	2	No
	7	9	Don?t know
	140	.	

wdd1g

G.

type: numeric (byte)
 label: **WDD1G**

range: [1,2] units: 1
 unique values: 2 missing .: 140/2,010

tabulation:	Freq.	Numeric	Label
	745	1	Yes
	1,125	2	No
	140	.	

wdd1h

H. Other vitamin A-rich

type: numeric (byte)
 label: **WDD1H**

range: [1,9] units: 1
 unique values: 3 missing .: 140/2,010

tabulation:	Freq.	Numeric	Label
	851	1	Yes
	1,018	2	No
	1	9	Don?t know
	140	.	

wdd1i

type: numeric (byte)
 label: **WDD1I**

range: [1,9] units: 1
 unique values: 3 missing .: 140/2,010

tabulation:	Freq.	Numeric	Label
	1,578	1	Yes
	290	2	No
	2	9	Don?t know
	140	.	

wdd1j

type: numeric (**byte**)
 label: **WDD1J**
 range: [1,9] units: **1**
 unique values: **3** missing .: **140/2,010**

tabulation:	Freq.	Numeric	Label
	336	1	Yes
	1,533	2	No
	1	9	Don?t know
	140	.	

wdd1k

type: numeric (**byte**)
 label: **WDD1K**
 range: [1,9] units: **1**
 unique values: **3** missing .: **140/2,010**

tabulation:	Freq.	Numeric	Label
	472	1	Yes
	1,378	2	No
	20	9	Don?t know
	140	.	

pa1

Does your work involve

type: numeric (**byte**)
 label: **PA1**
 range: [1,9] units: **1**
 unique values: **3** missing .: **140/2,010**

tabulation:	Freq.	Numeric	Label
	280	1	Yes
	1,585	2	No
	5	9	Don?t know
	140	.	

pa2

In a typical week, on

type: numeric (**byte**)
 label: **PA2**, but **7** nonmissing values are not labeled
 range: [1,7] units: **1**
 unique values: **7** missing .: **1,730/2,010**

tabulation:	Freq.	Numeric	Label
	13	1	
	29	2	
	32	3	
	13	4	
	10	5	
	21	6	
	162	7	
	1,730	.	

pa3a**PA3A. How much time do**

```

type: numeric (byte)
label: PA3A

range: [1,9]          units: 1
unique values: 3      missing .: 1,730/2,010

tabulation: Freq.  Numeric  Label
             238      1     HOURS
             40       2     MINUTES
              2       9     DON'T KNOW
             1,730      .

```

pa3b**PA3B. How many minutes**

```

type: numeric (int)

range: [1,60]          units: 1
unique values: 19      missing .: 1,732/2,010

mean: 7.41727
std. dev: 11.5424

percentiles:      10%      25%      50%      75%      90%
                  1        2        3        5        30

```

pa4**Do y**

```

type: numeric (byte)
label: PA4

range: [1,3]          units: 1
unique values: 3      missing .: 140/2,010

tabulation: Freq.  Numeric  Label
             1,826      1     Yes
              41       2     No
               3       3     Unable to walk or bike
             140      .

```

pa5**How ma**

```

type: numeric (byte)
label: PA5, but 21 nonmissing values are not labeled

range: [0,24]          units: 1
unique values: 21      missing .: 140/2,010

```

examples: 3
4
6
8

pa6**How ma**

type: numeric (**byte**)
 label: **PA6**, but 22 nonmissing values are not labeled
 range: [0,24] units: 1
 unique values: 22 missing .: 140/2,010
 examples: 3
5
7
9

pa7

type: numeric (**byte**)
 range: [1,1] units: 1
 unique values: 1 missing .: 140/2,010
 tabulation: Freq. Value
 1,870 1
 140 .

pa7a**Have you**

type: numeric (**byte**)
 label: **PA7A**
 range: [1,2] units: 1
 unique values: 2 missing .: 140/2,010
 tabulation: Freq. Numeric Label
 1,865 1 Yes
 5 2 No
 140 .

pa8**Have yo**

type: numeric (**byte**)
 range: [1,1] units: 1
 unique values: 1 missing .: 140/2,010
 tabulation: Freq. Value
 1,870 1
 140 .

pa8b**Have yo**

```

      type: numeric (byte)
      label: PA8B

      range: [1,2]
unique values: 2
units: 1
missing .: 140/2,010

      tabulation: Freq.   Numeric   Label
                  1,865       1   Yes
                   5         2   No
                  140         .

```

bia

```

      type: numeric (int)

      range: [1,4004]
unique values: 884
units: 1
missing .: 154/2,010

      mean: 679.931
      std. dev: 399.409

      percentiles:      10%      25%      50%      75%      90%
                      144      336      745      960      1101

```

bi1

```

      type: numeric (int)

      range: [1,6226]
unique values: 1,873
units: 1
missing .: 137/2,010

      mean: 1207.52
      std. dev: 1048.6

      percentiles:      10%      25%      50%      75%      90%
                      190      473      1120      1599      1907

```

bi2

```

      type: numeric (int)

      range: [1,50]
unique values: 42
units: 1
missing .: 171/2,010

      mean: 6.58456
      std. dev: 6.59296

      percentiles:      10%      25%      50%      75%      90%
                      2         2         4         8         15

```

us1

```

      type: numeric (byte)

      range: [3,84]
unique values: 20
units: 1
missing .: 171/2,010

```



```

      mean:    47.516
    std. dev:  23.1061

percentiles:    10%    25%    50%    75%    90%
                14     24     44     64     84

```

us2

```

      type: numeric (byte)
    label:  US2

      range:  [1,2]
unique values: 2
                        units: 1
                        missing.: 171/2,010

      tabulation: Freq.   Numeric   Label
                  1,545         1   Yes
                  294          2   No
                  171          .

```

us3

```

      type: numeric (byte)

      range:  [0,99]
unique values: 58
                        units: 1
                        missing.: 465/2,010

      mean:    35.0369
    std. dev:  21.2196

percentiles:    10%    25%    50%    75%    90%
                10     20     30     50     60

```

us4

```

      type: numeric (int)

      range:  [1,4006]
unique values: 1,581
                        units: 1
                        missing.: 418/2,010

      mean:    1014.99
    std. dev:  634.987

percentiles:    10%    25%    50%    75%    90%
                156    424.5  1026.5  1491.5  1807

```

bp1a

```

      type: numeric (int)

      range:  [14,999]
unique values: 109
                        units: 1
                        missing.: 172/2,010

      mean:    138.027
    std. dev:  115.845

percentiles:    10%    25%    50%    75%    90%
                106    113    121    131    145

```

bp1b

```

      type:  numeric (int)
      range:  [23,999]
unique values: 91
      units:  1
      missing .: 172/2,010

      mean:    96.4723
      std. dev: 122.813

percentiles:      10%      25%      50%      75%      90%
                  66       72       78       86       97

```

a_kilograms_kg

```

      type:  numeric (float)
      label:  A_KILOGRAMS_KG, but label does not exist
      range:  [9.9,163.8]
unique values: 516
      units:  .1
      missing .: 338/2,010

      mean:    61.2749
      std. dev: 15.3276

percentiles:      10%      25%      50%      75%      90%
                  45.8     50.45     57.75     68.8     82.3

```

b_kilograms_kg

```

      type:  numeric (float)
      label:  B_KILOGRAMS_KG, but label does not exist
      range:  [9.9,163.8]
unique values: 523
      units:  .1
      missing .: 339/2,010

      mean:    61.2531
      std. dev: 15.3007

percentiles:      10%      25%      50%      75%      90%
                  45.8     50.4     57.6     68.8     82.2

```

npw2

```

      type:  numeric (byte)
      label:  NPW2
      range:  [1,2]
unique values: 2
      units:  1
      missing .: 328/2,010

      tabulation:  Freq.   Numeric   Label
                  1,647      1      YES
                   35       2      NO
                   328      .

```

a_centimeters_cm

```

      type: numeric (float)
      label: A_CENTIMETERS_CM, but label does not exist

      range: [9.9,181.2]          units: .1
unique values: 296                missing .: 339/2,010

      mean: 161.532
      std. dev: 10.0358

      percentiles:      10%      25%      50%      75%      90%
                       153.9    157.9    162.2    166.5    170.5

```

b_centimeters_cm

```

      type: numeric (float)
      label: B_CENTIMETERS_CM, but label does not exist

      range: [9.9,181.1]          units: .1
unique values: 299                missing .: 339/2,010

      mean: 161.534
      std. dev: 10.039

      percentiles:      10%      25%      50%      75%      90%
                       153.9    157.9    162.2    166.6    170.5

```

npw4

```

      type: numeric (byte)
      label: NPW4

      range: [1,9]          units: 1
unique values: 3            missing .: 1,999/2,010

      tabulation: Freq.   Numeric   Label
                  2         1   Disabled, cannot stand on scale
                  2         8   Other (specify)
                  7         9   Refused
                  1,999       .

```

a_muac_cm

```

      type: numeric (float)
      label: A_MUAC_CM, but label does not exist

      range: [0,99.9]          units: .1
unique values: 77              missing .: 1,855/2,010

      mean: 40.0652
      std. dev: 29.8424

      percentiles:      10%      25%      50%      75%      90%
                       23.1     24.4     26.8     32.7     99.9

```

b_muac_cm

```

      type: numeric (float)
      label: B_MUAC_CM, but label does not exist

```

range:	[0,99.9]					units:	.1
unique values:	82					missing .:	1,855/2,010
mean:	39.6394						
std. dev:	29.4714						
percentiles:	10%	25%	50%	75%	90%		
	23.1	24.4	26.9	32.7	99.9		

bs1

type:	numeric (byte)						
range:	[10,83]					units:	1
unique values:	15					missing .:	173/2,010
mean:	46.5465						
std. dev:	23.0983						
percentiles:	10%	25%	50%	75%	90%		
	13	23	43	63	83		

bs2_hb

type:	numeric (float)						
range:	[4.6,73]					units:	.1
unique values:	95					missing .:	446/2,010
mean:	11.7836						
std. dev:	2.17291						
percentiles:	10%	25%	50%	75%	90%		
	9.8	10.9	11.9	12.8	13.5		

bs3_hba1c

type:	numeric (float)						
range:	[0,99.9]					units:	.1
unique values:	64					missing .:	328/2,010
mean:	18.8993						
std. dev:	32.7551						
percentiles:	10%	25%	50%	75%	90%		
	5.1	5.4	5.8	6.3	99.9		

bs4

type:	numeric (byte)						
label:	BS4						
range:	[0,9]					units:	1
unique values:	4					missing .:	173/2,010

tabulation:	Freq.	Numeric	Label
	1,539	0	Negative (after 15 minutes)
	3	1	P. f positive
	1	3	P. f and Pan positive
	294	9	Not done
	173	.	

bs5

type:	numeric (byte)		
label:	BS5		
range:	[0,3]	units:	1
unique values:	4	missing .:	328/2,010

tabulation:	Freq.	Numeric	Label
	272	0	None
	2	1	About ☐
	12	2	About ☐
	1,396	3	About ☐ or more
	328	.	

rf1

Woman referred to health

type:	numeric (byte)		
label:	RF1		
range:	[1,2]	units:	1
unique values:	2	missing .:	173/2,010

tabulation:	Freq.	Numeric	Label
	30	1	Yes
	1,807	2	No
	173	.	

rs1

type:	numeric (byte)		
label:	RS1		
range:	[1,2]	units:	1
unique values:	2	missing .:	137/2,010

tabulation:	Freq.	Numeric	Label
	1,798	1	Completed interview and accepted participation in blood collection
	75	2	Completed interview and refused participation in blood collection
	137	.	

hour_end

type:	numeric (byte)		
range:	[0,23]	units:	1
unique values:	20	missing .:	173/2,010

```

      mean:    17.4556
    std. dev:    5.12967

percentiles:      10%      25%      50%      75%      90%
                  11       15       19       21       22

```

minute_end

```

      type:  numeric (byte)

      range:  [1,59]
unique values: 59
      units:  1
missing .: 173/2,010

      mean:    29.6821
    std. dev:    17.2729

percentiles:      10%      25%      50%      75%      90%
                  6       14       30       44       54

```

dupes_bil

```

      type:  numeric (byte)

      range:  [0,0]
unique values: 1
      units:  1
missing .: 137/2,010

tabulation:  Freq.  Value
             1,873  0
              137  .

```

wID

Woman ID

```

      type:  string (str7)

unique values: 1,873
missing "": 137/2,010

examples: "0440704"
          "1600412"
          "2331102"
          "3160902"

```

dupes_wID

```

      type:  numeric (byte)

      range:  [0,0]
unique values: 1
      units:  1
missing .: 137/2,010

tabulation:  Freq.  Value
             1,873  0
              137  .

```

cnum

```

      type:  numeric (float)

```

```

      range: [2,390]
unique values: 71
      units: 1
      missing .: 137/2,010

      mean: 201.162
      std. dev: 116.781

percentiles:      10%      25%      50%      75%      90%
                  33       94      208      307      358

```

hLabelnum

```

      type: numeric (float)

      range: [1,4004]
unique values: 888
      units: 1
      missing .: 137/2,010

      mean: 682.406
      std. dev: 399.797

percentiles:      10%      25%      50%      75%      90%
                  144     337     747     960     1106

```

wLabelnum

```

      type: numeric (double)

      range: [1,6226]
unique values: 1,873
      units: 1
      missing .: 137/2,010

      mean: 1207.52
      std. dev: 1048.6

percentiles:      10%      25%      50%      75%      90%
                  190     473     1120     1599     1907

```

wPreg_CMNS

```

      type: numeric (byte)
      label: label_wPreg

      range: [0,1]
unique values: 2
      units: 1
      missing .: 137/2,010

      tabulation: Freq.   Numeric   Label
                  1,715       0      No
                   158       1  Yes-preg
                   137       .

```

Stratum

```

      type: numeric (byte)

      range: [1,14]
unique values: 14
      units: 1
      missing .: 137/2,010

      mean: 6.79498
      std. dev: 4.52139

```

percentiles:	10%	25%	50%	75%	90%
	1	2	6	11	13

res

```

      type: numeric (byte)
      label: label_res

      range: [1,2]
unique values: 2
                        units: 1
                        missing .: 137/2,010

      tabulation: Freq.   Numeric   Label
                   996         1   Urban
                   877         2   Rural
                   137         .

```

lga

```

      type: numeric (byte)
      label: label_lga

      range: [1,8]
unique values: 8
                        units: 1
                        missing .: 137/2,010

      tabulation: Freq.   Numeric   Label
                   274         1   Banjul
                   219         2   Kanifing
                   262         3   Brikama
                   198         4   Mansakonko
                   186         5   Kuntaur
                   222         6   Kerewan
                   261         7   Janjanbureh
                   251         8   Basse
                   137         .

```

w_anthro_weight

```

      type: numeric (double)

      range: [.05521593,5.9215492]
unique values: 71
                        units: 1.000e-10
                        missing .: 137/2,010

      mean: 1.00573
      std. dev: 1.22135

      percentiles:      10%      25%      50%      75%      90%
                       .09951   .349785 .525563 1.22406 2.3428

```

w_blood_weight

```

      type: numeric (double)

      range: [.04424588,6.3166538]
unique values: 71
                        units: 1.000e-10
                        missing .: 137/2,010

      mean: 1.06777
      std. dev: 1.32782

```


percentiles:	10%	25%	50%	75%	90%
	.07974	.280291	.680576	1.31074	2.40534

Note

```

      type:  string (str22)
unique values:  2                               missing "":  1,967/2,010
tabulation:  Freq.  Value
              1,967  ""
              21   "1=urban; 2 =rural"
              22   "clusters swap with 178"
warning:  variable has embedded blanks

```

merge_weights

```

      type:  numeric (byte)
      label:  _merge
      range:  [3,3]                               units:  1
unique values:  1                               missing .:  137/2,010
tabulation:  Freq.  Numeric  Label
              1,873      3  matched (3)
              137      .

```

hh3

```

      type:  numeric (float)
      range:  [1,4006]                               units:  1
unique values:  1,021                               missing .:  0/2,010
      mean:  674.449
      std. dev:  420.659
percentiles:  10%      25%      50%      75%      90%
              141      326      729      960      1106.5

```

salt_iod_conc_ppm

```

      type:  numeric (double)
      range:  [2.6973027, 65]                       units:  1.000e-09
unique values:  480                               missing .:  281/2,010
      mean:  8.0324
      std. dev:  9.64324
percentiles:  10%      25%      50%      75%      90%
              3.79242    4.2      4.995    7.6      13.523

```

hSaltIodYN

```

      type: numeric (double)
      label: hSaltIodYN

      range: [0,1]
      unique values: 2
      units: 1
      missing .: 281/2,010

      tabulation: Freq.   Numeric   Label
                  1,583       0   Not Adequate
                  146         1   Adequate
                  281         .

```

WM1

```

      type: numeric (int)

      range: [2,390]
      unique values: 71
      units: 1
      missing .: 144/2,010

      mean: 201.069
      std. dev: 116.797

      percentiles:      10%      25%      50%      75%      90%
                      30        94        208        307        358

```

WM2

```

      type: numeric (byte)

      range: [1,21]
      unique values: 21
      units: 1
      missing .: 144/2,010

      mean: 9.96731
      std. dev: 5.71818

      percentiles:      10%      25%      50%      75%      90%
                      2         5         10         15         18

```

WM3

```

      type: numeric (byte)

      range: [1,50]
      unique values: 42
      units: 1
      missing .: 144/2,010

      mean: 6.59057
      std. dev: 6.59601

      percentiles:      10%      25%      50%      75%      90%
                      2         2         4         8         15

```

wmint

```

      type: numeric (byte)

      range: [12,85]
      unique values: 32
      units: 1
      missing .: 144/2,010

```

```

      mean:    49.0702
    std. dev:   21.96

percentiles:    10%    25%    50%    75%    90%
                22     32     45     65     82

```

WM6M

```

      type:  numeric (byte)

      range:  [1,4]                units:  1
unique values: 4                missing .: 144/2,010

      tabulation:  Freq.  Value
                   172    1
                   487    2
                   853    3
                   354    4
                   144    .

```

WM6Y

```

      type:  numeric (int)

      range:  [2018,2018]          units:  1
unique values: 1                missing .: 144/2,010

      tabulation:  Freq.  Value
                   1,866  2018
                   144    .

```

WM9

```

      type:  numeric (byte)
      label:  WM9

      range:  [1,2]                units:  1
unique values: 2                missing .: 144/2,010

      tabulation:  Freq.  Numeric  Label
                   1,838        1  YES, PERMISSION IS GIVEN
                     28        2  NO, PERMISSION IS NOT GIVEN
                     144        .

```

WM17

```

      type:  numeric (byte)
      label:  WM17

      range:  [1,96]                units:  1
unique values: 5                missing .: 144/2,010

```

tabulation:	Freq.	Numeric	Label
	1,838	1	completed
	23	2	NOT AT HOME
	1	3	refused
	3	5	incapacitated
	1	96	other
	144	.	

wmhint

type: numeric (**byte**)
 range: [12,86] units: **1**
 unique values: **40** missing .: **144/2,010**
 mean: **49.5343**
 std. dev: **22.0318**
 percentiles: 10% 25% 50% 75% 90%
 22 **33** **46** **66** **83**

WB3M

type: numeric (**byte**)
 label: **WB3M**
 range: [1,12] units: **1**
 unique values: **12** missing .: **144/2,010**
 examples: **3** march
 6 june
 7 july
 10 october

WB3Y

type: numeric (**int**)
 label: **WB3Y**, but **36** nonmissing values are not labeled
 range: [1968,2003] units: **1**
 unique values: **36** missing .: **144/2,010**
 examples: **1981**
 1988
 1994
 2000

wage

type: numeric (**byte**)
 label: **WAGE**
 range: [1,7] units: **1**
 unique values: **7** missing .: **172/2,010**

tabulation:	Freq.	Numeric	Label
	427	1	15-19
	348	2	20-24
	308	3	25-29
	261	4	30-34
	239	5	35-39
	146	6	40-44
	109	7	45-49
	172	.	

TA1

```

type: numeric (byte)
label: TA1

range: [1,9]
unique values: 3
units: 1
missing .: 172/2,010

```

tabulation:	Freq.	Numeric	Label
	21	1	yes
	1,815	2	no
	2	9	NO RESPONSE
	172	.	

TA2

```

type: numeric (byte)
label: TA2, but 12 nonmissing values are not labeled

range: [0,20]
unique values: 13
units: 1
missing .: 1,989/2,010

examples: .
          .
          .
          .

```

TA3

```

type: numeric (byte)
label: TA3

range: [1,2]
unique values: 2
units: 1
missing .: 1,990/2,010

tabulation: Freq.  Numeric  Label
             2         1     yes
             18         2     no
            1,990         .

```

TA4

```

type: numeric (byte)
label: TA4, but 2 nonmissing values are not labeled

range: [0,1]
unique values: 2
units: 1
missing .: 2,008/2,010

```

```

tabulation:  Freq.  Numeric  Label
              1         0
              1         1
            2,008         .

```

TA5

```

type:  numeric (byte)
label:  TA5, but 1 nonmissing value is not labeled

range:  [2,10]                units:  1
unique values: 2                missing .:  2,008/2,010

tabulation:  Freq.  Numeric  Label
              1         2
              1         10  10 DAYS OR MORE BUT LESS THAN A
            2,008         .                MONTH

```

TA6

```

type:  numeric (byte)
label:  TA6

range:  [1,9]                units:  1
unique values: 3                missing .:  172/2,010

tabulation:  Freq.  Numeric  Label
              17         1  yes
            1,819         2  no
               2         9  NO RESPONSE
            172         .

```

TA7

```

type:  numeric (byte)
label:  TA7

range:  [1,2]                units:  1
unique values: 2                missing .:  1,993/2,010

tabulation:  Freq.  Numeric  Label
              1         1  yes
              16         2  no
            1,993         .

```

TA8A

```

type:  string (str1), but longest is str0

unique values: 0                missing "":  2,010/2,010

tabulation:  Freq.  Value
            2,010  ""

```

TA8B

TA10

```

      type: numeric (byte)
      label: TA10

      range: [1,9]                      units: 1
unique values: 3                      missing .: 172/2,010

      tabulation: Freq.   Numeric   Label
                   3         1     yes
                   1,828     2     no
                   7         9    NO RESPONSE
                   172      .

```

TA11

```

      type: numeric (byte)
      label: TA11

      range: [1,2]                      units: 1
unique values: 2                      missing .: 2,007/2,010

      tabulation: Freq.   Numeric   Label
                   1         1     yes
                   2         2     no
                   2,007     .

```

TA12A

```

      type: string (str1)

unique values: 1                      missing "": 2,009/2,010

      tabulation: Freq.   Value
                   2,009   ""
                   1     "A"

```

TA12B

```

      type: string (str1), but longest is str0

unique values: 0                      missing "": 2,010/2,010

      tabulation: Freq.   Value
                   2,010   ""

```

TA12C

```

      type: string (str1), but longest is str0

unique values: 0                      missing "": 2,010/2,010

      tabulation: Freq.   Value
                   2,010   ""

```

TA12X

```

      type:  string (str1), but longest is str0
unique values:  0                               missing "":  2,010/2,010

  tabulation:  Freq.  Value
                2,010  ""

```

TA12NR

```

      type:  string (str1), but longest is str0
unique values:  0                               missing "":  2,010/2,010

  tabulation:  Freq.  Value
                2,010  ""

```

TA13

Number of day

```

      type:  numeric (byte)
      label:  TA13, but 1 nonmissing value is not labeled

      range:  [.,.]                               units:  .
unique values:  1                               missing .:  2,009/2,010

  tabulation:  Freq.  Numeric  Label
                1        0
                2,009      .

```

TA14

```

      type:  numeric (byte)
      label:  TA14

      range:  [1,9]                               units:  1
unique values:  3                               missing .:  172/2,010

  tabulation:  Freq.  Numeric  Label
                12        1  yes
                1,824      2  no
                 2        9  NO RESPONSE
                172        .

```

TA15

```

      type:  numeric (byte)
      label:  TA15, but 11 nonmissing values are not labeled

      range:  [7,40]                               units:  1
unique values:  11                               missing .:  1,998/2,010

  examples:  .
             .
             .
             .

```

TA16**Number of days**

```

type: numeric (byte)
label: TA16, but 1 nonmissing value is not labeled

range: [0,1]                      units: 1
unique values: 2                  missing .: 1,998/2,010

tabulation: Freq.   Numeric   Label
              9         0     DID NOT HAVE ONE DRINK IN LAST
              3         1     ONE MONTH
            1,998         .

```

TA17

```

type: numeric (byte)
label: TA17, but 2 nonmissing values are not labeled

range: [0,1]                      units: 1
unique values: 2                  missing .: 2,007/2,010

tabulation: Freq.   Numeric   Label
              1         0
              2         1
            2,007         .

```

wdom

```

type: numeric (int)

range: [963,1425]                units: 1
unique values: 379              missing .: 658/2,010

mean: 1266.24
std. dev: 104.25

percentiles:    10%    25%    50%    75%    90%
               1116   1192.5  1286   1355   1391

```

wagem

```

type: numeric (byte)

range: [10,43]                   units: 1
unique values: 32                missing .: 658/2,010

mean: 18.5799
std. dev: 4.65822

percentiles:    10%    25%    50%    75%    90%
               14     15     18     21     24

```

wmweight

```

type: numeric (double)

```

```

      range: [0,4.021894]          units: 1.000e-06
unique values: 72                  missing .: 144/2,010

      mean: .914754
      std. dev: .872038

percentiles:      10%      25%      50%      75%      90%
                  .178787 .337353 .594894 1.21245 2.15424

```

welevel

```

      type: numeric (byte)
      label: WELEVEL

      range: [0,2]          units: 1
unique values: 3          missing .: 172/2,010

tabulation: Freq.  Numeric  Label
              803         0 Pre-primary or none
              298         1 Primary
              737         2 Secondary +
              172         .

```

windex10

```

      type: numeric (byte)
      label: LABF

      range: [1,7]          units: 1
unique values: 5          missing .: 1,988/2,010

tabulation: Freq.  Numeric  Label
              9         1 1st decile
              4         2 2nd decile
              2         3 3rd decile
              4         4 4th decile
              3         7 7th decile
            1,988         .

```

windex10u

```

      type: numeric (byte)
      label: LABF

      range: [.,.]          units: .
unique values: 0          missing .: 2,010/2,010

tabulation: Freq.  Numeric  Label
            2,010         .

```

windex10r

```

      type: numeric (byte)
      label: LABF

      range: [1,10]          units: 1
unique values: 8          missing .: 1,988/2,010

```

tabulation:	Freq.	Numeric	Label
	1	1	1st decile
	1	2	2nd decile
	8	3	3rd decile
	2	4	4th decile
	1	5	5th decile
	2	7	7th decile
	4	8	8th decile
	3	10	10th decile
	1,988	.	

wYearBirth

type: numeric (**float**)

range: [1968,2003] units: 1
unique values: 36 missing .: 144/2,010

mean: 1989.38
std. dev: 9.16836

percentiles:	10%	25%	50%	75%	90%
	1976	1982	1991	1997	2001

wIntDate

type: numeric (**float**)

range: [21208,21300] units: 1
unique values: 82 missing .: 144/2,010

mean: 21251.8
std. dev: 24.107

percentiles:	10%	25%	50%	75%	90%
	21216	21233	21252.5	21270	21284

wAgeDay_MICS

type: numeric (**float**)

range: [5354,18185] units: 1
unique values: 1,666 missing .: 144/2,010

mean: 10352.5
std. dev: 3349.27

percentiles:	10%	25%	50%	75%	90%
	6220	7400	9899	12870	15158

wAgeYear_MICS

type: numeric (**float**)

range: [14.658855,49.789181] units: 1.000e-07
unique values: 1,666 missing .: 144/2,010

```

      mean: 28.3444
    std. dev: 9.17005

percentiles:      10%      25%      50%      75%      90%
                  17.0299  20.2607  27.1027  35.2371  41.5015

```

wAgeYearsCat

```

      type: numeric (float)
      label: wAgeYearsCat

      range: [1,7]                units: 1
unique values: 7                missing .: 149/2,010

tabulation:  Freq.  Numeric  Label
              443      1  15-19yrs
              350      2  20-24yrs
              318      3  25-29yrs
              266      4  30-34yrs
              242      5  35-39yrs
              133      6  40-44yrs
              109      7  45-49yrs
              149      .

```

wAgeYearsCatPreg

```

      type: numeric (float)
      label: wAgeYearsCatPreg

      range: [1,4]                units: 1
unique values: 4                missing .: 149/2,010

tabulation:  Freq.  Numeric  Label
              443      1  15-19yrs
              668      2  20-29yrs
              508      3  30-39yrs
              242      4  40-49yrs
              149      .

```

wAgeYearsCatPreg3

```

      type: numeric (float)
      label: wAgeYearsCatPreg3

      range: [1,3]                units: 1
unique values: 3                missing .: 149/2,010

tabulation:  Freq.  Numeric  Label
              443      1  15-19yrs
              668      2  20-29yrs
              750      3  30-44yrs
              149      .

```

wPreg_MICS

```

      type: numeric (byte)
      label: CP1

```

range: [1,9] units: 1
unique values: 4 missing .: 172/2,010

tabulation:	Freq.	Numeric	Label
	146	1	YES, CURRENTLY PREGNANT
	1,671	2	no
	20	8	DK OR NOT SURE
	1	9	NO RESPONSE
	172	.	

wEverBF

type: numeric (byte)
label: MN36

range: [1,2] units: 1
unique values: 2 missing .: 1,479/2,010

tabulation:	Freq.	Numeric	Label
	530	1	yes
	1	2	no
	1,479	.	

wLiveBirthPast2yrs

type: numeric (byte)
label: CM17

range: [0,1] units: 1
unique values: 2 missing .: 755/2,010

tabulation:	Freq.	Numeric	Label
	724	0	NO LIVE BIRTHS IN THE LAST 2 YEARS
	531	1	ONE OR MORE LIVE BIRTHS IN THE LAST 2 YEARS
	755	.	

wAttendSchoolYN

type: numeric (byte)
label: WB5

range: [1,2] units: 1
unique values: 2 missing .: 172/2,010

tabulation:	Freq.	Numeric	Label
	1,036	1	yes
	802	2	no
	172	.	

wSchoolLevel

type: numeric (byte)
label: label_wSchoolLevel

range: [0,6] units: 1
unique values: 7 missing .: 172/2,010

tabulation:	Freq.	Numeric	Label
	803	0	Never Attended school
	298	1	Primary
	347	2	Lower Secondary
	274	3	Upper Secondary
	32	4	Vocational
	61	5	Diploma
	23	6	Higher
	172	.	

wEducCat

```

      type: numeric (byte)
      label: wEducCat

      range: [0,4]                      units: 1
unique values: 5                      missing .: 172/2,010

      tabulation: Freq.  Numeric  Label
                  803      0      Never Attended school
                  298      1      Primary
                  347      2      Lower Secondary
                  274      3      Upper Secondary
                  116      4      Higher
                  172      .

```

wSmokes

```

      type: numeric (byte)
      label: wSmokes

      range: [0,1]                      units: 1
unique values: 2                      missing .: 175/2,010

      tabulation: Freq.  Numeric  Label
                  1,833      0      Doesn't Smoke
                   2        1      Yes Smokes
                  175      .

```

wDrinks

```

      type: numeric (byte)
      label: wDrinks, but 1 nonmissing value is not labeled

      range: [0,9]                      units: 1
unique values: 3                      missing .: 172/2,010

      tabulation: Freq.  Numeric  Label
                  1,833      0      Didn't drink past months
                   3        1      Drank in past month
                   2        9
                  172      .

```

wMICSresult

```

      type: numeric (byte)
      label: WM17

```

range: [1,96] units: 1
 unique values: 5 missing .: 144/2,010

tabulation:	Freq.	Numeric	Label
	1,838	1	completed
	23	2	NOT AT HOME
	1	3	refused
	3	5	incapacitated
	1	96	other
	144	.	

merge_mics_women

type: numeric (byte)
 label: _merge

range: [1,3] units: 1
 unique values: 2 missing .: 137/2,010

tabulation:	Freq.	Numeric	Label
	7	1	master only (1)
	1,866	3	matched (3)
	137	.	

hID

type: numeric (float)

range: [202,39019] units: 1
 unique values: 888 missing .: 137/2,010

mean: 20126.1
 std. dev: 11677.6

percentiles:	10%	25%	50%	75%	90%
	3304	9412	20802	30706	35809

HH1

type: numeric (int)

range: [2,390] units: 1
 unique values: 71 missing .: 137/2,010

mean: 201.162
 std. dev: 116.781

percentiles:	10%	25%	50%	75%	90%
	33	94	208	307	358

HH2

type: numeric (byte)

range: [1,21] units: 1
 unique values: 21 missing .: 137/2,010


```

      mean:    9.95302
    std. dev:  5.71949

percentiles:    10%    25%    50%    75%    90%
                2      5      10     15     18

```

hint

```

      type:    numeric (byte)

      range:    [12,86]          units:    1
unique values: 40                missing .: 137/2,010

      mean:    49.5328
    std. dev:  22.0264

percentiles:    10%    25%    50%    75%    90%
                22     33     46     66     83

```

HH3

```

      type:    numeric (byte)

      range:    [12,86]          units:    1
unique values: 40                missing .: 137/2,010

      mean:    49.5328
    std. dev:  22.0264

percentiles:    10%    25%    50%    75%    90%
                22     33     46     66     83

```

HH4

```

      type:    numeric (byte)

      range:    [11,81]          units:    1
unique values: 8                 missing .: 137/2,010

      tabulation:  Freq.  Value
                   153    11
                   240    21
                   325    31
                   228    41
                   233    51
                   250    61
                   198    71
                   246    81
                   137    .

```

HH5M

```

      type:    numeric (byte)
      label:    HH5M

      range:    [1,4]          units:    1
unique values: 4                 missing .: 137/2,010

```

tabulation:	Freq.	Numeric	Label
	190	1	JANUARY
	492	2	FEBRUARY
	854	3	MARCH
	337	4	APRIL
	137	.	

HH5Y

```

type: numeric (int)
range: [2018,2018]
unique values: 1
units: 1
missing .: 137/2,010

tabulation: Freq. Value
             1,873 2018
             137 .

```

HH6

```

type: numeric (byte)
label: HH6
range: [1,2]
unique values: 2
units: 1
missing .: 137/2,010

tabulation: Freq. Numeric Label
             996      1 urban
             877      2 rural
             137      .

```

HH7

```

type: numeric (byte)
label: HH7
range: [1,8]
unique values: 8
units: 1
missing .: 137/2,010

tabulation: Freq. Numeric Label
             274      1 banjul
             219      2 kanifing
             262      3 brikama
             198      4 mansakonko
             222      5 kerewan
             186      6 kuntaur
             261      7 janjanbureh
             251      8 basse
             137      .

```

HH8

```

type: numeric (byte)
label: HH8
range: [1,2]
unique values: 2
units: 1
missing .: 137/2,010

```

tabulation:	Freq.	Numeric	Label
	928	1	yes
	945	2	no
	137	.	

HH9

type:	numeric (byte)			
label:	HH9			
range:	[1,2]	units:	1	
unique values:	2	missing .:	137/2,010	
tabulation:	Freq.	Numeric	Label	
	470	1	yes	
	1,403	2	no	
	137	.		

HH10

type:	numeric (byte)			
label:	HH10			
range:	[1,2]	units:	1	
unique values:	2	missing .:	137/2,010	
tabulation:	Freq.	Numeric	Label	
	77	1	yes	
	1,796	2	no	
	137	.		

HH11H

type:	numeric (byte)					
range:	[7,23]		units:	1		
unique values:	17		missing .:	137/2,010		
mean:	13.4933					
std. dev:	3.10329					
percentiles:	10%	25%	50%	75%	90%	
	10	11	13	16	18	

HH11M

type:	numeric (byte)					
range:	[0,59]		units:	1		
unique values:	60		missing .:	137/2,010		
mean:	29.5771					
std. dev:	17.2973					
percentiles:	10%	25%	50%	75%	90%	
	5	14	28	45	53	

HH12

```

      type: numeric (byte)
      label: HH12

      range: [1,1]                      units: 1
unique values: 1                      missing .: 137/2,010

      tabulation: Freq.   Numeric   Label
                  1,873         1   YES
                  137          .

```

HH46

```

      type: numeric (byte)
      label: HH46

      range: [1,1]                      units: 1
unique values: 1                      missing .: 137/2,010

      tabulation: Freq.   Numeric   Label
                  1,873         1   completed
                  137          .

```

HH13H

```

      type: numeric (byte)

      range: [7,22]                    units: 1
unique values: 16                    missing .: 137/2,010

      mean: 14.2381
      std. dev: 3.07681

percentiles:      10%      25%      50%      75%      90%
                  10       12       14       16       19

```

HH13M

```

      type: numeric (byte)

      range: [0,59]                    units: 1
unique values: 60                    missing .: 137/2,010

      mean: 30.4554
      std. dev: 17.1824

percentiles:      10%      25%      50%      75%      90%
                  6       16       31       46       54

```

HH14

```

      type: numeric (byte)
      label: HH14

```

```

      range: [1,1]
unique values: 1
units: 1
missing .: 137/2,010

      tabulation: Freq.   Numeric   Label
                  1,873       1 COMPLETED
                  137         .

```

HH15

```

      type: numeric (byte)
      label: HH15

      range: [1,9]
unique values: 6
units: 1
missing .: 137/2,010

      tabulation: Freq.   Numeric   Label
                  71         1 english
                  801        2 mandinka
                  923        3 wollof
                   53         4 fula
                   23         5 jola
                    2         9 CREOLE/ AKU MARABOUT
                  137         .

```

HH16

```

      type: numeric (byte)
      label: HH16

      range: [1,96]
unique values: 11
units: 1
missing .: 137/2,010

      examples: 2 mandinka
                 3 wollof
                 4 fula
                 6 sarahule

```

HH17

```

      type: numeric (byte)
      label: HH17

      range: [1,3]
unique values: 3
units: 1
missing .: 137/2,010

      tabulation: Freq.   Numeric   Label
                  17         1 YES, ENTIRE QUESTIONNAIRE
                   10         2 YES, PART OF QUESTIONNAIRE
                  1,846       3 NO, NOT USED
                  137         .

```

HH26A

```

      type: numeric (byte)

      range: [1,8]
unique values: 8
units: 1
missing .: 278/2,010

```

```

tabulation:  Freq.  Value
              594    1
              377    2
              268    3
              179    4
              152    5
               85    6
               36    7
               41    8
              278    .

```

HH26B

```

type:  numeric (byte)

range:  [2,31]                units:  1
unique values: 22            missing .: 278/2,010

mean:    7.50693
std. dev: 4.96475

percentiles:      10%      25%      50%      75%      90%
                  3        4        6        10       14

```

HH26C

```

type:  numeric (byte)

range:  [5,17]                units:  1
unique values: 13            missing .: 278/2,010

mean:    10.1703
std. dev: 3.64743

percentiles:      10%      25%      50%      75%      90%
                  6        7       10       13       15

```

HH33

```

type:  numeric (byte)
label:  HH33

range:  [1,1]                units:  1
unique values: 1            missing .: 1,262/2,010

tabulation:  Freq.  Numeric  Label
              748      1  YES for all girls age 15-17
              1,262    .

```

HH39

```

type:  numeric (byte)
label:  HH39

range:  [1,1]                units:  1
unique values: 1            missing .: 1,734/2,010

```

tabulation:	Freq.	Numeric	Label
	276	1	YES for all boy age 15-17
	1,734	.	

HH44

type:	numeric (byte)			
label:	HH44			
range:	[1,1]	units:	1	
unique values:	1	missing .:	1,540/2,010	
tabulation:	Freq.	Numeric	Label	
	470	1	YES, PERMISSION IS GIVEN	
	1,540	.		

HH47

type:	numeric (byte)				
range:	[1,45]	units:	1		
unique values:	20	missing .:	137/2,010		
mean:	3.21356				
std. dev:	5.42896				
percentiles:	10%	25%	50%	75%	90%
	1	1	2	2	7

HH48

type:	numeric (byte)				
range:	[1,54]	units:	1		
unique values:	41	missing .:	137/2,010		
mean:	14.0913				
std. dev:	10.0318				
percentiles:	10%	25%	50%	75%	90%
	5	7	11	18	29

HH49

type:	numeric (byte)				
range:	[0,15]	units:	1		
unique values:	15	missing .:	137/2,010		
mean:	3.75227				
std. dev:	2.8511				
percentiles:	10%	25%	50%	75%	90%
	1	2	3	5	8

HH50**Number of men 15 - 49**

```

      type:  numeric (byte)

      range:  [0,22]
unique values: 10
                        units: 1
                        missing .: 137/2,010

      mean:   1.05499
      std. dev: 2.26942

percentiles:          10%      25%      50%      75%      90%
                     0         0         0         1         3

```

HH51

```

      type:  numeric (byte)

      range:  [0,14]
unique values: 13
                        units: 1
                        missing .: 137/2,010

      mean:   2.44955
      std. dev: 2.38423

percentiles:          10%      25%      50%      75%      90%
                     0         1         2         3         6

```

HH52

```

      type:  numeric (byte)

      range:  [0,36]
unique values: 23
                        units: 1
                        missing .: 137/2,010

      mean:   5.11265
      std. dev: 4.67486

percentiles:          10%      25%      50%      75%      90%
                     1         2         4         7        11

```

introhl

```

      type:  string (str1)

unique values: 1
                        missing "": 137/2,010

      tabulation:  Freq.  Value
                   137    ""
                   1,873  "1"

```

hhaux

```

      type:  numeric (byte)
      label: HHAUX

      range:  [2,2]
unique values: 1
                        units: 1
                        missing .: 137/2,010

      tabulation:  Freq.  Numeric  Label
                   1,873      2    no
                   137       .

```

hhwq

```

      type:  string (str1)
unique values:  1                               missing "":  1,540/2,010

  tabulation:  Freq.  Value
                1,540  ""
                470   "1"

```

hhfin

```

      type:  numeric (byte)
      label:  HHFIN

      range:  [3,3]                               units:  1
unique values:  1                               missing .:  137/2,010

  tabulation:  Freq.  Numeric  Label
                1,873      3  Save questionnaire and finish
                137       .

```

HC1A

```

      type:  numeric (byte)
      label:  HC1A

      range:  [1,2]                               units:  1
unique values:  2                               missing .:  137/2,010

  tabulation:  Freq.  Numeric  Label
                1,834      1  islam
                 39      2  christianity
                137       .

```

HC1B

```

      type:  numeric (byte)
      label:  HC1B

      range:  [1,12]                              units:  1
unique values:  9                               missing .:  137/2,010

  tabulation:  Freq.  Numeric  Label
                1,723      1  gambian
                 79      2  senegalese
                 51      3  guinean
                   5      4  BISSAU GUINEAN
                   7      5  malian
                   2      6  nigerian
                   3      7  SIERRA LEONEAN
                   2      8  mauritanian
                   1     12  OTHER AFRICAN
                137       .

```

HC1C

```

      type: numeric (byte)
      label: HC1C

      range: [1,96]
      unique values: 10

      units: 1
      missing .: 287/2,010

      examples: 1    mandinka
                2    wollof
                3    fula
                5    sarahule

```

HC2

```

      type: numeric (byte)
      label: HC2

      range: [1,96]
      unique values: 10

      units: 1
      missing .: 287/2,010

      examples: 1    mandinka
                2    wollof
                3    fula
                6    serere

```

HC3

```

      type: numeric (byte)
      label: HC3, but 23 nonmissing values are not labeled

      range: [1,27]
      unique values: 23

      units: 1
      missing .: 137/2,010

      examples: 3
                4
                6
                11

```

HC4

```

      type: numeric (byte)
      label: HC4

      range: [11,96]
      unique values: 8

      units: 1
      missing .: 137/2,010

      tabulation: Freq.   Numeric   Label
                  236       11    EARTH / SAND
                  19       12    DUNG
                   6       21    WOOD PLANKS
                 346       32    LINOLEUM (Tapeh)
                 453       33    CERAMIC TILES
                 788       34    cement
                   14       35    carpet
                   11       96    other
                 137         .

```

HC5

```

      type: numeric (byte)
      label: HC5

      range: [12,35]                units: 1
unique values: 9                    missing .: 137/2,010

      tabulation: Freq.   Numeric   Label
                   142       12    THATCH / PALM LEAF
                   1        22    PALM / BAMBOO
                   4         23    WOOD PLANKS
                   10        24    cardboard
                   1,625      31    METAL / TIN
                   2          32    wood
                   7          33    CALAMINE / CEMENT FIBRE
                   2          34    CERAMIC TILES
                   80         35    cement
                   137        .

```

HC6

```

      type: numeric (byte)
      label: HC6

      range: [21,96]                units: 1
unique values: 10                    missing .: 137/2,010

      examples: 27    MUD/ MUD BRICKS
                 31    cement
                 31    cement
                 31    cement

```

HC7A

```

      type: numeric (byte)
      label: HC7A

      range: [1,9]                  units: 1
unique values: 3                    missing .: 137/2,010

      tabulation: Freq.   Numeric   Label
                   44       1    yes
                   1,826     2    no
                   3         9    NO RESPONSE
                   137        .

```

HC7B

```

      type: numeric (byte)
      label: HC7B

      range: [1,9]                  units: 1
unique values: 3                    missing .: 137/2,010

      tabulation: Freq.   Numeric   Label
                   1,414     1    yes
                   457       2    no
                   2         9    NO RESPONSE
                   137        .

```

HC7C

```

      type: numeric (byte)
      label: HC7C

      range: [1,2]                      units: 1
unique values: 2                      missing .: 137/2,010

      tabulation: Freq.   Numeric   Label
                  1,706       1      yes
                  167        2      no
                  137        .

```

HC7D

```

      type: numeric (byte)
      label: HC7D

      range: [1,2]                      units: 1
unique values: 2                      missing .: 137/2,010

      tabulation: Freq.   Numeric   Label
                  760        1      yes
                  1,113      2      no
                  137        .

```

HC7E

```

      type: numeric (byte)
      label: HC7E

      range: [1,9]                      units: 1
unique values: 3                      missing .: 137/2,010

      tabulation: Freq.   Numeric   Label
                  205        1      yes
                  1,664      2      no
                   4         9     NO RESPONSE
                  137        .

```

HC7F

```

      type: numeric (byte)
      label: HC7F

      range: [1,2]                      units: 1
unique values: 2                      missing .: 137/2,010

      tabulation: Freq.   Numeric   Label
                  1,009      1      yes
                   864       2      no
                   137        .

```

HC7G

```

      type: numeric (byte)
      label: HC7G

      range: [1,2]                      units: 1
unique values: 2                      missing .: 137/2,010

      tabulation: Freq.   Numeric   Label
                   1,591       1     yes
                   282        2     no
                   137         .

```

HC7H

```

      type: numeric (byte)
      label: HC7H

      range: [1,2]                      units: 1
unique values: 2                      missing .: 137/2,010

      tabulation: Freq.   Numeric   Label
                   102        1     yes
                  1,771       2     no
                   137         .

```

HC7I

```

      type: numeric (byte)
      label: HC7I

      range: [1,9]                      units: 1
unique values: 3                      missing .: 137/2,010

      tabulation: Freq.   Numeric   Label
                   378        1     yes
                  1,492       2     no
                      3        9    NO RESPONSE
                   137         .

```

HC8

```

      type: numeric (byte)
      label: HC8

      range: [1,9]                      units: 1
unique values: 4                      missing .: 137/2,010

      tabulation: Freq.   Numeric   Label
                   1,000       1    YES, INTERCONNECTED GRID
                   165        2    YES, OFF-GRID
                                (GENERATOR/ISOLATED SYSTEM)
                   706        3     no
                      2        9    NO RESPONSE
                   137         .

```

HC9A

```

      type: numeric (byte)
      label: HC9A

```

range: [1,2] units: 1
 unique values: 2 missing .: 845/2,010

tabulation:	Freq.	Numeric	Label
	996	1	yes
	169	2	no
	845	.	

HC9B

type: numeric (byte)
 label: HC9B

range: [1,2] units: 1
 unique values: 2 missing .: 845/2,010

tabulation:	Freq.	Numeric	Label
	778	1	yes
	387	2	no
	845	.	

HC9C

type: numeric (byte)
 label: HC9C

range: [1,2] units: 1
 unique values: 2 missing .: 845/2,010

tabulation:	Freq.	Numeric	Label
	856	1	yes
	309	2	no
	845	.	

HC9D

type: numeric (byte)
 label: HC9D

range: [1,9] units: 1
 unique values: 3 missing .: 845/2,010

tabulation:	Freq.	Numeric	Label
	66	1	yes
	1,097	2	no
	2	9	NO RESPONSE
	845	.	

HC9E

type: numeric (byte)
 label: HC9E

range: [1,2] units: 1
 unique values: 2 missing .: 845/2,010

tabulation:	Freq.	Numeric	Label
	702	1	yes
	463	2	no
	845	.	

HC10A

type:	numeric (byte)		
label:	HC10A		
range:	[1,9]	units:	1
unique values:	3	missing .:	137/2,010
tabulation:	Freq.	Numeric	Label
	1,092	1	yes
	773	2	no
	8	9	NO RESPONSE
	137	.	

HC10B

type:	numeric (byte)		
label:	HC10B		
range:	[1,2]	units:	1
unique values:	2	missing .:	137/2,010
tabulation:	Freq.	Numeric	Label
	1,046	1	yes
	827	2	no
	137	.	

HC10C

type:	numeric (byte)		
label:	HC10C		
range:	[1,2]	units:	1
unique values:	2	missing .:	137/2,010
tabulation:	Freq.	Numeric	Label
	430	1	yes
	1,443	2	no
	137	.	

HC10D

type:	numeric (byte)		
label:	HC10D		
range:	[1,2]	units:	1
unique values:	2	missing .:	137/2,010
tabulation:	Freq.	Numeric	Label
	629	1	yes
	1,244	2	no
	137	.	

HC10E

```

      type: numeric (byte)
      label: HC10E

      range: [1,9]                      units: 1
unique values: 3                      missing .: 137/2,010

      tabulation: Freq.   Numeric   Label
                   328       1      yes
                   1,544     2      no
                     1       9     NO RESPONSE
                   137       .

```

HC10F

```

      type: numeric (byte)
      label: HC10F

      range: [1,9]                      units: 1
unique values: 3                      missing .: 137/2,010

      tabulation: Freq.   Numeric   Label
                   24       1      yes
                   1,847     2      no
                     2       9     NO RESPONSE
                   137       .

```

HC10G

```

      type: numeric (byte)
      label: HC10G

      range: [1,2]                      units: 1
unique values: 2                      missing .: 137/2,010

      tabulation: Freq.   Numeric   Label
                   34       1      yes
                   1,839     2      no
                   137       .

```

HC11

```

      type: numeric (byte)
      label: HC11

      range: [1,2]                      units: 1
unique values: 2                      missing .: 137/2,010

      tabulation: Freq.   Numeric   Label
                   305       1      yes
                   1,568     2      no
                   137       .

```

HC12

```

      type: numeric (byte)
      label: HC12

      range: [1,2]
unique values: 2
units: 1
missing .: 137/2,010

      tabulation: Freq.   Numeric   Label
                   1,837       1   yes
                   36         2   no
                   137         .

```

HC13

```

      type: numeric (byte)
      label: HC13

      range: [1,9]
unique values: 3
units: 1
missing .: 137/2,010

      tabulation: Freq.   Numeric   Label
                   1,186       1   yes
                   683        2   no
                   4          9  NO RESPONSE
                   137         .

```

HC14

```

      type: numeric (byte)
      label: HC14

      range: [1,6]
unique values: 4
units: 1
missing .: 137/2,010

      tabulation: Freq.   Numeric   Label
                   1,077       1   own
                   274        2   rent
                   508        3  RENT-FREE
                   14         6   other
                   137         .

```

HC15**Any**

```

      type: numeric (byte)
      label: HC15

      range: [1,2]
unique values: 2
units: 1
missing .: 137/2,010

      tabulation: Freq.   Numeric   Label
                   919       1   yes
                   954       2   no
                   137         .

```

HC16A**Hectar**

```

      type: numeric (byte)
      label: HC16A

```

range: [1,8] units: 1
 unique values: 3 missing .: 1,091/2,010

tabulation:	Freq.	Numeric	Label
	589	1	hectares
	222	2	acres
	108	8	DON'T KNOW
	1,091	.	

HC16B**Hectar**

type: numeric (byte)
 label: **HC16B**, but 30 nonmissing values are not labeled

range: [0,98] units: 1
 unique values: 32 missing .: 1,091/2,010

examples: 4
 95 95 OR MORE
 .
 .

HC17

type: numeric (byte)
 label: **HC17**

range: [1,2] units: 1
 unique values: 2 missing .: 137/2,010

tabulation:	Freq.	Numeric	Label
	1,290	1	yes
	583	2	no
	137	.	

HC18A

type: numeric (byte)
 label: **HC18A**, but 20 nonmissing values are not labeled

range: [0,98] units: 1
 unique values: 22 missing .: 720/2,010

examples: 0
 0
 20
 .

HC18B

type: numeric (byte)
 label: **HC18B**, but 12 nonmissing values are not labeled

range: [0,98] units: 1
 unique values: 13 missing .: 720/2,010

```

examples:  0
           0
           4
           .

```

HC18C1

```

type:  numeric (byte)
label:  HC18C1, but 7 nonmissing values are not labeled

range:  [0,6]                      units:  1
unique values: 7                  missing .: 720/2,010

tabulation:  Freq.    Numeric    Label
              980         0
              125         1
              115         2
               32         3
               17         4
               13         5
                8         6
              720         .

```

HC18C2

```

type:  numeric (byte)
label:  HC18C2, but 10 nonmissing values are not labeled

range:  [0,10]                     units:  1
unique values: 10                 missing .: 720/2,010

examples:  0
           1
           4
           .

```

HC18D

```

type:  numeric (byte)
label:  HC18D, but 20 nonmissing values are not labeled

range:  [0,98]                     units:  1
unique values: 22                 missing .: 720/2,010

examples:  0
           3
          10
           .

```

HC18E

```

type:  numeric (byte)
label:  HC18E, but 18 nonmissing values are not labeled

range:  [0,98]                     units:  1
unique values: 19                 missing .: 720/2,010

```

examples: 0
1
9
.

HC18F

type: numeric (**byte**)
label: **HC18F**, but 32 nonmissing values are not labeled

range: [0,98] units: 1
unique values: 34 missing .: 720/2,010

examples: 2
7
30
.

HC18G

type: numeric (**byte**)
label: **HC18G**, but 4 nonmissing values are not labeled

range: [0,40] units: 10
unique values: 4 missing .: 720/2,010

tabulation:	Freq.	Numeric	Label
	1,286	0	
	1	10	
	2	20	
	1	40	
	720	.	

HC19

type: numeric (**byte**)
label: **HC19**

range: [1,9] units: 1
unique values: 4 missing .: 137/2,010

tabulation:	Freq.	Numeric	Label
	795	1	yes
	984	2	no
	88	8	dk
	6	9	NO RESPONSE
	137	.	

EU1

type: numeric (**byte**)
label: **EU1**

range: [3,97] units: 1
unique values: 9 missing .: 137/2,010

tabulation:	Freq.	Numeric	Label
	9	3	LIQUEFIED PETROLEUM GAS (LPG) / COOKING GAS STOVE
	1	4	PIPED NATURAL GAS STOVE
	3	5	BIOGAS STOVE
	8	6	LIQUID FUEL STOVE
	652	7	MANUFACTURED SOLID FUEL STOVE
	23	8	TRADITIONAL SOLID FUEL STOVE
	1,169	9	THREE STONE STOVE / OPEN FIRE
	3	96	other
	5	97	NO FOOD COOKED IN HOUSEHOLD
	137	.	

EU2

type:	numeric (byte)		
label:	EU2		
range:	[1,2]	units: 1	
unique values:	2	missing .: 1,335/2,010	
tabulation:	Freq.	Numeric	Label
	45	1	yes
	630	2	no
	1,335	.	

EU3

type:	numeric (byte)		
label:	EU3		
range:	[2,8]	units: 1	
unique values:	2	missing .: 1,335/2,010	
tabulation:	Freq.	Numeric	Label
	673	2	no
	2	8	dk
	1,335	.	

EU4

type:	numeric (byte)		
label:	EU4		
range:	[4,11]	units: 1	
unique values:	5	missing .: 155/2,010	
tabulation:	Freq.	Numeric	Label
	1	4	COAL / LIGNITE
	474	5	charcoal
	1,372	6	wood
	1	7	CROP RESIDUE / GRASS / STRAW / SHRUBS
	7	11	sawdust
	155	.	

EU5

```

      type: numeric (byte)
      label: EU5

      range: [1,5]          units: 1
unique values: 5          missing .: 142/2,010

      tabulation: Freq.   Numeric   Label
                   5         1   IN MAIN HOUSE: NO SEPARATE ROOM
                   232        2   IN MAIN HOUSE: IN A SEPARATE
                                ROOM
                   1,235       3   IN A SEPARATE BUILDING
                   189         4   OUTDOORS: OPEN AIR
                   207         5   OUTDOORS: ON VERANDA OR COVERED
                                PORCH
                   142         .

```

EU6

```

      type: numeric (byte)
      label: EU6

      range: [3,97]        units: 1
unique values: 6          missing .: 137/2,010

      tabulation: Freq.   Numeric   Label
                   1         3   TRADITIONAL SPACE HEATER
                   5         4   MANUFACTURED COOKSTOVE
                   1         5   TRADITIONAL COOKSTOVE
                   33        6   THREE STONE STOVE / OPEN FIRE
                   44       96   other
                   1,789     97   NO SPACE HEATING IN HOUSEHOLD
                   137        .

```

EU7

```

      type: numeric (byte)
      label: EU7

      range: [2,2]          units: 1
unique values: 1          missing .: 2,003/2,010

      tabulation: Freq.   Numeric   Label
                   7         2   no
                   2,003        .

```

EU8

```

      type: numeric (byte)
      label: EU8

      range: [10,11]        units: 1
unique values: 2          missing .: 1,926/2,010

      tabulation: Freq.   Numeric   Label
                   47       10   charcoal
                   37       11   wood
                   1,926        .

```

EU9

```

      type: numeric (byte)
      label: EU9

      range: [1,96]
unique values: 9
                        units: 1
                        missing .: 137/2,010

      tabulation: Freq.   Numeric   Label
                  1,071       1   electricity
                  199         2   SOLAR LANTERN
                   64         3   RECHARGEABLE FLASHLIGHT, TORCH
                              OR LANTERN
                  442         4   BATTERY POWERED FLASHLIGHT,
                              TORCH OR LANTERN
                   16         5   BIOGAS LAMP
                   6         8   charcoal
                   7         9   wood
                  67        13   candle
                   1        96   other
                  137         .

```

TN1

```

      type: numeric (byte)
      label: TN1

      range: [1,2]
unique values: 2
                        units: 1
                        missing .: 137/2,010

      tabulation: Freq.   Numeric   Label
                  1,764       1   yes
                   109       2   no
                   137         .

```

TN2

```

      type: numeric (byte)

      range: [1,30]
unique values: 25
                        units: 1
                        missing .: 246/2,010

      mean: 7.18481
      std. dev: 5.72502

      percentiles:      10%      25%      50%      75%      90%
                      2         3         6         9        15

```

IR1

```

      type: numeric (byte)
      label: IR1

      range: [1,8]
unique values: 3
                        units: 1
                        missing .: 137/2,010

```

tabulation:	Freq.	Numeric	Label
	692	1	yes
	1,178	2	no
	3	8	dk
	137	.	

IR2A

```

type: string (str1)
unique values: 1 missing "": 1,325/2,010
tabulation: Freq. Value
             1,325 ""
             685 "A"

```

IR2B

```

type: string (str1)
unique values: 1 missing "": 2,009/2,010
tabulation: Freq. Value
             2,009 ""
             1 "B"

```

IR2C

```

type: string (str1), but longest is str0
unique values: 0 missing "": 2,010/2,010
tabulation: Freq. Value
             2,010 ""

```

IR2X

```

type: string (str1)
unique values: 1 missing "": 2,009/2,010
tabulation: Freq. Value
             2,009 ""
             1 "X"

```

IR2Z

```

type: string (str1)
unique values: 1 missing "": 2,005/2,010
tabulation: Freq. Value
             2,005 ""
             5 "Z"

```

WS1

```

      type: numeric (byte)
      label: WS1

      range: [11,91]          units: 1
unique values: 9             missing .: 137/2,010

      tabulation: Freq.   Numeric   Label
                   73       11      PIPED WATER : PIPED INTO
                                DWELLING
                   674      12      PIPED WATER: PIPED TO YARD /
                                PLOT
                   122      13      PIPED WATER: PIPED TO NEIGHBOUR
                   551      14      PIPED WATER: PUBLIC TAP /
                                STANDPIPE
                   184      21      TUBE WELL / BOREHOLE
                   85       31      DUG WELL: PROTECTED WELL
                   182      32      DUG WELL: UNPROTECTED WELL
                    1       42      SPRING: UNPROTECTED SPRING
                    1       91      PACKAGED WATER: BOTTLED WATER
                   137      .

```

WS2

Main source of water u

```

      type: numeric (byte)
      label: WS2

      range: [11,11]          units: 1
unique values: 1             missing .: 2,009/2,010

      tabulation: Freq.   Numeric   Label
                   1       11      PIPED WATER : PIPED INTO
                                DWELLING
                   2,009      .

```

WS3

```

      type: numeric (byte)
      label: WS3

      range: [1,3]           units: 1
unique values: 3            missing .: 885/2,010

      tabulation: Freq.   Numeric   Label
                   1       1      IN OWN DWELLING
                   57      2      IN OWN YARD / PLOT
                   1,067    3      elsewhere
                   885      .

```

WS4

```

      type: numeric (int)
      label: WS4, but 33 nonmissing values are not labeled

      range: [0,998]         units: 1
unique values: 35           missing .: 943/2,010

```

examples: 10
30
.
.

WS5

type: numeric (**byte**)
label: **WS5**, but 20 nonmissing values are not labeled

range: [1,40] units: 1
unique values: 20 missing .: 966/2,010

examples: 3
8
.
.

WS6

Num

type: numeric (**byte**)
label: **WS6**, but 52 nonmissing values are not labeled

range: [1,99] units: 1
unique values: 54 missing .: 966/2,010

examples: 14
35
.
.

WS7

Ther

type: numeric (**byte**)
label: **WS7**

range: [1,8] units: 1
unique values: 3 missing .: 137/2,010

tabulation:	Freq.	Numeric	Label
	263	1	yes
	1,606	2	no
	4	8	dk
	137	.	

WS8

type: numeric (**byte**)
label: **WS8**

range: [1,6] units: 1
unique values: 4 missing .: 1,747/2,010

tabulation:	Freq.	Numeric	Label
	217	1	WATER NOT AVAILABLE FROM SOURCE
	1	2	WATER TOO EXPENSIVE
	35	3	SOURCE NOT ACCESSIBLE
	10	6	other
	1,747	.	

WS9

type: numeric (**byte**)
 label: **WS9**
 range: [1,2] units: **1**
 unique values: **2** missing .: **137/2,010**

tabulation:	Freq.	Numeric	Label
	420	1	yes
	1,453	2	no
	137	.	

WS10A

type: string (**str1**), but longest is str0
 unique values: **0** missing "": **2,010/2,010**

tabulation:	Freq.	Value
	2,010	" "

WS10B

type: string (**str1**)
 unique values: **1** missing "": **1,944/2,010**

tabulation:	Freq.	Value
	1,944	" "
	66	"B"

WS10C

type: string (**str1**)
 unique values: **1** missing "": **1,639/2,010**

tabulation:	Freq.	Value
	1,639	" "
	371	"C"

WS10D

type: string (**str1**)
 unique values: **1** missing "": **2,008/2,010**

```

tabulation:  Freq.  Value
              2,008  ""
              2    "D"

```

WS10E

```

type:  string (str1), but longest is str0
unique values:  0                               missing "":  2,010/2,010
tabulation:  Freq.  Value
              2,010  ""

```

WS10F

```

type:  string (str1)
unique values:  1                               missing "":  2,004/2,010
tabulation:  Freq.  Value
              2,004  ""
              6    "F"

```

WS10X

```

type:  string (str1), but longest is str0
unique values:  0                               missing "":  2,010/2,010
tabulation:  Freq.  Value
              2,010  ""

```

WS10Z

```

type:  string (str1), but longest is str0
unique values:  0                               missing "":  2,010/2,010
tabulation:  Freq.  Value
              2,010  ""

```

WS10NR

```

type:  string (str1), but longest is str0
unique values:  0                               missing "":  2,010/2,010
tabulation:  Freq.  Value
              2,010  ""

```

WS11

```

type:  numeric (byte)
label: WS11

```

range: [11,95] units: 1
 unique values: 7 missing .: 137/2,010

tabulation:	Freq.	Numeric	Label
	273	11	FLUSH / POUR FLUSH: FLUSH TO PIPED SEWER SYSTEM
	221	12	FLUSH / POUR FLUSH: FLUSH TO SEPTIC TANK
	69	13	FLUSH / POUR FLUSH: FLUSH TO PIT LATRINE
	41	21	PIT LATRINE: VENTILATED IMPROVED PIT LATRINE
	495	22	PIT LATRINE: PIT LATRINE WITH SLAB
	759	23	PIT LATRINE: PIT LATRINE WITHOUT SLAB / OPEN PIT
	15	95	NO FACILITY / BUSH / FIELD
	137	.	

WS12

type: numeric (byte)
 label: WS12

range: [1,8] units: 1
 unique values: 5 missing .: 425/2,010

tabulation:	Freq.	Numeric	Label
	221	1	YES, EMPTIED: WITHIN THE LAST 5 YEARS
	17	2	YES, EMPTIED: MORE THAN 5 YEARS AGO
	5	3	YES, EMPTIED: DON?T KNOW WHEN
	1,323	4	NO, NEVER EMPTIED
	19	8	dk
	425	.	

WS13

type: numeric (byte)
 label: WS13

range: [1,8] units: 1
 unique values: 7 missing .: 1,767/2,010

tabulation:	Freq.	Numeric	Label
	63	1	REMOVED BY SERVICE PROVIDER: TO A TREATMENT PLANT
	8	2	REMOVED BY SERVICE PROVIDER: BURIED IN A COVERED PIT
	127	3	REMOVED BY SERVICE PROVIDER: TO DON?T KNOW WHERE
	15	4	EMPTIED BY HOUSEHOLD: BURIED IN A COVERED PIT
	16	5	EMPTIED BY HOUSEHOLD: TO UNCOVERED PIT, OPEN GROUND, WATER BODY OR ELSEWHERE
	8	6	other
	6	8	dk
	1,767	.	

WS14

```

      type: numeric (byte)
      label: WS14

      range: [1,9]                units: 1
unique values: 4                missing .: 152/2,010

      tabulation: Freq.   Numeric   Label
                  227         1   IN OWN DWELLING
                  1,529       2   IN OWN YARD / PLOT
                   100         3   elsewhere
                   2         9   NO RESPONSE
                  152         .

```

WS15

```

      type: numeric (byte)
      label: WS15

      range: [1,2]                units: 1
unique values: 2                missing .: 152/2,010

      tabulation: Freq.   Numeric   Label
                  497         1   yes
                  1,361       2   no
                  152         .

```

WS16

```

      type: numeric (byte)
      label: WS16

      range: [1,2]                units: 1
unique values: 2                missing .: 1,513/2,010

      tabulation: Freq.   Numeric   Label
                  465         1   SHARED WITH KNOWN HOUSEHOLDS
                              (NOT PUBLIC)
                   32         2   SHARED WITH GENERAL PUBLIC
                  1,513       .

```

WS17

```

      type: numeric (byte)
      label: WS17

      range: [2,98]              units: 1
unique values: 10              missing .: 1,545/2,010

      examples: 5      Five
                .
                .
                .

```

HW1

```

      type: numeric (byte)
      label: HW1

      range: [1,6]
unique values: 6
units: 1
missing .: 137/2,010

      tabulation: Freq.   Numeric   Label
                   176         1   OBSERVED: FIXED FACILITY
                                OBSERVED (SINK / TAP) IN
                                DWELLING
                   220         2   OBSERVED: IN YARD /PLOT
      1,325         3   OBSERVED: MOBILE OBJECT OBSERVED
                                (BUCKET / JUG / KETTLE)
                   139         4   NOT OBSERVED: NO HANDWASHING
                                PLACE IN DWELLING / YARD / PLOT
                   7          5   NOT OBSERVED: NO PERMISSION TO
                                SEE
                   6          6   OTHER REASON
                   137         .

```

HW2

```

      type: numeric (byte)
      label: HW2

      range: [1,9]
unique values: 3
units: 1
missing .: 289/2,010

      tabulation: Freq.   Numeric   Label
                   802         1   WATER IS AVAILABLE
                   918         2   WATER IS NOT AVAILABLE
                   1          9   NO RESPONSE
                   289         .

```

HW3

```

      type: numeric (byte)
      label: HW3

      range: [1,2]
unique values: 2
units: 1
missing .: 289/2,010

      tabulation: Freq.   Numeric   Label
                   556         1   YES, PRESENT
                   1,165       2   NO, NOT PRESENT
                   289         .

```

HW4

```

      type: numeric (byte)
      label: HW4

      range: [3,4]
unique values: 2
units: 1
missing .: 2,003/2,010

```

tabulation:	Freq.	Numeric	Label
	6	3	MOBILE OBJECT (BUCKET / JUG / KETTLE)
	1	4	NO HANDWASHING PLACE IN DWELLING / YARD / PLOT
	2,003	.	

HW5

```

type: numeric (byte)
label: HW5

range: [1,2]          units: 1
unique values: 2      missing .: 693/2,010

tabulation: Freq.  Numeric  Label
             852      1      yes
             465      2      no
             693      .

```

HW6

```

type: numeric (byte)
label: HW6

range: [1,2]          units: 1
unique values: 2      missing .: 1,158/2,010

tabulation: Freq.  Numeric  Label
             673      1      YES, SHOWN
             179      2      NO, NOT SHOWN
             1,158    .

```

HW7A

```

type: string (str1)

unique values: 1      missing "": 952/2,010

tabulation: Freq.  Value
             952    ""
             1,058  "A"

```

HW7B

```

type: string (str1)

unique values: 1      missing "": 1,732/2,010

tabulation: Freq.  Value
             1,732  ""
             278   "B"

```

HW7C

```

type: string (str1)

```


unique values: 1 missing "": 1,998/2,010

tabulation: Freq. Value
 1,998 ""
 12 "C"

HW7NR

type: string (**str1**), but longest is str0

unique values: 0 missing "": 2,010/2,010

tabulation: Freq. Value
 2,010 ""

SA1

type: numeric (**byte**)
 label: **SA1**

range: [1,6] units: 1
 unique values: 5 missing .: 137/2,010

tabulation: Freq. Numeric Label
 478 1 SALT TESTED: 0 PPM (NO REACTION)
 680 2 SALT TESTED: BELOW 15 PPM
 (BETWEEN 0 AND 15 PPM)
 653 3 SALT TESTED: ABOVE 15 PPM (AT
 LEAST 15 PPM)
 51 4 SALT NOT TESTED: NO SALT IN THE
 HOUSE
 11 6 SALT NOT TESTED: OTHER REASON
 137 .

SA2

type: numeric (**byte**)
 label: **SA2**

range: [1,3] units: 1
 unique values: 3 missing .: 1,532/2,010

tabulation: Freq. Numeric Label
 349 1 SALT TESTED: 0 PPM (NO REACTION)
 95 2 SALT TESTED: BELOW 15 PPM
 (BETWEEN 0 AND 15 PPM)
 34 3 SALT TESTED: ABOVE 15 PPM (AT
 LEAST 15 PPM)
 1,532 .

WQ1

type: numeric (**int**)

range: [2,390] units: 1
 unique values: 71 missing .: 1,540/2,010

```

      mean:    201.747
    std. dev:  118.628

percentiles:      10%      25%      50%      75%      90%
                  30       88      217      310      362

```

WQ2

```

      type:  numeric (byte)

      range:  [0,21]
unique values: 22
      units:  1
missing ..:  1,540/2,010

      mean:    9.22979
    std. dev:  5.88214

percentiles:      10%      25%      50%      75%      90%
                  1       4       9      14      18

```

WQ3

```

      type:  numeric (byte)

      range:  [17,87]
unique values: 10
      units:  1
missing ..:  1,540/2,010

      mean:    52.1532
    std. dev:  23.2698

percentiles:      10%      25%      50%      75%      90%
                  27      27      47      77      87

```

WQ4

```

      type:  numeric (byte)

      range:  [0,86]
unique values: 41
      units:  1
missing ..:  1,540/2,010

      mean:    44.8872
    std. dev:  24.5323

percentiles:      10%      25%      50%      75%      90%
                  14      25      43      64      82

```

WQ5M

```

      type:  numeric (byte)

      range:  [1,4]
unique values: 4
      units:  1
missing ..:  1,540/2,010

      tabulation:  Freq.  Value
                   46     1
                   127    2
                   215    3
                    82     4
                   1,540   .

```

WQ5Y

```

      type:  numeric (int)

      range:  [2018,2018]          units:  1
unique values: 1                missing .:  1,540/2,010

      tabulation:  Freq.  Value
                   470   2018
                   1,540  .

```

WQ6

```

      type:  numeric (byte)
      label:  WQ6

      range:  [1,2]                units:  1
unique values: 2                missing .:  1,540/2,010

      tabulation:  Freq.  Numeric  Label
                   77       1   yes
                   393      2   no
                   1,540    .

```

WQ8

```

      type:  numeric (byte)
      label:  WQ8

      range:  [1,1]                units:  1
unique values: 1                missing .:  1,540/2,010

      tabulation:  Freq.  Numeric  Label
                   470       1  YES, PERMISSION IS GIVEN
                   1,540    .

```

WQ31

```

      type:  numeric (byte)
      label:  WQ31

      range:  [1,1]                units:  1
unique values: 1                missing .:  1,540/2,010

      tabulation:  Freq.  Numeric  Label
                   470       1  completed
                   1,540    .

```

WQ10H

```

      type:  numeric (byte)

      range:  [9,20]              units:  1
unique values: 12                missing .:  1,540/2,010

```

```

      mean:    13.8702
    std. dev:    2.78171

percentiles:      10%      25%      50%      75%      90%
                  11       12       13       16       18

```

WQ10M

```

      type:  numeric (byte)

      range:  [0,59]
unique values: 59
      units:  1
missing ..:  1,540/2,010

      mean:    30.166
    std. dev:    17.9102

percentiles:      10%      25%      50%      75%      90%
                  5       15       31       46      54.5

```

WQ23H

```

      type:  numeric (byte)

      range:  [9,21]
unique values: 13
      units:  1
missing ..:  1,540/2,010

      mean:    14.1213
    std. dev:    2.78516

percentiles:      10%      25%      50%      75%      90%
                  11       12       14       16       18

```

WQ23M

```

      type:  numeric (byte)

      range:  [0,59]
unique values: 59
      units:  1
missing ..:  1,540/2,010

      mean:    27.8511
    std. dev:    17.8084

percentiles:      10%      25%      50%      75%      90%
                  4       11       26       45       52

```

WQ11**A glass of**

```

      type:  numeric (byte)
      label:  WQ11

      range:  [1,1]
unique values: 1
      units:  1
missing ..:  1,540/2,010

      tabulation:  Freq.  Numeric  Label
                  470      1  yes
                  1,540      .

```

WQ12

```

      type: numeric (byte)
      label: WQ12

      range: [1,8]                      units: 1
unique values: 3                      missing .: 1,540/2,010

      tabulation: Freq.   Numeric   Label
                   7         1   DIRECT FROM SOURCE
                   445        2   COVERED CONTAINER
                   18         8   UNABLE TO OBSERVE
                   1,540        .

```

WQ13

```

      type: numeric (byte)

      range: [0,8]                      units: 1
unique values: 6                      missing .: 1,540/2,010

      tabulation: Freq.   Value
                   1       0
                   456      1
                   9       2
                   1       3
                   1       5
                   2       8
                   1,540    .

```

WQ14

```

      type: numeric (byte)
      label: WQ14

      range: [1,2]                      units: 1
unique values: 2                      missing .: 1,540/2,010

      tabulation: Freq.   Numeric   Label
                   94         1   yes
                   376        2   no
                   1,540        .

```

WQ15A

```

      type: string (str1), but longest is str0

unique values: 0                      missing "": 2,010/2,010

      tabulation: Freq.   Value
                   2,010    ""

```

WQ15B

```

      type: string (str1)

```

```

unique values:  1                               missing "":  2,002/2,010

  tabulation:  Freq.  Value
                2,002  ""
                 8    "B"

```

WQ15C

```

type:  string (str1)

unique values:  1                               missing "":  1,921/2,010

  tabulation:  Freq.  Value
                1,921  ""
                 89   "C"

```

WQ15D

```

type:  string (str1)

unique values:  1                               missing "":  2,009/2,010

  tabulation:  Freq.  Value
                2,009  ""
                 1    "D"

```

WQ15E

```

type:  string (str1), but longest is str0

unique values:  0                               missing "":  2,010/2,010

  tabulation:  Freq.  Value
                2,010  ""

```

WQ15F

```

type:  string (str1), but longest is str0

unique values:  0                               missing "":  2,010/2,010

  tabulation:  Freq.  Value
                2,010  ""

```

WQ15X

```

type:  string (str1), but longest is str0

unique values:  0                               missing "":  2,010/2,010

  tabulation:  Freq.  Value
                2,010  ""

```

WQ15Z

```

type: string (str1), but longest is str0
unique values: 0 missing "": 2,010/2,010
tabulation: Freq. Value
             2,010 ""

```

WQ15NR

```

type: string (str1), but longest is str0
unique values: 0 missing "": 2,010/2,010
tabulation: Freq. Value
             2,010 ""

```

WQ16

```

type: numeric (byte)
label: WQ16

range: [1,2] units: 1
unique values: 2 missing .: 1,540/2,010

tabulation: Freq. Numeric Label
             416      1 yes
             54      2 no
             1,540 .

```

WQ17

```

type: numeric (byte)
label: WQ17

range: [11,32] units: 1
unique values: 7 missing .: 1,956/2,010

tabulation: Freq. Numeric Label
             1      11 PIPED WATER : PIPED INTO
                    DWELLING
             6      12 PIPED WATER: PIPED TO YARD /
                    PLOT
             7      13 PIPED WATER: PIPED TO NEIGHBOUR
             9      14 PIPED WATER: PUBLIC TAP /
                    STANDPIPE
             6      21 TUBE WELL / BOREHOLE
             12     31 DUG WELL: PROTECTED WELL
             13     32 DUG WELL: UNPROTECTED WELL
             1,956 .

```

WQ18

```

type: numeric (byte)
label: WQ18

range: [1,4] units: 1
unique values: 3 missing .: 1,540/2,010

```

tabulation:	Freq.	Numeric	Label
	461	1	YES, SHOWN
	2	2	NO: WATER SOURCE WAS NOT FUNCTIONAL
	7	4	NO: UNABLE TO ACCESS SOURCE
	1,540	.	

WQ19

type: numeric (**byte**)
 label: **WQ19**

range: [1,2] units: 1
 unique values: 2 missing .: 1,549/2,010

tabulation:	Freq.	Numeric	Label
	455	1	SOURCE WATER COLLECTED
	6	2	SOURCE WATER NOT COLLECTED
	1,549	.	

WQ20

type: numeric (**byte**)
 label: **WQ20**

range: [1,2] units: 1
 unique values: 2 missing .: 1,540/2,010

tabulation:	Freq.	Numeric	Label
	78	1	yes
	392	2	no
	1,540	.	

WQ21

type: numeric (**byte**)
 label: **WQ21**

range: [1,1] units: 1
 unique values: 1 missing .: 1,932/2,010

tabulation:	Freq.	Numeric	Label
	78	1	BLANK WATER SAMPLE AVAILABLE
	1,932	.	

WQ24M

type: numeric (**byte**)

range: [1,4] units: 1
 unique values: 4 missing .: 1,540/2,010

tabulation:	Freq.	Value
	36	1
	134	2
	191	3
	109	4
	1,540	.

WQ24Y

```

      type:  numeric (int)
      range:  [2018,2018]
unique values: 1
      units:  1
      missing.: 1,540/2,010

      tabulation:  Freq.  Value
                   470   2018
                   1,540  .

```

WQ25H

```

      type:  numeric (byte)
      range:  [6,23]
unique values: 18
      units:  1
      missing.: 1,540/2,010

      mean:    14.4979
      std. dev: 4.81192

      percentiles:      10%      25%      50%      75%      90%
                       8         10         16         18         20

```

WQ25M

```

      type:  numeric (byte)
      range:  [0,59]
unique values: 58
      units:  1
      missing.: 1,540/2,010

      mean:    27.1787
      std. dev: 18.0288

      percentiles:      10%      25%      50%      75%      90%
                       4.5       11        26        45       50.5

```

WQ26

```

      type:  numeric (int)
      label:  WQ26, but 42 nonmissing values are not labeled

      range:  [0,101]
unique values: 43
      units:  1
      missing.: 1,540/2,010

      examples: 101   More than 100
                .
                .
                .

```

WQ27

```

      type:  numeric (int)
      label:  WQ27, but 32 nonmissing values are not labeled

```

```

      range: [0,998]
unique values: 34
      units: 1
      missing .: 1,555/2,010

      examples: 45
                .
                .
                .

```

WQ29

```

      type: numeric (int)
      label: WQ29, but 3 nonmissing values are not labeled

      range: [0,101]
unique values: 4
      units: 1
      missing .: 1,933/2,010

      tabulation: Freq.   Numeric   Label
                  73         0
                  1         1
                  1         2
                  2        101   More than 100
                1,933         .

```

hhsex

```

      type: numeric (byte)
      label: HHSEX

      range: [1,2]
unique values: 2
      units: 1
      missing .: 137/2,010

      tabulation: Freq.   Numeric   Label
                  1,514         1   Male
                  359         2   Female
                  137         .

```

wHH53

```

      type: numeric (byte)

      range: [0,15]
unique values: 14
      units: 1
      missing .: 138/2,010

      mean: 3.63996
      std. dev: 2.7861

      percentiles:      10%      25%      50%      75%      90%
                      1         2         3         5         7

```

wHH54

```

      type: numeric (byte)

      range: [0,22]
unique values: 10
      units: 1
      missing .: 1,256/2,010

      mean: 2.3634
      std. dev: 2.93272

```

percentiles:	10%	25%	50%	75%	90%
	1	1	2	3	4

wHH55

```

      type:  numeric (byte)
      range:  [0,14]
unique values: 13
      mean:   2.88652
      std. dev: 2.31378
      units:   1
missing .: 459/2,010

      percentiles:  10%    25%    50%    75%    90%
                    1      1      2      4      6

```

wHH56

```

      type:  numeric (byte)
      range:  [0,1]
unique values: 2
      units:   1
missing .: 278/2,010

      tabulation:  Freq.  Value
                   54      0
                   1,678    1
                   278      .

```

hhweight

```

      type:  numeric (double)
      range:  [.115486,3.99025]
unique values: 71
      mean:   .925459
      std. dev: .867233
      units:   1.000e-06
missing .: 137/2,010

      percentiles:  10%    25%    50%    75%    90%
                    .180824 .345588 .592361 1.13132 2.16579

```

wqhweight

```

      type:  numeric (double)
      range:  [.1169802,4.006548]
unique values: 70
      mean:   .909587
      std. dev: .873522
      units:   1.000e-10
missing .: 137/2,010

      percentiles:  10%    25%    50%    75%    90%
                    .183164 .349652 .535974 1.12759 2.15865

```

wqsweight

```

      type:  numeric (double)

      range:  [.11165055,4.2162847]          units:  1.000e-09
unique values: 70                          missing .: 137/2,010

      mean:   .938232
      std. dev: .923147

percentiles:      10%      25%      50%      75%      90%
                  .174819  .330466  .513551  1.39282  2.20127

```

ethnicity

```

      type:  numeric (byte)
      label:  ETHNICIT

      range:  [1,9]                      units:  1
unique values: 9                      missing .: 137/2,010

      tabulation:  Freq.   Numeric   Label
                  473       1   Mandinka
                  385       2   Wollof
                  438       3   Fula
                   98       4   Jola
                  203       5   Sarahule
                   48       6   Serere
                   18       7   Manjago
                   19       8   Creole/ aku marabout
                  191       9   Other
                  137       .

```

helevel

```

      type:  numeric (byte)
      label:  HELEVEL

      range:  [0,9]                      units:  1
unique values: 4                      missing .: 137/2,010

      tabulation:  Freq.   Numeric   Label
                  1,251     0   Pre-primary or none
                   175     1   Primary
                   439     2   Secondary +
                     8     9   DK/Missing
                   137     .

```

HH53

```

      type:  numeric (byte)

      range:  [0,15]                     units:  1
unique values: 14                     missing .: 137/2,010

      mean:   3.63801
      std. dev: 2.78662

percentiles:      10%      25%      50%      75%      90%
                  1        2        3        5        7

```

HH54**Number of man' questio**

```

      type:  numeric (byte)
      range:  [0,22]
unique values: 10
      mean:   .951415
      std. dev: 2.19174
percentiles:  10%    25%    50%    75%    90%
               0      0      0      1      3

```

HH50A

```

      type:  numeric (byte)
      range:  [0,22]
unique values: 11
      mean:   2.16765
      std. dev: 2.45943
percentiles:  10%    25%    50%    75%    90%
               0      1      2      3      5

```

HH55

```

      type:  numeric (byte)
      range:  [0,14]
unique values: 13
      mean:   2.39028
      std. dev: 2.37055
percentiles:  10%    25%    50%    75%    90%
               0      1      2      3      6

```

HH56

```

      type:  numeric (byte)
      range:  [0,1]
unique values: 2
      mean:   .
      std. dev: .
percentiles:  10%    25%    50%    75%    90%
               0      0      0      0      0

```

tabulation:	Freq.	Value
	195	0
	1,678	1
	137	.

test

```

      type:  numeric (int)

```

```

      range: [101,101]          units: 1
unique values: 1                missing .: 1,988/2,010

      tabulation: Freq. Value
                  22 101
                  1,988 .

```

hReligion

```

      type: numeric (byte)
      label: HC1A

      range: [1,2]              units: 1
unique values: 2                missing .: 137/2,010

      tabulation: Freq.   Numeric Label
                  1,834     1  islam
                   39      2  christianity
                   137      .

```

hNationality

```

      type: numeric (byte)
      label: HC1B

      range: [1,12]             units: 1
unique values: 9                missing .: 137/2,010

      tabulation: Freq.   Numeric Label
                  1,723     1  gambian
                   79      2  senegalese
                   51      3  guinean
                    5      4  BISSAU GUINEAN
                    7      5  malian
                    2      6  nigerian
                    3      7  SIERRA LEONEAN
                    2      8  mauritanian
                    1     12  OTHER AFRICAN
                   137      .

```

hLanguage

```

      type: numeric (byte)
      label: HC1C

      range: [1,96]             units: 1
unique values: 10              missing .: 287/2,010

      examples: 1    mandinka
                 2    wollof
                 3    fula
                 5    sarahule

```

hEthnic

```

      type: numeric (byte)
      label: HC2

```

```

      range: [1,96]
unique values: 10
      units: 1
missing ..: 287/2,010

examples: 1 mandinka
          2 wollof
          3 fula
          6 serere

```

persroomRatio of numbe

```

      type: numeric (float)

      range: [.53846157,12]
unique values: 110
      units: 1.000e-08
missing ..: 137/2,010

      mean: 2.44638
      std. dev: .970778

percentiles:      10%      25%      50%      75%      90%
                  1.5      1.8      2.3      3      3.5

```

floor_11

```

      type: numeric (byte)
label: floor_11

      range: [0,1]
unique values: 2
      units: 1
missing ..: 137/2,010

tabulation: Freq.   Numeric   Label
            1,637      0 Other materials
              236      1 Earth/Sand
              137      .

```

floor_32

```

      type: numeric (byte)
label: floor_32

      range: [0,1]
unique values: 2
      units: 1
missing ..: 137/2,010

tabulation: Freq.   Numeric   Label
            1,527      0 Other materials
              346      1 LINOLEUM
              137      .

```

floor_33

```

      type: numeric (byte)
label: floor_33

      range: [0,1]
unique values: 2
      units: 1
missing ..: 137/2,010

```

tabulation:	Freq.	Numeric	Label
	1,420	0	Other materials
	453	1	Ceramic tiles
	137	.	

floor_34

```

type: numeric (byte)
label: floor_34

range: [0,1]          units: 1
unique values: 2      missing ..: 137/2,010

tabulation: Freq.    Numeric  Label
             1,085      0      Other materials
             788        1      Cement
             137        .

```

roof_12

```

type: numeric (byte)
label: roof_12

range: [0,1]          units: 1
unique values: 2      missing ..: 137/2,010

tabulation: Freq.    Numeric  Label
             1,731      0      Other materials
             142        1      Thatch/Palm Leaf
             137        .

```

roof_31

```

type: numeric (byte)
label: roof_31

range: [0,1]          units: 1
unique values: 2      missing ..: 137/2,010

tabulation: Freq.    Numeric  Label
             248        0      Other materials
             1,625      1      Metal/Tin
             137        .

```

wall_27

```

type: numeric (byte)
label: wall_27

range: [0,1]          units: 1
unique values: 2      missing ..: 137/2,010

tabulation: Freq.    Numeric  Label
             1,409      0      Other materials
             464        1      Mud / Mud Bricks
             137        .

```

wall_31

```

      type: numeric (byte)
      label: wall_31

      range: [0,1]                units: 1
unique values: 2                missing .: 137/2,010

      tabulation: Freq.   Numeric   Label
                  610       0       Other materials
                  1,263     1       Cement
                  137       .

```

goods_B

```

      type: numeric (byte)
      label: goods_B

      range: [0,1]                units: 1
unique values: 2                missing .: 137/2,010

      tabulation: Freq.   Numeric   Label
                  459       0       No-Radio
                  1,414     1       Yes-Radio
                  137       .

```

goods_C

```

      type: numeric (byte)
      label: goods_C

      range: [0,1]                units: 1
unique values: 2                missing .: 137/2,010

      tabulation: Freq.   Numeric   Label
                  167       0       No-Bed
                  1,706     1       Yes-Bed
                  137       .

```

goods_D

```

      type: numeric (byte)
      label: goods_D

      range: [0,1]                units: 1
unique values: 2                missing .: 137/2,010

      tabulation: Freq.   Numeric   Label
                  1,113     0       No-Sofa
                  760       1       Yes-Sofa
                  137       .

```

goods_E

```

      type: numeric (byte)
      label: goods_E

```

range: [0,1] units: 1
 unique values: 2 missing .: 137/2,010

tabulation:	Freq.	Numeric	Label
	1,668	0	No-Dining Table
	205	1	Yes-Dining Table
	137	.	

goods_F

type: numeric (byte)
 label: goods_F

range: [0,1] units: 1
 unique values: 2 missing .: 137/2,010

tabulation:	Freq.	Numeric	Label
	864	0	No-Cupboard
	1,009	1	Yes-Cupboard
	137	.	

goods_G

type: numeric (byte)
 label: goods_G

range: [0,1] units: 1
 unique values: 2 missing .: 137/2,010

tabulation:	Freq.	Numeric	Label
	282	0	No-Mattress
	1,591	1	Yes-Matress
	137	.	

goods_H

type: numeric (byte)
 label: goods_H

range: [0,1] units: 1
 unique values: 2 missing .: 137/2,010

tabulation:	Freq.	Numeric	Label
	1,771	0	No-Generator
	102	1	Yes-Generator
	137	.	

goods_I

type: numeric (byte)
 label: goods_I

range: [0,1] units: 1
 unique values: 2 missing .: 137/2,010

tabulation:	Freq.	Numeric	Label
	1,495	0	No-Solar
	378	1	Yes-Solar
	137	.	

electric_1

type:	numeric (byte)		
label:	electric_1		
range:	[0,1]	units:	1
unique values:	2	missing .:	137/2,010
tabulation:	Freq.	Numeric	Label
	873	0	Other electric option
	1,000	1	Electricity-On Grid
	137	.	

electric_2

type:	numeric (byte)		
label:	electric_2		
range:	[0,1]	units:	1
unique values:	2	missing .:	137/2,010
tabulation:	Freq.	Numeric	Label
	1,708	0	Other electric option
	165	1	Electricity-Off Grid
	137	.	

electric_3

type:	numeric (byte)		
label:	electric_3		
range:	[0,1]	units:	1
unique values:	2	missing .:	137/2,010
tabulation:	Freq.	Numeric	Label
	1,165	0	Electricity on of off grid
	708	1	No electricity
	137	.	

machine_A

type:	numeric (byte)		
label:	machine_A		
range:	[0,1]	units:	1
unique values:	2	missing .:	137/2,010
tabulation:	Freq.	Numeric	Label
	877	0	No-Television
	996	1	Yes-Television
	137	.	

machine_B

```

      type: numeric (byte)
      label: machine_B

      range: [0,1]                      units: 1
unique values: 2                      missing .: 137/2,010

      tabulation: Freq.   Numeric   Label
                  1,095       0   No-Fridget
                   778       1   Yes-Fridge
                   137       .

```

machine_C

```

      type: numeric (byte)
      label: machine_C

      range: [0,1]                      units: 1
unique values: 2                      missing .: 137/2,010

      tabulation: Freq.   Numeric   Label
                  1,017       0   No-Fan
                   856       1   Yes-Fab
                   137       .

```

machine_D

```

      type: numeric (byte)
      label: machine_D

      range: [0,1]                      units: 1
unique values: 2                      missing .: 137/2,010

      tabulation: Freq.   Numeric   Label
                  1,807       0   No-Air Cond
                   66       1   Yes-Air Cond
                   137       .

```

machine_E

```

      type: numeric (byte)
      label: machine_E

      range: [0,1]                      units: 1
unique values: 2                      missing .: 137/2,010

      tabulation: Freq.   Numeric   Label
                  1,171       0   No-Satellite
                   702       1   Yes-Satellite
                   137       .

```

vehicle_A

```

      type: numeric (byte)
      label: vehicle_A

```

range: [0,1] units: 1
 unique values: 2 missing .: 137/2,010

tabulation:	Freq.	Numeric	Label
	781	0	No-Watch
	1,092	1	Yes-Watch
	137	.	

vehicle_B

type: numeric (byte)
 label: **vehicle_B**

range: [0,1] units: 1
 unique values: 2 missing .: 137/2,010

tabulation:	Freq.	Numeric	Label
	781	0	No-Bike
	1,092	1	Yes-Bike
	137	.	

vehicle_C

type: numeric (byte)
 label: **vehicle_C**

range: [0,1] units: 1
 unique values: 2 missing .: 137/2,010

tabulation:	Freq.	Numeric	Label
	781	0	No-Moto
	1,092	1	Yes-Moto
	137	.	

vehicle_D

type: numeric (byte)
 label: **vehicle_D**

range: [0,1] units: 1
 unique values: 2 missing .: 137/2,010

tabulation:	Freq.	Numeric	Label
	781	0	No-Cart
	1,092	1	Yes-Cart
	137	.	

vehicle_E

type: numeric (byte)
 label: **vehicle_E**

range: [0,1] units: 1
 unique values: 2 missing .: 137/2,010

tabulation:	Freq.	Numeric	Label
	781	0	No-Car
	1,092	1	Yes-Car
	137	.	

tech_1

type:	numeric (byte)	
label:	tech_1	
range:	[0,1]	units: 1
unique values:	2	missing .: 137/2,010

tabulation:	Freq.	Numeric	Label
	1,568	0	No-Computer
	305	1	Yes-Computer
	137	.	

tech_2

type:	numeric (byte)	
label:	tech_2	
range:	[0,1]	units: 1
unique values:	2	missing .: 137/2,010

tabulation:	Freq.	Numeric	Label
	36	0	No-Mobile phone
	1,837	1	Yes-Mobile phone
	137	.	

tech_3

type:	numeric (byte)	
label:	tech_3	
range:	[0,1]	units: 1
unique values:	2	missing .: 137/2,010

tabulation:	Freq.	Numeric	Label
	687	0	No-Internet
	1,186	1	Yes-Internet
	137	.	

land

type:	numeric (float)		
range:	[0,234.75011]	units: 1.000e-07	
unique values:	49	missing .: 137/2,010	
mean:	9.29034		
std. dev:	29.3436		
percentiles:	10% 0	25% 0	50% 0
		75% 6	90% 22.2642

cow

```

      type: numeric (byte)
      label: cow

      range: [0,1]                units: 1
unique values: 2                missing .: 137/2,010

      tabulation: Freq.   Numeric   Label
                  1,539       0   HH has No cows
                  334        1   HH has some cows
                  137         .

```

cattle

```

      type: numeric (byte)
      label: cattle

      range: [0,1]                units: 1
unique values: 2                missing .: 137/2,010

      tabulation: Freq.   Numeric   Label
                  1,561       0   HH has No cattle
                  312        1   HH has some cattle
                  137         .

```

horse

```

      type: numeric (byte)
      label: horse

      range: [0,1]                units: 1
unique values: 2                missing .: 137/2,010

      tabulation: Freq.   Numeric   Label
                  1,563       0   HH has No horses
                  310        1   HH has some horses
                  137         .

```

donkey

```

      type: numeric (byte)
      label: donkey

      range: [0,1]                units: 1
unique values: 2                missing .: 137/2,010

      tabulation: Freq.   Numeric   Label
                  1,247       0   HH has No donkey
                  626        1   HH has some donkeys
                  137         .

```

goat

```

      type: numeric (byte)
      label: goat

```

range: [0,1] units: 1
 unique values: 2 missing .: 137/2,010

tabulation:	Freq.	Numeric	Label
	1,065	0	HH has No goats
	808	1	HH has some goats
	137	.	

sheep

type: numeric (byte)
 label: **sheep**

range: [0,1] units: 1
 unique values: 2 missing .: 137/2,010

tabulation:	Freq.	Numeric	Label
	1,280	0	HH has No sheep
	593	1	HH has some sheep
	137	.	

chicken

type: numeric (byte)
 label: **chicken**

range: [0,2] units: 1
 unique values: 3 missing .: 137/2,010

tabulation:	Freq.	Numeric	Label
	866	0	HH has no chickens
	398	1	HH has 1 to 5 chickens
	609	2	HH has 6 or more chickens
	137	.	

bank

type: numeric (byte)
 label: **bank**

range: [0,1] units: 1
 unique values: 2 missing .: 137/2,010

tabulation:	Freq.	Numeric	Label
	1,078	0	No-Bank
	795	1	Yes-Bank
	137	.	

stove_7

type: numeric (byte)
 label: **stove_7**

range: [0,1] units: 1
 unique values: 2 missing .: 137/2,010

tabulation:	Freq.	Numeric	Label
	1,221	0	Other stove options
	652	1	MANUFACTURED SOLID FUEL STOVE
	137	.	

stove_9

type:	numeric (byte)		
label:	stove_9		
range:	[0,1]	units:	1
unique values:	2	missing ..	137/2,010

tabulation:	Freq.	Numeric	Label
	704	0	Other stove options
	1,169	1	THREE STONE STOVE / OPEN FIRE
	137	.	

stove_97

type:	numeric (byte)		
label:	stove_97		
range:	[0,1]	units:	1
unique values:	2	missing ..	137/2,010

tabulation:	Freq.	Numeric	Label
	1,868	0	Other stove options
	5	1	NO FOOD COOKED IN HOUSEHOLD
	137	.	

fuel_5

type:	numeric (byte)		
label:	fuel_5		
range:	[0,1]	units:	1
unique values:	2	missing ..	137/2,010

tabulation:	Freq.	Numeric	Label
	1,399	0	Other fuel options
	474	1	Charcoal
	137	.	

fuel_6

type:	numeric (byte)		
label:	fuel_6		
range:	[0,1]	units:	1
unique values:	2	missing ..	137/2,010

tabulation:	Freq.	Numeric	Label
	501	0	Other fuel options
	1,372	1	Wood
	137	.	

cookroom_2

```

      type: numeric (byte)
      label: cookroom_2

      range: [0,1]                units: 1
unique values: 2                missing .: 137/2,010

      tabulation: Freq.   Numeric   Label
                  1,641       0      Other cooking room options
                  232        1      IN MAIN HOUSE: IN A SEPARATE
                  137         .      ROOM

```

cookroom_3

```

      type: numeric (byte)
      label: cookroom_3

      range: [0,1]                units: 1
unique values: 2                missing .: 137/2,010

      tabulation: Freq.   Numeric   Label
                  638       0      Other cooking room options
                  1,235     1      IN A SEPARATE BUILDING
                  137         .

```

cookroom_4

```

      type: numeric (byte)
      label: cookroom_4

      range: [0,1]                units: 1
unique values: 2                missing .: 137/2,010

      tabulation: Freq.   Numeric   Label
                  1,684     0      Other cooking room options
                  189       1      OUTDOORS: OPEN AIR
                  137         .

```

cookroom_5

```

      type: numeric (byte)
      label: cookroom_5

      range: [0,1]                units: 1
unique values: 2                missing .: 137/2,010

      tabulation: Freq.   Numeric   Label
                  1,666     0      Other cooking room options
                  207       1      OUTDOORS: ON VERANDA OR COVERED
                  137         .      PORCH

```

light_1

```

      type: numeric (byte)
      label: light_1

      range: [0,1]                      units: 1
unique values: 2                      missing .: 137/2,010

      tabulation: Freq.   Numeric   Label
                   802       0       Other lighting options
                   1,071     1       Electricity
                   137       .

```

light_2

```

      type: numeric (byte)
      label: light_2

      range: [0,1]                      units: 1
unique values: 2                      missing .: 137/2,010

      tabulation: Freq.   Numeric   Label
                   1,674     0       Other lighting options
                   199       1       SOLAR LANTERN
                   137       .

```

light_4

```

      type: numeric (byte)
      label: light_4

      range: [0,1]                      units: 1
unique values: 2                      missing .: 137/2,010

      tabulation: Freq.   Numeric   Label
                   1,367     0       Other lighting options
                   506       1       Flashlight
                   137       .

```

light_13

```

      type: numeric (byte)
      label: light_13

      range: [0,1]                      units: 1
unique values: 2                      missing .: 137/2,010

      tabulation: Freq.   Numeric   Label
                   1,806     0       Other lighting options
                   67       1       Candle
                   137       .

```

water_11

```

      type: numeric (byte)
      label: water_11

      range: [0,1]                      units: 1
unique values: 2                      missing .: 137/2,010

```

tabulation:	Freq.	Numeric	Label
	1,800	0	Other water options
	73	1	PIPED WATER : PIPED INTO DWELLING
	137	.	

water_12

type:	numeric (byte)		
label:	water_12		
range:	[0,1]	units:	1
unique values:	2	missing .:	137/2,010
tabulation:	Freq.	Numeric	Label
	1,199	0	Other water options
	674	1	PIPED WATER: PIPED TO YARD / PLOT
	137	.	

water_13

type:	numeric (byte)		
label:	water_13		
range:	[0,1]	units:	1
unique values:	2	missing .:	137/2,010
tabulation:	Freq.	Numeric	Label
	1,751	0	Other water options
	122	1	PIPED WATER: PIPED TO NEIGHBOUR
	137	.	

water_14

type:	numeric (byte)		
label:	water_14		
range:	[0,1]	units:	1
unique values:	2	missing .:	137/2,010
tabulation:	Freq.	Numeric	Label
	1,322	0	Other water options
	551	1	PIPED WATER: PUBLIC TAP / STANDPIPE
	137	.	

water_21

type:	numeric (byte)		
label:	water_21		
range:	[0,1]	units:	1
unique values:	2	missing .:	137/2,010

tabulation:	Freq.	Numeric	Label
	1,689	0	Other water options
	184	1	TUBE WELL / BOREHOLE
	137	.	

water_32

type:	numeric (byte)
label:	water_32
range:	[0,1]
unique values:	2
units:	1
missing .:	137/2,010

tabulation:	Freq.	Numeric	Label
	1,606	0	Other water options
	267	1	Dug Well: Protected and un protected
	137	.	

watloc_1

type:	numeric (byte)
label:	watloc_1
range:	[0,1]
unique values:	2
units:	1
missing .:	137/2,010

tabulation:	Freq.	Numeric	Label
	1,068	0	Other water options
	805	1	Water in own dwelling or yard or plot
	137	.	

watloc_2**RECODE**

type:	numeric (byte)
label:	watloc_2
range:	[0,1]
unique values:	2
units:	1
missing .:	137/2,010

tabulation:	Freq.	Numeric	Label
	959	0	Water in plot or more than 30 mins away
	914	1	Water less than 30 minutes away
	137	.	

watloc_3**RECODE**

type:	numeric (byte)
label:	watloc_3
range:	[0,1]
unique values:	2
units:	1
missing .:	137/2,010

tabulation:	Freq.	Numeric	Label
	1,718	0	Water in plot or less than 30 mins away
	155	1	Water more than 30 minutes away
	137	.	

watinsuff

RECODE of WS7 (There

type:	numeric (byte)		
label:	watinsuff		
range:	[0,1]	units:	1
unique values:	2	missing .:	137/2,010
tabulation:	Freq.	Numeric	Label
	1,610	0	No-Sufficient water
	263	1	Yes-Insufficient Water
	137	.	

toilet_11

type:	numeric (byte)		
label:	toilet_11		
range:	[0,1]	units:	1
unique values:	2	missing .:	137/2,010
tabulation:	Freq.	Numeric	Label
	1,379	0	Other toilet options
	494	1	FLUSH / POUR FLUSH: FLUSH TO PIPED SEWEEr of Septic Tank
	137	.	

toilet_22

type:	numeric (byte)		
label:	toilet_22		
range:	[0,1]	units:	1
unique values:	2	missing .:	137/2,010
tabulation:	Freq.	Numeric	Label
	1,337	0	Other toilet options
	536	1	VIP or PIT LATRINE: PIT LATRINE WITH SLAB
	137	.	

toilet_23

type:	numeric (byte)		
label:	toilet_23		
range:	[0,1]	units:	1
unique values:	2	missing .:	137/2,010

tabulation:	Freq.	Numeric	Label
	1,114	0	Other toilet options
	759	1	PIT LATRINE: PIT LATRINE WITHOUT SLAB
	137	.	

toiletloc_1

type:	numeric (byte)
label:	toiletloc_1
range:	[0,1]
unique values:	2
units:	1
missing .:	137/2,010

tabulation:	Freq.	Numeric	Label
	1,646	0	Other location options
	227	1	In own dwelling
	137	.	

toiletloc_2

type:	numeric (byte)
label:	toiletloc_2
range:	[0,1]
unique values:	2
units:	1
missing .:	137/2,010

tabulation:	Freq.	Numeric	Label
	344	0	Other location options
	1,529	1	In yark plot
	137	.	

toiletloc_3

type:	numeric (byte)
label:	toiletloc_3
range:	[0,1]
unique values:	2
units:	1
missing .:	137/2,010

tabulation:	Freq.	Numeric	Label
	1,771	0	Other location options
	102	1	elsewhere
	137	.	

latshare

type:	numeric (byte)
label:	latshare
range:	[0,1]
unique values:	2
units:	1
missing .:	137/2,010

tabulation:	Freq.	Numeric	Label
	1,376	0	No-shared toilet
	497	1	Yes-shared toilet
	137	.	

hSanitation

```

      type: numeric (float)
      label: label_hSanitation

      range: [0,1]                      units: 1
unique values: 2                      missing .: 137/2,010

      tabulation: Freq.   Numeric   Label
                  1,057       0     Not Adeq
                   816       1     Adequate
                   137       .

```

handwash

RE

```

      type: numeric (byte)
      label: handwash, but 1 nonmissing value is not labeled

      range: [0,9]                      units: 1
unique values: 3                      missing .: 137/2,010

      tabulation: Freq.   Numeric   Label
                  1,070       0     No-H2O not at handwash
                   802       1     Yes-H2O at handwash
                     1       9
                   137       .

```

h_weight

```

      type: numeric (double)

      range: [.05486972,5.3957701]      units: 1.000e-10
unique values: 71                      missing .: 137/2,010

      mean: 1.00924
      std. dev: 1.12193

      percentiles:      10%      25%      50%      75%      90%
                   .110334 .382962 .579287 1.17442 2.48758

```

merge_mics_hh

```

      type: numeric (byte)
      label: _merge

      range: [3,3]                      units: 1
unique values: 1                      missing .: 137/2,010

      tabulation: Freq.   Numeric   Label
                  1,873       3     matched (3)
                   137       .

```

Child_or_Woman

```

      type: string (str1)

```


unique values: 1 missing "": 577/2,010

tabulation: Freq. Value
577 ""
1,433 "W"

fer

type: numeric (**double**)

range: [1.285,240.75] units: .0001
unique values: 1,311 missing .: 577/2,010

mean: 34.9525
std. dev: 33.2187

percentiles: 10% 25% 50% 75% 90%
6.26 11.02 23.5 47.655 83.77

fer_flag

type: string (**str1**)

unique values: 1 missing "": 2,008/2,010

tabulation: Freq. Value
2,008 ""
2 "#"

stfr

type: numeric (**double**)

range: [2.575,60] units: .001
unique values: 1,015 missing .: 577/2,010

mean: 8.24619
std. dev: 5.9536

percentiles: 10% 25% 50% 75% 90%
4.575 5.335 6.49 8.455 13.935

stfr_flag

type: string (**str1**)

unique values: 1 missing "": 2,000/2,010

tabulation: Freq. Value
2,000 ""
10 "#"

bis

type: numeric (**double**)

crp

```

      type:  numeric (double)

      range:  [.005,82.56]          units:  .0001
unique values: 743                missing .:  577/2,010

      mean:   3.00113
      std. dev: 7.54034

percentiles:      10%      25%      50%      75%      90%
                  .16      .315     .765     2.275     6.845

```

agp

```

      type:  numeric (double)

      range:  [.215,2.6]          units:  .001
unique values: 286                missing .:  577/2,010

      mean:   .686713
      std. dev: .257922

percentiles:      10%      25%      50%      75%      90%
                  .43      .515     .63      .79      1.01

```

agp_flag

```

      type:  string (str1)

unique values: 1                missing "":  1,982/2,010

      tabulation:  Freq.  Value
                  1,982  ""
                   28  "#"

```

SAMPLE_ID

```

      type:  string (str1)

unique values: 1                missing "":  701/2,010

      tabulation:  Freq.  Value
                  701  ""
                 1,309  "W"

```

PLATE__

```

      type:  string (str8)

unique values: 18                missing "":  701/2,010

      examples:  ""
                  "PLATE 10"
                  "PLATE 15"
                  "PLATE 4"

```

warning: variable has embedded blanks

POS_NEG

```

type: string (str8)
unique values: 1 missing "": 1,935/2,010
tabulation: Freq. Value
             1,935 ""
             75  "POSITIVE"

```

wMolecular

```

type: numeric (byte)
label: label_wMolecular
range: [0,1] units: 1
unique values: 2 missing .: 701/2,010
tabulation: Freq. Numeric Label
             1,234      0 No
             75      1 Yes Malaria
             701      .

```

location

```

type: string (str9)
unique values: 5 missing "": 701/2,010
tabulation: Freq. Value
             701 ""
             360 "BASSE"
             483 "FAJARA"
             264 "FARAFENNI"
             166 "KENEBA"
             36  "UNKNOWN"

```

Number

```

type: numeric (int)
range: [1,195] units: 1
unique values: 195 missing .: 599/2,010
mean: 80.0503
std. dev: 50.3918
percentiles: 10% 25% 50% 75% 90%
              15  36  76  120 152

```

UIC_1

```

type: string (str30)

```

unique values: **1,346** missing "": **599/2,010**

examples: ""
"131.72"
"217.93"
"418.22"

warning: variable has embedded and trailing blanks

UIC_2

type: string (**str30**)

unique values: **1,344** missing "": **599/2,010**

examples: ""
"131.97"
"218.32"
"42.49"

warning: variable has embedded and trailing blanks

UIC_mean

type: numeric (**double**)

range: **[2.5867212,1072.4398]** units: **1.000e-08**

unique values: **1,399** missing .: **605/2,010**

mean: **168.042**

std. dev: **123.149**

percentiles: 10% 25% 50% 75% 90%

44.2902 80.1643 139.846 226.62 332.219

Notes

type: string (**str5**)

unique values: **1** missing "": **2,009/2,010**

tabulation: Freq. Value

2,009	" "
1	"ugL-1"

wUIC

type: numeric (**double**)

range: **[2.5867212,1072.4398]** units: **1.000e-08**

unique values: **1,399** missing .: **605/2,010**

mean: **168.042**

std. dev: **123.149**

percentiles: 10% 25% 50% 75% 90%

44.2902 80.1643 139.846 226.62 332.219

wUICsqr

```

      type:  numeric (float)

      range:  [1.6083287,32.748127]      units:  1.000e-07
unique values: 1,399                    missing .:  605/2,010

      mean:   12.1513
      std. dev: 4.51682

percentiles:      10%      25%      50%      75%      90%
                  6.65509  8.95345  11.8257  15.0539  18.2269

```

wFoodGrp1

```

      type:  numeric (float)

      range:  [0,1]                      units:  1
unique values: 2                          missing .:  141/2,010

      tabulation:  Freq.  Value
                  232    0
                  1,637  1
                   141    .

```

wFoodGrp2

```

      type:  numeric (float)

      range:  [0,1]                      units:  1
unique values: 2                          missing .:  141/2,010

      tabulation:  Freq.  Value
                  1,340    0
                   529    1
                   141    .

```

wFoodGrp3

```

      type:  numeric (float)

      range:  [0,1]                      units:  1
unique values: 2                          missing .:  144/2,010

      tabulation:  Freq.  Value
                  773    0
                 1,093    1
                  144    .

```

wFoodGrp4

```

      type:  numeric (float)

      range:  [0,1]                      units:  1
unique values: 2                          missing .:  149/2,010

```

```

tabulation:  Freq.  Value
              875    0
              986    1
              149    .

```

wFoodGrp5

```

type:  numeric (float)

range:  [0,1]          units:  1
unique values:  2      missing .:  141/2,010

tabulation:  Freq.  Value
              105    0
            1,764    1
             141    .

```

wFoodGrp6

```

type:  numeric (float)

range:  [0,1]          units:  1
unique values:  2      missing .:  147/2,010

tabulation:  Freq.  Value
            1,650    0
             213    1
             147    .

```

wFoodGrp7

```

type:  numeric (float)

range:  [0,1]          units:  1
unique values:  2      missing .:  140/2,010

tabulation:  Freq.  Value
            1,125    0
             745    1
             140    .

```

wFoodGrp8

```

type:  numeric (float)

range:  [0,1]          units:  1
unique values:  2      missing .:  148/2,010

tabulation:  Freq.  Value
             722    0
            1,140    1
             148    .

```

wFoodGrp9

```

type:  numeric (float)

```

range: [0,1] units: 1
 unique values: 2 missing .: 142/2,010

tabulation: Freq. Value
 290 0
 1,578 1
 142 .

wFoodGrp10

type: numeric (float)

range: [0,1] units: 1
 unique values: 2 missing .: 141/2,010

tabulation: Freq. Value
 1,533 0
 336 1
 141 .

wFoodGrpScore

type: numeric (float)

range: [0,10] units: 1
 unique values: 11 missing .: 171/2,010

mean: 5.36977
 std. dev: 1.61005

percentiles:	10%	25%	50%	75%	90%
	3	4	5	6	7

wFoodGrp5plus

type: numeric (float)
 label: wFoodGrp5plus

range: [1,2] units: 1
 unique values: 2 missing .: 171/2,010

tabulation:	Freq.	Numeric	Label
	536	1	0-4 food groups
	1,303	2	>=5 groups
	171	.	

wFoodGrpCat

type: numeric (float)
 label: wFoodGrpCat

range: [0,4] units: 1
 unique values: 5 missing .: 171/2,010

tabulation:	Freq.	Numeric	Label
	1	0	0 food groups
	59	1	1-2 food groups
	476	2	3-4 food groups
	869	3	5-6 food groups
	434	4	>=7 groups
	171	.	

wPreg

type:	numeric (byte)		
label:	wPreg		
range:	[0,1]		units: 1
unique values:	2		missing .: 137/2,010
tabulation:	Freq.	Numeric	Label
	1,715	0	No
	158	1	Yes
	137	.	

wHeardAnemia

type:	numeric (byte)		
label:	wHeardAnemia		
range:	[0,1]		units: 1
unique values:	2		missing .: 138/2,010
tabulation:	Freq.	Numeric	Label
	139	0	No
	1,733	1	Yes
	138	.	

wAnemCauses_Iron

type:	numeric (float)		
label:	label_wAnemCauses_YN		
range:	[0,1]		units: 1
unique values:	2		missing .: 137/2,010
tabulation:	Freq.	Numeric	Label
	800	0	No
	1,073	1	Yes
	137	.	

wAnemCauses_Infect

type:	numeric (float)		
label:	label_wAnemCauses_YN		
range:	[0,1]		units: 1
unique values:	2		missing .: 137/2,010

tabulation:	Freq.	Numeric	Label
	1,232	0	No
	641	1	Yes
	137	.	

wAnemCauses_Menstr

type:	numeric (float)		
label:	label_wAnemCauses_YN		
range:	[0,1]	units:	1
unique values:	2	missing .:	137/2,010
tabulation:	Freq.	Numeric	Label
	1,771	0	No
	102	1	Yes
	137	.	

wAnemCauses_Other

type:	numeric (float)		
label:	label_wAnemCauses_YN		
range:	[0,1]	units:	1
unique values:	2	missing .:	137/2,010
tabulation:	Freq.	Numeric	Label
	1,753	0	No
	120	1	Yes
	137	.	

wAnemCauses_DK

type:	numeric (float)		
label:	label_wAnemCauses_YN		
range:	[0,1]	units:	1
unique values:	2	missing .:	137/2,010
tabulation:	Freq.	Numeric	Label
	1,444	0	No
	429	1	Yes
	137	.	

wAnemPrev_IronFood

type:	numeric (float)		
label:	label_wAnemCauses_YN		
range:	[0,1]	units:	1
unique values:	2	missing .:	137/2,010
tabulation:	Freq.	Numeric	Label
	704	0	No
	1,169	1	Yes
	137	.	

wAnemPrev_VitC

```

      type: numeric (float)
      label: label_wAnemCauses_YN

      range: [0,1]
unique values: 2
                        units: 1
                        missing .: 137/2,010

      tabulation: Freq.   Numeric   Label
                  1,277         0    No
                   596         1    Yes
                   137         .

```

wAnemPrev_IronSupp

```

      type: numeric (float)
      label: label_wAnemCauses_YN

      range: [0,1]
unique values: 2
                        units: 1
                        missing .: 137/2,010

      tabulation: Freq.   Numeric   Label
                  1,441         0    No
                   432         1    Yes
                   137         .

```

wAnemPrev_TreatInfect

```

      type: numeric (float)
      label: label_wAnemCauses_YN

      range: [0,1]
unique values: 2
                        units: 1
                        missing .: 137/2,010

      tabulation: Freq.   Numeric   Label
                  1,609         0    No
                   264         1    Yes
                   137         .

```

wAnemPrev_Other

```

      type: numeric (float)
      label: label_wAnemCauses_YN

      range: [0,1]
unique values: 2
                        units: 1
                        missing .: 137/2,010

      tabulation: Freq.   Numeric   Label
                  1,809         0    No
                   64         1    Yes
                   137         .

```

wAnemPrev_DK

```

      type: numeric (float)
      label: label_wAnemCauses_YN

```

range: [0,1] units: 1
 unique values: 2 missing .: 137/2,010

tabulation:	Freq.	Numeric	Label
	1,594	0	No
	279	1	Yes
	137	.	

wDrinkTeaYN

type: numeric (byte)
 label: wDrinkTeaYN

range: [0,1] units: 1
 unique values: 2 missing .: 138/2,010

tabulation:	Freq.	Numeric	Label
	347	0	No
	1,525	1	Yes
	138	.	

wDrinkTeaFreq

How often do you usual

type: numeric (byte)
 label: NKAQ5

range: [1,8] units: 1
 unique values: 4 missing .: 485/2,010

tabulation:	Freq.	Numeric	Label
	986	1	Once a day
	512	2	2-3 times per day
	21	3	>3 times per day
	6	8	Don't know
	485	.	

wFortOil

type: numeric (float)
 label: label_wYNDK, but 1 nonmissing value is not labeled

range: [1,9] units: 1
 unique values: 3 missing .: 140/2,010

tabulation:	Freq.	Numeric	Label
	161	1	Yes
	1,678	2	
	31	9	DK
	140	.	

wFortOil_PrevBlind

type: numeric (float)
 label: label_wAnemCauses_YN

range: [0,1] units: 1
 unique values: 2 missing .: 137/2,010

tabulation:	Freq.	Numeric	Label
	1,858	0	No
	15	1	Yes
	137	.	

wFortOil_RedMort

type:	numeric (float)		
label:	label_wAnemCauses_YN		
range:	[0,1]	units:	1
unique values:	2	missing .:	137/2,010
tabulation:	Freq.	Numeric	Label
	1,859	0	No
	14	1	Yes
	137	.	

wFortOil_PrevVitDef

type:	numeric (float)		
label:	label_wAnemCauses_YN		
range:	[0,1]	units:	1
unique values:	2	missing .:	137/2,010
tabulation:	Freq.	Numeric	Label
	1,849	0	No
	24	1	Yes
	137	.	

wFortOil_ImprHealth

type:	numeric (float)		
label:	label_wAnemCauses_YN		
range:	[0,1]	units:	1
unique values:	2	missing .:	137/2,010
tabulation:	Freq.	Numeric	Label
	1,762	0	No
	111	1	Yes
	137	.	

wFortOil_Other

type:	numeric (float)		
label:	label_wAnemCauses_YN		
range:	[0,1]	units:	1
unique values:	2	missing .:	137/2,010
tabulation:	Freq.	Numeric	Label
	1,870	0	No
	3	1	Yes
	137	.	

wFortOil_DK

```

      type: numeric (float)
      label: label_wAnemCauses_YN

      range: [0,1]
unique values: 2
                        units: 1
                        missing .: 137/2,010

      tabulation: Freq.   Numeric   Label
                   1,849       0      No
                   24         1      Yes
                   137         .

```

wFvoPreferBuy**Do you prefer purchasi**

```

      type: numeric (byte)
      label: FF3

      range: [1,9]
unique values: 3
                        units: 1
                        missing .: 1,849/2,010

      tabulation: Freq.   Numeric   Label
                   132       1      Yes
                   23       2      No
                   6        9      Don?t know
                   1,849       .

```

wEnrichi

```

      type: numeric (byte)
      label: FF4

      range: [1,9]
unique values: 3
                        units: 1
                        missing .: 140/2,010

      tabulation: Freq.   Numeric   Label
                   79       1      Yes
                   1,781     2      No
                   10       9      Don?t know
                   140       .

```

wFortFlour**Have you heard about**

```

      type: numeric (byte)
      label: FF5

      range: [1,9]
unique values: 3
                        units: 1
                        missing .: 140/2,010

      tabulation: Freq.   Numeric   Label
                   45       1      Yes
                   1,804     2      No
                   21       9      Don?t know
                   140       .

```

wFF_GivesBlood

```

      type: numeric (float)
      label: label_wAnemCauses_YN

      range: [0,1]
      unique values: 2

      units: 1
      missing .: 137/2,010

      tabulation: Freq.    Numeric    Label
                   1,864        0      No
                     9         1      Yes
                   137         .

```

wFF_Anemia

```

      type: numeric (float)
      label: label_wAnemCauses_YN

      range: [0,1]
      unique values: 2

      units: 1
      missing .: 137/2,010

      tabulation: Freq.    Numeric    Label
                   1,866        0      No
                     7         1      Yes
                   137         .

```

wFF_Mort

```

      type: numeric (float)
      label: label_wAnemCauses_YN

      range: [0,1]
      unique values: 2

      units: 1
      missing .: 137/2,010

      tabulation: Freq.    Numeric    Label
                   1,869        0      No
                     4         1      Yes
                   137         .

```

wFF_ImpHealth

```

      type: numeric (float)
      label: label_wAnemCauses_YN

      range: [0,1]
      unique values: 2

      units: 1
      missing .: 137/2,010

      tabulation: Freq.    Numeric    Label
                   1,839        0      No
                     34         1      Yes
                   137         .

```

wFF_School

```

      type: numeric (float)
      label: label_wAnemCauses_YN

      range: [0,0]
      unique values: 1

      units: 1
      missing .: 137/2,010

```

tabulation:	Freq.	Numeric	Label
	1,873	0	No
	137	.	

wFF_Work

```

type: numeric (float)
label: label_wAnemCauses_YN

range: [0,1]
unique values: 2
units: 1
missing .: 137/2,010

tabulation: Freq.    Numeric    Label
             1,871         0      No
              2           1      Yes
             137           .

```

wFF_Other

```

type: numeric (float)
label: label_wAnemCauses_YN

range: [0,1]
unique values: 2
units: 1
missing .: 137/2,010

tabulation: Freq.    Numeric    Label
             1,871         0      No
              2           1      Yes
             137           .

```

wFF_DK

```

type: numeric (float)
label: label_wAnemCauses_YN

range: [0,1]
unique values: 2
units: 1
missing .: 137/2,010

tabulation: Freq.    Numeric    Label
             1,866         0      No
              7           1      Yes
             137           .

```

wWorkVigorousYN

Does your work involve

```

type: numeric (byte)
label: PA1

range: [1,9]
unique values: 3
units: 1
missing .: 140/2,010

tabulation: Freq.    Numeric    Label
             280         1      Yes
            1,585         2      No
              5          9    Don?t know
             140           .

```


wWorkVigorousDays

In a typical week, on

```

type: numeric (byte)
label: PA2, but 7 nonmissing values are not labeled

range: [1,7]                units: 1
unique values: 7            missing .: 1,730/2,010

tabulation: Freq.    Numeric    Label
             13         1
             29         2
             32         3
             13         4
             10         5
             21         6
             162        7
            1,730        .

```

wWorkVigorousMinsPerWeek

```

type: numeric (float)

range: [0,3360]            units: 1
unique values: 40          missing .: 147/2,010

mean: 132.797
std. dev: 437.332

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      420

```

wActive

```

type: numeric (float)
label: wActive

range: [0,1]                units: 1
unique values: 2            missing .: 147/2,010

tabulation: Freq.    Numeric    Label
             1,627      0    Not Active
             236        1    Active
             147        .

```

wWorkVigorousHours

```

type: numeric (float)

range: [.16666667,9]        units: 1.000e-08
unique values: 18           missing .: 1,732/2,010

mean: 2.53597
std. dev: 1.92256

percentiles:    10%    25%    50%    75%    90%
                .5      1      2      4      5

```

wWalkWork

Do y

```

      type: numeric (byte)
      label: PA4

      range: [1,3]          units: 1
unique values: 3          missing .: 140/2,010

      tabulation: Freq.   Numeric   Label
                  1,826       1      Yes
                   41        2      No
                   3         3  Unable to walk or bike
                  140         .

```

wWeekdaySit

How ma

```

      type: numeric (byte)
      label: PA5, but 21 nonmissing values are not labeled

      range: [0,24]          units: 1
unique values: 21          missing .: 140/2,010

      examples: 3
                 4
                 6
                 8

```

wWeekendSit

How ma

```

      type: numeric (byte)
      label: PA6, but 22 nonmissing values are not labeled

      range: [0,24]          units: 1
unique values: 22          missing .: 140/2,010

      examples: 3
                 5
                 7
                 9

```

diffweight

```

      type: numeric (float)

      range: [-900, .40000916]    units: 1.000e-09
unique values: 22          missing .: 328/2,010

      mean:  -.536385
      std. dev: 21.9448

      percentiles:      10%      25%      50%      75%      90%
                     -.099998      0      0      0      .099998

```

wWeightKg

```

      type: numeric (float)

```

range:	[9.9,163.8]	units:	1.000e-06
unique values:	767	missing .:	357/2,010
mean:	60.8316		
std. dev:	14.8407		
percentiles:	10%	25%	50%
	45.75	50.3	57.5
			75%
			68.1
			90%
			80.5

diffheight

type:	numeric (float)			
range:	[-300,146]	units:	1.000e-09	
unique values:	35	missing .:	328/2,010	
mean:	-.339774			
std. dev:	11.0605			
percentiles:	10%	25%	50%	75%
	-.100006	0	0	0
				90%
				.100006

diffheight2

type:	numeric (float)			
range:	[-10,6]	units:	1.000e-09	
unique values:	25	missing .:	339/2,010	
mean:	-.001736			
std. dev:	.373481			
percentiles:	10%	25%	50%	75%
	-.100006	0	0	0
				90%
				.100006

wHeightCm

type:	numeric (float)			
range:	[9.9,181.14999]	units:	.00001	
unique values:	528	missing .:	358/2,010	
mean:	162.242			
std. dev:	7.5931			
percentiles:	10%	25%	50%	75%
	154.3	158.1	162.2	166.65
				90%
				170.5

wHeightM

type:	numeric (float)		
range:	[.099,1.8115]	units:	1.000e-07
unique values:	528	missing .:	358/2,010
mean:	1.62242		
std. dev:	.075931		

percentiles:	10%	25%	50%	75%	90%
	1.543	1.581	1.622	1.6665	1.705

wBMI

```

      type: numeric (float)
      range: [12.7147,58.505188]      units: 1.000e-06
unique values: 1,646      missing .: 359/2,010

      mean: 23.0941
      std. dev: 5.46764

percentiles:      10%      25%      50%      75%      90%
                  17.6172  19.321  21.7777  25.6705  30.3083

```

wBMICat

```

      type: numeric (float)
      label: wBMICat

      range: [1,6]      units: 1
unique values: 6      missing .: 359/2,010

      tabulation: Freq.   Numeric   Label
                  33        1   severe undernutrition
                  67        2   moderate undernutrition
                  179       3   at risk
                  907       4   Normal
                  292       5   Overweight
                  173       6   Obese
                  359       .

```

wBMICat3

```

      type: numeric (float)
      label: wBMICat3

      range: [1,3]      units: 1
unique values: 3      missing .: 359/2,010

      tabulation: Freq.   Numeric   Label
                  279        1   underweight [<18.5]
                  907        2   Normal
                  465        3   OW & Obese
                  359        .

```

wBMICat4

```

      type: numeric (float)
      label: wBMICat4

      range: [1,4]      units: 1
unique values: 4      missing .: 359/2,010

```

tabulation:	Freq.	Numeric	Label
	279	1	underweight [<18.5]
	907	2	Normal
	292	3	OverWeight
	173	4	Obese
	359	.	

wOWObese

type: numeric (**float**)
 label: **wOWObese**
 range: [0,1] units: 1
 unique values: 2 missing .: 359/2,010

tabulation:	Freq.	Numeric	Label
	1,186	0	Underweight or Normal
	465	1	OverW or Obese
	359	.	

wBMIUW

type: numeric (**float**)
 label: **wBMIUW**
 range: [0,1] units: 1
 unique values: 2 missing .: 359/2,010

tabulation:	Freq.	Numeric	Label
	1,372	0	Norm,OW,Obese
	279	1	Underweight
	359	.	

wOverweight

type: numeric (**float**)
 label: **wOverweight**
 range: [0,1] units: 1
 unique values: 2 missing .: 532/2,010

tabulation:	Freq.	Numeric	Label
	1,186	0	UW/Normal
	292	1	Overweight
	532	.	

diffMUAC

type: numeric (**float**)
 range: [-4,63.300003] units: 1.000e-09
 unique values: 14 missing .: 1,855/2,010
 mean: .425806
 std. dev: 5.14663

percentiles:	10%	25%	50%	75%	90%
	-.1	-.099998	0	0	0

wMUAC

```

      type: numeric (float)
      range: [21,37]
unique values: 96
      units: 1.000e-06
      missing .: 1,890/2,010

      mean: 26.6321
      std. dev: 3.36161

percentiles:      10%      25%      50%      75%      90%
                  23.3      24.25      26      28.075      31.7

```

wMUACUnderNut

```

      type: numeric (float)
      label: wMUACUnderNut

      range: [0,1]
unique values: 2
      units: 1
      missing .: 1,890/2,010

      tabulation: Freq.   Numeric   Label
                  111         0   Normal
                   9         1   Undernourished
                 1,890         .

```

wHypertension

```

      type: numeric (float)
      label: label_wHypertension

      range: [0,1]
unique values: 2
      units: 1
      missing .: 169/2,010

      tabulation: Freq.   Numeric   Label
                  1,434         0   Normal blood pressure
                   407         1   Hypertension
                   169         .

```

wMalariaRDTCat

```

      type: numeric (byte)
      label: BS4

      range: [0,9]
unique values: 4
      units: 1
      missing .: 173/2,010

      tabulation: Freq.   Numeric   Label
                  1,539         0   Negative (after 15 minutes)
                   3         1   P. f positive
                   1         3   P. f and Pan positive
                   294         9   Not done
                   173         .

```

wMalariaRDTYN

```

      type: numeric (byte)
      label: wMalariaRDTYN

      range: [0,9]
      unique values: 3

                        units: 1
                        missing .: 173/2,010

      tabulation: Freq.   Numeric   Label
                   1,539      0   Negative
                   4         1   Malaria Positive
                   294      9   Test not done
                   173      .

```

wMalariaYN

```

      type: numeric (byte)
      label: wMalariaYN

      range: [0,1]
      unique values: 2

                        units: 1
                        missing .: 467/2,010

      tabulation: Freq.   Numeric   Label
                   1,539      0   Negative
                   4         1   Malaria Positive
                   467      .

```

wHb

```

      type: numeric (float)

      range: [46,168]
      unique values: 94

                        units: 1
                        missing .: 447/2,010

      mean: 117.445
      std. dev: 15.2444

      percentiles:      10%      25%      50%      75%      90%
                       98       109      119      128      135

```

wAnemiaCat

```

      type: numeric (float)
      label: wAnemiaCat

      range: [1,4]
      unique values: 4

                        units: 1
                        missing .: 447/2,010

      tabulation: Freq.   Numeric   Label
                   21      1   Severe
                   365     2   Moderate
                   397     3   Mild
                   780     4   Adequate
                   447     .

```

wAnemiaYN

```

      type: numeric (float)
      label: wAnemiaYN

```

range: [0,1] units: 1
 unique values: 2 missing .: 447/2,010

tabulation:	Freq.	Numeric	Label
	780	0	Non anemic
	783	1	Anemic
	447	.	

wAnemiaSev

type: numeric (float)
 label: **wAnemiaSev**

range: [0,1] units: 1
 unique values: 2 missing .: 447/2,010

tabulation:	Freq.	Numeric	Label
	1,542	0	Mod/Mild/Norm Anem
	21	1	Severe Anem
	447	.	

wAnemiaMod

type: numeric (float)
 label: **wAnemiaMod**

range: [0,1] units: 1
 unique values: 2 missing .: 447/2,010

tabulation:	Freq.	Numeric	Label
	1,198	0	sev/Mild/Norm Anem
	365	1	Mod Anem
	447	.	

wAnemiaMild

type: numeric (float)
 label: **wAnemiaMild**

range: [0,1] units: 1
 unique values: 2 missing .: 447/2,010

tabulation:	Freq.	Numeric	Label
	1,166	0	sev/mod/Norm Anem
	397	1	Mild Anem
	447	.	

wAnemia125YN

type: numeric (float)
 label: **wAnemia125YN**

range: [0,1] units: 1
 unique values: 2 missing .: 580/2,010

tabulation:	Freq.	Numeric	Label
	506	0	Non-anem >=125g/L
	924	1	Anem <125g/L
	580	.	

wAnemia115YN

```

type: numeric (float)
label: wAnemia115YN

range: [0,1]          units: 1
unique values: 2      missing ..: 1,877/2,010

tabulation: Freq.    Numeric  Label
              38        0    Non-anem >=115g/L
              95        1    Anem <115g/L
            1,877        .

```

wHypergly7p0YN

```

type: numeric (float)
label: wHypergly7p0YN

range: [0,1]          units: 1
unique values: 2      missing ..: 603/2,010

tabulation: Freq.    Numeric  Label
              1,333        0    Normal HbA1c
              74          1    High HbA1c
              603          .

```

wHypergly6p5YN

```

type: numeric (float)
label: wHypergly6p5YN

range: [0,1]          units: 1
unique values: 2      missing ..: 603/2,010

tabulation: Freq.    Numeric  Label
              1,268        0    Normal HbA1c
              139          1    High HbA1c
              603          .

```

wHyperglyCat

```

type: numeric (float)
label: wHyperglyCat

range: [0,2]          units: 1
unique values: 3      missing ..: 603/2,010

tabulation: Freq.    Numeric  Label
              642        0    Normal HbA1c
              626        1    Intermed Hyperglyc
              139        2    Hyperglyc
              603        .

```

wHyperglycemiaYN

```

      type: numeric (float)
      label: wHyperglycemiaYN

      range: [0,1]                      units: 1
unique values: 2                      missing .. 603/2,010

      tabulation: Freq.   Numeric   Label
                  1,268         0   Normal HbA1c <6.5%
                  139          1   Hyperglyc >6.5%
                  603          .

```

wIntHyperglycemiaYN

```

      type: numeric (float)
      label: wIntHyperglycemiaYN

      range: [0,1]                      units: 1
unique values: 2                      missing .. 603/2,010

      tabulation: Freq.   Numeric   Label
                  781         0   Normal HbA1c <5.7%
                  626         1   Intermed Hyperglyc
                  603         .

```

wIntFullHyperglycemiaYN

```

      type: numeric (float)
      label: wIntFullHyperglycemiaYN

      range: [0,1]                      units: 1
unique values: 2                      missing .. 603/2,010

      tabulation: Freq.   Numeric   Label
                  642         0   Normal HbA1c <5.7%
                  765         1   Int and Full Hyperglyc >5.7%
                  603         .

```

wCRPHigh

```

      type: numeric (float)
      label: label_crp

      range: [0,1]                      units: 1
unique values: 2                      missing .. 577/2,010

      tabulation: Freq.   Numeric   Label
                  1,239         0   Normal CRP
                  194          1   Elevated CRP
                  577          .

```

wAGPHigh

```

      type: numeric (float)
      label: label_agp

```

range: [0,1] units: 1
unique values: 2 missing .: 577/2,010

tabulation:	Freq.	Numeric	Label
	1,285	0	Normal AGP
	148	1	Elevated AGP
	577	.	

wInflamCat

type: numeric (float)
label: label_inflamgrp

range: [0,3] units: 1
unique values: 4 missing .: 577/2,010

tabulation:	Freq.	Numeric	Label
	1,177	0	None
	108	1	Incubation
	86	2	Early convalescent
	62	3	Late convalescent
	577	.	

wInflamYN

type: numeric (float)
label: label_inflamYN

range: [0,1] units: 1
unique values: 2 missing .: 577/2,010

tabulation:	Freq.	Numeric	Label
	1,177	0	None
	256	1	Any inflammation
	577	.	

wFER

type: numeric (double)

range: [1.285,240.75] units: .0001
unique values: 1,311 missing .: 577/2,010

mean: 34.9525
std. dev: 33.2187

percentiles:	10%	25%	50%	75%	90%
	6.26	11.02	23.5	47.655	83.77

wRBP

type: numeric (double)

range: [.36,7.055] units: 1.000e-07
unique values: 574 missing .: 577/2,010

mean: 1.31418
std. dev: .495576

percentiles:	10%	25%	50%	75%	90%
	.86	1.0425	1.2125	1.445	1.865

wCRP

type:	numeric (double)				
range:	[.005,82.56]		units:	.0001	
unique values:	743		missing .:	577/2,010	
mean:	3.00113				
std. dev:	7.54034				
percentiles:	10%	25%	50%	75%	90%
	.16	.315	.765	2.275	6.845

wAGP

type:	numeric (double)				
range:	[.215,2.6]		units:	.001	
unique values:	286		missing .:	577/2,010	
mean:	.686713				
std. dev:	.257922				
percentiles:	10%	25%	50%	75%	90%
	.43	.515	.63	.79	1.01

LogFerritin

type:	numeric (float)				
range:	[.25075871,5.4837589]		units:	1.000e-08	
unique values:	1,296		missing .:	577/2,010	
mean:	3.12925				
std. dev:	.958018				
percentiles:	10%	25%	50%	75%	90%
	1.83418	2.39971	3.157	3.86399	4.42807

LogRBP

type:	numeric (float)				
range:	[-1.0216513,1.9537365]		units:	1.000e-10	
unique values:	509		missing .:	577/2,010	
mean:	.218142				
std. dev:	.321176				
percentiles:	10%	25%	50%	75%	90%
	-.150823	.041622	.192684	.368109	.623261

LogCRP

```

type: numeric (float)

range: [-5.2983174, 4.4135251]      units: 1.000e-10
unique values: 669                  missing .: 577/2,010

mean: -.099568
std. dev: 1.44948

percentiles:      10%      25%      50%      75%      90%
                 -1.83258 -1.15518 -.267879 .82198  1.92352

```

LogAGP

```

type: numeric (float)

range: [-1.5371172, .95551145]      units: 1.000e-10
unique values: 224                  missing .: 577/2,010

mean: -.435209
std. dev: .33686

percentiles:      10%      25%      50%      75%      90%
                 -.84397 -.663588 -.462035 -.235722 .00995

```

_logcrpcoeffSF

```

type: numeric (float)

range: [.1430461, .1430461]          units: 1
unique values: 1                    missing .: 137/2,010

tabulation: Freq. Value
             1,873 .1430461
              137 .

```

_logagpcoeffSF

```

type: numeric (float)

range: [.26785547, .26785547]        units: 1
unique values: 1                    missing .: 137/2,010

tabulation: Freq. Value
             1,873 .26785547
              137 .

```

LogFerAdj

```

type: numeric (float)

range: [.10874718, 5.1060114]        units: 1.000e-09
unique values: 1,431                  missing .: 577/2,010

mean: 2.80881
std. dev: .920808

percentiles:      10%      25%      50%      75%      90%
                 1.59806  2.09278  2.84437  3.52339  3.99939

```

FerAdj

```

      type:  numeric (float)

      range:  [1.1148804,165.01088]      units:  1.000e-07
unique values: 1,431                    missing .:  577/2,010

      mean:    24.71
      std. dev: 23.1589

percentiles:      10%      25%      50%      75%      90%
                  4.94342  8.10741  17.1907  33.899  54.565

```

wID_Brinda

Iron Defi

```

      type:  numeric (float)
      label:  label_wID

      range:  [0,1]      units:  1
unique values: 2        missing .:  577/2,010

      tabulation:  Freq.   Numeric   Label
                   786       0      Normal
                   647       1      Iron Def
                   577       .

```

wIDA_Brinda

Iron Deficiency Anemia

```

      type:  numeric (float)
      label:  label_wIDA_Brinda

      range:  [0,1]      units:  1
unique values: 2        missing .:  588/2,010

      tabulation:  Freq.   Numeric   Label
                   979       0      No IDA
                   443       1      IDA
                   588       .

```

wID_NoAdj

```

      type:  numeric (float)
      label:  label_wID

      range:  [0,1]      units:  1
unique values: 2        missing .:  577/2,010

      tabulation:  Freq.   Numeric   Label
                   926       0      Normal
                   507       1      Iron Def
                   577       .

```

wFerrAdjThurn

```

      type:  numeric (float)

```

```

      range: [1.285,192]          units: 1.000e-07
unique values: 1,319             missing .: 577/2,010

      mean: 31.1451
      std. dev: 29.2969

percentiles:      10%      25%      50%      75%      90%
                  5.88      10.04      21.545      42.54      71.955

```

wID_Thurn

```

      type: numeric (float)
      label: label_wID

      range: [0,1]                units: 1
unique values: 2                  missing .: 577/2,010

tabulation: Freq.   Numeric   Label
              885         0   Normal
              548         1   Iron Def
              577         .

```

wIDA_Thurn**Iron Deficiency Anemia**

```

      type: numeric (float)
      label: label_wIDA_Thurn

      range: [0,1]                units: 1
unique values: 2                  missing .: 540/2,010

tabulation: Freq.   Numeric   Label
              1,070         0   No IDA
              400          1   IDA
              540          .

```

wVAD_NoAdj

```

      type: numeric (float)
      label: label_wVAD

      range: [0,1]                units: 1
unique values: 2                  missing .: 577/2,010

tabulation: Freq.   Numeric   Label
              1,388         0   Normal
              45          1   Vit A Def
              577          .

```

wRBPAdjThurn**Thurnh**

```

      type: numeric (float)

      range: [.36000001,7.1841064] units: 1.000e-08
unique values: 682             missing .: 577/2,010

      mean: 1.30971
      std. dev: .491124

```

percentiles:	10%	25%	50%	75%	90%
	.8575	1.035	1.2125	1.4425	1.865

wVAD_Thurn

VAD with

```

type: numeric (float)
label: label_wVAD

range: [0,1]
unique values: 2
units: 1
missing .: 577/2,010

tabulation: Freq.   Numeric   Label
              1,388         0   Normal
                45         1   Vit A Def
                577         .

```

wSTFR

```

type: numeric (float)

range: [2.575,60]
unique values: 944
units: .001
missing .: 577/2,010

mean: 8.24619
std. dev: 5.9536

percentiles:      10%      25%      50%      75%      90%
                  4.575    5.335    6.49     8.455    13.935

```

wIDstFR

```

type: numeric (float)
label: label_wIDstFR

range: [0,1]
unique values: 2
units: 1
missing .: 577/2,010

tabulation: Freq.   Numeric   Label
              1,054         0   Normal
                379         1   Iron Deficiency-sTFR
                577         .

```

wweightconstant

```

type: numeric (float)

range: [1,1]
unique values: 1
units: 1
missing .: 137/2,010

tabulation: Freq.   Value
              1,873    1
               137    .

```

StratumNat1

```

type: numeric (float)

```



```

      range: [1,1]
unique values: 1
      units: 1
missing .: 137/2,010

      tabulation: Freq. Value
                  1,873 1
                  137 .

```

urban

```

      type: numeric (byte)
      label: urban

      range: [0,1]
unique values: 2
      units: 1
missing .: 137/2,010

      tabulation: Freq.   Numeric   Label
                  877       0   Rural
                  996       1   urban
                  137       .

```

rural

```

      type: numeric (byte)
      label: rural

      range: [0,1]
unique values: 2
      units: 1
missing .: 137/2,010

      tabulation: Freq.   Numeric   Label
                  996       0   urban
                  877       1   Rural
                  137       .

```

wBMISev

```

      type: numeric (float)
      label: wBMISev

      range: [0,1]
unique values: 2
      units: 1
missing .: 359/2,010

      tabulation: Freq.   Numeric   Label
                  1,618       0   Other
                   33       1   Severe under
                  359       .

```

wBMIObese

```

      type: numeric (float)
      label: wBMIObese

      range: [0,1]
unique values: 2
      units: 1
missing .: 359/2,010

      tabulation: Freq.   Numeric   Label
                  1,478       0   Other
                   173       1   Obese
                  359       .

```

wVAI_NoAdj

```

      type: numeric (float)
      label: label_wVAI

      range: [0,1]                      units: 1
unique values: 2                      missing .. 577/2,010

      tabulation: Freq.   Numeric   Label
                  1,053       0      Normal
                  380        1      Vit A Insuff
                  577        .

```

hWealthscoreNATL

```

      type: numeric (float)

      range: [-6.4964385, 7.1343732]    units: 1.000e-10
unique values: 1,003                  missing .. 7/2,010

      mean: -.139271
      std. dev: 3.74779

      percentiles:      10%      25%      50%      75%      90%
                     -4.69138 -3.41213 -.561171 3.10764 5.31226

```

hWealthscoreURBAN

```

      type: numeric (float)

      range: [-7.7721605, 5.780767]    units: 1.000e-09
unique values: 593                  missing .. 914/2,010

      mean: .23895
      std. dev: 3.17317

      percentiles:      10%      25%      50%      75%      90%
                     -4.4 -2.12275 .516471 2.90621 4.39154

```

hWealthscoreRURAL

```

      type: numeric (float)

      range: [-5.5805626, 7.1811428]    units: 1.000e-10
unique values: 409                  missing .. 1,103/2,010

      mean: .718055
      std. dev: 3.00255

      percentiles:      10%      25%      50%      75%      90%
                     -3.00315 -1.58094 .432701 2.92172 5.33397

```

hWealthscoreCOMBINED

Combined urban-rural w

```

      type: numeric (float)

```

```

      range: [-6.6480064,7.454895]      units: 1.000e-10
unique values: 1,002                  missing .: 7/2,010

      mean: .007535
      std. dev: 3.65324

percentiles:      10%      25%      50%      75%      90%
                 -4.50427 -3.15336 -.420658 3.13894 5.36935

```

hWealthquintile

```

      type: numeric (float)

      range: [1,5]                  units: 1
unique values: 5                  missing .: 7/2,010

tabulation:  Freq.  Value
              507    1
              403    2
              357    3
              317    4
              419    5
               7     .

```

```

3 . log close
   name: <unnamed>
   log:  C:\Users\JWirth\Dropbox\GroundWork-Corporate\Projects\3_UNICEF\3.12_Gambia\UNICEF_Gam
> _Woman_data_Codebook.smcl
   log type: smcl
closed on: 15 Sep 2025, 15:30:28

```
