



User: Sierra Leone Child Codebook
Project: Provided by GroundWork to VMD Proxy Project

```
name: <unnamed>
log: C:\Users\JWirth\Dropbox\GroundWork-Corporate\Projects\5_WHO\5.01 WHO Sierra Leone\WHO
> Leone_Child_data_Codebook.smcl
log type: smcl
opened on: 2 Oct 2025, 15:10:38
```

```
1 . set more off
```

```
2 . codebook
```

HHCode

```
type: string (str5)
unique values: 530 missing "": 0/532
examples: "H0302"
           "H0599"
           "H0931"
           "H1149"
```

ChildCode

```
type: string (str5)
unique values: 531 missing "": 0/532
examples: "C0248"
           "C0451"
           "C0729"
           "C0990"
```

cClusterNumb

```
type: numeric (byte)
range: [1,60] units: 1
unique values: 60 missing .: 0/532
mean: 27.5
std. dev: 16.8969
percentiles: 10% 25% 50% 75% 90%
              6 13 25 41 53
```

cHHNumb

```
type: numeric (byte)
range: [1,25] units: 1
unique values: 25 missing .: 0/532
mean: 12.5545
std. dev: 6.73991
percentiles: 10% 25% 50% 75% 90%
              3 7 12.5 18 22
```

cChildNumb

```

      type:  numeric (byte)
      range:  [2,22]
unique values: 20
                        units:  1
                        missing .: 0/532

      mean:   6.35338
      std. dev: 3.38423

percentiles:           10%      25%      50%      75%      90%
                      3         4         5.5         8         11

```

cInterNumb

```

      type:  numeric (byte)
      range:  [2,40]
unique values: 18
                        units:  1
                        missing .: 0/532

      mean:   19.797
      std. dev: 12.8504

percentiles:           10%      25%      50%      75%      90%
                      3         8        20        31        39

```

cMotherNumb

```

      type:  numeric (byte)
      range:  [0,30]
unique values: 16
                        units:  1
                        missing .: 0/532

      mean:   3.16165
      std. dev: 2.76993

percentiles:           10%      25%      50%      75%      90%
                      1         2         2         3         7

```

cFinalResult

```

      type:  numeric (byte)
      label:  labels0

      range:  [1,4]
unique values: 3
                        units:  1
                        missing .: 0/532

      tabulation:  Freq.   Numeric   Label
                   530         1   Completed
                   1         2   Interview no blood
                   1         4   Child not at home

```

cOtherResult

```

      type:  string (str1), but longest is str0

```

unique values: 0 missing "": 532/532

tabulation: Freq. Value
532 ""

cStartPermission

type: numeric (**byte**)

range: [1,1] units: 1
unique values: 1 missing .: 0/532

tabulation: Freq. Value
532 1

cSex

type: numeric (**byte**)
label: **labels1**

range: [1,2] units: 1
unique values: 2 missing .: 0/532

tabulation:	Freq.	Numeric	Label
	261	1	Male
	271	2	Female

cDOBMonth

type: numeric (**byte**)

range: [1,12] units: 1
unique values: 12 missing .: 131/532

mean: 6.26933
std. dev: 3.62523

percentiles:	10%	25%	50%	75%	90%
	2	3	6	10	11

cDOBYear

type: numeric (**int**)

range: [2008,2013] units: 1
unique values: 6 missing .: 131/532

tabulation:	Freq.	Value
	7	2008
	51	2009
	86	2010
	79	2011
	113	2012
	65	2013
	131	.

cAgeCalcDays

```

      type:  numeric (int)

      range:  [187,1815]          units:  1
unique values: 358              missing .: 131/532

      mean:   851.187
      std. dev: 466.07

percentiles:      10%      25%      50%      75%      90%
                  275      419      777      1280     1495

```

cAgeCalc

```

      type:  numeric (double)

      range:  [6.1437372,59.63039] units:  1.000e-08
unique values: 358              missing .: 131/532

      mean:   27.9651
      std. dev: 15.3123

percentiles:      10%      25%      50%      75%      90%
                  9.03491  13.7659  25.5277  42.0534  49.117

```

cAgeRpt

```

      type:  numeric (byte)

      range:  [1,59]          units:  1
unique values: 55              missing .: 0/532

      mean:   28.7782
      std. dev: 15.3644

percentiles:      10%      25%      50%      75%      90%
                  9        15        27        42        50

```

cWeighedBirthYN

```

      type:  numeric (byte)
      label:  labels2

      range:  [1,9]          units:  1
unique values: 3              missing .: 0/532

      tabulation:  Freq.   Numeric   Label
                  370       1       Yes
                  119       2       No
                   43       9       Unk

```

cBW

```

      type:  numeric (double)

```

```

      range: [1.4,8]
unique values: 41
      units: .001
      missing .: 321/532

      mean: 3.40849
      std. dev: .871488

percentiles:      10%      25%      50%      75%      90%
                  2.5        3        3.2        3.7        4.3

```

cBWSource

```

      type: numeric (byte)
      label: labels3

      range: [1,2]
unique values: 2
      units: 1
      missing .: 162/532

tabulation: Freq.   Numeric   Label
             184         1   Card
             186         2   Recall
             162         .

```

cRespBioMother

```

      type: numeric (byte)

      range: [1,2]
unique values: 2
      units: 1
      missing .: 0/532

tabulation: Freq.   Value
             459     1
             73      2

```

cRespBioMotherNumb

```

      type: numeric (byte)

      range: [0,30]
unique values: 16
      units: 1
      missing .: 73/532

      mean: 3.18301
      std. dev: 2.76307

percentiles:      10%      25%      50%      75%      90%
                  1        2        2        3        6

```

cBioMotherinHH

```

      type: numeric (byte)

      range: [1,2]
unique values: 2
      units: 1
      missing .: 358/532

tabulation: Freq.   Value
             126     1
             48      2
             358     .

```

cBioMotherinHHNumb

```

      type:  numeric (byte)
      range:  [1,21]
unique values: 13
      mean:   3.28571
      std. dev: 2.81952
percentiles:  10%    25%    50%    75%    90%
               2      2      2      3      6

```

cBioMotherAlive

```

      type:  numeric (byte)
      range:  [1,9]
unique values: 3
      units:  1
missing .:  0/532
tabulation:  Freq.  Value
              174    1
               6     2
              352    9

```

cFatherAlive

```

      type:  numeric (byte)
      range:  [1,9]
unique values: 3
      units:  1
missing .:  0/532
tabulation:  Freq.  Value
              514    1
               12    2
               6     9

```

cDiar

```

      type:  numeric (byte)
      label:  labels4
      range:  [1,2]
unique values: 2
      units:  1
missing .:  1/532
tabulation:  Freq.  Numeric  Label
              162      1    Yes
              369      2    No
               1       .

```

cDiarBlood

```

      type:  numeric (byte)
      label:  labels4

```

range: [1,2] units: 1
 unique values: 2 missing .: 371/532

tabulation:	Freq.	Numeric	Label
	33	1	Yes
	128	2	No
	371	.	

cFever

type: numeric (byte)
 label: labels4

range: [1,2] units: 1
 unique values: 2 missing .: 3/532

tabulation:	Freq.	Numeric	Label
	393	1	Yes
	136	2	No
	3	.	

cMalariaTest

type: numeric (byte)
 label: labels5

range: [1,2] units: 1
 unique values: 2 missing .: 147/532

tabulation:	Freq.	Numeric	Label
	194	1	Yes
	191	2	No
	147	.	

cMalariaTestPos

type: numeric (byte)
 label: labels6

range: [1,2] units: 1
 unique values: 2 missing .: 340/532

tabulation:	Freq.	Numeric	Label
	166	1	Positive
	26	2	Negative
	340	.	

cCough

type: numeric (byte)
 label: labels4

range: [1,2] units: 1
 unique values: 2 missing .: 2/532

tabulation:	Freq.	Numeric	Label
	329	1	Yes
	201	2	No
	2	.	

cFastBreath

type:	numeric (byte)		
label:	labels4		
range:	[1,2]	units:	1
unique values:	2	missing .:	204/532
tabulation:	Freq.	Numeric	Label
	221	1	Yes
	107	2	No
	204	.	

cFastBreathProb

type:	numeric (byte)		
label:	labels4 , but 2 nonmissing values are not labeled		
range:	[1,8]	units:	1
unique values:	4	missing .:	313/532
tabulation:	Freq.	Numeric	Label
	22	1	Yes
	142	2	No
	52	3	
	3	8	
	313	.	

cFastBreathOth

type:	numeric (byte)		
range:	[.,.]	units:	.
unique values:	0	missing .:	532/532
tabulation:	Freq.	Value	
	532	.	

cBFEver

type:	numeric (byte)		
range:	[1,9]	units:	1
unique values:	3	missing .:	304/532
tabulation:	Freq.	Value	
	212	1	
	11	2	
	5	9	
	304	.	

cBFEarly

```

      type:  numeric (byte)
      range:  [0,23]
unique values: 10
      units:  1
missing .:  344/532

      mean:   1.30319
      std. dev: 2.37379

percentiles:      10%      25%      50%      75%      90%
                  0        0        1        2        3

```

cBFEarlyUnit

```

      type:  numeric (byte)
      range:  [0,2]
unique values: 3
      units:  1
missing .:  345/532

tabulation:  Freq.  Value
              90    0
              84    1
              13    2
             345    .

```

cBFStill

```

      type:  numeric (byte)
      range:  [1,2]
unique values: 2
      units:  1
missing .:  320/532

tabulation:  Freq.  Value
              160    1
               52    2
              320    .

```

cBFYest

```

      type:  numeric (byte)
      label:  labels7
      range:  [1,2]
unique values: 2
      units:  1
missing .:  382/532

tabulation:  Freq.  Numeric  Label
              146      1    Yes
               4       2    No
              382      .

```

cBFothWay

```

      type:  numeric (byte)

```

range: [1,2] units: 1
 unique values: 2 missing .: 372/532

tabulation: Freq. Value
 29 1
 131 2
 372 .

cWater

type: numeric (byte)
 range: [1,9] units: 1
 unique values: 3 missing .: 304/532

tabulation: Freq. Value
 189 1
 33 2
 6 9
 304 .

cFormula

type: numeric (byte)
 range: [1,9] units: 1
 unique values: 3 missing .: 304/532

tabulation: Freq. Value
 28 1
 194 2
 6 9
 304 .

cFormulaTimes

type: numeric (byte)
 range: [1,9] units: 1
 unique values: 5 missing .: 504/532

tabulation: Freq. Value
 3 1
 10 2
 10 3
 1 4
 4 9
 504 .

cMilk

type: numeric (byte)
 range: [1,9] units: 1
 unique values: 3 missing .: 304/532

```

tabulation:  Freq.  Value
              24    1
              197    2
               7    9
              304    .

```

cMilkTimes

```

type:  numeric (byte)

range:  [1,9]          units:  1
unique values:  7      missing .:  508/532

tabulation:  Freq.  Value
              6    1
              7    2
               1    3
               2    4
               2    5
               1    8
               5    9
              508    .

```

cJuice

```

type:  numeric (byte)

range:  [1,9]          units:  1
unique values:  3      missing .:  304/532

tabulation:  Freq.  Value
              21    1
              200    2
               7    9
              304    .

```

cBroth

```

type:  numeric (byte)

range:  [1,9]          units:  1
unique values:  3      missing .:  304/532

tabulation:  Freq.  Value
              21    1
              200    2
               7    9
              304    .

```

cPorridge

```

type:  numeric (byte)

range:  [1,9]          units:  1
unique values:  3      missing .:  304/532

```

tabulation:	Freq.	Value
	78	1
	143	2
	7	9
	304	.

cTea

type:	numeric (byte)		
range:	[1,9]	units:	1
unique values:	3	missing .:	304/532
tabulation:	Freq.	Value	
	37	1	
	184	2	
	7	9	
	304	.	

cVits

type:	numeric (byte)		
range:	[1,9]	units:	1
unique values:	3	missing .:	304/532
tabulation:	Freq.	Value	
	66	1	
	154	2	
	8	9	
	304	.	

cORS

type:	numeric (byte)		
range:	[1,9]	units:	1
unique values:	3	missing .:	304/532
tabulation:	Freq.	Value	
	44	1	
	177	2	
	7	9	
	304	.	

cOthLiquids

type:	numeric (byte)		
range:	[1,9]	units:	1
unique values:	3	missing .:	304/532
tabulation:	Freq.	Value	
	17	1	
	200	2	
	11	9	
	304	.	

cGrain

```

      type:  numeric (byte)

      range:  [1,9]
unique values: 3
      units:  1
missing .:  304/532

      tabulation:  Freq.  Value
                   143    1
                   79    2
                   6     9
                   304    .

```

cVegOrange

```

      type:  numeric (byte)

      range:  [1,9]
unique values: 3
      units:  1
missing .:  304/532

      tabulation:  Freq.  Value
                   9     1
                  210    2
                   9     9
                  304    .

```

cRoots

```

      type:  numeric (byte)

      range:  [1,9]
unique values: 3
      units:  1
missing .:  304/532

      tabulation:  Freq.  Value
                   52    1
                  169    2
                   7     9
                  304    .

```

cVegGreen

```

      type:  numeric (byte)

      range:  [1,9]
unique values: 3
      units:  1
missing .:  304/532

      tabulation:  Freq.  Value
                   77    1
                  144    2
                   7     9
                  304    .

```

cFruitVita

```

      type:  numeric (byte)

```

```

      range: [1,9]
unique values: 3
      units: 1
missing .: 304/532

```

```

tabulation: Freq. Value
             13  1
             207  2
              8  9
            304  .

```

cFruitOth

```

      type: numeric (byte)

      range: [1,9]
unique values: 3
      units: 1
missing .: 304/532

```

```

tabulation: Freq. Value
             54  1
            166  2
              8  9
            304  .

```

cVegOth

```

      type: numeric (byte)

      range: [1,9]
unique values: 3
      units: 1
missing .: 304/532

```

```

tabulation: Freq. Value
             46  1
            175  2
              7  9
            304  .

```

cMeatOrgan

```

      type: numeric (byte)

      range: [1,9]
unique values: 3
      units: 1
missing .: 304/532

```

```

tabulation: Freq. Value
              2  1
            220  2
              6  9
            304  .

```

cMeat

```

      type: numeric (byte)

      range: [1,9]
unique values: 3
      units: 1
missing .: 304/532

```

tabulation:	Freq.	Value
	11	1
	211	2
	6	9
	304	.

cEggs

type:	numeric (byte)		
range:	[1,9]	units:	1
unique values:	3	missing .:	304/532
tabulation:	Freq.	Value	
	18	1	
	202	2	
	8	9	
	304	.	

cFish

type:	numeric (byte)		
range:	[1,9]	units:	1
unique values:	3	missing .:	304/532
tabulation:	Freq.	Value	
	90	1	
	131	2	
	7	9	
	304	.	

cBeans

type:	numeric (byte)		
range:	[1,9]	units:	1
unique values:	3	missing .:	304/532
tabulation:	Freq.	Value	
	69	1	
	153	2	
	6	9	
	304	.	

cDairy

type:	numeric (byte)		
range:	[1,9]	units:	1
unique values:	3	missing .:	304/532
tabulation:	Freq.	Value	
	22	1	
	200	2	
	6	9	
	304	.	

cFat

```

      type:  numeric (byte)

      range:  [1,9]
unique values: 3
      units:  1
missing .:  304/532

      tabulation:  Freq.  Value
                   24    1
                   194    2
                    10    9
                   304    .

```

cSugar

```

      type:  numeric (byte)

      range:  [1,9]
unique values: 3
      units:  1
missing .:  304/532

      tabulation:  Freq.  Value
                   51    1
                   170    2
                    7    9
                   304    .

```

cCondiments

```

      type:  numeric (byte)

      range:  [1,9]
unique values: 3
      units:  1
missing .:  304/532

      tabulation:  Freq.  Value
                   116    1
                   106    2
                    6    9
                   304    .

```

cInsects

```

      type:  numeric (byte)

      range:  [1,9]
unique values: 3
      units:  1
missing .:  304/532

      tabulation:  Freq.  Value
                   1    1
                  220    2
                    7    9
                   304    .

```

cPalm

```

      type:  numeric (byte)

```


range: [1,9] units: 1
 unique values: 3 missing .: 304/532

tabulation: Freq. Value
 112 1
 109 2
 7 9
 304 .

cSemisolid

type: numeric (byte)
 range: [1,9] units: 1
 unique values: 3 missing .: 304/532

tabulation: Freq. Value
 127 1
 89 2
 12 9
 304 .

cSemisolidTimes

type: numeric (byte)
 range: [0,5] units: 1
 unique values: 6 missing .: 316/532

tabulation: Freq. Value
 90 0
 15 1
 55 2
 40 3
 14 4
 2 5
 316 .

cBottle

type: numeric (byte)
 range: [1,9] units: 1
 unique values: 3 missing .: 304/532

tabulation: Freq. Value
 20 1
 203 2
 5 9
 304 .

cFeFortFood

type: numeric (byte)
 label: labels8
 range: [1,2] units: 1
 unique values: 2 missing .: 0/532

tabulation:	Freq.	Numeric	Label
	35	1	Yes
	497	2	No

cRUTF

```

      type: numeric (byte)
      label: labels8

      range: [1,2]
unique values: 2
                                units: 1
                                missing .: 0/532

      tabulation: Freq.   Numeric   Label
                   23         1     Yes
                   509         2     No

```

cFeFormula

```

      type: numeric (byte)
      label: labels8

      range: [1,9]
unique values: 3
                                units: 1
                                missing .: 0/532

      tabulation: Freq.   Numeric   Label
                   29         1     Yes
                   476         2     No
                   27         9     DK

```

cFeSuppl

```

      type: numeric (byte)
      label: labels8

      range: [1,3]
unique values: 3
                                units: 1
                                missing .: 2/532

      tabulation: Freq.   Numeric   Label
                   225         1     Yes
                   293         2     No
                   12         3     Not sure
                   2         .

```

cFeSupplTime

```

      type: numeric (byte)
      label: labels9

      range: [1,3]
unique values: 3
                                units: 1
                                missing .: 310/532

      tabulation: Freq.   Numeric   Label
                   84         1     <=1 week
                   96         2     >1 week
                   42         3     1+ mos
                   310         .

```

cFeSupplStill

```

      type: numeric (byte)
      label: labels8

      range: [1,2]
unique values: 2
                                units: 1
                                missing .: 307/532

      tabulation: Freq.   Numeric   Label
                   108       1   Yes
                   117       2   No
                   307       .

```

cFeSupplStop

```

      type: numeric (byte)
      label: labels8

      range: [1,9]
unique values: 3
                                units: 1
                                missing .: 415/532

      tabulation: Freq.   Numeric   Label
                   86       1   Yes
                   24       2   No
                   7        9   DK
                   415       .

```

cVitASuppl

```

      type: numeric (byte)
      label: labels8

      range: [1,9]
unique values: 3
                                units: 1
                                missing .: 0/532

      tabulation: Freq.   Numeric   Label
                   434       1   Yes
                   76       2   No
                   22       9   DK

```

cMultiVits

```

      type: numeric (byte)
      label: labels8

      range: [1,3]
unique values: 3
                                units: 1
                                missing .: 11/532

      tabulation: Freq.   Numeric   Label
                   145       1   Yes
                   352       2   No
                   24       3   Not sure
                   11       .

```

cDewormed

```

      type: numeric (byte)
      label: labels8

      range: [1,9]
      unique values: 3

      units: 1
      missing .: 102/532

      tabulation: Freq.   Numeric   Label
                   264       1   Yes
                   150       2   No
                   16        9   DK
                   102        .

```

cLabConsent

```

      type: numeric (byte)

      range: [1,1]
      unique values: 1

      units: 1
      missing .: 0/532

      tabulation: Freq.   Value
                   532    1

```

cHb

```

      type: numeric (double)

      range: [4.2,10.9]
      unique values: 52

      units: .01
      missing .: 0/532

      mean: 9.22103
      std. dev: 1.25247

      percentiles:      10%      25%      50%      75%      90%
                       7.4      8.4      9.5      10.1     10.6

```

cBloodVol

```

      type: numeric (double)

      range: [1,88.8]
      unique values: 11

      units: .1
      missing .: 0/532

      mean: 29.0274
      std. dev: 5.28878

      percentiles:      10%      25%      50%      75%      90%
                       25      30      30      30      30

```

cMalariaRTK

```

      type: numeric (byte)
      label: labels10

      range: [1,2]
      unique values: 2

      units: 1
      missing .: 0/532

```

tabulation:	Freq.	Numeric	Label
	309	1	Pos
	223	2	Neg

cPhlebNumb

type: numeric (**byte**)

range: [11,43] units: 1
unique values: 9 missing .: 0/532

tabulation:	Freq.	Value
	93	11
	50	16
	82	21
	59	27
	74	32
	1	36
	44	37
	64	42
	65	43

cFerritin

type: numeric (**double**)

range: [6.01,404.6] units: .0001
unique values: 472 missing .: 46/532

mean: 97.4353
std. dev: 77.5496

percentiles:	10%	25%	50%	75%	90%
	20.05	35.5	71.3525	144.8	209

cRBP

type: numeric (**double**)

range: [.26,2.64] units: .0001
unique values: 235 missing .: 46/532

mean: .877377
std. dev: .338031

percentiles:	10%	25%	50%	75%	90%
	.515	.66	.825	1.01	1.285

cCRP

type: numeric (**double**)

range: [0,102.525] units: .0001
unique values: 438 missing .: 46/532

mean: 13.3743
std. dev: 20.0572

percentiles:	10%	25%	50%	75%	90%
	.355	1.07	3.9825	16.965	42.04

cAGP

```

type: numeric (double)

range: [.42,3]          units: .0001
unique values: 309      missing .: 46/532

mean: 1.35465
std. dev: .51103

percentiles:    10%    25%    50%    75%    90%
                .76    .955    1.295    1.68    1.98

```

MotherID

```

type: numeric (long)

range: [10403,602202]   units: 1
unique values: 530      missing .: 0/532

mean: 276259
std. dev: 168995

percentiles:    10%    25%    50%    75%    90%
                60602    131706    251503    411905    531301

```

cUrbRur

```

type: numeric (byte)
label: labels11

range: [1,2]          units: 1
unique values: 2      missing .: 0/532

tabulation: Freq.    Numeric    Label
              220        1    Urban
              312        2    Rural

```

cStratum

```

type: numeric (byte)
label: labels12

range: [1,2]          units: 1
unique values: 2      missing .: 0/532

tabulation: Freq.    Numeric    Label
              220        1    Urban
              312        2    Rural

```

hRegion

```

      type: numeric (byte)
      label: labels13

      range: [1,4]                units: 1
unique values: 4                missing .: 0/532

      tabulation: Freq.   Numeric   Label
                  124       1      East
                  184       2      North
                  139       3      South
                   85       4      West

```

hVillage

```

      type: string (str37)

unique values: 166                missing "": 0/532

examples: "FULAWAHUN"
          "KONJO"
          "MAMBOLO"
          "PELEWAHUN"

warning: variable has embedded blanks

```

hUrbRur

```

      type: numeric (byte)

      range: [1,2]                units: 1
unique values: 2                missing .: 0/532

      tabulation: Freq.   Value
                  220     1
                  312     2

```

hClusterNumb

```

      type: numeric (byte)

      range: [1,60]                units: 1
unique values: 60                missing .: 0/532

      mean: 27.5376
      std. dev: 16.8471

percentiles:      10%      25%      50%      75%      90%
                  6        13        25        41        53

```

hHHNumb

```

      type: numeric (byte)

      range: [1,25]                units: 1
unique values: 25                missing .: 0/532

      mean: 12.468
      std. dev: 6.74536

```

percentiles:	10%	25%	50%	75%	90%
	3	7	12	18	22

hTeamNumb

```

      type:  numeric (byte)
      range:  [1,8]
unique values: 8
      units:  1
missing .:  0/532

tabulation:  Freq.  Value
              65    1
              93    2
              52    3
              80    4
              59    5
              74    6
              45    7
              64    8

```

hGPSNorth

```

      type:  string (str7)
unique values: 463
      missing "": 5/532

examples:  "7.75405"
           "8.22406"
           "8.57625"
           "8.92190"

```

hGPSWest

```

      type:  string (str8)
unique values: 452
      missing "": 5/532

examples:  "11.2883"
           "11.631"
           "12.08266"
           "13.03891"

```

hDOIMonth

```

      type:  numeric (byte)
      range:  [11,12]
unique values: 2
      units:  1
missing .:  0/532

tabulation:  Freq.  Value
              517    11
              15    12

```

hDOIYear

```

      type:  numeric (byte)

```



```

      range: [13,13]
unique values: 1
      units: 1
missing .: 0/532

      tabulation: Freq. Value
                  532 13

```

hIntNumb

```

      type: numeric (byte)

      range: [1,40]
unique values: 18
      units: 1
missing .: 0/532

      mean: 19.9568
      std. dev: 12.8355

      percentiles:      10%      25%      50%      75%      90%
                      3         8         20         31         39

```

hNumbVisits

```

      type: numeric (byte)

      range: [1,3]
unique values: 3
      units: 1
missing .: 1/532

      tabulation: Freq. Value
                  491 1
                  38 2
                   2 3
                   1 .

```

hFinalResult

```

      type: numeric (byte)

      range: [1,8]
unique values: 3
      units: 1
missing .: 1/532

      tabulation: Freq. Value
                  529 1
                   1 2
                   1 8
                   1 .

```

hOtherResult

```

      type: string (str7)

unique values: 1
missing "": 531/532

      tabulation: Freq. Value
                  531 ""
                   1 "OLD AGE"

      warning: variable has embedded blanks

```

hNumChildren

```

      type:  numeric (byte)

      range:  [1,5]
unique values: 5
      units:  1
missing .:  0/532

      tabulation:  Freq.  Value
                   320    1
                   155    2
                   46     3
                    8     4
                    3     5

```

hNumbChildrenData

```

      type:  numeric (byte)

      range:  [1,1]
unique values: 1
      units:  1
missing .:  0/532

      tabulation:  Freq.  Value
                   532    1

```

hNumbNPW

```

      type:  numeric (byte)

      range:  [0,7]
unique values: 8
      units:  1
missing .:  0/532

      tabulation:  Freq.  Value
                   41     0
                   253    1
                   140    2
                    47     3
                    28     4
                    13     5
                     6     6
                     4     7

```

hNumbNPWData

```

      type:  numeric (byte)

      range:  [0,2]
unique values: 3
      units:  1
missing .:  0/532

      tabulation:  Freq.  Value
                   45     0
                   380    1
                   107    2

```

hStartNow

```

      type:  numeric (byte)

```

```

        range: [1,1]
unique values: 1
        units: 1
        missing .: 0/532

        tabulation: Freq. Value
                     532 1

```

hHRostLine01

```

        type: numeric (byte)

        range: [1,1]
unique values: 1
        units: 1
        missing .: 0/532

        tabulation: Freq. Value
                     532 1

```

hHRostLine02

```

        type: numeric (byte)

        range: [2,2]
unique values: 1
        units: 1
        missing .: 1/532

        tabulation: Freq. Value
                     531 2
                     1 .

```

hHRostLine03

```

        type: numeric (byte)

        range: [3,3]
unique values: 1
        units: 1
        missing .: 1/532

        tabulation: Freq. Value
                     531 3
                     1 .

```

hHRostLine04

```

        type: numeric (byte)

        range: [4,4]
unique values: 1
        units: 1
        missing .: 34/532

        tabulation: Freq. Value
                     498 4
                     34 .

```

hHRostLine05

```

        type: numeric (byte)

        range: [5,5]
unique values: 1
        units: 1
        missing .: 89/532

```

```

tabulation:  Freq.  Value
              443    5
              89     .

```

hHRostLine06

```

type:  numeric (byte)

range:  [6,6]                units:  1
unique values: 1            missing .: 172/532

tabulation:  Freq.  Value
              360    6
              172     .

```

hHRostLine07

```

type:  numeric (byte)

range:  [7,7]                units:  1
unique values: 1            missing .: 242/532

tabulation:  Freq.  Value
              290    7
              242     .

```

hHRostLine08

```

type:  numeric (byte)

range:  [8,8]                units:  1
unique values: 1            missing .: 303/532

tabulation:  Freq.  Value
              229    8
              303     .

```

hHRostLine09

```

type:  numeric (byte)

range:  [9,9]                units:  1
unique values: 1            missing .: 352/532

tabulation:  Freq.  Value
              180    9
              352     .

```

hHRostLine10

```

type:  numeric (byte)

range:  [10,10]             units:  1
unique values: 1            missing .: 393/532

```

```

tabulation:  Freq.  Value
              139   10
              393   .

```

hHRostLine11

```

type:  numeric (byte)

range:  [11,11]          units:  1
unique values: 1        missing .: 423/532

tabulation:  Freq.  Value
              109   11
              423   .

```

hHRostLine12

```

type:  numeric (byte)

range:  [12,12]          units:  1
unique values: 1        missing .: 453/532

tabulation:  Freq.  Value
              79   12
              453   .

```

hHRostLine13

```

type:  numeric (byte)

range:  [13,13]          units:  1
unique values: 1        missing .: 479/532

tabulation:  Freq.  Value
              53   13
              479   .

```

hHRostLine14

```

type:  numeric (byte)

range:  [14,14]          units:  1
unique values: 1        missing .: 497/532

tabulation:  Freq.  Value
              35   14
              497   .

```

hHRostLine15

```

type:  numeric (byte)

range:  [15,15]          units:  1
unique values: 1        missing .: 508/532

```

```

tabulation:  Freq.  Value
              24    15
              508    .

```

hHRostLine16

```

type:  numeric (byte)

range:  [16,16]          units:  1
unique values:  1        missing .:  510/532

tabulation:  Freq.  Value
              22    16
              510    .

```

hHRostLine17

```

type:  numeric (byte)

range:  [17,17]          units:  1
unique values:  1        missing .:  513/532

tabulation:  Freq.  Value
              19    17
              513    .

```

hHRostLine18

```

type:  numeric (byte)

range:  [18,18]          units:  1
unique values:  1        missing .:  516/532

tabulation:  Freq.  Value
              16    18
              516    .

```

hHRostLine19

```

type:  numeric (byte)

range:  [19,19]          units:  1
unique values:  1        missing .:  518/532

tabulation:  Freq.  Value
              14    19
              518    .

```

hHRostLine20

```

type:  numeric (byte)

range:  [20,20]          units:  1
unique values:  1        missing .:  521/532

```

```

tabulation:  Freq.  Value
              11    20
              521    .

```

hHRostLine21

```

type:  numeric (byte)

range:  [21,21]          units:  1
unique values:  1        missing .:  527/532

tabulation:  Freq.  Value
              5    21
              527    .

```

hHRostLine22

```

type:  numeric (byte)

range:  [22,22]          units:  1
unique values:  1        missing .:  529/532

tabulation:  Freq.  Value
              3    22
              529    .

```

hHRostLine23

```

type:  numeric (byte)

range:  [23,23]          units:  1
unique values:  1        missing .:  530/532

tabulation:  Freq.  Value
              2    23
              530    .

```

hHRostLine24

```

type:  numeric (byte)

range:  [24,24]          units:  1
unique values:  1        missing .:  531/532

tabulation:  Freq.  Value
              1    24
              531    .

```

hHRostLine25

```

type:  numeric (byte)

range:  [25,25]          units:  1
unique values:  1        missing .:  531/532

```

```

tabulation:  Freq.  Value
              1    25
            531    .

```

hHRostLine26

```

type:  numeric (byte)

range:  [26,26]          units:  1
unique values: 1        missing .: 531/532

tabulation:  Freq.  Value
              1    26
            531    .

```

hHRostLine27

```

type:  numeric (byte)

range:  [27,27]          units:  1
unique values: 1        missing .: 531/532

tabulation:  Freq.  Value
              1    27
            531    .

```

hHRostLine28

```

type:  numeric (byte)

range:  [28,28]          units:  1
unique values: 1        missing .: 531/532

tabulation:  Freq.  Value
              1    28
            531    .

```

hHRostLine29

```

type:  numeric (byte)

range:  [29,29]          units:  1
unique values: 1        missing .: 531/532

tabulation:  Freq.  Value
              1    29
            531    .

```

hHRostLine30

```

type:  numeric (byte)

range:  [30,30]          units:  10
unique values: 1        missing .: 531/532

```



```

tabulation:  Freq.  Value
              1    30
            531    .

```

hHRostSex01

```

type:  numeric (byte)

range:  [1,2]          units:  1
unique values:  2      missing .:  0/532

tabulation:  Freq.  Value
              394    1
              138    2

```

hHRostSex02

```

type:  numeric (byte)

range:  [1,2]          units:  1
unique values:  2      missing .:  1/532

tabulation:  Freq.  Value
              98    1
             433    2
               1    .

```

hHRostSex03

```

type:  numeric (byte)

range:  [1,2]          units:  1
unique values:  2      missing .:  1/532

tabulation:  Freq.  Value
              219    1
              312    2
               1    .

```

hHRostSex04

```

type:  numeric (byte)

range:  [1,2]          units:  1
unique values:  2      missing .:  34/532

tabulation:  Freq.  Value
              236    1
              262    2
               34    .

```

hHRostSex05

```

type:  numeric (byte)

```

range: [1,2] units: 1
 unique values: 2 missing .: 89/532

tabulation: Freq. Value
 199 1
 244 2
 89 .

hHRostSex06

type: numeric (byte)

range: [1,2] units: 1
 unique values: 2 missing .: 172/532

tabulation: Freq. Value
 183 1
 177 2
 172 .

hHRostSex07

type: numeric (byte)

range: [1,2] units: 1
 unique values: 2 missing .: 242/532

tabulation: Freq. Value
 145 1
 145 2
 242 .

hHRostSex08

type: numeric (byte)

range: [1,2] units: 1
 unique values: 2 missing .: 303/532

tabulation: Freq. Value
 114 1
 115 2
 303 .

hHRostSex09

type: numeric (byte)

range: [1,2] units: 1
 unique values: 2 missing .: 352/532

tabulation: Freq. Value
 87 1
 93 2
 352 .

tabulation:	Freq.	Value
	13	1
	22	2
	497	.

hHRostSex15

type:	numeric (byte)		
range:	[1,2]	units:	1
unique values:	2	missing .:	508/532

tabulation:	Freq.	Value
	9	1
	15	2
	508	.

hHRostSex16

type:	numeric (byte)		
range:	[1,2]	units:	1
unique values:	2	missing .:	510/532

tabulation:	Freq.	Value
	13	1
	9	2
	510	.

hHRostSex17

type:	numeric (byte)		
range:	[1,2]	units:	1
unique values:	2	missing .:	513/532

tabulation:	Freq.	Value
	10	1
	9	2
	513	.

hHRostSex18

type:	numeric (byte)		
range:	[1,2]	units:	1
unique values:	2	missing .:	516/532

tabulation:	Freq.	Value
	7	1
	9	2
	516	.

hHRostSex19

type:	numeric (byte)
-------	----------------

range: [1,2] units: 1
 unique values: 2 missing .: 518/532

tabulation: Freq. Value
 9 1
 5 2
 518 .

hHRostSex20

type: numeric (byte)
 range: [1,2] units: 1
 unique values: 2 missing .: 521/532

tabulation: Freq. Value
 4 1
 7 2
 521 .

hHRostSex21

type: numeric (byte)
 range: [1,2] units: 1
 unique values: 2 missing .: 527/532

tabulation: Freq. Value
 2 1
 3 2
 527 .

hHRostSex22

type: numeric (byte)
 range: [2,2] units: 1
 unique values: 1 missing .: 529/532

tabulation: Freq. Value
 3 2
 529 .

hHRostSex23

type: numeric (byte)
 range: [1,2] units: 1
 unique values: 2 missing .: 530/532

tabulation: Freq. Value
 1 1
 1 2
 530 .

hHRostSex24

```

      type:  numeric (byte)

      range:  [1,1]
unique values: 1
      units:  1
missing ..:  531/532

      tabulation:  Freq.  Value
                   1    1
                   531  .

```

hHRostSex25

```

      type:  numeric (byte)

      range:  [2,2]
unique values: 1
      units:  1
missing ..:  531/532

      tabulation:  Freq.  Value
                   1    2
                   531  .

```

hHRostSex26

```

      type:  numeric (byte)

      range:  [2,2]
unique values: 1
      units:  1
missing ..:  531/532

      tabulation:  Freq.  Value
                   1    2
                   531  .

```

hHRostSex27

```

      type:  numeric (byte)

      range:  [1,1]
unique values: 1
      units:  1
missing ..:  531/532

      tabulation:  Freq.  Value
                   1    1
                   531  .

```

hHRostSex28

```

      type:  numeric (byte)

      range:  [2,2]
unique values: 1
      units:  1
missing ..:  531/532

      tabulation:  Freq.  Value
                   1    2
                   531  .

```

hHRostSex29

```

      type:  numeric (byte)

```

```

      range: [1,1]
unique values: 1
      units: 1
missing ..: 531/532

      tabulation: Freq. Value
                   1 1
                   531 .

```

hHRostSex30

```

      type: numeric (byte)

      range: [2,2]
unique values: 1
      units: 1
missing ..: 531/532

      tabulation: Freq. Value
                   1 2
                   531 .

```

hHRostDOBMo01

```

      type: numeric (byte)

      range: [1,99]
unique values: 13
      units: 1
missing ..: 0/532

      mean: 68.797
      std. dev: 43.5909

      percentiles: 10% 25% 50% 75% 90%
                   4 9 99 99 99

```

hHRostDOBMo02

```

      type: numeric (byte)

      range: [1,99]
unique values: 13
      units: 1
missing ..: 1/532

      mean: 64.1525
      std. dev: 45.0958

      percentiles: 10% 25% 50% 75% 90%
                   4 8 99 99 99

```

hHRostDOBMo03

```

      type: numeric (byte)

      range: [1,99]
unique values: 13
      units: 1
missing ..: 1/532

      mean: 45.9115
      std. dev: 45.8184

      percentiles: 10% 25% 50% 75% 90%
                   3 5 11 99 99

```

hHRostDOBMo04

```

      type:  numeric (byte)
      range:  [1,99]
unique values: 13
      units:  1
      missing.: 34/532

      mean:   42.5402
      std. dev: 45.4199

percentiles:      10%      25%      50%      75%      90%
                  2        5        10        99        99

```

hHRostDOBMo05

```

      type:  numeric (byte)
      range:  [1,99]
unique values: 13
      units:  1
      missing.: 89/532

      mean:   41.4018
      std. dev: 45.1479

percentiles:      10%      25%      50%      75%      90%
                  3        5        10        99        99

```

hHRostDOBMo06

```

      type:  numeric (byte)
      range:  [1,99]
unique values: 13
      units:  1
      missing.: 172/532

      mean:   45.5139
      std. dev: 46.1213

percentiles:      10%      25%      50%      75%      90%
                  2        5        10        99        99

```

hHRostDOBMo07

```

      type:  numeric (byte)
      range:  [1,99]
unique values: 14
      units:  1
      missing.: 242/532

      mean:   46.2379
      std. dev: 46.0733

percentiles:      10%      25%      50%      75%      90%
                  2        6        11        99        99

```

hHRostDOBMo08

```

      type:  numeric (byte)

```


range:	[1,99]	units:	1		
unique values:	13	missing .:	303/532		
mean:	50.8035				
std. dev:	46.5259				
percentiles:	10%	25%	50%	75%	90%
	2	5	12	99	99

hHRostDOBMo09

type:	numeric (byte)				
range:	[1,99]	units:	1		
unique values:	13	missing .:	352/532		
mean:	47.3				
std. dev:	45.9301				
percentiles:	10%	25%	50%	75%	90%
	3	6	12	99	99

hHRostDOBMo10

type:	numeric (byte)				
range:	[1,99]	units:	1		
unique values:	13	missing .:	393/532		
mean:	50.7626				
std. dev:	46.7732				
percentiles:	10%	25%	50%	75%	90%
	2	5	12	99	99

hHRostDOBMo11

type:	numeric (byte)				
range:	[1,99]	units:	1		
unique values:	13	missing .:	423/532		
mean:	48.9083				
std. dev:	46.4065				
percentiles:	10%	25%	50%	75%	90%
	3	6	12	99	99

hHRostDOBMo12

type:	numeric (byte)				
range:	[1,99]	units:	1		
unique values:	12	missing .:	453/532		
mean:	61.4557				
std. dev:	45.8369				

percentiles:	10%	25%	50%	75%	90%
	4	7	99	99	99

hHRostDOBMo13

type:	numeric (byte)				
range:	[2,99]	units:	1		
unique values:	12	missing .:	479/532		
mean:	53.717				
std. dev:	46.6482				
percentiles:	10%	25%	50%	75%	90%
	4	6	99	99	99

hHRostDOBMo14

type:	numeric (byte)				
range:	[3,99]	units:	1		
unique values:	10	missing .:	497/532		
mean:	62				
std. dev:	46.0211				
percentiles:	10%	25%	50%	75%	90%
	3	8	99	99	99

hHRostDOBMo15

type:	numeric (byte)				
range:	[2,99]	units:	1		
unique values:	9	missing .:	508/532		
tabulation:	Freq.	Value			
	1	2			
	2	3			
	4	4			
	1	6			
	1	7			
	1	8			
	1	11			
	2	12			
	11	99			
	508	.			

hHRostDOBMo16

type:	numeric (byte)				
range:	[1,99]	units:	1		
unique values:	8	missing .:	510/532		

```

tabulation:  Freq.  Value
              2      1
              2      4
              1      6
              1      7
              2      9
              1     10
              2     11
             11     99
            510      .

```

hHRostDOBMo17

```

type:  numeric (byte)

range:  [3,99]
unique values: 8

units:  1
missing .: 513/532

tabulation:  Freq.  Value
              1      3
              1      4
              4      5
              1      6
              1      8
              1     11
              2     12
              8     99
            513      .

```

hHRostDOBMo18

```

type:  numeric (byte)

range:  [1,99]
unique values: 5

units:  1
missing .: 516/532

tabulation:  Freq.  Value
              2      1
              2      2
              1      6
              1     11
             10     99
            516      .

```

hHRostDOBMo19

```

type:  numeric (byte)

range:  [2,99]
unique values: 8

units:  1
missing .: 518/532

```

```

tabulation:  Freq.  Value
              1      2
              1      3
              1      5
              1      9
              1     10
              1     11
              1     19
              7     99
            518      .

```

hHRostDOBMo20

```

type:  numeric (byte)

range:  [2,99]          units:  1
unique values:  4      missing .:  521/532

tabulation:  Freq.  Value
              1      2
              1      5
              1     11
              8     99
            521      .

```

hHRostDOBMo21

```

type:  numeric (byte)

range:  [8,99]          units:  1
unique values:  2      missing .:  527/532

tabulation:  Freq.  Value
              1      8
              4     99
            527      .

```

hHRostDOBMo22

```

type:  numeric (byte)

range:  [10,99]         units:  1
unique values:  2      missing .:  529/532

tabulation:  Freq.  Value
              1     10
              2     99
            529      .

```

hHRostDOBMo23

```

type:  numeric (byte)

range:  [99,99]         units:  1
unique values:  1      missing .:  530/532

```

```

tabulation:  Freq.  Value
              2    99
            530    .

```

hHRostDOBMo24

```

type:  numeric (byte)

range:  [99,99]          units:  1
unique values: 1        missing .: 531/532

tabulation:  Freq.  Value
              1    99
            531    .

```

hHRostDOBMo25

```

type:  numeric (byte)

range:  [9,9]           units:  1
unique values: 1        missing .: 531/532

tabulation:  Freq.  Value
              1     9
            531    .

```

hHRostDOBMo26

```

type:  numeric (byte)

range:  [99,99]         units:  1
unique values: 1        missing .: 531/532

tabulation:  Freq.  Value
              1    99
            531    .

```

hHRostDOBMo27

```

type:  numeric (byte)

range:  [99,99]         units:  1
unique values: 1        missing .: 531/532

tabulation:  Freq.  Value
              1    99
            531    .

```

hHRostDOBMo28

```

type:  numeric (byte)

range:  [99,99]         units:  1
unique values: 1        missing .: 531/532

```

```

tabulation:  Freq.  Value
              1    99
            531    .

```

hHRostDOBMo29

```

type:  numeric (byte)

range:  [99,99]          units:  1
unique values:  1        missing .:  531/532

tabulation:  Freq.  Value
              1    99
            531    .

```

hHRostDOBMo30

```

type:  numeric (byte)

range:  [8,8]           units:  1
unique values:  1        missing .:  531/532

tabulation:  Freq.  Value
              1     8
            531    .

```

hHRostDOBYr01

```

type:  numeric (int)

range:  [1923,9999]     units:  1
unique values:  64      missing .:  0/532

mean:    3856.1
std. dev: 3407.55

percentiles:    10%    25%    50%    75%    90%
                1954   1964   1976   1991.5  9999

```

hHRostDOBYr02

```

type:  numeric (int)

range:  [1928,9999]     units:  1
unique values:  72      missing .:  1/532

mean:    2918.05
std. dev: 2577.01

percentiles:    10%    25%    50%    75%    90%
                1963   1976   1986   1995   9999

```

hHRostDOBYr03

```

type:  numeric (int)

```

range:	[1931,9999]					units:	1
unique values:	58					missing .:	1/532
mean:	2523.45						
std. dev:	1987.73						
percentiles:	10%	25%	50%	75%	90%		
	1978	1989	2000	2009	2012		

hHRostDOBYr04

type:	numeric (int)						
range:	[1924,9999]					units:	1
unique values:	56					missing .:	34/532
mean:	2416.16						
std. dev:	1781.54						
percentiles:	10%	25%	50%	75%	90%		
	1980	1994	2003	2009	2012		

hHRostDOBYr05

type:	numeric (int)						
range:	[1948,9999]					units:	1
unique values:	48					missing .:	89/532
mean:	2542.11						
std. dev:	2012.06						
percentiles:	10%	25%	50%	75%	90%		
	1988	1997	2004	2010	2012		

hHRostDOBYr06

type:	numeric (int)						
range:	[1933,9999]					units:	1
unique values:	49					missing .:	172/532
mean:	2667.32						
std. dev:	2213.69						
percentiles:	10%	25%	50%	75%	90%		
	1988	1998	2005	2010.5	2013		

hHRostDOBYr07

type:	numeric (int)						
range:	[1953,9999]					units:	1
unique values:	41					missing .:	242/532
mean:	2553.27						
std. dev:	2030						

percentiles:	10%	25%	50%	75%	90%
	1988	1997	2006	2010	2013

hHRostDOBYr08

type:	numeric (int)				
range:	[1953,9999]		units:	1	
unique values:	36		missing .:	303/532	
mean:	2700.18				
std. dev:	2262.81				
percentiles:	10%	25%	50%	75%	90%
	1988	1996	2007	2011	2013

hHRostDOBYr09

type:	numeric (int)				
range:	[1953,9999]		units:	1	
unique values:	38		missing .:	352/532	
mean:	2267.96				
std. dev:	1439.66				
percentiles:	10%	25%	50%	75%	90%
	1987	1996	2005	2010	2012

hHRostDOBYr10

type:	numeric (int)				
range:	[1928,9999]		units:	1	
unique values:	39		missing .:	393/532	
mean:	2402.18				
std. dev:	1755.8				
percentiles:	10%	25%	50%	75%	90%
	1983	1995	2004	2010	2013

hHRostDOBYr11

type:	numeric (int)				
range:	[1943,9999]		units:	1	
unique values:	35		missing .:	423/532	
mean:	2442.53				
std. dev:	1832.26				
percentiles:	10%	25%	50%	75%	90%
	1988	1998	2008	2012	2013

hHRostDOBYr12

```

      type:  numeric (int)

      range:  [1971,9999]          units:  1
unique values: 33                missing .: 453/532

      mean:   2911.52
      std. dev: 2557.61

percentiles:      10%      25%      50%      75%      90%
                  1984      1995      2005      2011      9999

```

hHRostDOBYr13

```

      type:  numeric (int)

      range:  [1959,9999]          units:  1
unique values: 29                missing .: 479/532

      mean:   2301.94
      std. dev: 1538.88

percentiles:      10%      25%      50%      75%      90%
                  1987      1995      2004      2010      2012

```

hHRostDOBYr14

```

      type:  numeric (int)

      range:  [1932,9999]          units:  1
unique values: 21                missing .: 497/532

      mean:   2455.49
      std. dev: 1884.28

percentiles:      10%      25%      50%      75%      90%
                  1991      1997      2004      2008      2012

```

hHRostDOBYr15

```

      type:  numeric (int)

      range:  [1971,9999]          units:  1
unique values: 19                missing .: 508/532

      mean:   2331.04
      std. dev: 1633.31

percentiles:      10%      25%      50%      75%      90%
                  1978      1993      2003.5      2006.5      2010

```

hHRostDOBYr16

```

      type:  numeric (int)

      range:  [1920,9999]          units:  1
unique values: 15                missing .: 510/532

```

mean:	2361.18				
std. dev:	1706.12				
percentiles:	10%	25%	50%	75%	90%
	1963	2001	2009	2011	2013

hHRostDOBYr17

type:	numeric (int)				
range:	[1983,2013]		units:	1	
unique values:	12		missing ..	513/532	
mean:	2005.58				
std. dev:	8.13986				
percentiles:	10%	25%	50%	75%	90%
	1993	2004	2007	2012	2013

hHRostDOBYr18

type:	numeric (int)				
range:	[1968,9999]		units:	1	
unique values:	13		missing ..	516/532	
mean:	2498.25				
std. dev:	2000.24				
percentiles:	10%	25%	50%	75%	90%
	1978	1990	2003	2010	2013

hHRostDOBYr19

type:	numeric (int)				
range:	[1963,2012]		units:	1	
unique values:	10		missing ..	518/532	
mean:	1995.57				
std. dev:	18.3543				
percentiles:	10%	25%	50%	75%	90%
	1963	1985	2002.5	2011	2012

hHRostDOBYr20

type:	numeric (int)				
range:	[1948,9999]		units:	1	
unique values:	10		missing ..	521/532	
mean:	2713.91				
std. dev:	2416.26				
percentiles:	10%	25%	50%	75%	90%
	1963	1975	1995	2002	2009

hHRostDOBYr21

```

      type:  numeric (int)

      range:  [1982,2011]
unique values: 5                                units:  1
                                              missing .:  527/532

      tabulation:  Freq.  Value
                   1    1982
                   1    1988
                   1    1991
                   1    2000
                   1    2011
                   527    .

```

hHRostDOBYr22

```

      type:  numeric (int)

      range:  [1980,2010]
unique values: 3                                units:  1
                                              missing .:  529/532

      tabulation:  Freq.  Value
                   1    1980
                   1    1981
                   1    2010
                   529    .

```

hHRostDOBYr23

```

      type:  numeric (int)

      range:  [1989,2007]
unique values: 2                                units:  1
                                              missing .:  530/532

      tabulation:  Freq.  Value
                   1    1989
                   1    2007
                   530    .

```

hHRostDOBYr24

```

      type:  numeric (int)

      range:  [2004,2004]
unique values: 1                                units:  1
                                              missing .:  531/532

      tabulation:  Freq.  Value
                   1    2004
                   531    .

```

hHRostDOBYr25

```

      type:  numeric (int)

```

```

        range: [1990,1990]                units: 10
unique values: 1                        missing .: 531/532

        tabulation: Freq. Value
                     1 1990
                     531 .

```

hHRostDOBYr26

```

        type: numeric (int)

        range: [1976,1976]                units: 1
unique values: 1                        missing .: 531/532

        tabulation: Freq. Value
                     1 1976
                     531 .

```

hHRostDOBYr27

```

        type: numeric (int)

        range: [1971,1971]                units: 1
unique values: 1                        missing .: 531/532

        tabulation: Freq. Value
                     1 1971
                     531 .

```

hHRostDOBYr28

```

        type: numeric (int)

        range: [1974,1974]                units: 1
unique values: 1                        missing .: 531/532

        tabulation: Freq. Value
                     1 1974
                     531 .

```

hHRostDOBYr29

```

        type: numeric (int)

        range: [1986,1986]                units: 1
unique values: 1                        missing .: 531/532

        tabulation: Freq. Value
                     1 1986
                     531 .

```

hHRostDOBYr30

```

        type: numeric (int)

```

```

        range: [1982,1982]                units: 1
unique values: 1                        missing .: 531/532

        tabulation: Freq. Value
                   1 1982
                   531 .

```

hHRostAge01

```

        type: numeric (byte)

        range: [18,99]                units: 1
unique values: 64                    missing .: 0/532

        mean: 53.9361
        std. dev: 24.8048

percentiles:      10%      25%      50%      75%      90%
                  28       35       45      64.5      99

```

hHRostAge02

```

        type: numeric (byte)

        range: [0,99]                units: 1
unique values: 74                    missing .: 1/532

        mean: 36.8776
        std. dev: 23.1067

percentiles:      10%      25%      50%      75%      90%
                  17       22       30       45       66

```

hHRostAge03

```

        type: numeric (byte)

        range: [0,99]                units: 1
unique values: 58                    missing .: 1/532

        mean: 20.6347
        std. dev: 21.722

percentiles:      10%      25%      50%      75%      90%
                  2        6       15       27       45

```

hHRostAge04

```

        type: numeric (byte)

        range: [0,99]                units: 1
unique values: 56                    missing .: 34/532

        mean: 17.3494
        std. dev: 20.1914

percentiles:      10%      25%      50%      75%      90%
                  1        5       12       21       40

```

hHRostAge05

```

      type:  numeric (byte)
      range:  [0,99]
unique values: 48
      units:  1
missing ..:  89/532

      mean:   16.246
      std. dev: 20.4751

percentiles:      10%      25%      50%      75%      90%
                  2        4        11        18        33

```

hHRostAge06

```

      type:  numeric (byte)
      range:  [0,99]
unique values: 49
      units:  1
missing ..: 172/532

      mean:   17.2306
      std. dev: 23.1885

percentiles:      10%      25%      50%      75%      90%
                  1        4        10        18      38.5

```

hHRostAge07

```

      type:  numeric (byte)
      range:  [0,99]
unique values: 42
      units:  1
missing ..: 242/532

      mean:   15.1414
      std. dev: 20.3885

percentiles:      10%      25%      50%      75%      90%
                  2        4        8        18      31.5

```

hHRostAge08

```

      type:  numeric (byte)
      range:  [0,99]
unique values: 38
      units:  1
missing ..: 303/532

      mean:   16.1965
      std. dev: 22.2644

percentiles:      10%      25%      50%      75%      90%
                  1        3        9        19      32

```

hHRostAge09

```

      type:  numeric (byte)

```

```

      range: [0,99]
unique values: 38
      units: 1
missing .: 352/532

      mean: 13.1278
      std. dev: 15.5711

percentiles:      10%      25%      50%      75%      90%
                  1        3.5        9        18        27

```

hHRostAge10

```

      type: numeric (byte)

      range: [0,99]
unique values: 39
      units: 1
missing .: 393/532

      mean: 16.1655
      std. dev: 20.1831

percentiles:      10%      25%      50%      75%      90%
                  1         4        10        20        38

```

hHRostAge11

```

      type: numeric (byte)

      range: [0,99]
unique values: 34
      units: 1
missing .: 423/532

      mean: 14.5046
      std. dev: 22.2759

percentiles:      10%      25%      50%      75%      90%
                  1         2         6        17        32

```

hHRostAge12

```

      type: numeric (byte)

      range: [0,99]
unique values: 34
      units: 1
missing .: 453/532

      mean: 20.6835
      std. dev: 26.7795

percentiles:      10%      25%      50%      75%      90%
                  1         5        10        27        45

```

hHRostAge13

```

      type: numeric (byte)

      range: [0,99]
unique values: 27
      units: 1
missing .: 479/532

      mean: 15.8113
      std. dev: 20.4338

```

percentiles:	10%	25%	50%	75%	90%
	2	4	9	19	30

hHRostAge14

type:	numeric (byte)				
range:	[0,99]		units:	1	
unique values:	22		missing .:	497/532	
mean:	19.5714				
std. dev:	26.2177				
percentiles:	10%	25%	50%	75%	90%
	3	6	10	18	71

hHRostAge15

type:	numeric (byte)				
range:	[1,42]		units:	1	
unique values:	18		missing .:	508/532	
mean:	15.375				
std. dev:	11.5864				
percentiles:	10%	25%	50%	75%	90%
	5	7	13	20	35

hHRostAge16

type:	numeric (byte)				
range:	[0,93]		units:	1	
unique values:	15		missing .:	510/532	
mean:	15.1364				
std. dev:	25.2743				
percentiles:	10%	25%	50%	75%	90%
	1	3	4.5	13	50

hHRostAge17

type:	numeric (byte)				
range:	[0,30]		units:	1	
unique values:	12		missing .:	513/532	
mean:	7.36842				
std. dev:	8.1732				
percentiles:	10%	25%	50%	75%	90%
	0	1	6	9	20

hHRostAge18

```

      type:  numeric (byte)

      range:  [0,45]                units:  1
unique values: 12                missing .: 516/532

      mean:   14.3125
      std. dev: 12.7631

percentiles:      10%      25%      50%      75%      90%
                  2        5.5      10       23       35

```

hHRostAge19

```

      type:  numeric (byte)

      range:  [1,50]                units:  1
unique values: 10                missing .: 518/532

      mean:   17.4286
      std. dev: 18.3543

percentiles:      10%      25%      50%      75%      90%
                  1        2      10.5      28       50

```

hHRostAge20

```

      type:  numeric (byte)

      range:  [4,65]                units:  1
unique values: 10                missing .: 521/532

      mean:   26.6364
      std. dev: 19.0487

percentiles:      10%      25%      50%      75%      90%
                  11       11       18       38       50

```

hHRostAge21

```

      type:  numeric (byte)

      range:  [2,31]                units:  1
unique values: 5                missing .: 527/532

      tabulation:  Freq.  Value
                  1      2
                  1     13
                  1     22
                  1     25
                  1     31
                  527    .

```

hHRostAge22

```

      type:  numeric (byte)

      range:  [3,33]                units:  1
unique values: 3                missing .: 529/532

```

```

tabulation:  Freq.  Value
              1    3
              1   30
              1   33
            529    .

```

hHRostAge23

```

type:  numeric (byte)

range:  [6,24]          units:  1
unique values:  2      missing .:  530/532

tabulation:  Freq.  Value
              1    6
              1   24
            530    .

```

hHRostAge24

```

type:  numeric (byte)

range:  [9,9]          units:  1
unique values:  1      missing .:  531/532

tabulation:  Freq.  Value
              1    9
            531    .

```

hHRostAge25

```

type:  numeric (byte)

range:  [23,23]        units:  1
unique values:  1      missing .:  531/532

tabulation:  Freq.  Value
              1   23
            531    .

```

hHRostAge26

```

type:  numeric (byte)

range:  [37,37]        units:  1
unique values:  1      missing .:  531/532

tabulation:  Freq.  Value
              1   37
            531    .

```

hHRostAge27

```

type:  numeric (byte)

```

```

        range:  [42,42]
unique values:  1
        units:  1
missing .:  531/532

    tabulation:  Freq.  Value
                  1    42
                  531  .

```

hHRostAge28

```

        type:  numeric (byte)

        range:  [39,39]
unique values:  1
        units:  1
missing .:  531/532

    tabulation:  Freq.  Value
                  1    39
                  531  .

```

hHRostAge29

```

        type:  numeric (byte)

        range:  [27,27]
unique values:  1
        units:  1
missing .:  531/532

    tabulation:  Freq.  Value
                  1    27
                  531  .

```

hHRostAge30

```

        type:  numeric (byte)

        range:  [31,31]
unique values:  1
        units:  1
missing .:  531/532

    tabulation:  Freq.  Value
                  1    31
                  531  .

```

hHRostWomanYN01

```

        type:  numeric (byte)

        range:  [1,1]
unique values:  1
        units:  1
missing .:  457/532

    tabulation:  Freq.  Value
                  75    1
                  457  .

```

hHRostWomanYN02

```

        type:  numeric (byte)

```

```

        range: [2,2]                units: 1
unique values: 1                missing .: 191/532

        tabulation: Freq. Value
                   341  2
                   191  .

```

hHRostWomanYN03

```

        type: numeric (byte)

        range: [3,3]                units: 1
unique values: 1                missing .: 364/532

        tabulation: Freq. Value
                   168  3
                   364  .

```

hHRostWomanYN04

```

        type: numeric (byte)

        range: [4,4]                units: 1
unique values: 1                missing .: 438/532

        tabulation: Freq. Value
                   94  4
                   438  .

```

hHRostWomanYN05

```

        type: numeric (byte)

        range: [5,5]                units: 1
unique values: 1                missing .: 454/532

        tabulation: Freq. Value
                   78  5
                   454  .

```

hHRostWomanYN06

```

        type: numeric (byte)

        range: [6,6]                units: 1
unique values: 1                missing .: 489/532

        tabulation: Freq. Value
                   43  6
                   489  .

```

hHRostWomanYN07

```

        type: numeric (byte)

```

```

        range: [7,7]                units: 1
unique values: 1                missing .: 489/532

        tabulation: Freq. Value
                   43  7
                   489 .

```

hHRostWomanYN08

```

        type: numeric (byte)

        range: [8,8]                units: 1
unique values: 1                missing .: 504/532

        tabulation: Freq. Value
                   28  8
                   504 .

```

hHRostWomanYN09

```

        type: numeric (byte)

        range: [9,9]                units: 1
unique values: 1                missing .: 506/532

        tabulation: Freq. Value
                   26  9
                   506 .

```

hHRostWomanYN10

```

        type: numeric (byte)

        range: [10,10]              units: 1
unique values: 1                missing .: 506/532

        tabulation: Freq. Value
                   26  10
                   506 .

```

hHRostWomanYN11

```

        type: numeric (byte)

        range: [11,11]              units: 1
unique values: 1                missing .: 520/532

        tabulation: Freq. Value
                   12  11
                   520 .

```

hHRostWomanYN12

```

        type: numeric (byte)

```

```

        range: [12,12]                units: 1
unique values: 1                    missing .: 520/532

        tabulation: Freq. Value
                   12 12
                   520 .

```

hHRostWomanYN13

```

        type: numeric (byte)

        range: [13,13]                units: 1
unique values: 1                    missing .: 524/532

        tabulation: Freq. Value
                   8 13
                   524 .

```

hHRostWomanYN14

```

        type: numeric (byte)

        range: [14,14]                units: 1
unique values: 1                    missing .: 525/532

        tabulation: Freq. Value
                   7 14
                   525 .

```

hHRostWomanYN15

```

        type: numeric (byte)

        range: [15,15]                units: 1
unique values: 1                    missing .: 522/532

        tabulation: Freq. Value
                   10 15
                   522 .

```

hHRostWomanYN16

```

        type: numeric (byte)

        range: [16,16]                units: 1
unique values: 1                    missing .: 531/532

        tabulation: Freq. Value
                   1 16
                   531 .

```

hHRostWomanYN17

```

        type: numeric (byte)

```

```

        range:  [17,17]                units:  1
unique values:  1                missing .:  530/532

        tabulation:  Freq.  Value
                     2    17
                     530    .

```

hHRostWomanYN18

```

        type:  numeric (byte)

        range:  [18,18]                units:  1
unique values:  1                missing .:  529/532

        tabulation:  Freq.  Value
                     3    18
                     529    .

```

hHRostWomanYN19

```

        type:  numeric (byte)

        range:  [19,19]                units:  1
unique values:  1                missing .:  531/532

        tabulation:  Freq.  Value
                     1    19
                     531    .

```

hHRostWomanYN20

```

        type:  numeric (byte)

        range:  [20,20]                units:  1
unique values:  1                missing .:  528/532

        tabulation:  Freq.  Value
                     4    20
                     528    .

```

hHRostWomanYN21

```

        type:  numeric (byte)

        range:  [21,21]                units:  1
unique values:  1                missing .:  530/532

        tabulation:  Freq.  Value
                     2    21
                     530    .

```

hHRostWomanYN22

```

        type:  numeric (byte)

```

```

        range: [22,22]                units: 1
unique values: 1                    missing .: 530/532

        tabulation: Freq. Value
                   2  22
                   530 .

```

hHRostWomanYN23

```

        type: numeric (byte)

        range: [23,23]                units: 1
unique values: 1                    missing .: 531/532

        tabulation: Freq. Value
                   1  23
                   531 .

```

hHRostWomanYN24

```

        type: numeric (byte)

        range: [.,.]                  units: .
unique values: 0                    missing .: 532/532

        tabulation: Freq. Value
                   532 .

```

hHRostWomanYN25

```

        type: numeric (byte)

        range: [25,25]                units: 1
unique values: 1                    missing .: 531/532

        tabulation: Freq. Value
                   1  25
                   531 .

```

hHRostWomanYN26

```

        type: numeric (byte)

        range: [26,26]                units: 1
unique values: 1                    missing .: 531/532

        tabulation: Freq. Value
                   1  26
                   531 .

```

hHRostWomanYN27

```

        type: numeric (byte)

        range: [.,.]                  units: .
unique values: 0                    missing .: 532/532

```



```

tabulation:  Freq.  Value
              532    .

```

hHRostWomanYN28

```

type:  numeric (byte)

range:  [28,28]           units:  1
unique values:  1         missing .:  531/532

tabulation:  Freq.  Value
              1    28
            531    .

```

hHRostWomanYN29

```

type:  numeric (byte)

range:  [.,.]           units:  .
unique values:  0         missing .:  532/532

tabulation:  Freq.  Value
              532    .

```

hHRostWomanYN30

```

type:  numeric (byte)

range:  [10,10]         units:  10
unique values:  1         missing .:  531/532

tabulation:  Freq.  Value
              1    10
            531    .

```

hHRostPregYN01

```

type:  numeric (byte)

range:  [.,.]           units:  .
unique values:  0         missing .:  532/532

tabulation:  Freq.  Value
              532    .

```

hHRostPregYN02

```

type:  numeric (byte)

range:  [2,2]           units:  1
unique values:  1         missing .:  506/532

tabulation:  Freq.  Value
              26    2
            506    .

```

hHRostPregYN08

```

      type:  numeric (byte)

      range:  [8,8]
unique values: 1
                                units:  1
                                missing .: 530/532

      tabulation:  Freq.  Value
                   2    8
                   530  .

```

hHRostPregYN09

```

      type:  numeric (byte)

      range:  [9,9]
unique values: 1
                                units:  1
                                missing .: 530/532

      tabulation:  Freq.  Value
                   2    9
                   530  .

```

hHRostPregYN10

```

      type:  numeric (byte)

      range:  [10,10]
unique values: 1
                                units:  1
                                missing .: 529/532

      tabulation:  Freq.  Value
                   3   10
                   529  .

```

hHRostPregYN11

```

      type:  numeric (byte)

      range:  [11,11]
unique values: 1
                                units:  1
                                missing .: 531/532

      tabulation:  Freq.  Value
                   1   11
                   531  .

```

hHRostPregYN12

```

      type:  numeric (byte)

      range:  [12,12]
unique values: 1
                                units:  1
                                missing .: 530/532

      tabulation:  Freq.  Value
                   2   12
                   530  .

```

hHRostPregYN13

```
type: numeric (byte)
range: [.,.]
unique values: 0
units: .
missing .: 532/532
tabulation: Freq. Value
             532 .
```

hHRostPregYN14

```
type: numeric (byte)
range: [14,14]
unique values: 1
units: 1
missing .: 531/532
tabulation: Freq. Value
             1 14
             531 .
```

hHRostPregYN15

```
type: numeric (byte)
range: [15,15]
unique values: 1
units: 1
missing .: 530/532
tabulation: Freq. Value
             2 15
             530 .
```

hHRostPregYN16

```
type: numeric (byte)
range: [.,.]
unique values: 0
units: .
missing .: 532/532
tabulation: Freq. Value
             532 .
```

hHRostPregYN17

```
type: numeric (byte)
range: [17,17]
unique values: 1
units: 1
missing .: 531/532
tabulation: Freq. Value
             1 17
             531 .
```

hHRostPregYN18

```

        type:  numeric (byte)

        range:  [,.]
unique values:  0
                                units:  .
                                missing .:  532/532

        tabulation:  Freq.  Value
                     532  .

```

hHRostPregYN19

```

        type:  numeric (byte)

        range:  [,.]
unique values:  0
                                units:  .
                                missing .:  532/532

        tabulation:  Freq.  Value
                     532  .

```

hHRostPregYN20

```

        type:  numeric (byte)

        range:  [,.]
unique values:  0
                                units:  .
                                missing .:  532/532

        tabulation:  Freq.  Value
                     532  .

```

hHRostPregYN21

```

        type:  numeric (byte)

        range:  [,.]
unique values:  0
                                units:  .
                                missing .:  532/532

        tabulation:  Freq.  Value
                     532  .

```

hHRostPregYN22

```

        type:  numeric (byte)

        range:  [22,22]
unique values:  1
                                units:  1
                                missing .:  531/532

        tabulation:  Freq.  Value
                     1  22
                     531  .

```

hHRostPregYN23

```

        type:  numeric (byte)

        range:  [,.]
unique values:  0
                                units:  .
                                missing .:  532/532

```

tabulation: Freq. Value
532 .

hHRostPregYN24

type: numeric (**byte**)
range: [.,.] units: .
unique values: 0 missing .: 532/532
tabulation: Freq. Value
532 .

hHRostPregYN25

type: numeric (**byte**)
range: [.,.] units: .
unique values: 0 missing .: 532/532
tabulation: Freq. Value
532 .

hHRostPregYN26

type: numeric (**byte**)
range: [.,.] units: .
unique values: 0 missing .: 532/532
tabulation: Freq. Value
532 .

hHRostPregYN27

type: numeric (**byte**)
range: [.,.] units: .
unique values: 0 missing .: 532/532
tabulation: Freq. Value
532 .

hHRostPregYN28

type: numeric (**byte**)
range: [.,.] units: .
unique values: 0 missing .: 532/532
tabulation: Freq. Value
532 .

hHRostPregYN29

```

      type:  numeric (byte)

      range:  [.,.]
unique values: 0
      units:  .
missing .:  532/532

      tabulation:  Freq.  Value
                   532  .

```

hHRostPregYN30

```

      type:  numeric (byte)

      range:  [.,.]
unique values: 0
      units:  .
missing .:  532/532

      tabulation:  Freq.  Value
                   532  .

```

hHRostChildYN01

```

      type:  numeric (byte)

      range:  [.,.]
unique values: 0
      units:  .
missing .:  532/532

      tabulation:  Freq.  Value
                   532  .

```

hHRostChildYN02

```

      type:  numeric (byte)

      range:  [2,2]
unique values: 1
      units:  1
missing .:  518/532

      tabulation:  Freq.  Value
                   14  2
                   518  .

```

hHRostChildYN03

```

      type:  numeric (byte)

      range:  [3,3]
unique values: 1
      units:  1
missing .:  417/532

      tabulation:  Freq.  Value
                   115  3
                   417  .

```

hHRostChildYN04

```

      type:  numeric (byte)

      range:  [4,4]
unique values: 1
      units:  1
missing .:  418/532

```

```

tabulation:  Freq.  Value
              114    4
              418    .

```

hHRostChildYN05

```

type:  numeric (byte)

range:  [5,5]                units:  1
unique values:  1            missing .:  422/532

tabulation:  Freq.  Value
              110    5
              422    .

```

hHRostChildYN06

```

type:  numeric (byte)

range:  [6,6]                units:  1
unique values:  1            missing .:  438/532

tabulation:  Freq.  Value
              94     6
              438    .

```

hHRostChildYN07

```

type:  numeric (byte)

range:  [7,7]                units:  1
unique values:  1            missing .:  445/532

tabulation:  Freq.  Value
              87     7
              445    .

```

hHRostChildYN08

```

type:  numeric (byte)

range:  [8,8]                units:  1
unique values:  1            missing .:  459/532

tabulation:  Freq.  Value
              73     8
              459    .

```

hHRostChildYN09

```

type:  numeric (byte)

range:  [9,9]                units:  1
unique values:  1            missing .:  475/532

```



```

tabulation:  Freq.  Value
              57    9
              475   .

```

hHRostChildYN10

```

type:  numeric (byte)

range:  [10,10]          units:  1
unique values:  1        missing .:  491/532

tabulation:  Freq.  Value
              41    10
              491   .

```

hHRostChildYN11

```

type:  numeric (byte)

range:  [11,11]          units:  1
unique values:  1        missing .:  485/532

tabulation:  Freq.  Value
              47    11
              485   .

```

hHRostChildYN12

```

type:  numeric (byte)

range:  [12,12]          units:  1
unique values:  1        missing .:  515/532

tabulation:  Freq.  Value
              17    12
              515   .

```

hHRostChildYN13

```

type:  numeric (byte)

range:  [13,13]          units:  1
unique values:  1        missing .:  517/532

tabulation:  Freq.  Value
              15    13
              517   .

```

hHRostChildYN14

```

type:  numeric (byte)

range:  [14,14]          units:  1
unique values:  1        missing .:  526/532

```

```

tabulation:  Freq.  Value
              6    14
            526    .

```

hHRostChildYN15

```

type:  numeric (byte)

range:  [15,15]          units:  1
unique values:  1        missing .:  530/532

tabulation:  Freq.  Value
              2    15
            530    .

```

hHRostChildYN16

```

type:  numeric (byte)

range:  [16,16]          units:  1
unique values:  1        missing .:  522/532

tabulation:  Freq.  Value
              10   16
            522    .

```

hHRostChildYN17

```

type:  numeric (byte)

range:  [17,17]          units:  1
unique values:  1        missing .:  523/532

tabulation:  Freq.  Value
              9    17
            523    .

```

hHRostChildYN18

```

type:  numeric (byte)

range:  [18,18]          units:  1
unique values:  1        missing .:  529/532

tabulation:  Freq.  Value
              3    18
            529    .

```

hHRostChildYN19

```

type:  numeric (byte)

range:  [19,19]          units:  1
unique values:  1        missing .:  526/532

```

```

tabulation:  Freq.  Value
              6    19
            526    .

```

hHRostChildYN20

```

type:  numeric (byte)

range:  [20,20]          units:  10
unique values:  1          missing .:  531/532

tabulation:  Freq.  Value
              1    20
            531    .

```

hHRostChildYN21

```

type:  numeric (byte)

range:  [21,21]          units:  1
unique values:  1          missing .:  531/532

tabulation:  Freq.  Value
              1    21
            531    .

```

hHRostChildYN22

```

type:  numeric (byte)

range:  [22,22]          units:  1
unique values:  1          missing .:  531/532

tabulation:  Freq.  Value
              1    22
            531    .

```

hHRostChildYN23

```

type:  numeric (byte)

range:  [.,.]            units:  .
unique values:  0          missing .:  532/532

tabulation:  Freq.  Value
            532    .

```

hHRostChildYN24

```

type:  numeric (byte)

range:  [.,.]            units:  .
unique values:  0          missing .:  532/532

tabulation:  Freq.  Value
            532    .

```

hHRostChildYN25

```
type: numeric (byte)
range: [.,.]
unique values: 0
units: .
missing .: 532/532
tabulation: Freq. Value
             532 .
```

hHRostChildYN26

```
type: numeric (byte)
range: [.,.]
unique values: 0
units: .
missing .: 532/532
tabulation: Freq. Value
             532 .
```

hHRostChildYN27

```
type: numeric (byte)
range: [.,.]
unique values: 0
units: .
missing .: 532/532
tabulation: Freq. Value
             532 .
```

hHRostChildYN28

```
type: numeric (byte)
range: [.,.]
unique values: 0
units: .
missing .: 532/532
tabulation: Freq. Value
             532 .
```

hHRostChildYN29

```
type: numeric (byte)
range: [.,.]
unique values: 0
units: .
missing .: 532/532
tabulation: Freq. Value
             532 .
```

hHRostChildYN30

```
type: numeric (byte)
```

```

      range:  [,.]
unique values: 0
      units:  .
missing ..: 532/532

      tabulation:  Freq.  Value
                   532  .

```

hHRostCaretakerID01

```

      type:  numeric (byte)

      range:  [,.]
unique values: 0
      units:  .
missing ..: 532/532

      tabulation:  Freq.  Value
                   532  .

```

hHRostCaretakerID02

```

      type:  numeric (byte)

      range:  [1,9]
unique values: 5
      units:  1
missing ..: 519/532

      tabulation:  Freq.  Value
                   8  1
                   1  3
                   1  5
                   1  7
                   2  9
                   519 .

```

hHRostCaretakerID03

```

      type:  numeric (byte)

      range:  [1,8]
unique values: 6
      units:  1
missing ..: 417/532

      tabulation:  Freq.  Value
                   26  1
                   85  2
                   1  5
                   1  6
                   1  7
                   1  8
                   417 .

```

hHRostCaretakerID04

```

      type:  numeric (byte)

      range:  [1,8]
unique values: 7
      units:  1
missing ..: 418/532

```

```

tabulation:  Freq.  Value
              23    1
              69    2
              14    3
               3    5
               2    6
               1    7
               2    8
             418    .

```

hHRostCaretakerID05

```

type:  numeric (byte)

range:  [1,13]
unique values:  7
units:  1
missing .:  422/532

```

```

tabulation:  Freq.  Value
              15    1
              67    2
              13    3
               8    4
               5    6
               1    8
               1   13
             422    .

```

hHRostCaretakerID06

```

type:  numeric (byte)

range:  [1,10]
unique values:  7
units:  1
missing .:  438/532

```

```

tabulation:  Freq.  Value
              11    1
              51    2
              14    3
               6    4
               9    5
               2    7
               1   10
             438    .

```

hHRostCaretakerID07

```

type:  numeric (byte)

range:  [1,13]
unique values:  10
units:  1
missing .:  445/532

```

```

mean:  3.05747
std. dev:  2.2842

```

```

percentiles:  10%    25%    50%    75%    90%
               1      2      2      3      6

```

hHRostCaretakerID08

```

      type:  numeric (byte)

      range:  [1,11]
unique values: 8
      units:  1
missing .: 459/532

      tabulation:  Freq.  Value
                   9    1
                   24    2
                   14    3
                    5    4
                   11    5
                    7    7
                    2    9
                    1   11
                   459    .

```

hHRostCaretakerID09

```

      type:  numeric (byte)

      range:  [1,12]
unique values: 10
      units:  1
missing .: 475/532

      mean:    3.70175
      std. dev: 2.58405

      percentiles:    10%    25%    50%    75%    90%
                      1      2      3      5      8

```

hHRostCaretakerID10

```

      type:  numeric (byte)

      range:  [1,11]
unique values: 10
      units:  1
missing .: 491/532

      mean:    4.36585
      std. dev: 2.42648

      percentiles:    10%    25%    50%    75%    90%
                      2      3      3      6      8

```

hHRostCaretakerID11

```

      type:  numeric (byte)

      range:  [1,12]
unique values: 11
      units:  1
missing .: 485/532

      mean:    4.80851
      std. dev: 2.98284

      percentiles:    10%    25%    50%    75%    90%
                      2      3      4      7     10

```

hHRostCaretakerID12

```

      type:  numeric (byte)

```

range: [1,10] units: 1
 unique values: 7 missing .: 516/532

tabulation: Freq. Value
 1 1
 5 2
 4 3
 3 4
 1 5
 1 6
 1 10
 516 .

hHRostCaretakerID13

type: numeric (byte)
 range: [1,12] units: 1
 unique values: 7 missing .: 517/532

tabulation: Freq. Value
 1 1
 2 2
 5 3
 3 4
 1 6
 2 11
 1 12
 517 .

hHRostCaretakerID14

type: numeric (byte)
 range: [3,12] units: 1
 unique values: 5 missing .: 526/532

tabulation: Freq. Value
 2 3
 1 4
 1 8
 1 9
 1 12
 526 .

hHRostCaretakerID15

type: numeric (byte)
 range: [8,18] units: 1
 unique values: 2 missing .: 530/532

tabulation: Freq. Value
 1 8
 1 18
 530 .

hHRostCaretakerID16

hHRostCaretakerID20

```

        type:  numeric (byte)

        range:  [30,30]                units:  10
unique values:  1                    missing .:  531/532

        tabulation:  Freq.  Value
                     1    30
                     531  .

```

hHRostCaretakerID21

```

        type:  numeric (byte)

        range:  [30,30]                units:  10
unique values:  1                    missing .:  531/532

        tabulation:  Freq.  Value
                     1    30
                     531  .

```

hHRostCaretakerID22

```

        type:  numeric (byte)

        range:  [6,6]                  units:  1
unique values:  1                    missing .:  531/532

        tabulation:  Freq.  Value
                     1    6
                     531  .

```

hHRostCaretakerID23

```

        type:  numeric (byte)

        range:  [.,.]                  units:  .
unique values:  0                    missing .:  532/532

        tabulation:  Freq.  Value
                     532  .

```

hHRostCaretakerID24

```

        type:  numeric (byte)

        range:  [.,.]                  units:  .
unique values:  0                    missing .:  532/532

        tabulation:  Freq.  Value
                     532  .

```

hHRostCaretakerID25

```

      type:  numeric (byte)

      range:  [.,.]
unique values: 0
      units:  .
missing  .:  532/532

      tabulation:  Freq.  Value
                   532    .

```

hHRostCaretakerID26

```

      type:  numeric (byte)

      range:  [.,.]
unique values: 0
      units:  .
missing  .:  532/532

      tabulation:  Freq.  Value
                   532    .

```

hHRostCaretakerID27

```

      type:  numeric (byte)

      range:  [.,.]
unique values: 0
      units:  .
missing  .:  532/532

      tabulation:  Freq.  Value
                   532    .

```

hHRostCaretakerID28

```

      type:  numeric (byte)

      range:  [.,.]
unique values: 0
      units:  .
missing  .:  532/532

      tabulation:  Freq.  Value
                   532    .

```

hHRostCaretakerID29

```

      type:  numeric (byte)

      range:  [.,.]
unique values: 0
      units:  .
missing  .:  532/532

      tabulation:  Freq.  Value
                   532    .

```

hHRostCaretakerID30

```

      type:  numeric (byte)

      range:  [.,.]
unique values: 0
      units:  .
missing  .:  532/532

```

```

tabulation:  Freq.  Value
              532    .

```

hReligion

```

type:  numeric (byte)

range:  [1,2]          units:  1
unique values:  2      missing .:  0/532

tabulation:  Freq.  Value
              85    1
              447    2

```

hReligionOth

```

type:  string (str1), but longest is str0

unique values:  0      missing "":  532/532

tabulation:  Freq.  Value
              532    ""

```

hLanguage

```

type:  numeric (byte)

range:  [1,99]          units:  1
unique values:  10      missing .:  0/532

mean:    13.6974
std. dev: 29.199

percentiles:      10%      25%      50%      75%      90%
                  1        1        2        5        88

```

hLanguageOth

```

type:  string (str7)

unique values:  7      missing "":  465/532

tabulation:  Freq.  Value
              465    ""
               1    "ARAB"
              22    "FULLAH"
               1    "GULA"
               2    "KISSI"
              29    "KORANKO"
              11    "SOSO"
               1    "YALUNKA"

```

hSchoolEver

```

type:  numeric (byte)

```

range: [1,9] units: 1
 unique values: 3 missing .: 0/532

tabulation: Freq. Value
 192 1
 338 2
 2 9

hEducLevel

type: numeric (byte)

range: [1,9] units: 1
 unique values: 6 missing .: 340/532

tabulation: Freq. Value
 62 1
 42 2
 56 3
 7 4
 23 5
 2 9
 340 .

hEducLevelYears

type: numeric (byte)

range: [1,9] units: 1
 unique values: 8 missing .: 340/532

tabulation: Freq. Value
 29 1
 36 2
 63 3
 20 4
 11 5
 20 6
 10 7
 3 9
 340 .

hNumbSleepingRooms

type: numeric (byte)

range: [0,15] units: 1
 unique values: 14 missing .: 0/532

mean: 3.22932
 std. dev: 1.95429

percentiles: 10% 25% 50% 75% 90%
 1 2 3 4 5

hFloor

type: numeric (byte)

```

      range: [11,88]
unique values: 11
      units: 1
      missing .: 0/532

      mean: 23.2763
      std. dev: 12.0412

percentiles:      10%      25%      50%      75%      90%
                  11       11       33       34       34

```

hFloorOth

```

      type: string (str4)

unique values: 1
      missing "": 531/532

      tabulation: Freq. Value
                  531 ""
                  1  "ZINC"

```

hRoof

```

      type: numeric (byte)

      range: [12,88]
unique values: 9
      units: 1
      missing .: 0/532

      tabulation: Freq. Value
                  66 12
                  1 13
                  5 21
                  7 22
                  1 23
                 447 31
                  1 32
                  3 35
                  1 88

```

hRoofOth

```

      type: string (str5)

unique values: 1
      missing "": 531/532

      tabulation: Freq. Value
                  531 ""
                  1  "GRASS"

```

hExtWalls

```

      type: numeric (byte)

      range: [13,36]
unique values: 13
      units: 1
      missing .: 0/532

      mean: 27.9549
      std. dev: 7.26378

```

percentiles:	10%	25%	50%	75%	90%
	13	23	31	35	35

hExtWallsOth

type: string (**str1**), but longest is str0

unique values: **0** missing "": **532/532**

tabulation: Freq. Value

532	" "
------------	------------

hCookFuel

type: numeric (**byte**)

range: [**6,99**] units: **1**

unique values: **5** missing .: **0/532**

tabulation: Freq. Value

19	6
89	7
422	8
1	9
1	99

hCookFuelOth

type: string (**str1**), but longest is str0

unique values: **0** missing "": **532/532**

tabulation: Freq. Value

532	" "
------------	------------

hHasElec

type: numeric (**byte**)

label: **labels14**

range: [**0,1**] units: **1**

unique values: **2** missing .: **0/532**

tabulation: Freq. Numeric Label

452	0	No
80	1	Yes

hHasTV

type: numeric (**byte**)

label: **labels14**

range: [**0,1**] units: **1**

unique values: **2** missing .: **0/532**

tabulation:	Freq.	Numeric	Label
	466	0	No
	66	1	Yes

hHasFrig

type:	numeric (byte)		
label:	labels14		
range:	[0,1]		units: 1
unique values:	2		missing .: 0/532
tabulation:	Freq.	Numeric	Label
	502	0	No
	30	1	Yes

hHasLandline

type:	numeric (byte)		
label:	labels14		
range:	[0,1]		units: 1
unique values:	2		missing .: 0/532
tabulation:	Freq.	Numeric	Label
	530	0	No
	2	1	Yes

hHasRadio

type:	numeric (byte)		
label:	labels14		
range:	[0,1]		units: 1
unique values:	2		missing .: 0/532
tabulation:	Freq.	Numeric	Label
	221	0	No
	311	1	Yes

hHasWatch

type:	numeric (byte)		
label:	labels14		
range:	[0,1]		units: 1
unique values:	2		missing .: 0/532
tabulation:	Freq.	Numeric	Label
	296	0	No
	236	1	Yes

hHasMobPhone

type:	numeric (byte)
label:	labels14


```

        range: [0,1]
unique values: 2
units: 1
missing .: 0/532

tabulation: Freq.   Numeric   Label
              180         0   No
              352         1   Yes

```

hHasBike

```

        type: numeric (byte)
        label: labels14

        range: [0,1]
unique values: 2
units: 1
missing .: 0/532

tabulation: Freq.   Numeric   Label
              485         0   No
              47          1   Yes

```

hHasMotorcycle

```

        type: numeric (byte)
        label: labels14

        range: [0,1]
unique values: 2
units: 1
missing .: 0/532

tabulation: Freq.   Numeric   Label
              466         0   No
              66          1   Yes

```

hHasCarTruck

```

        type: numeric (byte)
        label: labels14

        range: [0,1]
unique values: 2
units: 1
missing .: 0/532

tabulation: Freq.   Numeric   Label
              510         0   No
              22          1   Yes

```

hHasCanoe

```

        type: numeric (byte)
        label: labels14

        range: [0,1]
unique values: 2
units: 1
missing .: 0/532

tabulation: Freq.   Numeric   Label
              517         0   No
              15          1   Yes

```

hHasMotorboat

```

      type: numeric (byte)
      label: labels14

      range: [0,1]
unique values: 2
units: 1
missing .: 0/532

      tabulation: Freq.   Numeric   Label
                   526         0   No
                   6          1   Yes

```

hHasWheelbarrow

```

      type: numeric (byte)
      label: labels14

      range: [0,1]
unique values: 2
units: 1
missing .: 0/532

      tabulation: Freq.   Numeric   Label
                   522         0   No
                   10         1   Yes

```

hHasSprayer

```

      type: numeric (byte)
      label: labels14

      range: [0,1]
unique values: 2
units: 1
missing .: 0/532

      tabulation: Freq.   Numeric   Label
                   523         0   No
                   9          1   Yes

```

hHasERiceCutter

```

      type: numeric (byte)
      label: labels14

      range: [0,0]
unique values: 1
units: 1
missing .: 0/532

      tabulation: Freq.   Numeric   Label
                   532         0   No

```

hHasSickle

```

      type: numeric (byte)
      label: labels14

      range: [0,1]
unique values: 2
units: 1
missing .: 0/532

      tabulation: Freq.   Numeric   Label
                   123         0   No
                   409         1   Yes

```

hHasShovelHoe

```

      type: numeric (byte)
      label: labels14

      range: [0,1]
unique values: 2
                                units: 1
                                missing .: 0/532

      tabulation: Freq.   Numeric   Label
                   114       0      No
                   418       1      Yes

```

hOwnhouse

```

      type: numeric (byte)

      range: [1,9]
unique values: 3
                                units: 1
                                missing .: 0/532

      tabulation: Freq.   Value
                   373     1
                   158     2
                     1     9

```

hOwnLand

```

      type: numeric (byte)
      label: labels15

      range: [0,1]
unique values: 2
                                units: 1
                                missing .: 2/532

      tabulation: Freq.   Numeric   Label
                   209       0      No
                   321       1      Yes
                     2         .

```

hLandAmount

```

      type: numeric (int)

      range: [1,999]
unique values: 24
                                units: 1
                                missing .: 211/532

      mean: 234.707
      std. dev: 415.868

      percentiles:      10%      25%      50%      75%      90%
                       2         3         5         50       999

```

hLandUnit

```

      type: numeric (byte)

      range: [1,9]
unique values: 4
                                units: 1
                                missing .: 211/532

```

```

tabulation:  Freq.  Value
              24    1
              26    2
             198    3
              73    9
             211    .

```

hOwnAnimals

```

type:  numeric (byte)

range:  [1,2]          units:  1
unique values:  2      missing .:  0/532

tabulation:  Freq.  Value
              332    1
             200    2

```

hCattleYN

```

type:  numeric (byte)

range:  [1,2]          units:  1
unique values:  2      missing .:  234/532

tabulation:  Freq.  Value
              13    1
             285    2
             234    .

```

hCattleNumb

```

type:  numeric (byte)

range:  [1,10]         units:  1
unique values:  7      missing .:  519/532

tabulation:  Freq.  Value
              2    1
              4    2
              2    4
              1    5
              2    6
              1    7
              1   10
             519    .

```

hHorsesYN

```

type:  numeric (byte)

range:  [1,2]          units:  1
unique values:  2      missing .:  234/532

tabulation:  Freq.  Value
              1    1
             297    2
             234    .

```

hHorsesNumb

```

      type:  numeric (byte)

      range:  [1,1]
unique values: 1
                                units:  1
                                missing .: 531/532

      tabulation:  Freq.  Value
                   1      1
                   531  .

```

hGoatsYN

```

      type:  numeric (byte)

      range:  [1,2]
unique values: 2
                                units:  1
                                missing .: 224/532

      tabulation:  Freq.  Value
                   106  1
                   202  2
                   224  .

```

hGoatsNumb

```

      type:  numeric (byte)

      range:  [1,22]
unique values: 14
                                units:  1
                                missing .: 426/532

      mean:    4.28302
      std. dev: 3.8291

      percentiles:      10%      25%      50%      75%      90%
                       1         2         3         5         9

```

hSheepYN

```

      type:  numeric (byte)

      range:  [1,2]
unique values: 2
                                units:  1
                                missing .: 229/532

      tabulation:  Freq.  Value
                   72      1
                   231  2
                   229  .

```

hSheepNumb

```

      type:  numeric (byte)

      range:  [1,20]
unique values: 10
                                units:  1
                                missing .: 460/532

```

```

      mean:    3.44444
    std. dev:  3.08513

percentiles:      10%      25%      50%      75%      90%
                  1        1        2        5        6

```

hRabbitsYN

```

      type:  numeric (byte)

      range:  [2,2]                units:  1
unique values: 1                missing .:  234/532

      tabulation:  Freq.  Value
                   298    2
                   234    .

```

hRabbitsNumb

```

      type:  numeric (byte)

      range:  [.,.]                units:  .
unique values: 0                missing .:  532/532

      tabulation:  Freq.  Value
                   532    .

```

hPigsYN

```

      type:  numeric (byte)

      range:  [1,2]                units:  1
unique values: 2                missing .:  233/532

      tabulation:  Freq.  Value
                   3      1
                   296    2
                   233    .

```

hPigsNumb

```

      type:  numeric (byte)

      range:  [6,10]              units:  1
unique values: 2                missing .:  529/532

      tabulation:  Freq.  Value
                   1      6
                   2     10
                   529    .

```

hFowlYN

```

      type:  numeric (byte)

```

range: [1,2] units: 1
unique values: 2 missing .: 202/532

tabulation: Freq. Value
310 1
20 2
202 .

hFowlNumb

type: numeric (byte)

range: [1,99] units: 1
unique values: 29 missing .: 222/532

mean: 11.5645
std. dev: 17.4328

percentiles: 10% 25% 50% 75% 90%
2 3 6 12 20

hRodentsYN

type: numeric (byte)

range: [1,2] units: 1
unique values: 2 missing .: 234/532

tabulation: Freq. Value
2 1
296 2
234 .

hRodentsNumb

type: numeric (byte)

range: [2,11] units: 1
unique values: 2 missing .: 530/532

tabulation: Freq. Value
1 2
1 11
530 .

hBirdsYN

type: numeric (byte)

range: [1,2] units: 1
unique values: 2 missing .: 234/532

tabulation: Freq. Value
1 1
297 2
234 .

hBirdsNumb

```

      type:  numeric (byte)
      range:  [3,3]
unique values: 1
      units:  1
      missing.: 531/532

      tabulation:  Freq.  Value
                   1    3
                   531  .

```

hBeesYN

```

      type:  numeric (byte)
      range:  [2,2]
unique values: 1
      units:  1
      missing.: 234/532

      tabulation:  Freq.  Value
                   298  2
                   234  .

```

hBeesNumb

```

      type:  numeric (byte)
      range:  [.,.]
unique values: 0
      units:  .
      missing.: 532/532

      tabulation:  Freq.  Value
                   532  .

```

hAnimOth

```

      type:  string (str10)
unique values: 3
      missing "": 521/532

      tabulation:  Freq.  Value
                   521  ""
                   4   "CAT"
                   3   "CAT & DOGS"
                   4   "DOG"

      warning:  variable has embedded blanks

```

hDrinkSource

```

      type:  numeric (byte)
      range:  [11,88]
unique values: 13
      units:  1
      missing.: 1/532

      mean:    31.9548
      std. dev: 21.563

```


percentiles:	10%	25%	50%	75%	90%
	14	21	21	32	81

hDrinkSourceOth

```

      type:  string (str12)
unique values:  2                               missing "":  528/532

  tabulation:  Freq.  Value
                528    ""
                2    "PKT WATER"
                2    "SPRING WATER"

warning:  variable has embedded blanks

```

hDrinkTreatYN

```

      type:  numeric (byte)
      range:  [1,9]                               units:  1
unique values:  3                               missing .:  1/532

  tabulation:  Freq.  Value
                64    1
                462   2
                 5    9
                 1    .

```

hWaterBoil

```

      type:  numeric (byte)
      range:  [1,2]                               units:  1
unique values:  2                               missing .:  468/532

  tabulation:  Freq.  Value
                4    1
                60   2
               468   .

```

hWaterBleach

```

      type:  numeric (byte)
      range:  [1,2]                               units:  1
unique values:  2                               missing .:  468/532

  tabulation:  Freq.  Value
                49    1
                15    2
               468   .

```

hWaterStrain

```

      type:  numeric (byte)

```

range: [1,2] units: 1
 unique values: 2 missing .: 468/532

tabulation: Freq. Value
 5 1
 59 2
 468 .

hWaterFilter

type: numeric (byte)
 range: [2,2] units: 1
 unique values: 1 missing .: 468/532

tabulation: Freq. Value
 64 2
 468 .

hWaterSolar

type: numeric (byte)
 range: [2,2] units: 1
 unique values: 1 missing .: 468/532

tabulation: Freq. Value
 64 2
 468 .

hWaterSettle

type: numeric (byte)
 range: [1,2] units: 1
 unique values: 2 missing .: 468/532

tabulation: Freq. Value
 8 1
 56 2
 468 .

hWaterTreatOthYN

type: string (str1)
 unique values: 2 missing "": 468/532

tabulation: Freq. Value
 468 ""
 3 "1"
 61 "2"

hWaterTreatOth

type: string (str8)

unique values: 3 missing "": 529/532

tabulation: Freq. Value
 529 ""
 1 "CAMPHOR"
 1 "KAFURAH"
 1 "STRAINED"

hWaterTreatDK

type: numeric (byte)
 range: [1,2] units: 1
 unique values: 2 missing .: 468/532
 tabulation: Freq. Value
 5 1
 59 2
 468 .

hWashSource

type: numeric (byte)
 range: [11,99] units: 1
 unique values: 12 missing .: 1/532
 mean: 36.1657
 std. dev: 23.5819
 percentiles: 10% 25% 50% 75% 90%
 14 21 31 42 81

hWashSourceOth

type: string (str1), but longest is str0
 unique values: 0 missing "": 532/532
 tabulation: Freq. Value
 532 ""

hSanit

type: numeric (byte)
 range: [12,99] units: 1
 unique values: 9 missing .: 4/532

```

tabulation:  Freq.  Value
              13    12
              2     13
              21    21
             158    22
             210    23
              34    51
              86    61
               3    88
               1    99
               4     .

```

hSanitOth

```

type:  string (str13)

unique values:  4                                missing "":  527/532

tabulation:  Freq.  Value
              527    ""
               1    "GOES TO GOVT"
               2    "NEIGHBOURHOOD"
               1    "RIVER"
               1    "WHARF"

warning:  variable has embedded blanks

```

hSanitShare

```

type:  numeric (byte)

range:  [1,9]                                units:  1
unique values:  3                            missing .:  9/532

tabulation:  Freq.  Value
              327    1
              104    2
               92    9
               9     .

```

hHandWashWhere

```

type:  numeric (byte)

range:  [1,8]                                units:  1
unique values:  6                            missing .:  5/532

tabulation:  Freq.  Value
              43    1
             108    2
             304    3
               6    4
             65    5
               1    8
               5     .

```

hHandWashOth

```

type: string (str11)

unique values: 5                                missing "": 465/532

tabulation: Freq. Value
              465  ""
              30  "DON'T HAVE"
              1   "IN A BASIN"
              11  "NO PLACE"
              1   "TAP WATER"
              24  "UNAVAILABLE"

warning: variable has embedded blanks

```

hHandWashWater

```

type: numeric (byte)

range: [1,9]                                units: 1
unique values: 3                            missing .: 383/532

tabulation: Freq. Value
              52  1
              96  2
               1  9
             383  .

```

hHandWashBarSoap

```

type: numeric (byte)

range: [1,2]                                units: 1
unique values: 2                            missing .: 4/532

tabulation: Freq. Value
              132  1
              396  2
               4   .

```

hHandWashDeter

```

type: numeric (byte)

range: [1,2]                                units: 1
unique values: 2                            missing .: 4/532

tabulation: Freq. Value
              23  1
             505  2
               4   .

```

hHandWashLiqSoap

```

type: numeric (byte)

range: [1,2]                                units: 1
unique values: 2                            missing .: 4/532

```

```

tabulation:  Freq.  Value
              13     1
              515     2
              4      .

```

hHandWashAsh

```

type:  numeric (byte)

range:  [1,2]          units:  1
unique values:  2      missing .:  4/532

tabulation:  Freq.  Value
              11     1
              517     2
              4      .

```

hHandWashNone

```

type:  numeric (byte)

range:  [1,2]          units:  1
unique values:  2      missing .:  8/532

tabulation:  Freq.  Value
              356     1
              168     2
              8      .

```

hHasSalt

```

type:  numeric (byte)

range:  [1,2]          units:  1
unique values:  2      missing .:  3/532

tabulation:  Freq.  Value
              473     1
              56      2
              3      .

```

hAllowSalt

```

type:  numeric (byte)

range:  [1,1]          units:  1
unique values:  1      missing .:  58/532

tabulation:  Freq.  Value
              474     1
              58      .

```

hGiveSalt

```

type:  numeric (byte)

```

```

      range: [1,1]
unique values: 1
      units: 1
missing .: 55/532

      tabulation: Freq. Value
                   477 1
                   55 .

```

hSaltPackageIodized

```

      type: numeric (byte)

      range: [1,8]
unique values: 4
      units: 1
missing .: 57/532

      tabulation: Freq. Value
                   21 1
                   31 2
                   410 3
                   13 8
                   57 .

```

hBuyOilTimes

```

      type: numeric (byte)

      range: [0,99]
unique values: 11
      units: 1
missing .: 1/532

      mean: 8.75895
      std. dev: 26.5111

      percentiles:      10%      25%      50%      75%      90%
                       0         0         1         2         5

```

hBuyOilTimeUnit

```

      type: numeric (byte)

      range: [1,3]
unique values: 3
      units: 1
missing .: 307/532

      tabulation: Freq. Value
                   20 1
                   132 2
                   73 3
                   307 .

```

hBuyOilQuant

```

      type: numeric (byte)

      range: [1,99]
unique values: 7
      units: 1
missing .: 32/532

```

```

tabulation:  Freq.  Value
              166    1
              43    2
               9    3
               4    4
               3    5
               1    6
             274   99
              32    .

```

hBuyOilQuantUnit

```

type:  numeric (byte)

range:  [1,3]          units:  1
unique values:  2      missing .:  307/532

tabulation:  Freq.  Value
              221    1
               4    3
             307    .

```

hWheatType

```

type:  numeric (byte)

range:  [1,9]          units:  1
unique values:  5      missing .:  1/532

tabulation:  Freq.  Value
              208    1
               71    2
              119    3
               59    8
               74    9
               1    .

```

hWheatTypeOth

```

type:  string (str12)

unique values:  14      missing "":  478/532

examples:  ""
           ""
           ""
           ""

warning:  variable has embedded blanks

```

hBreadType

```

type:  numeric (byte)

range:  [1,9]          units:  1
unique values:  6      missing .:  325/532

```



```

tabulation:  Freq.  Value
              6      1
              13      2
             160      3
              17      4
               1      8
              10      9
             325      .

```

hBreadTypeOth

```

type:  string (str9)

unique values:  1                      missing "":  531/532

tabulation:  Freq.  Value
              531    ""
               1  "POT BREAD"

warning:  variable has embedded blanks

```

hBuyBreadTimes

```

type:  numeric (byte)

range:  [1,99]                      units:  1
unique values:  7                      missing .:  324/532

tabulation:  Freq.  Value
              120      1
               47      2
               24      3
                5      4
                3      5
                4      7
                5     99
             324      .

```

hBuyBreadTimeUnit

```

type:  numeric (byte)

range:  [1,99]                      units:  1
unique values:  4                      missing .:  328/532

tabulation:  Freq.  Value
              113      1
               78      2
               12      3
                1     99
             328      .

```

hBuyFullLoafNumb

```

type:  numeric (byte)

range:  [1,99]                      units:  1
unique values:  10                      missing .:  387/532

```

```

      mean:      62.669
    std. dev:    46.6863

percentiles:      10%      25%      50%      75%      90%
                  2        3        99        99        99

```

hBuyMedLoafNumb

```

      type:  numeric (byte)

      range:  [1,99]
unique values: 11
      units:  1
missing ..:  373/532

      mean:    37.5157
    std. dev:  46.1331

percentiles:      10%      25%      50%      75%      90%
                  2        2        4        99        99

```

hBuySmLoafNumb

```

      type:  numeric (byte)

      range:  [1,99]
unique values: 10
      units:  1
missing ..:  398/532

      mean:    59.7313
    std. dev:  47.2606

percentiles:      10%      25%      50%      75%      90%
                  2        4        99        99        99

```

hStatWt

```

      type:  numeric (double)

      range:  [.8012237,1.1944488]
unique values: 2
      units:  1.000e-07
missing ..:  0/532

      tabulation:  Freq.  Value
                   220   .80122368
                   312   1.1944488

```

hStratum

```

      type:  numeric (byte)
      label:  labels16

      range:  [1,2]
unique values: 2
      units:  1
missing ..:  0/532

      tabulation:  Freq.  Numeric  Label
                   220      1  Urban
                   312      2  Rural

```

HHID

```

      type:  numeric (int)

      range:  [104,6022]          units:  1
unique values: 530                missing .: 0/532

      mean:    2766.23
      std. dev: 1685.02

percentiles:      10%      25%      50%      75%      90%
                  606      1321      2519      4111.5      5313

```

HFloorGrp2

```

      type:  numeric (byte)
      label:  labels17

      range:  [0,1]          units:  1
unique values: 2                missing .: 1/532

      tabulation:  Freq.  Numeric  Label
                   254      0      Natural or Rudimentary
                   277      1      Finished
                   1        .

```

HRoofGrp2

```

      type:  numeric (byte)
      label:  labels18

      range:  [0,1]          units:  1
unique values: 2                missing .: 1/532

      tabulation:  Freq.  Numeric  Label
                   80      0      Natural or Rudimentary
                   451      1      Finished
                   1        .

```

HRoorGrp2

```

      type:  numeric (byte)

      range:  [.,.]          units:  .
unique values: 1                missing .: 531/532

      tabulation:  Freq.  Value
                   1      0
                   531    .

```

HExtWallsGrp3

```

      type:  numeric (byte)
      label:  labels19

      range:  [0,2]          units:  1
unique values: 3                missing .: 0/532

```

tabulation:	Freq.	Numeric	Label
	57	0	Natural
	169	1	Rudimentary
	306	2	Finished

HCookFuelGrp2

type: numeric (**byte**)
 label: **labels20**
 range: [0,0] units: 1
 unique values: 1 missing .: 1/532
 tabulation:

Freq.	Numeric	Label
531	0	Natural fuel
1	.	

HSafeSource

type: numeric (**byte**)
 label: **labels21**
 range: [0,1] units: 1
 unique values: 2 missing .: 5/532
 tabulation:

Freq.	Numeric	Label
134	0	Unimproved
393	1	Improved
5	.	

HSafeSanit

type: numeric (**byte**)
 label: **labels22**
 range: [0,1] units: 1
 unique values: 2 missing .: 8/532
 tabulation:

Freq.	Numeric	Label
330	0	Unimproved
194	1	Improved
8	.	

hWealthIndex

type: numeric (**double**)
 range: [-1.920902,2.5764908] units: 1.000e-11
 unique values: 375 missing .: 15/532
 mean: -.192353
 std. dev: .905579
 percentiles:

	10%	25%	50%	75%	90%
	-1.34831	-.877738	-.216526	.401138	.994552

FAC2_1

```

      type:  numeric (double)

      range:  [-2.6739841,2.6418479]      units:  1.000e-10
unique values: 375                      missing .: 15/532

      mean:   .043212
      std. dev: .959274

percentiles:      10%      25%      50%      75%      90%
                 -1.17932  -.670667  .070972  .705282  1.13385

```

FAC3_1

```

      type:  numeric (double)

      range:  [-2.1002595,3.068025]      units:  1.000e-10
unique values: 375                      missing .: 15/532

      mean:   -.000553
      std. dev: .940977

percentiles:      10%      25%      50%      75%      90%
                 -1.06906  -.651103  -.122838  .587124  1.32705

```

FAC4_1

```

      type:  numeric (double)

      range:  [-3.2571865,1.4626128]      units:  1.000e-11
unique values: 375                      missing .: 15/532

      mean:   .035917
      std. dev: .983004

percentiles:      10%      25%      50%      75%      90%
                 -1.49106  -.564039  .323052  .800832  1.13014

```

FAC5_1

```

      type:  numeric (double)

      range:  [-2.3993274,5.8565694]      units:  1.000e-11
unique values: 375                      missing .: 15/532

      mean:   -.017221
      std. dev: .963238

percentiles:      10%      25%      50%      75%      90%
                 -1.07101  -.590739  -.136232  .478935  1.02048

```

hWealthQuintile

```

      type:  numeric (byte)
      label:  labels23, but 2 nonmissing values are not labeled

```

range: [1,5] units: 1
 unique values: 5 missing .: 15/532

tabulation:	Freq.	Numeric	Label
	126	1	Poorest
	115	2	
	102	3	Middle
	109	4	
	65	5	Wealthiest
	15	.	

HHMembers_sum

type: numeric (byte)

range: [1,30] units: 1
 unique values: 23 missing .: 0/532

mean: 7.76692
 std. dev: 3.81026

percentiles:	10%	25%	50%	75%	90%
	4	5	7	10	12

HHRostWomanYN_sum

type: numeric (byte)

range: [1,9] units: 1
 unique values: 8 missing .: 20/532

tabulation:	Freq.	Value
	257	1
	142	2
	56	3
	26	4
	15	5
	11	6
	4	7
	1	9
	20	.

HHRostPregYN_sum

type: numeric (byte)

range: [1,2] units: 1
 unique values: 2 missing .: 466/532

tabulation:	Freq.	Value
	63	1
	3	2
	466	.

HHRostChildYN_sum

type: numeric (byte)

range: [1,5] units: 1
 unique values: 5 missing .: 4/532

tabulation: Freq. Value
 309 1
 159 2
 47 3
 10 4
 3 5
 4 .

AME1_sum

type: numeric (double)
 range: [1,22.87] units: .01
 unique values: 431 missing .: 0/532
 mean: 5.24182
 std. dev: 2.89732
 percentiles: 10% 25% 50% 75% 90%
 2.35 3.125 4.565 6.68 8.89

AME2_sum

type: numeric (double)
 range: [1,23.17] units: .01
 unique values: 445 missing .: 0/532
 mean: 5.37423
 std. dev: 2.95866
 percentiles: 10% 25% 50% 75% 90%
 2.38 3.22 4.69 6.87 9.09

SaltIod

type: numeric (double)
 range: [0,103.46813] units: 1.000e-08
 unique values: 321 missing .: 71/532
 mean: 23.3536
 std. dev: 10.5327
 percentiles: 10% 25% 50% 75% 90%
 6.0627 16.8773 24.5785 29.5488 33.3722

hNumChildren_sum

type: numeric (int)
 range: [1317,1317] units: 1
 unique values: 1 missing .: 0/532

tabulation: Freq. Value
532 1317

hNumbChildrenData_sum

type: numeric (**int**)

range: [863,863] units: 1
unique values: 1 missing .: 0/532

tabulation: Freq. Value
532 863

cStatWt

type: numeric (**double**)

range: [.57900883,3.6195931] units: 1.000e-08
unique values: 10 missing .: 0/532

mean: 1.02321
std. dev: .540184

percentiles: 10% 25% 50% 75% 90%
.579009 .579009 .723919 1.44784 1.73703

LabID

type: string (**str5**)

unique values: 482 missing "": 49/532

examples: "W0185"
"W0513"
"W0893"
"W1311"

wClusterNumb

type: numeric (**byte**)

range: [1,60] units: 1
unique values: 60 missing .: 49/532

mean: 27.3913
std. dev: 17.0318

percentiles: 10% 25% 50% 75% 90%
6 13 25 41 54

wHHNumb

type: numeric (**byte**)

range: [1,25] units: 1
unique values: 25 missing .: 49/532


```

      mean:    12.5072
    std. dev:    6.71697

percentiles:      10%      25%      50%      75%      90%
                  3         7        12        18        22

```

wWomanNumb

```

      type:  numeric (byte)

      range:  [1,30]
unique values: 15
      units:    1
missing ..:  49/532

      mean:    3.13458
    std. dev:    2.74438

percentiles:      10%      25%      50%      75%      90%
                  1         2         2         3         6

```

wRandomSelect

```

      type:  numeric (byte)

      range:  [1,2]
unique values: 2
      units:    1
missing ..:  49/532

tabulation:  Freq.  Value
              307    1
              176    2
               49    .

```

wInterNumb

```

      type:  numeric (byte)

      range:  [1,40]
unique values: 18
      units:    1
missing ..:  49/532

      mean:    20.1429
    std. dev:    12.7981

percentiles:      10%      25%      50%      75%      90%
                  3         8        20        31        39

```

wFinalResult

```

      type:  numeric (byte)

      range:  [1,8]
unique values: 5
      units:    1
missing ..:  49/532

tabulation:  Freq.  Value
              459    1
               5     2
               1     3
               3     4
              15     8
               49    .

```

wOtherResult

```

      type:  string (str12)
unique values:  1                               missing "":  517/532

  tabulation:  Freq.  Value
               517  ""
               15  "Not Eligible"

warning:  variable has embedded blanks

```

wUrineSpecs

```

      type:  string (str1)
unique values:  3                               missing "":  49/532

  tabulation:  Freq.  Value
               49  ""
               398  "1"
               65  "2"
               20  "9"

```

wStartPermission

```

      type:  numeric (byte)
      range:  [1,2]
unique values:  2                               units:  1
                                          missing .:  49/532

  tabulation:  Freq.  Value
               477  1
               6   2
               49  .

```

wDOBMonth

```

      type:  string (str9)
unique values:  12                               missing "":  55/532

examples:  "August"
           "November"
           "September"
           "September"

```

wDOBYear

```

      type:  numeric (int)
      range:  [1928,1998]
unique values:  40                               units:  1
                                          missing .:  101/532

      mean:  1983.81
      std. dev:  9.16249

```

percentiles:	10%	25%	50%	75%	90%
	1972	1978	1985	1991	1994

wAgeCalc

type:	numeric (byte)				
range:	[15,85]		units:	1	
unique values:	40		missing .:	101/532	
mean:	29.1531				
std. dev:	9.17148				
percentiles:	10%	25%	50%	75%	90%
	19	22	28	35	41

wAgeRpt

type:	numeric (byte)				
range:	[15,49]		units:	1	
unique values:	34		missing .:	87/532	
mean:	28.3573				
std. dev:	7.78631				
percentiles:	10%	25%	50%	75%	90%
	19	22	27	35	40

wSchoolEver

type:	numeric (byte)				
range:	[1,2]		units:	1	
unique values:	2		missing .:	55/532	
tabulation:	Freq.	Value			
	149	1			
	328	2			
	55	.			

wEducLevel

type:	numeric (byte)				
range:	[0,5]		units:	1	
unique values:	6		missing .:	383/532	
tabulation:	Freq.	Value			
	1	0			
	64	1			
	55	2			
	22	3			
	2	4			
	5	5			
	383	.			

wEducLevelYears

```

      type:  numeric (byte)
      range:  [0,7]
unique values: 8
      units:  1
missing .: 384/532

      tabulation:  Freq.  Value
                   1      0
                   20      1
                   38      2
                   43      3
                   7       4
                   15      5
                   21      6
                   3       7
                   384     .

```

wReadLevel

```

      type:  numeric (byte)
      range:  [1,3]
unique values: 3
      units:  1
missing .: 55/532

      tabulation:  Freq.  Value
                   404     1
                   28      2
                   45      3
                   55     .

```

wReadLevelOth

```

      type:  string (str1), but longest is str0
unique values: 0
      missing "": 532/532

      tabulation:  Freq.  Value
                   532     ""

```

wMarital

```

      type:  numeric (byte)
      range:  [1,6]
unique values: 6
      units:  1
missing .: 55/532

      tabulation:  Freq.  Value
                   46      1
                   289     2
                   117     3
                   6       4
                   7       5
                   12      6
                   55     .

```

wWork

```

      type:  numeric (byte)
      range:  [0,11]
unique values: 10
                        units:  1
                        missing .: 55/532
      mean:   2.94969
      std. dev: 2.4601
percentiles:      10%      25%      50%      75%      90%
                  0        0        3        5        5

```

wWorkOth

```

      type:  string (str13)
unique values: 9
                        missing "": 505/532
      tabulation:  Freq.  Value
                  505  ""
                  1   "CIVIL SERVANT"
                  1   "FISH WOMAN"
                  2   "HAIR DRESSING"
                  1   "HOUSE WIFE"
                  1   "PROPHETESS"
                  2   "PUPIL"
                  6   "STUDENT"
                  1   "TEACHER"
                  12  "TRADER"
      warning:  variable has embedded blanks

```

wSmokeCigs

```

      type:  numeric (byte)
      label:  labels24
      range:  [1,2]
unique values: 2
                        units:  1
                        missing .: 55/532
      tabulation:  Freq.  Numeric  Label
                  25      1  Yes
                  452      2  No
                  55      .

```

wSmokeCigsNumb

```

      type:  string (str2)
unique values: 8
                        missing "": 507/532

```

```

tabulation:  Freq.  Value
              507    ""
              6     "1"
              3    "10"
              5     "2"
              4     "3"
              2     "4"
              1     "5"
              1     "6"
              3    "99"

```

wPregNow

```

type:  numeric (byte)

range:  [1,9]          units:  1
unique values:  3      missing .:  55/532

tabulation:  Freq.  Value
              35     1
             439     2
               3     9
             55     .

```

wPregMonths

```

type:  numeric (byte)

range:  [1,9]          units:  1
unique values:  9      missing .:  497/532

tabulation:  Freq.  Value
              3     1
              4     2
              3     3
              4     4
              3     5
              5     6
              2     7
              2     8
              9     9
             497     .

```

wPregTimes

```

type:  numeric (byte)

range:  [0,15]         units:  1
unique values:  15      missing .:  55/532

mean:    4.1761
std. dev: 2.66837

percentiles:    10%    25%    50%    75%    90%
                  1      2      4      5      8

```

wPregFeFolate

```

      type:  numeric (byte)

      range:  [1,9]
unique values: 3
      units:  1
missing .: 59/532

      tabulation:  Freq.  Value
                   326    1
                   131    2
                   16     9
                   59     .

```

wBirthsTimes

```

      type:  numeric (byte)

      range:  [0,15]
unique values: 15
      units:  1
missing .: 59/532

      mean:    3.98732
      std. dev: 2.57922

      percentiles:      10%      25%      50%      75%      90%
                       1         2         3         5         8

```

wLactNow

```

      type:  numeric (byte)

      range:  [1,9]
unique values: 3
      units:  1
missing .: 60/532

      tabulation:  Freq.  Value
                   204    1
                   243    2
                   25     9
                   60     .

```

wGrain

```

      type:  numeric (byte)

      range:  [1,2]
unique values: 2
      units:  1
missing .: 55/532

      tabulation:  Freq.  Value
                   448    1
                   29    2
                   55     .

```

wVegOrange

```

      type:  numeric (byte)

      range:  [1,9]
unique values: 3
      units:  1
missing .: 55/532

```

```

tabulation:  Freq.  Value
              42    1
             432    2
              3    9
             55    .

```

wRoots

```

type:  numeric (byte)

range:  [1,9]          units:  1
unique values: 3      missing .: 55/532

tabulation:  Freq.  Value
              245    1
             231    2
              1    9
             55    .

```

wVegGreen

```

type:  numeric (byte)

range:  [1,9]          units:  1
unique values: 3      missing .: 55/532

tabulation:  Freq.  Value
              319    1
             157    2
              1    9
             55    .

```

wFruitVita

```

type:  numeric (byte)

range:  [1,9]          units:  1
unique values: 3      missing .: 55/532

tabulation:  Freq.  Value
              41    1
             430    2
              6    9
             55    .

```

wFruitOth

```

type:  numeric (byte)

range:  [1,9]          units:  1
unique values: 3      missing .: 55/532

tabulation:  Freq.  Value
              193    1
             281    2
              3    9
             55    .

```

wVegOth

```

      type:  numeric (byte)

      range:  [1,9]
unique values: 3
      units:  1
missing .:  55/532

      tabulation:  Freq.  Value
                   236    1
                   239    2
                     2    9
                   55    .

```

wMeatOrgan

```

      type:  numeric (byte)

      range:  [1,9]
unique values: 3
      units:  1
missing .:  55/532

      tabulation:  Freq.  Value
                   11    1
                   464    2
                     2    9
                   55    .

```

wMeat

```

      type:  numeric (byte)

      range:  [1,9]
unique values: 3
      units:  1
missing .:  55/532

      tabulation:  Freq.  Value
                   67    1
                   409    2
                     1    9
                   55    .

```

wEggs

```

      type:  numeric (byte)

      range:  [1,9]
unique values: 3
      units:  1
missing .:  55/532

      tabulation:  Freq.  Value
                   27    1
                   449    2
                     1    9
                   55    .

```

wFish

```

      type:  numeric (byte)

```

range: [1,9] units: 1
 unique values: 3 missing .: 55/532

tabulation: Freq. Value
 322 1
 154 2
 1 9
 55 .

wBeans

type: numeric (byte)
 range: [1,9] units: 1
 unique values: 3 missing .: 55/532

tabulation: Freq. Value
 224 1
 252 2
 1 9
 55 .

wDairy

type: numeric (byte)
 range: [1,9] units: 1
 unique values: 3 missing .: 55/532

tabulation: Freq. Value
 28 1
 447 2
 2 9
 55 .

wFat

type: numeric (byte)
 range: [1,9] units: 1
 unique values: 3 missing .: 55/532

tabulation: Freq. Value
 82 1
 392 2
 3 9
 55 .

wSugar

type: numeric (byte)
 range: [1,9] units: 1
 unique values: 3 missing .: 55/532

```

tabulation:  Freq.  Value
              92    1
             383    2
              2    9
             55    .

```

wCondiments

```

type:  numeric (byte)

range:  [1,2]          units:  1
unique values:  2      missing .:  55/532

tabulation:  Freq.  Value
              433    1
              44    2
              55    .

```

wInsects

```

type:  numeric (byte)

range:  [2,9]          units:  1
unique values:  2      missing .:  55/532

tabulation:  Freq.  Value
              473    2
               4    9
              55    .

```

wPalm

```

type:  numeric (byte)

range:  [1,2]          units:  1
unique values:  2      missing .:  55/532

tabulation:  Freq.  Value
              393    1
              84    2
              55    .

```

wFoodsOth

```

type:  string (str20)

unique values:  15      missing "":  503/532

examples:  ""
           ""
           ""
           ""

warning:  variable has embedded blanks

```

wIodSalt

```

      type:  numeric (byte)

      range:  [1,2]
unique values: 2
      units:  1
missing .: 55/532

      tabulation:  Freq.  Value
                   108    1
                   369    2
                   55     .

```

wIodGoiter

```

      type:  numeric (byte)

      range:  [1,2]
unique values: 2
      units:  1
missing .: 414/532

      tabulation:  Freq.  Value
                   13     1
                   105    2
                   414     .

```

wIodIntell

```

      type:  numeric (byte)

      range:  [2,2]
unique values: 1
      units:  1
missing .: 423/532

      tabulation:  Freq.  Value
                   109    2
                   423     .

```

wIodPrevDef

```

      type:  numeric (byte)

      range:  [1,2]
unique values: 2
      units:  1
missing .: 424/532

      tabulation:  Freq.  Value
                   1     1
                   107    2
                   424     .

```

wIodHealth

```

      type:  numeric (byte)

      range:  [1,2]
unique values: 2
      units:  1
missing .: 424/532

      tabulation:  Freq.  Value
                   18     1
                   90     2
                   424     .

```

wIodOth

```

      type:  string (str20)

unique values:  4                               missing "":  528/532

tabulation:  Freq.  Value
              528  ""
              1   "GOOD SALT"
              1  "REHYDIATION, COOKING"
              1   "TASTY"
              1  "TASTY IN FOOD"

warning:  variable has embedded blanks

```

wIodDK

```

      type:  numeric (byte)

      range:  [1,2]                               units:  1
unique values:  2                               missing .:  425/532

tabulation:  Freq.  Value
              76   1
              31   2
             425  .

```

wVitAOil

```

      type:  numeric (byte)

      range:  [1,9]                               units:  1
unique values:  3                               missing .:  66/532

tabulation:  Freq.  Value
              108  1
              354  2
               4   9
              66  .

```

wVitABlind

```

      type:  numeric (byte)

      range:  [1,2]                               units:  1
unique values:  2                               missing .:  413/532

tabulation:  Freq.  Value
              7   1
             112  2
             413  .

```

wVitAMort

```

      type:  numeric (byte)

```

range: [1,2] units: 1
 unique values: 2 missing .: 425/532

tabulation: Freq. Value
 1 1
 106 2
 425 .

wVitAPrevDef

type: numeric (byte)

range: [1,2] units: 1
 unique values: 2 missing .: 426/532

tabulation: Freq. Value
 3 1
 103 2
 426 .

wVitAHealth

type: numeric (byte)

range: [1,2] units: 1
 unique values: 2 missing .: 426/532

tabulation: Freq. Value
 11 1
 95 2
 426 .

wVitAOth

type: string (str23)

unique values: 3 missing "": 529/532

tabulation: Freq. Value
 529 ""
 1 "FOOD"
 1 "HIGH STANDARD OF LIVING"
 1 "NICE FLAVOUR"

warning: variable has embedded blanks

wVitaDK

type: numeric (byte)

range: [1,2] units: 1
 unique values: 2 missing .: 426/532

tabulation: Freq. Value
 88 1
 18 2
 426 .

wFeSuppl

```

      type:  numeric (byte)
      range:  [1,9]
unique values: 3
      units:  1
missing .:  67/532

      tabulation:  Freq.  Value
                   109    1
                   354    2
                     2    9
                    67    .

```

wFeSupplTime

```

      type:  numeric (byte)
      range:  [1,3]
unique values: 3
      units:  1
missing .:  410/532

      tabulation:  Freq.  Value
                   56    1
                   44    2
                   22    3
                  410    .

```

wFeSupplStill

```

      type:  string (str1)
unique values: 3
      missing "":  420/532

      tabulation:  Freq.  Value
                   420    ""
                   37    "1"
                   72    "2"
                    3    "3"

```

wFeSupplStop

```

      type:  numeric (byte)
      range:  [1,9]
unique values: 3
      units:  1
missing .:  457/532

      tabulation:  Freq.  Value
                   42    1
                   27    2
                    6    9
                  457    .

```

wFolSuppl

```

      type:  numeric (byte)

```

range: [1,9] units: 1
 unique values: 3 missing .: 67/532

tabulation: Freq. Value
 175 1
 289 2
 1 9
 67 .

wFolSupplTime

type: string (str1)
 unique values: 3 missing "": 343/532

tabulation: Freq. Value
 343 ""
 72 "1"
 67 "2"
 50 "3"

wFolSupplStill

type: numeric (byte)
 range: [1,2] units: 1
 unique values: 2 missing .: 354/532

tabulation: Freq. Value
 58 1
 120 2
 354 .

wFolSupplStop

type: numeric (byte)
 range: [1,9] units: 1
 unique values: 3 missing .: 408/532

tabulation: Freq. Value
 77 1
 34 2
 13 9
 408 .

wVitASuppl

type: numeric (byte)
 range: [1,9] units: 1
 unique values: 3 missing .: 55/532

tabulation: Freq. Value
 255 1
 199 2
 23 9
 55 .

wMultiVits

```

      type:  numeric (byte)

      range:  [1,9]
unique values: 3
                                units:  1
                                missing .: 55/532

      tabulation:  Freq.  Value
                   111    1
                   351    2
                   15    9
                   55    .

```

wLabConsent

```

      type:  numeric (byte)

      range:  [1,2]
unique values: 2
                                units:  1
                                missing .: 55/532

      tabulation:  Freq.  Value
                   462    1
                   15    2
                   55    .

```

wPregLab

```

      type:  numeric (byte)

      range:  [1,2]
unique values: 2
                                units:  1
                                missing .: 70/532

      tabulation:  Freq.  Value
                   32    1
                   430   2
                   70    .

```

wUrineCup

```

      type:  numeric (byte)

      range:  [1,2]
unique values: 2
                                units:  1
                                missing .: 70/532

      tabulation:  Freq.  Value
                   457    1
                     5    2
                   70    .

```

wHb

```

      type:  numeric (double)

      range:  [6.5,15.1]
unique values: 69
                                units:  .01
                                missing .: 75/532

```

```

      mean:    11.6958
    std. dev:    1.43673

percentiles:      10%      25%      50%      75%      90%
                  9.8      10.9      11.8      12.6      13.4

```

wMalariaRTK

```

      type:    numeric (byte)

      range:    [1,9]
unique values:    3
      units:    1
missing ..:    70/532

      tabulation:  Freq.  Value
                   149    1
                   295    2
                   18    9
                   70    .

```

wBloodVol

```

      type:    numeric (double)

      range:    [0,8.8]
unique values:    10
      units:    .1
missing ..:    76/532

      mean:    5.53509
      std. dev:    1.57029

percentiles:      10%      25%      50%      75%      90%
                  5        5.5        6        6        6.5

```

wPhlebNumb

```

      type:    string (str2)

unique values:    9
      missing "":    70/532

      tabulation:  Freq.  Value
                   70    ""
                   72    "11"
                   50    "16"
                   72    "21"
                   55    "27"
                   62    "32"
                   40    "37"
                   56    "42"
                   54    "43"
                   1    "45"

```

wDOBMo

```

      type:    numeric (byte)

      range:    [1,12]
unique values:    12
      units:    1
missing ..:    55/532

```

```

      mean:    8.00419
    std. dev:  2.35949

percentiles:    10%    25%    50%    75%    90%
                4      8      9      9      9

```

wAge

```

      type: numeric (byte)

      range: [15,85]          units: 1
unique values: 40          missing .: 75/532

      mean:    29.1444
    std. dev:  9.17047

percentiles:    10%    25%    50%    75%    90%
                19     22     28     35     41

```

wUrbRur

```

      type: numeric (byte)
      label: labels25

      range: [1,2]          units: 1
unique values: 2          missing .: 49/532

      tabulation: Freq.   Numeric   Label
                  198       1       Urban
                  285       2       Rural
                   49       .

```

wStratum

```

      type: numeric (byte)
      label: labels26

      range: [1,2]          units: 1
unique values: 2          missing .: 49/532

      tabulation: Freq.   Numeric   Label
                  198       1       Urban
                  285       2       Rural
                   49       .

```

hNumbNPWData_sum

```

      type: numeric (int)

      range: [1867,1867]    units: 1
unique values: 1          missing .: 49/532

      tabulation: Freq.   Value
                  483    1867
                   49     .

```

wStatWt

Standardized statistic

```

type: numeric (double)

range: [.50082106,5.2211262]      units: 1.000e-09
unique values: 16                missing .: 58/532

mean: 1.0051
std. dev: .475643

percentiles:      10%      25%      50%      75%      90%
                  .500821  .745875      1      1.00164  1.49175

```

wStatWtComb

Standardized statistic

```

type: numeric (double)

range: [0,5.6752989]      units: 1.000e-09
unique values: 16         missing .: 58/532

mean: .705709
std. dev: .72182

percentiles:      10%      25%      50%      75%      90%
                  0        0      .544386  .810757  1.62151

```

wStatWtUIC

```

type: numeric (int)

range: [0,3186]      units: 1
unique values: 16     missing .: 55/532

mean: 423.885
std. dev: 412.601

percentiles:      10%      25%      50%      75%      90%
                  0        0      455      611      910

```

wFerritin

```

type: numeric (double)

range: [5.295,317.95]      units: .0001
unique values: 383         missing .: 143/532

mean: 57.009
std. dev: 44.0635

percentiles:      10%      25%      50%      75%      90%
                  15.03   24.93   45.38   74.98   111

```

wRBP

```

type: numeric (double)

```

```

      range:  [.38,4]
unique values: 250
      units:  .0001
      missing .: 143/532

      mean:    1.37963
      std. dev: .481429

percentiles:      10%      25%      50%      75%      90%
                  .865      1.085      1.3      1.585      1.97

```

wCRP

```

      type:  numeric (double)

      range:  [0,62.14]
unique values: 307
      units:  .0001
      missing .: 143/532

      mean:    3.54655
      std. dev: 7.27043

percentiles:      10%      25%      50%      75%      90%
                  .26      .525      1.19      3.195      8.825

```

wAGP

```

      type:  numeric (double)

      range:  [.245,3.06]
unique values: 207
      units:  .0001
      missing .: 143/532

      mean:    .769775
      std. dev: .293361

percentiles:      10%      25%      50%      75%      90%
                  .445      .585      .725      .915      1.12

```

UIAliqA

```

      type:  numeric (double)

      range:  [6.816893,979.88668]
unique values: 421
      units:  1.000e-08
      missing .: 111/532

      mean:    199.889
      std. dev: 129.026

percentiles:      10%      25%      50%      75%      90%
                  58.7299  109.973  182.845  266.267  358.85

```

UIAliqC

```

      type:  numeric (double)

      range:  [29.226746,646.27476]
unique values: 49
      units:  1.000e-07
      missing .: 483/532

      mean:    196.398
      std. dev: 124.095

```

percentiles:	10%	25%	50%	75%	90%
	64.389	119.26	173.518	222.179	407.156

B12

```

type: numeric (double)

range: [126.4,1476]          units: .1
unique values: 373          missing .: 147/532

mean: 548.224
std. dev: 266.21

percentiles:      10%      25%      50%      75%      90%
                  258.7    362.7    503.5    663.5    912.7

```

wFolate

```

type: numeric (double)

range: [3.4,45.4]          units: .01
unique values: 302          missing .: 149/532

mean: 8.8252
std. dev: 5.94722

percentiles:      10%      25%      50%      75%      90%
                  5.14     6.28     7.59     9.34     11.72

```

PrimaryLast

```

type: numeric (byte)
label: labels27

range: [1,1]          units: 1
unique values: 1          missing .: 49/532

tabulation: Freq.   Numeric   Label
              483         1   Primary Case
              49          .

```

cAge

```

type: numeric (double)

range: [6,59.63039]        units: 1.000e-08
unique values: 400          missing .: 0/532

mean: 28.8271
std. dev: 15.532

percentiles:      10%      25%      50%      75%      90%
                  9.19918   14.308   27.0524   42.8388   49.807

```

cAgeSource

```

      type: numeric (byte)
      label: labels28

      range: [1,2]                      units: 1
unique values: 2                      missing .: 0/532

      tabulation: Freq.   Numeric   Label
                   401       1   Age calculated
                   131       2   Age reported

```

cAgeGrpYr

```

      type: numeric (byte)
      label: labels29

      range: [2,6]                      units: 1
unique values: 5                      missing .: 0/532

      tabulation: Freq.   Numeric   Label
                   102       2   6-11 mos
                   132       3   12-23 mos
                   95        4   24-35 mos
                   120       5   36-47 mos
                   83        6   48-59 mos

```

cAgeGrp0to24

```

      type: numeric (byte)
      label: labels30

      range: [1,2]                      units: 1
unique values: 2                      missing .: 298/532

      tabulation: Freq.   Numeric   Label
                   102       1   <12 mos
                   132       2   12-23 mos
                   298       .

```

cAnemiaYN

```

      type: numeric (byte)
      label: labels31

      range: [2,2]                      units: 1
unique values: 1                      missing .: 0/532

      tabulation: Freq.   Numeric   Label
                   532       2   Not anemic

```

cAnemiaSev

```

      type: numeric (byte)
      label: labels32

      range: [1,3]                      units: 1
unique values: 3                      missing .: 0/532

```

tabulation:	Freq.	Numeric	Label
	27	1	Severe
	315	2	Moderate
	190	3	Mild

HbCat

type: numeric (**byte**)

range: [4,10] units: 1

unique values: 7 missing .: 0/532

tabulation:	Freq.	Value
	3	4
	5	5
	19	6
	60	7
	113	8
	142	9
	190	10

wCRPHigh

type: numeric (**byte**)

label: **labels33**

range: [1,2] units: 1

unique values: 2 missing .: 143/532

tabulation:	Freq.	Numeric	Label
	63	1	High
	326	2	Nl
	143	.	

wAGPHigh

type: numeric (**byte**)

label: **labels34**

range: [1,2] units: 1

unique values: 2 missing .: 143/532

tabulation:	Freq.	Numeric	Label
	64	1	High
	325	2	Nl
	143	.	

wRBPAAdj

type: numeric (**double**)

range: [.399,4] units: 1.000e-06

unique values: 299 missing .: 143/532

mean: 1.39366

std. dev: .485304

percentiles:	10%	25%	50%	75%	90%
	.88	1.105	1.31	1.5834	1.995

wVitAInsuff

```

      type: numeric (byte)
      label: labels35

      range: [1,2]                      units: 1
unique values: 2                      missing .: 143/532

      tabulation: Freq.   Numeric   Label
                   83         1   Vit A insuff
                   306        2   Not vit A insuff
                   143         .

```

cCRPHigh

```

      type: numeric (byte)
      label: labels36

      range: [1,2]                      units: 1
unique values: 2                      missing .: 46/532

      tabulation: Freq.   Numeric   Label
                   231         1   High
                   255         2   Nl
                   46          .

```

cAGPHigh

```

      type: numeric (byte)
      label: labels37

      range: [1,2]                      units: 1
unique values: 2                      missing .: 46/532

      tabulation: Freq.   Numeric   Label
                   355         1   High
                   131         2   Nl
                   46          .

```

cInflammMarker

```

      type: numeric (byte)
      label: labels38

      range: [1,4]                      units: 1
unique values: 4                      missing .: 46/532

      tabulation: Freq.   Numeric   Label
                   119         1   No inflammation
                   12          2   Initial - CRP only
                   219         3   Mid - CRP and AGP
                   136         4   Late - AGP only
                   46          .

```

cInflammYN

```

      type: numeric (byte)
      label: labels39

      range: [1,2]                      units: 1
unique values: 2                      missing .: 46/532

      tabulation: Freq.   Numeric   Label
                   367         1   Yes
                   119         2   No
                   46          .

```

cAnemMalarInflamm**Status**

```

      type: numeric (int)
      label: labels40, but 4 nonmissing values are not labeled

      range: [111,122]                  units: 1
unique values: 4                      missing .: 46/532

      tabulation: Freq.   Numeric   Label
                   231        111
                   51         112
                   136        121
                   68         122
                   46          .

```

cRBPAAdj

```

      type: numeric (double)

      range: [.3432,2.64]                units: .00001
unique values: 318                      missing .: 46/532

      mean: .991257
      std. dev: .360643

      percentiles:      10%      25%      50%      75%      90%
                       .6072     .76     .9306     1.135     1.3728

```

cVitADef

```

      type: numeric (byte)
      label: labels41

      range: [1,2]                      units: 1
unique values: 2                      missing .: 46/532

      tabulation: Freq.   Numeric   Label
                   89         1   Vit A def
                   397         2   Not vit A def
                   46          .

```

_v1

```

      type: numeric (byte)
      label: labels42

      range: [1,1]
      unique values: 1
      units: 1
      missing .: 0/532

      tabulation: Freq.   Numeric   Label
                   532         1   Selected

```

MomEducCat

```

      type: numeric (byte)

      range: [0,54]
      unique values: 19
      units: 1
      missing .: 56/532

      mean: 6.73319
      std. dev: 11.1836

      percentiles:      10%      25%      50%      75%      90%
                       0         0         0         15         23

```

MomEducGrp

```

      type: numeric (byte)
      label: labels43

      range: [0,2]
      unique values: 3
      units: 1
      missing .: 56/532

      tabulation: Freq.   Numeric   Label
                   328         0   None
                   64         1   <= Compl primary
                   84         2   >=Some second
                   56         .

```

MomEducYears

```

      type: numeric (byte)

      range: [0,17]
      unique values: 17
      units: 1
      missing .: 56/532

      mean: 2.46008
      std. dev: 4.15597

      percentiles:      10%      25%      50%      75%      90%
                       0         0         0         5         10

```

cBWHaveYN

```

      type: numeric (byte)
      label: labels44

      range: [1,2]
      unique values: 2
      units: 1
      missing .: 162/532

```

tabulation:	Freq.	Numeric	Label
	211	1	Yes
	159	2	No
	162	.	

cBW250gGrps

```

type: numeric (byte)
label: labels45

range: [2,29]                units: 1
unique values: 19            missing .: 321/532

examples: 9      3.0-3.24
          .
          .
          .

```

BW500gGrps

```

type: numeric (byte)
label: labels46

range: [1,7]                units: 1
unique values: 7            missing .: 321/532

tabulation: Freq.  Numeric  Label
             8         1    <2.5
             39         2    2.5-2.9
             80         3    3.0-3.4
             49         4    3.5-3.9
             14         5    4.0-4.4
             12         6    4.5-4.9
              9         7    5.0+
             321         .

```

LBW

```

type: numeric (byte)
label: labels47

range: [1,2]                units: 1
unique values: 2            missing .: 321/532

tabulation: Freq.  Numeric  Label
             8         1    <2.5
            203         2    2.5+
            321         .

```

wDOB

```

type: numeric (double)

range: [-9.888e+11,1.220e+12]  units: 100000
unique values: 170            missing .: 101/532

mean: 7.7e+11
std. dev: 2.9e+11

```

percentiles:	10%	25%	50%	75%	90%
	4.0e+11	5.9e+11	8.1e+11	1.0e+12	1.1e+12

wAgeCalcNew

type:	numeric (byte)				
range:	[15,85]		units:	1	
unique values:	40		missing .:	101/532	
mean:	29.1601				
std. dev:	9.17098				
percentiles:	10%	25%	50%	75%	90%
	19	22	28	35	41

wAgeSource

type:	numeric (byte)		
label:	labels48		
range:	[1,9]		units:
unique values:	3		missing .:
tabulation:	Freq.	Numeric	Label
	431	1	Age calculated
	26	2	Age reported
	75	9	Age missing

wAgeBirth

type:	numeric (byte)				
range:	[13,83]		units:	1	
unique values:	40		missing .:	75/532	
mean:	26.7659				
std. dev:	9.01339				
percentiles:	10%	25%	50%	75%	90%
	17	20	25	32	38

wAgeBirthGrp

type:	numeric (byte)		
label:	labels49		
range:	[1,3]		units:
unique values:	3		missing .:
tabulation:	Freq.	Numeric	Label
	113	1	<20
	261	2	20-34
	83	3	35+
	75	.	

cDiarBloodTot

Overall prevalence of

```

      type: numeric (byte)
      label: labels50

      range: [1,2]
unique values: 2
                        units: 1
                        missing .: 2/532

      tabulation: Freq.   Numeric   Label
                   33         1   Yes
                   497        2   No
                   2         .

```

cCoughFever

```

      type: numeric (byte)
      label: labels51

      range: [1,2]
unique values: 2
                        units: 1
                        missing .: 4/532

      tabulation: Freq.   Numeric   Label
                   275        1   Yes
                   253        2   No
                   4         .

```

cLRI

```

      type: numeric (byte)
      label: labels52

      range: [1,2]
unique values: 2
                        units: 1
                        missing .: 6/532

      tabulation: Freq.   Numeric   Label
                   60         1   Yes
                   466        2   No
                   6         .

```

BFCurrent

```

      type: numeric (byte)
      label: labels53

      range: [1,2]
unique values: 2
                        units: 1
                        missing .: 328/532

      tabulation: Freq.   Numeric   Label
                   151        1   Yes
                   53         2   No
                   328        .

```

cBFEarlyCat

```

      type: numeric (byte)
      label: labels54

```

range: [0,2] units: 1
 unique values: 3 missing .: 347/532

tabulation:	Freq.	Numeric	Label
	126	0	<1 hr
	45	1	1-12 hrs
	14	2	>12 hrs
	347	.	

BFEExclusive

type: numeric (byte)
 label: labels55

range: [.,.] units: .
 unique values: 0 missing .: 532/532

tabulation:	Freq.	Numeric	Label
	532	.	

ComplFoods

type: numeric (byte)
 label: labels56

range: [1,2] units: 1
 unique values: 2 missing .: 485/532

tabulation:	Freq.	Numeric	Label
	21	1	Eaten compl foods
	26	2	NOT eaten compl foods
	485	.	

FoodGrp1Grains

type: numeric (byte)
 label: labels57

range: [0,1] units: 1
 unique values: 2 missing .: 310/532

tabulation:	Freq.	Numeric	Label
	39	0	NOT eaten
	183	1	Eaten
	310	.	

FoodGrp2Beans

type: numeric (byte)
 label: labels58

range: [0,1] units: 1
 unique values: 2 missing .: 310/532

tabulation:	Freq.	Numeric	Label
	153	0	NOT eaten
	69	1	Eaten
	310	.	

FoodGrp3Dairy

```

      type: numeric (byte)
      label: labels59

      range: [0,1]                      units: 1
unique values: 2                      missing .: 311/532

      tabulation: Freq.   Numeric   Label
                   169       0     NOT eaten
                   52       1       Eaten
                   311       .

```

FoodGrp4Meat

```

      type: numeric (byte)
      label: labels60

      range: [0,1]                      units: 1
unique values: 2                      missing .: 311/532

      tabulation: Freq.   Numeric   Label
                   125       0     NOT eaten
                   96       1       Eaten
                   311       .

```

FoodGrp5Eggs

```

      type: numeric (byte)
      label: labels61

      range: [0,1]                      units: 1
unique values: 2                      missing .: 312/532

      tabulation: Freq.   Numeric   Label
                   202       0     NOT eaten
                   18       1       Eaten
                   312       .

```

FoodGrp6Vita

```

      type: numeric (byte)
      label: labels62

      range: [0,1]                      units: 1
unique values: 2                      missing .: 311/532

      tabulation: Freq.   Numeric   Label
                   93       0     NOT eaten
                   128       1       Eaten
                   311       .

```

FoodGrp7Vegs

```

      type: numeric (byte)
      label: labels63

```


range: [0,1] units: 1
 unique values: 2 missing .: 311/532

tabulation:	Freq.	Numeric	Label
	175	0	NOT eaten
	46	1	Eaten
	311	.	

DivScore7

type: numeric (byte)

range: [0,7] units: 1
 unique values: 8 missing .: 317/532

tabulation:	Freq.	Value
	34	0
	31	1
	34	2
	33	3
	49	4
	27	5
	6	6
	1	7
	317	.

cDietDivMin

type: numeric (byte)
 label: labels64

range: [0,1] units: 1
 unique values: 2 missing .: 317/532

tabulation:	Freq.	Numeric	Label
	132	0	NOT adequate diversity
	83	1	Adequate diversity
	317	.	

cDietFreqMin

type: numeric (byte)
 label: labels65

range: [1,2] units: 1
 unique values: 2 missing .: 383/532

tabulation:	Freq.	Numeric	Label
	40	1	Adequate freq
	109	2	NOT adequate freq
	383	.	

DivScore6

type: numeric (byte)

range: [0,6] units: 1
 unique values: 7 missing .: 315/532

```

tabulation:  Freq.  Value
              38    0
              41    1
              25    2
              40    3
              53    4
              17    5
               3    6
             315    .

```

DietMilkFreq

```

type:  numeric (byte)
range:  [2,18]
unique values:  8
units:  1
missing .:  522/532

```

```

tabulation:  Freq.  Value
              1    2
              1    3
              2    4
              2    5
              1    6
              1    8
              1   12
              1   18
             522    .

```

cDietAccept

Acc

```

type:  numeric (byte)
label:  labels66
range:  [1,2]
unique values:  2
units:  1
missing .:  379/532

```

```

tabulation:  Freq.  Numeric  Label
              20         1  Acceptable
             133         2  NOT acceptable
             379         .

```

ICFI_BFSc

```

type:  numeric (byte)
range:  [0,2]
unique values:  3
units:  1
missing .:  328/532

```

```

tabulation:  Freq.  Value
              53    0
              61    1
              90    2
             328    .

```

ICFI_DivSc

```

type:  numeric (byte)

```

range: [0,2] units: 1
 unique values: 3 missing .: 317/532

tabulation: Freq. Value
 46 0
 63 1
 106 2
 317 .

ICFI_FreqSc

type: numeric (byte)
 range: [0,3] units: 1
 unique values: 4 missing .: 318/532

tabulation: Freq. Value
 98 0
 51 1
 53 2
 12 3
 318 .

ICFI

type: numeric (byte)
 range: [0,6] units: 1
 unique values: 7 missing .: 341/532

tabulation: Freq. Value
 3 0
 17 1
 40 2
 49 3
 39 4
 26 5
 17 6
 341 .

ICFIGood

type: numeric (byte)
 label: labels67
 range: [1,2] units: 1
 unique values: 2 missing .: 341/532

tabulation: Freq. Numeric Label
 17 1 Yes
 174 2 No
 341 .

cAgeGrpLT6

type: numeric (byte)
 label: labels68

```

      range:  [,.]
unique values: 0
      units:  .
missing ..: 532/532

      tabulation:  Freq.   Numeric   Label
                   532           .

```

cAgeGrpLT12

```

      type:  numeric (byte)
      label:  labels69

      range:  [4,6]
unique values: 3
      units:  1
missing ..: 430/532

      tabulation:  Freq.   Numeric   Label
                   30         4    6-7
                   38         5    8-9
                   34         6   10-11
                   430           .

```

ComplFoods2

```

      type:  numeric (byte)
      label:  labels70

      range:  [1,2]
unique values: 2
      units:  1
missing ..: 437/532

      tabulation:  Freq.   Numeric   Label
                   41         1  Eaten compl foods
                   54         2  NOT eaten compl foods
                   437           .

```

cFerrAdj

```

      type:  numeric (double)

      range:  [2.9449,230.95]
unique values: 477
      units:  1.000e-06
missing ..: 46/532

      mean:  59.7531
      std. dev: 44.1383

      percentiles:      10%      25%      50%      75%      90%
                       14.755   24.383   48.0714   83.153   120.583

```

cFeDefAdj

```

      type:  numeric (byte)
      label:  labels71

      range:  [1,2]
unique values: 2
      units:  1
missing ..: 46/532

      tabulation:  Freq.   Numeric   Label
                   28         1    Fe def
                   458         2   NOT Fe def
                   46           .

```

cFerrAdjCat

Adju

```

      type: numeric (byte)
      label: labels72

      range: [1,24]                      units: 1
unique values: 24                      missing .: 46/532

      examples: 3      19.991 - 29.990
                  5      39.991 - 49.990
                  7      59.991 - 69.990
                  12     109.991 - 119.990

```

cFeDefUNAdj

```

      type: numeric (byte)
      label: labels73

      range: [1,2]                      units: 1
unique values: 2                      missing .: 46/532

      tabulation: Freq.   Numeric   Label
                  15         1   Fe def
                  471        2   NOT Fe def
                  46         .

```

cFeDefLT30

```

      type: numeric (byte)
      label: labels74

      range: [1,2]                      units: 1
unique values: 2                      missing .: 46/532

      tabulation: Freq.   Numeric   Label
                  89         1   Fe def
                  397        2   NOT Fe def
                  46         .

```

cIDA

Both iro

```

      type: numeric (byte)
      label: labels75

      range: [1,2]                      units: 1
unique values: 2                      missing .: 46/532

      tabulation: Freq.   Numeric   Label
                  28         1   IDA
                  458        2   No IDA
                  46         .

```

cRBPAdjCat

```

      type: numeric (byte)
      label: labels76

```

range: [1,24] units: 1
 unique values: 24 missing .: 46/532

examples: 5 .700 - .799
 7 .900 - .999
 8 1.000 - 1.099
 11 1.300 - 1.399

HDrinkTreatOK

type: numeric (byte)
 label: labels77

range: [1,2] units: 1
 unique values: 2 missing .: 6/532

tabulation:	Freq.	Numeric	Label
	52	1	Safe
	474	2	Not safe
	6	.	

HSafeDrink

type: numeric (byte)
 label: labels78

range: [1,2] units: 1
 unique values: 2 missing .: 4/532

tabulation:	Freq.	Numeric	Label
	398	1	Safe
	130	2	Not safe
	4	.	

wBirthTimesGrp

type: numeric (byte)
 label: labels79

range: [1,2] units: 1
 unique values: 2 missing .: 59/532

tabulation:	Freq.	Numeric	Label
	239	1	0-3
	234	2	4+
	59	.	

wFerrAdj

type: numeric (double)

range: [5.295,317.95] units: 1.000e-06
 unique values: 385 missing .: 143/532

mean: 53.0929
 std. dev: 41.1746

percentiles:	10%	25%	50%	75%	90%
	14.26	24.23	41.505	68.835	105.4

wFeDefAdj

```

      type: numeric (byte)
      label: labels80

      range: [1,2]
unique values: 2
                        units: 1
                        missing .: 143/532

      tabulation: Freq.   Numeric   Label
                   29         1   Fe def
                   360        2   NOT Fe def
                   143         .

```

wAnemiaYN

```

      type: numeric (byte)
      label: labels81

      range: [1,2]
unique values: 2
                        units: 1
                        missing .: 75/532

      tabulation: Freq.   Numeric   Label
                   119         1   Anemic (<11)
                   338        2   Not anemic (11+)
                   75         .

```

cFeFortFoodAny

```

      type: numeric (byte)
      label: labels82

      range: [1,2]
unique values: 2
                        units: 1
                        missing .: 26/532

      tabulation: Freq.   Numeric   Label
                   67         1   Yes
                   439        2   No
                   26         .

```

cFeSuppl2

```

      type: numeric (byte)
      label: labels83

      range: [1,2]
unique values: 2
                        units: 1
                        missing .: 14/532

      tabulation: Freq.   Numeric   Label
                   225         1   Yes
                   293        2   No
                   14         .

```

cFeRichFood

```

      type: numeric (byte)
      label: labels84

      range: [1,2]                      units: 1
unique values: 2                      missing .: 384/532

      tabulation: Freq.   Numeric   Label
                   144       1     Yes
                   4        2     No
                   384       .

```

cVitARichFood

```

      type: numeric (byte)
      label: labels85

      range: [1,2]                      units: 1
unique values: 2                      missing .: 313/532

      tabulation: Freq.   Numeric   Label
                   130       1     Yes
                   89        2     No
                   313       .

```

```

3 . log close
   name: <unnamed>
   log: C:\Users\JWirth\Dropbox\GroundWork-Corporate\Projects\5_WHO\5.01 WHO Sierra Leone\WHO
> Leone_Child_data_Codebook.smcl
   log type: smcl
closed on: 2 Oct 2025, 15:10:44

```
