

Regression Re-Test Pack

SmartEPT — the last 10 build sessions across Central, Product & Agent, for your QA team to re-test

88 test cases · 10 sessions · P1 critical: 15 · Version 1.0 · 27 July 2026 · Ametecs India Private Limited · GST 36AAHCT0971F1ZB

How to use this pack. Work every case: read the preconditions, follow the steps, and compare what happens against the Expected result. Write Pass / Fail / Blocked in the Result box with your name and the date; for a Fail, note the exact error. The matching Excel workbook has the same cases with a Pass/Fail dropdown and auto-totalling — use whichever your team prefers. **Priority:** P1 = critical (money / data / licensing), P2 = high, P3 = medium.

Before you start (owner). Run the pending migrations, rebuild the desktop agent, and confirm the operating system runs `php artisan schedule:run` every minute. Several cases depend on the scheduler (meeting auto-close, biometric sync, employee-archive ZIPs, dunning) — without it they will look failed when they are only un-run.

Coverage summary

SESSION	REPO	CASES	P1	P2	P3
S1 · Pricing v2 Finalise (27-Jul)	Central	13	2	5	6
S2 · Pricing v2 (26-Jul)	Central / Landing	11	2	4	5
S3 · Bug round 25-Jul	Product	11	2	5	4
S4 · Employee Archive (24-Jul)	Product	6	2	2	2
S5 · Bug round 24-Jul	Product / Agent	10	2	5	3
S6 · Central QA Round-2 (23-Jul)	Central	5	1	3	1
S7 · QA Defect Phase (23-Jul)	Product / Agent	11	2	8	1
S8 · Next-Phase programme (21-Jul)	Product / Agent	9	2	5	2
S9 · Landing Revamp (22-Jul)	Landing	4	0	1	3
S10 · 1.0 Launch marathon (20-Jul)	Central / Product	8	0	7	1
TOTAL		88	15	45	28

S1 · Pricing v2 Finalise (27-Jul)

Central

CASE	WHAT TO TEST	EXPECTED RESULT	RESULT
S1-01 P1 Licensing / Grandfather	Legacy licence renewal is price-capped PRECONDITIONS Migration 2026_07_27_000200 run; an existing (pre-v2) licence exists with pricing_model=legacy and a legacy_baseline_inr. STEPS Open the legacy client's licence and raise a renewal (portal Renew or admin). Inspect the quote lines.	A 'Loyalty price protection' negative line appears; the ex-GST subtotal is capped at baseline x (1 + grandfather cap %), so the total cannot exceed ~20% over the previous rate.	Tester / date

S1-02 P2 Licensing / Grandfather	Licence flips to v2 after the grandfathered renewal PRECONDITIONS The capped renewal from S1-01 is paid. STEPS Pay the renewal order; then re-open the licence.	pricing_model is now 'v2' and legacy_baseline_inr is cleared; a subsequent renewal is quoted at full v2 rate (no cap line).	Tester / date
S1-03 P3 Licensing / Grandfather	New licence defaults to v2 (never grandfathered) PRECONDITIONS Migration run. STEPS Issue a brand-new licence to a new tenant.	pricing_model = v2 by default; no cap logic applies on its renewals.	Tester / date
S1-04 P2 Orders / PO number	PO number captured on admin New Order/Quote PRECONDITIONS Logged in as super/sales. STEPS Orders -> New Order/Quote; fill Client, users, enter a Client PO number; create the order.	The order is created with the PO number stored (visible on the order and its quote print).	Tester / date
S1-05 P3 Orders / PO number	PO number captured on client portal Buy PRECONDITIONS Logged into the client portal. STEPS Buy screen -> enter users + a PO number -> raise a quotation.	The quotation carries the PO number.	Tester / date
S1-06 P2 Quote / Proforma	Quotation prints as 'Quotation / Proforma Invoice' with PO + validity PRECONDITIONS An order/quote with a PO number exists. STEPS Open the order's Quotation/Proforma print (admin or portal).	Title reads 'QUOTATION / PROFORMA INVOICE'; the PO number and a 'valid until <date>' line are shown; terms show the same validity date.	Tester / date
S1-07 P1 Checkout / Expiry	Expired pay-link refuses payment (page) PRECONDITIONS An order whose valid_until is in the past, with nothing paid. STEPS Open /pay/{number}/{token} for that order.	The page shows 'This quotation has expired — contact sales' and offers no pay button.	Tester / date
S1-08 P2 Checkout / Expiry	Expired quote refuses Razorpay & Stripe init PRECONDITIONS Expired unpaid order as above; a gateway enabled. STEPS Attempt to start Razorpay and Stripe payment on the expired order.	Both refuse with HTTP 410 and a 'quotation has expired' message; no charge is initiated.	Tester / date
S1-09 P3 Checkout / Expiry	A paid/part-paid (credit) order stays payable after date PRECONDITIONS An order that is already part-paid/provisioned and past valid_until. STEPS Open its pay-link.	The link stays live and collects the remaining balance (expiry only blocks untouched quotes).	Tester / date
S1-10 P2 Plans / Cleanup	Plans table shows v2 perpetual bands, not legacy per-device PRECONDITIONS Logged in as super; PricingV2Seeder run. STEPS Open Plans & Pricing.	The 'Perpetual (by users)' column lists the user-band prices; the old 'Perpetual/Device' and 'Server Licence' columns are gone.	Tester / date
S1-11 P3 Plans / Cleanup	Edit-plan modal has no legacy per-device inputs; save works PRECONDITIONS Super role. STEPS Plans -> Edit the SmartEPT plan; change the annual rate; Save.	No 'Perpetual/device' or 'Server licence' inputs; the read-only perpetual bands show; Save succeeds and the annual rate updates.	Tester / date
S1-12 P3 Orders / Plan	New Order form offers the single SmartEPT plan PRECONDITIONS Super/sales. STEPS Orders -> New Order/Quote; open the Plan dropdown.	Only 'SmartEPT — all features' is offered (no Core/Professional/Enterprise).	Tester / date

S1-13 P3 Settings	Grandfather cap % and quote validity days are editable PRECONDITIONS Super role; migration run. STEPS Settings -> Pricing; change pricing_grandfather_cap_pct and quote_validity_days; save; raise a new quote.	New quotes use the edited validity window; grandfathered renewals use the edited cap.	Tester / date
-----------------------------	--	---	---------------------------

S2 · Pricing v2 (26-Jul)

Central / Landing

CASE	WHAT TO TEST	EXPECTED RESULT	RESULT
S2-01 P1 Pricing / Cloud	Cloud quote by user band + cycle PRECONDITIONS PricingV2Seeder run. STEPS Raise a Cloud (subscription) quote at 30, 250 and 1000 users on Annual, then Half-Yearly, then Quarterly.	Per-user rate matches the band ladder; Annual is the published rate, Half-Yearly ~10% above, Quarterly the base; hosting/storage are included (no separate storage line).	Tester / date
S2-02 P1 Pricing / Perpetual	Perpetual quote by capacity band PRECONDITIONS Seeder run. STEPS Raise a Perpetual quote at 30, 100, 500 users.	One-time price matches the perpetual band ladder; described as lifetime/client-hosted.	Tester / date
S2-03 P2 Pricing / Custom	>5000 users returns a custom quotation PRECONDITIONS Seeder run. STEPS Raise a Cloud or Perpetual quote above the top band (e.g. 6000 users).	The system returns a 'request a custom quotation' response, not a number.	Tester / date
S2-04 P2 Pricing / Setup	Setup fee = ₹5,000 + ₹100 per extra user, uncapped PRECONDITIONS Seeder run. STEPS On a first order, check the setup line at 30, 100, 1000 users.	₹5,000 covers 30 users; +₹100 per user beyond; grows linearly with no cap.	Tester / date
S2-05 P2 Pricing / AMC	AMC is year-1 included, ~18% thereafter PRECONDITIONS A perpetual licence issued. STEPS Check AMC on the perpetual licence; view amc_expires_at.	Year-1 updates/support included (amc_expires_at = +1yr); AMC renewal quotes ~18% of the prevailing band price.	Tester / date
S2-06 P3 Pricing / Discount	Ecosystem 10% discount applies on both models PRECONDITIONS A tenant flagged as an existing SmartDCM/SmartPRS customer. STEPS Raise a Cloud and a Perpetual quote for that tenant.	A flat 10% ecosystem discount is applied on both.	Tester / date
S2-07 P2 Landing / Pricing	Landing pricing section shows Cloud vs Perpetual PRECONDITIONS Landing deployed; API reachable. STEPS Open / (landing) -> pricing section; toggle the cycle; use the user-scale picker.	Cloud rental (bands + cycle toggle) and Perpetual (capacity ladder + optional AMC) both render; compare table + FAQ present; numbers come from the API.	Tester / date
S2-08 P3 Signup estimate	Signup estimate supports Cloud and Perpetual PRECONDITIONS On the client signup page. STEPS Use the estimate with the Rent/Own toggle at a few user counts.	Cloud shows per-user rental (storage folded in); Perpetual shows one-time band price + AMC.	Tester / date
S2-09 P3 Portal / Buy	Portal Buy screen sends the right kind PRECONDITIONS Logged into portal. STEPS Buy screen -> toggle Cloud vs Perpetual; set users; raise.	The order kind matches the toggle; no hosting toggle shown (implied by kind).	Tester / date

S2-10 P3 Admin / Issue	Admin Issue-Licence uses the single SmartEPT plan PRECONDITIONS Super/sales. STEPS Licences -> Issue Licence.	Plan is the single SmartEPT product; old tiers not offered.	Tester / date
S2-11 P3 Plans	Old plans are deactivated, not offered PRECONDITIONS Seeder run. STEPS Check Core/Professional/Enterprise across quote/issue/portal.	They are deactivated and not selectable anywhere in the new flows.	Tester / date

S3 · Bug round 25-Jul

Product

CASE	WHAT TO TEST	EXPECTED RESULT	RESULT
S3-01 P1 Meetings	Meeting does not auto-complete at scheduled end; +4h long-stop PRECONDITIONS schedule:run every minute; a meeting whose scheduled end has passed but is still running. STEPS Let a meeting overrun its scheduled end; observe status; leave it 4h with no joins vs with joins.	It stays IN_PROGRESS past scheduled end; at +4h it becomes AUTO_CLOSED (had attendance) or NO_SHOW (zero joins).	Tester / date
S3-02 P2 Meetings	End-meeting rights: organizer + company/branch/HR/super PRECONDITIONS A running meeting. STEPS Try 'End now' as the organizer, then as a company/branch/HR/super admin, then as an unrelated user.	Organizer and those admin roles can end it (records actual_end_at + ended_by); others cannot.	Tester / date
S3-03 P2 Attendance / Late	Late grace read from the Attendance policy PRECONDITIONS An employee with a shift start_time and an Attendance policy with late_grace_minutes assigned. STEPS Have the employee check in after the shift start but within grace, then beyond grace.	Within grace = not late; beyond = late by the policy's grace (falls back to shift grace only if no policy).	Tester / date
S3-04 P2 Permissions	Permission matrix save persists PRECONDITIONS Console as an admin who can edit roles. STEPS Open the role permission matrix, toggle some permissions, Save, then reload.	Changes persist (the earlier silent no-save bug is gone).	Tester / date
S3-05 P1 Employee Archive	Archive ZIP download returns the file (no 404) PRECONDITIONS An employee archive in READY state (built by scheduler). STEPS Employee Archive panel -> Download ZIP.	The ZIP downloads (disk-root path fixed; no 404).	Tester / date
S3-06 P2 Violations	Violations CSV export returns same-day rows PRECONDITIONS Violations exist for today. STEPS Export the violations CSV for a single day.	Rows for the whole day (00:00:00–23:59:59) are included (datetime range fixed).	Tester / date
S3-07 P3 Evidence	Evidence message distinguishes 3 cases PRECONDITIONS Violations with: capture failed (null storage), purged, and none. STEPS Open evidence for each.	Shows CAPTURE_FAILED (points to Troubleshooting) / EXPIRED / NO_EVIDENCE appropriately.	Tester / date

S3-08 P2 Webcam	Webcam viewer tab + protected file access PRECONDITIONS Webcam photos captured; user has webcam.view permission. STEPS Open the Webcam tab; view a company/day; open a photo.	Photos list and open via the protected WebcamController; access is logged; unauthorized users are blocked.	Tester / date
S3-09 P3 UI / Zoom	Zoom lightbox on evidence & webcam images PRECONDITIONS Evidence and webcam images visible. STEPS Click an evidence image and a webcam image.	Each opens in a zoom lightbox (screenshots keep their existing modal, not double-bound).	Tester / date
S3-10 P3 Meetings / UI	Meeting columns + status tags + Join popup PRECONDITIONS Meetings exist; a meeting becomes joinable. STEPS Open the meetings list; observe Organizer + Actual End columns and status tags; wait for a joinable meeting.	Organizer/Actual End columns show; NO_SHOW/AUTO_CLOSED tags render; a Join popup appears via the 45s poller.	Tester / date
S3-11 P3 Meetings / Report	Organizer is not marked ABSENT PRECONDITIONS A meeting with an organizer who did not 'join'. STEPS Open the meeting participation report.	The organizer shows as ORGANIZER, not ABSENT.	Tester / date

S4 · Employee Archive (24-Jul)

Product

CASE	WHAT TO TEST	EXPECTED RESULT	RESULT
S4-01 P1 Archive / Delete	Deleting an employee snapshots + frees code + soft-deletes PRECONDITIONS An employee with data; admin SUPER/COMPANY/BRANCH/HR. STEPS Employee tab -> delete an employee; confirm the archiving dialog.	An EmployeeArchive row (PENDING) is created with a Code_Name_Date label; the employee code is freed for reuse; the employee is soft-deleted; audit records the archive id/label.	Tester / date
S4-02 P2 Archive / Panel	Archive panel lists the archive PRECONDITIONS An archive created. STEPS Open the Employee Archive card in the Employee tab.	The archive lists with label, employee, archived on/by, record counts and a backup status.	Tester / date
S4-03 P1 Archive / ZIP build	Background ZIP builds to READY PRECONDITIONS schedule:run every minute; PHP zip extension on. STEPS Wait for the smartept:build-archives command (or run it manually).	The archive file_status becomes READY; the ZIP is written under storage/app/archives.	Tester / date
S4-04 P2 Archive / Download	ZIP download works and contains data + media PRECONDITIONS A READY archive. STEPS Download the ZIP and open it.	Contains employee.json, data/<table>.ndjson per table, and screenshots/ + webcam/ actual image files.	Tester / date
S4-05 P3 Archive / Reuse	Reused code's new employee keeps separate data PRECONDITIONS A code freed by archiving. STEPS Create a new employee reusing that code; add activity.	The new employee gets a new employee_id; old archived data never mixes with the new one's.	Tester / date
S4-06 P3 Archive / Errors	Missing zip extension surfaces FAILED clearly PRECONDITIONS PHP zip extension OFF (negative test). STEPS Trigger an archive build.	The archive row shows FAILED with a clear message (delete itself never 500s).	Tester / date

CASE	WHAT TO TEST	EXPECTED RESULT	RESULT
S5-01 P1 Time calc	Active/Idle no longer double-counted PRECONDITIONS Agent v0.10.0+ installed; product a8bf76f+. STEPS Run a tracked session with activity and idle stretches; compare totals to wall-clock.	Active/Idle totals match reality (idempotent insert + drain mutex removed the ~2x doubling).	Tester / date
S5-02 P1 Sync	Concurrent drain is serialized (mutex) PRECONDITIONS Agent rebuilt; node --test available. STEPS Run agent sync.test.js / force overlapping drains.	drain() is mutually exclusive; the same events are never POSTed twice.	Tester / date
S5-03 P2 Breaks	Break started during ACTIVE is handled PRECONDITIONS Employee active. STEPS Start a break while active.	The active segment closes and the break is recorded correctly (no overlap).	Tester / date
S5-04 P2 Breaks	16h stale break auto-closes PRECONDITIONS schedule:run running. STEPS Leave a break open >16h (or simulate).	The stale break is auto-closed by the closer.	Tester / date
S5-05 P2 Meetings	Stuck 'In-Meeting' clears PRECONDITIONS A meeting timeline segment left open. STEPS Run CloseMeetings.	The MEETING timeline segment closes; the employee is no longer stuck In-Meeting.	Tester / date
S5-06 P3 UI / Breaks	Break boxes merged into one 'On break' PRECONDITIONS Console dashboard. STEPS View a break in progress.	Tea/Lunch/Other show as a single 'On break' box.	Tester / date
S5-07 P2 Meetings	Meeting reminder popup fires PRECONDITIONS A meeting with reminder_minutes set; agent rebuilt. STEPS Wait for the reminder window.	The agent shows a native notification + surfaces the window with a reminder banner/Join.	Tester / date
S5-08 P2 Security / Uninstall	Tray uninstall is password-gated PRECONDITIONS Exit-lock enabled with a password; agent rebuilt. STEPS Tray -> 'Uninstall SmartEPT Agent...'.	It requires the exit password (rate-limited, tamper-logged) before running the uninstaller.	Tester / date
S5-09 P3 Diagnostics	Biometric all-MANUAL is flagged PRECONDITIONS All biometric devices set to MANUAL. STEPS Open Help -> Troubleshooting.	A check flags the all-MANUAL case (the 'have to sync manually' complaint) plus scheduler heartbeat.	Tester / date
S5-10 P3 Diagnostics	Screenshot null-storage is flagged PRECONDITIONS Recent shots with null storage_file_id. STEPS Open Troubleshooting.	A check counts captured-but-not-stored shots and points to a storage/upload problem.	Tester / date

S6 · Central QA Round-2 (23-Jul)

Central

CASE	WHAT TO TEST	EXPECTED RESULT	RESULT
S6-01 P1 Licensing	Quarterly / Half-yearly licence accepted PRECONDITIONS Migration 000700 run (billing widened). STEPS Issue a licence with Quarterly, then Half-yearly billing.	Both save without a 'Data truncated' error.	 Tester / date
S6-02 P2 Support	Ticket timeline is append-only, authored, IST PRECONDITIONS Migration 000800 run. STEPS Open a ticket; add replies; change status.	Each reply is appended (never overwrites a prior); author + status changes are shown; times render in IST.	 Tester / date
S6-03 P2 Downloads	Installer upload up to 256M PRECONDITIONS php.ini upload/post raised to 256M and PHP restarted. STEPS Upload an installer file larger than 2MB (up to ~256M).	Upload succeeds; the Downloads screen reflects the 256M limit.	 Tester / date
S6-04 P3 Orders	Orders table shows the Licence PRECONDITIONS An order tied to a licence. STEPS Open the Orders table.	A Licence column shows the key/status/kind.	 Tester / date
S6-05 P2 Billing	Trial → Paid partial payment works PRECONDITIONS A trial tenant; migration 000700 run. STEPS Convert to paid with a Quarterly/HY order and take a partial payment.	Provisioning issues the licence on the first partial payment without the enum error.	 Tester / date

S7 · QA Defect Phase (23-Jul)

Product / Agent

CASE	WHAT TO TEST	EXPECTED RESULT	RESULT
S7-01 P1 State machine	Break/Meeting while not ACTIVE returns 409 PRECONDITIONS Server 3d8b330+. STEPS Attempt to start a break/meeting from a non-active state.	The API returns 409 (status_timeline + StatusService enforce valid transitions).	 Tester / date
S7-02 P2 Gate / Tamper	Gate status + tamper events recorded PRECONDITIONS Agent v0.11.0. STEPS Trigger gate open/deny and a tamper attempt.	gate-status carries shape+reason; agent_tamper_events are logged; exit-lock sha256 enforced.	 Tester / date
S7-03 P2 Attendance	Checkout uses the trailing OUT PRECONDITIONS An employee with multiple in/out punches. STEPS Derive the day's attendance.	Check-out = the last OUT of the day (AttendanceDerivation single source of truth).	 Tester / date
S7-04 P2 Attendance / Late	Late computed per source, skips MANUAL PRECONDITIONS Late arrival source configured; a manual regularization exists. STEPS Derive late for a biometric day and a manual day.	Late is computed by the configured source; manual entries are skipped.	 Tester / date

S7-05 P2 Diagnostics	Biometric scheduler tile + failure cap PRECONDITIONS schedule:run status varies. STEPS Open Troubleshooting; force repeated sync failures.	The scheduler/biometric tiles reflect state; failure count caps at 5.	 Tester / date
S7-06 P2 Permissions	14 permissions + role matrix gate the UI PRECONDITIONS Migration 000400 run; RolePermissionSeeder applied. STEPS Log in as roles with/without meeting.* etc.; check console gating.	Screens/actions appear only when the role holds the permission; meeting routes honour permissions.	 Tester / date
S7-07 P2 Evidence	Evidence correlates shot ↔ event by uuid PRECONDITIONS Migration 000500 run; a blocked-app violation with a screenshot. STEPS Open the violation's evidence.	The correct screenshot shows (matched by client_event_uuid, window fallback); EXPIRED when purged; cross-tenant blocked.	 Tester / date
S7-08 P1 Screenshots	Screenshot interval ~1 per policy interval (no stacked timers) PRECONDITIONS Agent rebuilt; screenshot policy 10 min. STEPS Change the policy live; observe capture rate over 20–30 min.	About one shot per interval (start() stops the prior timer first); policy refresh is live.	 Tester / date
S7-09 P2 Attendance	Manual attendance rejects a future check-out PRECONDITIONS Server 61adabb+. STEPS Submit a manual attendance with check_out in the future, and with check_out before check_in.	Both are rejected (travel-safe future check + order check).	 Tester / date
S7-10 P2 Audit	Audit range = whole day + CSV export redacted PRECONDITIONS Migration 000600 run. STEPS Filter the audit log by a date range; export CSV.	A bare date covers the whole day; export streams all rows; secrets are redacted and CSV-injection neutralised.	 Tester / date
S7-11 P3 Clock	Agent stamps are server-time authoritative / macOS-safe PRECONDITIONS Agent v0.11.0 on Windows and macOS. STEPS Run tracking on both; compare stamps.	No locale strings in payloads; timings correct on macOS; server-time authoritative.	 Tester / date

S8 · Next-Phase programme (21-Jul)

Product / Agent

CASE	WHAT TO TEST	EXPECTED RESULT	RESULT
S8-01 P1 Idle	Instant idle on lock / sleep / display-off PRECONDITIONS Agent v0.8.0+. STEPS Lock the PC, sleep it, turn off the display.	Status flips to IDLE instantly and holds while locked; unlock does not snap to ACTIVE; screenshots pause while locked.	 Tester / date
S8-02 P2 Login popup	Watchdog relaunch does not pop the window PRECONDITIONS Agent installed with watchdog. STEPS Let the watchdog relaunch the agent; also do a normal login.	Silent/watchdog launches stay tray-only; only a real user action shows the window.	 Tester / date
S8-03 P3 Remember-me	Remember-me prefills email only PRECONDITIONS Agent login screen. STEPS Log in with Remember me on; restart; then off.	Email is prefilled (email only stored); tokens stay DPAPI-encrypted; turning it off forgets the email.	 Tester / date

S8-04 P2 Breaks	Break categories + limits + excess reason PRECONDITIONS Migration _000200 run; org break limits set. STEPS Take Lunch/Tea/Other breaks beyond the limit.	Categories recorded; exceeding the limit requires a mandatory excess-break reason; permitted/excess seconds stored.	Tester / date
S8-05 P2 Meetings	Meetings schedule/participants/auto-close; meeting = productive PRECONDITIONS Migration _000300 run. STEPS Schedule a meeting with participants; run it; check productivity.	Participant/time-window validated; auto-close works; meeting time counts as productive, not a break.	Tester / date
S8-06 P1 Policy / Devices	Single-device login enforced + force-logout PRECONDITIONS Migration _000400 run. STEPS Log the same employee in on a second PC.	The second login is denied (or takes over per policy); force-logout works; the agent handles 401 → login.	Tester / date
S8-07 P2 Biometric	Sync modes (interval/scheduled/manual) + mapping CRUD PRECONDITIONS Migration _000100 run. STEPS Set a device to INTERVAL, then SCHEDULED, then MANUAL; map/unmap a biometric id.	Each mode syncs per its rule (with scheduler); mapping create/update/delete works and guards one-employee-one-active-biometric.	Tester / date
S8-08 P2 Reports	Break report + meeting report PRECONDITIONS Server d452fe0+. STEPS Open the Break and Meeting reports; filter; export CSV; review a break.	Break report lists permitted/actual/excess + review; meeting report shows attendance/actual seconds; Meeting is excluded from breaks.	Tester / date
S8-09 P3 Idle attribution	Lock-idle vs inactivity (known residual) PRECONDITIONS Agent sends 'locked' to UI. STEPS Compare idle in reports.	Reports do not yet split lock-idle vs inactivity-idle (documented follow-up, not a defect).	Tester / date

S9 · Landing Revamp (22-Jul)

Landing

CASE	WHAT TO TEST	EXPECTED RESULT	RESULT
S9-01 P3 Theme	Landing renders the paper theme PRECONDITIONS landing.html deployed; hard refresh. STEPS Open / and scan the page.	Warm paper theme (#FBFAF6) with teal accents; header teal line removed; nav has a shadow.	Tester / date
S9-02 P2 Pricing	Pricing is data-driven from the API PRECONDITIONS Admin Plans set. STEPS Change a price in /admin -> Plans; wait ~5 min; reload landing.	The landing pricing follows the admin value (never hardcoded).	Tester / date
S9-03 P3 Features	Feature grid is 3x3 with the new modules PRECONDITIONS Landing deployed. STEPS View the feature grid.	Nine cards including Smart Breaks, Meetings and Live Monitoring.	Tester / date
S9-04 P3 USP	USP 'Three reasons' premium section renders PRECONDITIONS Landing deployed. STEPS View the USP section.	Gradient teal icon tiles with the shield/rupee/gate icons and the 'Industry First' badge.	Tester / date

CASE	WHAT TO TEST	EXPECTED RESULT	RESULT
S10-01 P2 Downloads	Downloads catalogue publishes per-OS installers PRECONDITIONS Super role; migrate run. STEPS Downloads -> upload/pick + publish agent (Win/Mac/Linux) and server rows.	Published rows appear in the portal Downloads for the right OS.	Tester / date
S10-02 P2 Downloads	Download quotas + history enforced PRECONDITIONS Quotas configured (trial/paid). STEPS As a client, download repeatedly beyond the daily/monthly limit.	Downloads are limited and logged; the portal shows remaining/month; 'Downloads by client' + recent log show in console.	Tester / date
S10-03 P2 Reports	Accountant CSV reports export PRECONDITIONS Super/sales; some paid orders. STEPS Reports -> GST register, Collections, Outstanding.	Each CSV downloads with correct figures.	Tester / date
S10-04 P2 Support	Support tickets portal + desk end to end PRECONDITIONS A client and a support agent. STEPS Client raises a ticket; support replies + changes status.	The client sees the reply (emailed); status flows; sales notified on new.	Tester / date
S10-05 P2 Users & Roles	Central staff Users & Roles with guardrails PRECONDITIONS Super role. STEPS Add/edit super/sales/support staff; reset a password; try to remove the last super / self-lock.	Staff management works; guardrails keep >=1 active super and block self-lockout; a read-only matrix shows.	Tester / date
S10-06 P2 Troubleshooting	Help -> Troubleshooting live in both apps PRECONDITIONS Both apps updated. STEPS Open Help -> Troubleshooting in product and Central.	System Health self-check + Known-Issues KB + log viewer render; scheduler/link/licence checks report state.	Tester / date
S10-07 P2 Reports / TZ	Reports filter by local (IST) date PRECONDITIONS Company tz Asia/Kolkata; agent data around midnight. STEPS Open Dashboard/Usage/Productivity for 'today'.	Rows are bounded by local date (whereDate), not a UTC window; late-night data lands on the right day.	Tester / date
S10-08 P3 Violations	Violation 'View evidence' matches the trigger PRECONDITIONS A BLOCKED_APP/BLOCKED_SITE violation with on-blocked screenshot policy ON. STEPS Open 'View evidence' for the violation.	The shown screenshot matches the offending app/site by trigger reason, not nearest-time.	Tester / date