

# Central (Super Admin) — Test Plan & Test Cases

SmartEPT · Employee Productivity Tracking & Intelligence — M/s. Ametecs India Pvt. Ltd.

## DOCUMENT

**SmartEPT-Central-Test-Cases**

## BUILD

**main @ 0377f00**

## REVISION / DATE

**rev001 · 23 July 2026**

## PREPARED BY

**SmartEPT Dev (Ametecs)**

**113**

TOTAL CASES

**23**

P1 CRITICAL

**52**

P2 MAJOR

**38**

P3 MINOR

**5**

QA-R2 FIXES

## 1 · Purpose & Scope

This pack verifies the **SmartEPT Central** super-admin console end-to-end, and specifically re-tests the five issues reported by the QA team on 23-Jul-2026 (all fixed in [main @ 0377f00](#)). It is the PDF companion to the Excel workbook [SmartEPT-Central-Test-Cases-2026-07-23.xlsx](#), which carries the same cases in a fill-in tracker with an auto-summary.

**Modules in scope:** Access · Dashboard · Clients · Licences · Orders · Trials · Credit · Invoices · Coupons · Leads · Support · Downloads · Storage · Plans · Settings · WA Templates · Admin/RBAC · Diagnostics · Audit · Reports · Checkout · Webhooks · Cross.

## 2 · Test Environment

|                  |                                                                           |
|------------------|---------------------------------------------------------------------------|
| Application      | SmartEPT Central (Super Admin console)                                    |
| Stack            | Laravel 11 · PHP 8.3 · MySQL 8 · Laragon (Windows)                        |
| Build under test | branch main @ 0377f00 (23-Jul-2026)                                       |
| DB migrations    | 000700 (licence billing) + 000800 (ticket messages) — run via migrate.bat |
| Roles            | Super admin · Sales · Support                                             |
| Data             | Indian context — ₹ amounts, GST 18%, Indian company/person names          |

## 3 · Entry & Exit Criteria

|          |                                                                                                                                                                   |
|----------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Entry    | Migrations 000700 + 000800 run; PHP upload limit raised & PHP restarted; console hard-refreshed (Ctrl+Shift+R); a super-admin, sales and support login available. |
| Exit     | All P1 (incl. the 5 bug-fix cases) Pass; no open P1/P2 defect; each Fail has a logged defect and retest.                                                          |
| Priority | P1 = critical (blocks business) · P2 = major · P3 = minor / cosmetic.                                                                                             |

## 4 · QA Round-2 — the 5 reported issues (root cause & fix)

### 1 Licences — Quarterly / 6-month period rejected with an error

|             |                                                                                                                                                                                                                                                                                                                       |
|-------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| ROOT CAUSE  | The <code>licences.billing</code> column was created as <code>ENUM('annual','monthly')</code> . Because MySQL runs in strict mode, saving <i>quarterly</i> or <i>half_yearly</i> raised “Data truncated for column 'billing'”. Every other layer (validation, pricing, dropdowns) already supported all four periods. |
| FIX         | Migration <code>2026_07_23_000700</code> widens the column to <code>VARCHAR(20)</code> , so all current and future periods insert cleanly. No further schema change is ever needed for a new period.                                                                                                                  |
| VERIFY WITH | BF-01, BF-02, BF-03                                                                                                                                                                                                                                                                                                   |

### 2 Support Tickets — Replies overwritten, no history/author, server time

|             |                                                                                                                                                                                                                                                                                                                                                                                                                                |
|-------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| ROOT CAUSE  | A single <code>admin_reply</code> column was <b>overwritten</b> on every update — so editing an update erased the previous reply (2B), there was no timeline or record of who responded (2C), and times were stored/shown in <b>UTC</b> (2A).                                                                                                                                                                                  |
| FIX         | New append-only <code>support_ticket_messages</code> table (migration <code>2026_07_23_000800</code> ) — every client message, staff reply and status change is its own immutable row with author + time. Existing tickets are <b>backfilled</b> (nothing lost). New <code>GET tickets/{ticket}</code> thread endpoint; console rebuilt to show the timeline and add a reply. Times render in <b>IST</b> (admin-configurable). |
| VERIFY WITH | BF-05, BF-06, BF-07, BF-10                                                                                                                                                                                                                                                                                                                                                                                                     |

### 3 Downloads — Installer upload capped at 2 MB (installer is 100 MB+)

|             |                                                                                                                                                                                                                                                                                                                                  |
|-------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| ROOT CAUSE  | The 2 MB ceiling is PHP's <code>upload_max_filesize</code> / <code>post_max_size</code> (the Laravel rule already allowed 1 GB). Large uploads were blocked before reaching the app.                                                                                                                                             |
| FIX         | Raised to <b>256 MB</b> via <code>public/.user.ini</code> (FastCGI/CGI) and a guarded <code>php_value</code> block in <code>public/.htaccess</code> ( <code>mod_php</code> ) — guarded so it never causes a 500 under either PHP setup. <b>Owner step:</b> confirm Laragon <code>php.ini</code> and restart PHP (see run-steps). |
| VERIFY WITH | BF-08, TC-L01, TC-L06                                                                                                                                                                                                                                                                                                            |

### 4 Orders & Payment — Linked Licence not shown

|             |                                                                                                                                          |
|-------------|------------------------------------------------------------------------------------------------------------------------------------------|
| ROOT CAUSE  | The orders list neither eager-loaded nor displayed the licence, though the link exists in the database.                                  |
| FIX         | Eager-load <code>licence:id,key,status,kind</code> in <code>orders()</code> and a new <b>Licence</b> column in the console orders table. |
| VERIFY WITH | BF-09                                                                                                                                    |

### 5 Orders — Trial → Paid Partial payment threw an error

|             |                                                                                                                                                                                                                                                                                                 |
|-------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| ROOT CAUSE  | Provisioning issues the licence on the <b>first</b> payment — including a Partial one. With a Quarterly/Half-yearly order that licence write hit the same broken <code>billing</code> ENUM (issue #1), so the error surfaced at the Partial step. The partial payment logic itself was correct. |
| FIX         | Fixed by the same <code>000700</code> column widening; the partial/credit provisioning path now completes.                                                                                                                                                                                      |
| VERIFY WITH | BF-04                                                                                                                                                                                                                                                                                           |

## 5 · Full Test Cases by Module

Fill **Actual / Status** per row (Pass / Fail / Blocked / Not Run). P1 rows carry a red edge, P2 amber, P3 green.

### Access 6 case(s)

| ID     | Area / Type                    | Scenario · Preconditions · Steps · Data                                                                                                                                 | Expected result                                                    | Actual / Status |
|--------|--------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------|-----------------|
| TC-A01 | Admin login<br>Functional · P1 | <b>Valid super-admin login</b><br>Pre: Valid super-admin account exists.<br>1. Open /admin/login<br>2. Enter correct email & password<br>3. Submit<br>Data: valid creds | Redirected to console; session established; nav shows all modules. |                 |
| TC-A02 | Admin login<br>Negative · P1   | <b>Wrong password rejected</b><br>Pre: Account exists.<br>1. Open /admin/login<br>2. Enter valid email, wrong password<br>3. Submit<br>Data: bad password               | Login refused with a friendly error; no session created.           |                 |
| TC-A03 | Rate limit<br>Security · P2    | <b>Login throttle after repeated failures</b><br>Pre: —<br>1. Attempt login 11 times rapidly with wrong password<br>Data: throttle:10,1                                 | After the limit, requests are throttled (429) for the window.      |                 |
| TC-A04 | Logout<br>Functional · P2      | <b>Logout ends the session</b><br>Pre: Logged in.<br>1. Click logout<br>Data: —                                                                                         | Session cleared; visiting console redirects to login.              |                 |
| TC-A05 | Guard<br>Security · P1         | <b>Unauthenticated access blocked</b><br>Pre: Logged out.<br>1. Directly open /admin or an /admin/api endpoint<br>Data: —                                               | Redirected to login / 401; no data returned.                       |                 |
| TC-A06 | Password<br>Negative · P3      | <b>Login is case-sensitive on password</b><br>Pre: Account exists.<br>1. Enter correct email, password with altered case<br>2. Submit<br>Data: case-variant             | Login refused.                                                     |                 |

### Dashboard 3 case(s)

| ID     | Area / Type                        | Scenario · Preconditions · Steps · Data                                                                                     | Expected result                                                                               | Actual / Status |
|--------|------------------------------------|-----------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------|-----------------|
| TC-B01 | KPIs<br>Functional · P2            | <b>Dashboard loads revenue/MRR/trials/unpaid</b><br>Pre: Some orders/trials exist.<br>1. Open Dashboard<br>Data: —          | Cards render: revenue this month, MRR, trials expiring 7d, unpaid orders — values match data. |                 |
| TC-B02 | Needs attention<br>Functional · P3 | <b>Counts equal trials expiring + unpaid orders</b><br>Pre: —<br>1. Read 'Needs Attention' vs the two sub-counts<br>Data: — | Needs Attention = trials_expiring_7d + orders_pending.                                        |                 |

| ID     | Area / Type                      | Scenario · Preconditions · Steps · Data                                                                          | Expected result                                              | Actual / Status |
|--------|----------------------------------|------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------|-----------------|
| TC-B03 | Recent orders<br>Functional · P3 | <b>Recent orders table shows latest first</b><br>Pre: ≥1 order.<br>1. View recent orders on dashboard<br>Data: — | Newest orders on top; number, client, total, status correct. |                 |

## Clients 5 case(s)

| ID     | Area / Type                   | Scenario · Preconditions · Steps · Data                                                                                                                                         | Expected result                                                                      | Actual / Status |
|--------|-------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|-----------------|
| TC-C01 | Create<br>Functional · P1     | <b>Create a new client/tenant</b><br>Pre: Super/sales.<br>1. Clients → add tenant<br>2. Fill company, email, phone, deployment<br>3. Save<br>Data: company='Krishna NBFC'       | Tenant created and listed.                                                           |                 |
| TC-C02 | Validation<br>Negative · P2   | <b>Duplicate/invalid email rejected</b><br>Pre: —<br>1. Create tenant with malformed email<br>Data: email='abc'                                                                 | Validation error; not saved.                                                         |                 |
| TC-C03 | View<br>Functional · P2       | <b>Open a client detail (licences, orders, storage)</b><br>Pre: Client exists.<br>1. Clients → open a client<br>Data: —                                                         | Detail shows company info, licences, orders, and actions (raise setup invoice etc.). |                 |
| TC-C04 | Edit<br>Functional · P2       | <b>Edit client billing profile (GST/state/address)</b><br>Pre: Client exists.<br>1. Open client → edit billing profile<br>2. Change GSTIN/state<br>3. Save<br>Data: GSTIN 36... | Saved; used later on invoices.                                                       |                 |
| TC-C05 | Deployment<br>Functional · P3 | <b>Deployment flag drives cloud vs on-prem behaviour</b><br>Pre: —<br>1. Set a tenant deployment=cloud<br>Data: deployment=cloud                                                | Cloud storage metering & console provisioning become applicable.                     |                 |

## Licences 14 case(s)

| ID     | Area / Type                        | Scenario · Preconditions · Steps · Data                                                                                                               | Expected result                                             | Actual / Status |
|--------|------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------|-----------------|
| TC-D01 | List/filter<br>Functional · P2     | <b>Filter licences by status and kind</b><br>Pre: Several licences exist.<br>1. Licences → set status/kind filters, search key<br>Data: status=active | List filters correctly; count matches.                      |                 |
| TC-D02 | Issue<br>Functional · P1           | <b>Issue Annual subscription licence</b><br>Pre: Client+plan.<br>1. + Issue Licence, Billing=Annual, Issue<br>Data: Annual, 10 devices                | Key generated (SEPT-...), expiry=+12 months, status active. |                 |
| TC-D03 | Issue perpetual<br>Functional · P2 | <b>Issue perpetual licence sets AMC</b><br>Pre: —<br>1. + Issue Licence, Kind=Perpetual<br>Data: perpetual                                            | No expiry; AMC expiry = +1 year.                            |                 |

| ID     | Area / Type                          | Scenario · Preconditions · Steps · Data                                                                                                                                 | Expected result                                             | Actual / Status |
|--------|--------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------|-----------------|
| TC-D04 | Trial<br>Functional · P2             | <b>Issue trial licence = 7 days, 0 grace</b><br>Pre: —<br>1. + Issue Licence, Kind=Trial<br>Data: trial                                                                 | Expiry=+7 days; grace_days=0.                               |                 |
| TC-D05 | Renew<br>Functional · P1             | <b>Renew extends by billing block from current expiry</b><br>Pre: Active licence.<br>1. Licences → Renew, confirm suggested date<br>Data: Half-yearly licence           | New expiry = current expiry + 6 months; status active.      |                 |
| TC-D06 | Edit expiry<br>Functional · P2       | <b>Edit a wrong expiry date; future date reactivates expired</b><br>Pre: Expired licence.<br>1. Edit → set a future expiry<br>2. Save<br>Data: future date              | Licence status flips back to active.                        |                 |
| TC-D07 | Device limit<br>Negative · P2        | <b>Cannot set device limit below active devices</b><br>Pre: Licence has N active devices.<br>1. Edit → device limit < active count<br>2. Save<br>Data: limit<active     | 422 with clear message; not saved.                          |                 |
| TC-D08 | Suspend/Resume<br>Functional · P2    | <b>Suspend then resume a licence</b><br>Pre: Active licence.<br>1. Suspend<br>2. Resume<br>Data: —                                                                      | Status toggles suspended → active; validation reflects it.  |                 |
| TC-D09 | Revoke<br>Functional · P2            | <b>Revoke asks for confirmation and is permanent</b><br>Pre: Active licence.<br>1. Revoke → confirm<br>Data: —                                                          | Status=revoked; product validation returns licence_revoked. |                 |
| TC-D10 | AMC<br>Functional · P3               | <b>Renew AMC on a perpetual licence</b><br>Pre: Perpetual licence.<br>1. Renew AMC<br>Data: —                                                                           | AMC expiry advances by 1 year.                              |                 |
| TC-D11 | .lic file<br>Functional · P2         | <b>Generate node-locked .lic with fingerprint</b><br>Pre: Signing key set up.<br>1. Licence file → paste fingerprint → Generate & download<br>Data: 40-char fingerprint | File downloads; locked to that machine.                     |                 |
| TC-D12 | .lic file<br>Functional · P3         | <b>Generate unlocked .lic (blank fingerprint)</b><br>Pre: Signing key set up.<br>1. Licence file → leave blank → Generate<br>Data: —                                    | File downloads; runs on any machine.                        |                 |
| TC-D13 | .lic file<br>Negative · P3           | <b>Missing signing key shows setup guidance</b><br>Pre: Signing key NOT set.<br>1. Licence file → Generate<br>Data: —                                                   | 422 telling admin to run smartept:make-keys; no crash.      |                 |
| TC-D14 | Deactivate device<br>Functional · P3 | <b>Free a device seat</b><br>Pre: Licence with active device.<br>1. Deactivate a device on the licence<br>Data: device_uid                                              | Seat freed; a replacement can activate.                     |                 |

Orders 15 case(s)

| ID     | Area / Type                       | Scenario · Preconditions · Steps · Data                                                                                                                          | Expected result                                                     | Actual / Status |
|--------|-----------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------|-----------------|
| TC-E01 | Quote<br>Functional · P2          | <b>Live quote updates as inputs change</b><br>Pre: Client+plan.<br>1. New Order → change devices/billing/deployment<br>Data: vary devices                        | Quote lines, GST and total recompute live.                          |                 |
| TC-E02 | Create order<br>Functional · P1   | <b>Create payable order (incl. first-time setup fee)</b><br>Pre: First paid order for client.<br>1. New Order → create as Order<br>Data: 25 devices              | Order created; includes one-time Setup & Onboarding fee.            |                 |
| TC-E03 | Quotation<br>Functional · P2      | <b>Create as quotation then approve</b><br>Pre: —<br>1. New Order → create as Quotation<br>2. Approve<br>Data: as_quote=1                                        | Quote number issued; Approve makes it payable (keeps quote number). |                 |
| TC-E04 | Mark paid full<br>Functional · P1 | <b>Record full manual payment</b><br>Pre: Unpaid order.<br>1. Record Payment → Paid in full, method+ref<br>2. Save<br>Data: NEFT UTR                             | Order=paid, licence active, invoice PAID, receipt emailed.          |                 |
| TC-E05 | Partial<br>Functional · P1        | <b>Partial payment provisions on credit</b><br>Pre: Unpaid order.<br>1. Record Payment → Partial, amount, due date<br>2. Save<br>Data: part amount               | Provisioned; invoice DUE; balance tracked in Credit Clients.        |                 |
| TC-E06 | Partial guard<br>Negative · P2    | <b>Partial ≥ balance is rejected</b><br>Pre: Unpaid order.<br>1. Record Payment → Partial, amount = total<br>Data: amount=total                                  | 422 telling admin to choose Paid in full instead.                   |                 |
| TC-E07 | Due<br>Functional · P2            | <b>Whole amount on credit (₹0 now)</b><br>Pre: Unpaid order.<br>1. Record Payment → Due, due date<br>2. Save<br>Data: ₹0 now                                     | Provisioned on credit; invoice DUE; ledger unchanged.               |                 |
| TC-E08 | Record balance<br>Functional · P2 | <b>Record a later instalment clears balance</b><br>Pre: Provisioned order with balance.<br>1. Record balance → amount, method<br>2. Save<br>Data: balance amount | On reaching zero: invoice PAID, receipt emailed.                    |                 |
| TC-E09 | Balance overpay<br>Negative · P2  | <b>Instalment &gt; outstanding is rejected</b><br>Pre: Order with small balance.<br>1. Record balance → amount > balance<br>Data: over amount                    | 422 stating the exact outstanding; not recorded.                    |                 |
| TC-E10 | Refund<br>Functional · P2         | <b>Refund/credit-note up to net received</b><br>Pre: Order with received>0.<br>1. Refund → amount, reason<br>2. Save<br>Data: amountsreceived                    | Negative ledger row; credit note number; received drops.            |                 |
| TC-E11 | Refund guard<br>Negative · P3     | <b>Refund &gt; received rejected</b><br>Pre: —<br>1. Refund amount > received<br>Data: over                                                                      | 422; nothing recorded.                                              |                 |

| ID     | Area / Type                      | Scenario · Preconditions · Steps · Data                                                                                                                        | Expected result                                                    | Actual / Status |
|--------|----------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------|-----------------|
| TC-E12 | Setup invoice<br>Functional · P2 | <b>Raise standalone install &amp; onboarding invoice</b><br>Pre: Client without setup paid.<br>1. Raise setup invoice → devices → pay link<br>Data: 25 devices | Invoice + pay link; setup_fee_paid flips once paid.                |                 |
| TC-E13 | Already paid<br>Negative · P3    | <b>Cannot record payment on a paid order</b><br>Pre: Paid order.<br>1. Record Payment on a paid order<br>Data: —                                               | 422 'already paid'.                                                |                 |
| TC-E14 | Pay link<br>Functional · P3      | <b>Copy/share pay link for an order</b><br>Pre: Order exists.<br>1. Pay Link<br>Data: —                                                                        | A /pay/{number}/{token} URL is provided.                           |                 |
| TC-E15 | Coupon<br>Functional · P2        | <b>Coupon applies as a negative line before GST</b><br>Pre: Valid coupon.<br>1. New Order → enter coupon<br>Data: DIWALI25                                     | Discount line shown; subtotal reduced; GST on discounted subtotal. |                 |

## Trials 4 case(s)

| ID     | Area / Type                   | Scenario · Preconditions · Steps · Data                                                              | Expected result                                                    | Actual / Status |
|--------|-------------------------------|------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------|-----------------|
| TC-F01 | List<br>Functional · P2       | <b>Active vs expired trials listed</b><br>Pre: Trials exist.<br>1. Open Trials<br>Data: —            | Active trials sorted by expiry; expired listed separately.         |                 |
| TC-F02 | Extend<br>Functional · P2     | <b>Extend trial by 1–30 days</b><br>Pre: Active trial.<br>1. Extend → enter days<br>Data: days=7     | trial_ends_at + purge_after advance; trial licence expiry updated. |                 |
| TC-F03 | Extend bound<br>Boundary · P3 | <b>Extend rejects &gt;30 or &lt;1</b><br>Pre: —<br>1. Extend → 45<br>Data: days=45                   | Validation error; no change.                                       |                 |
| TC-F04 | Convert<br>Functional · P1    | <b>Convert to Paid opens pre-filled order</b><br>Pre: Active trial.<br>1. Convert to Paid<br>Data: — | New Order modal opens with the client pre-selected.                |                 |

## Credit 2 case(s)

| ID     | Area / Type                | Scenario · Preconditions · Steps · Data                                                                             | Expected result                                                       | Actual / Status |
|--------|----------------------------|---------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------|-----------------|
| TC-G01 | List<br>Functional · P2    | <b>Outstanding balances listed with due dates</b><br>Pre: Credit orders exist.<br>1. Open Credit Clients<br>Data: — | Provisioned-but-unpaid orders show total/received/balance/payable-by. |                 |
| TC-G02 | Overdue<br>Functional · P3 | <b>Past-due rows are flagged</b><br>Pre: Overdue credit order.<br>1. View an order past its due date<br>Data: —     | Row flagged overdue (red); no auto-lock (manual follow-up).           |                 |

## Invoices 3 case(s)

| ID     | Area / Type                    | Scenario · Preconditions · Steps · Data                                                                            | Expected result                                                 | Actual / Status |
|--------|--------------------------------|--------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------|-----------------|
| TC-H01 | List/filter<br>Functional · P2 | <b>List invoices; filter by status</b><br>Pre: Invoices exist.<br>1. Invoices → filter status<br>Data: status=paid | List filters correctly.                                         |                 |
| TC-H02 | Print<br>Functional · P2       | <b>Invoice print view renders with GST + logo</b><br>Pre: Invoice exists.<br>1. Open invoice print<br>Data: —      | Branded invoice with GST split, company + client details, logo. |                 |
| TC-H03 | Quote print<br>Functional · P3 | <b>Quotation print view renders</b><br>Pre: Quote exists.<br>1. Open quote print<br>Data: —                        | Branded quotation PDF view.                                     |                 |

## Coupons 3 case(s)

| ID     | Area / Type               | Scenario · Preconditions · Steps · Data                                                                                              | Expected result                                         | Actual / Status |
|--------|---------------------------|--------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------|-----------------|
| TC-I01 | Create<br>Functional · P2 | <b>Create percent/flat coupon</b><br>Pre: Super/sales.<br>1. Coupons → create<br>2. Set type, value, limits<br>Data: 25% max_uses=50 | Coupon created and usable in quotes.                    |                 |
| TC-I02 | Cap<br>Functional · P2    | <b>Coupon respects max_uses cap</b><br>Pre: Coupon near cap.<br>1. Redeem to the cap, attempt one more<br>Data: —                    | Over-cap redemption blocked/logged; not double counted. |                 |
| TC-I03 | Expired<br>Negative · P3  | <b>Expired coupon not applicable in new quote</b><br>Pre: Expired coupon.<br>1. Enter expired code in New Order<br>Data: —           | Coupon rejected with reason.                            |                 |

## Leads 2 case(s)

| ID     | Area / Type                 | Scenario · Preconditions · Steps · Data                                                                         | Expected result                                          | Actual / Status |
|--------|-----------------------------|-----------------------------------------------------------------------------------------------------------------|----------------------------------------------------------|-----------------|
| TC-J01 | Capture<br>Functional · P2  | <b>Website lead appears NEW at top</b><br>Pre: —<br>1. Submit landing enquiry / create lead<br>Data: —          | Lead listed NEW; sales@ notified.                        |                 |
| TC-J02 | Progress<br>Functional · P3 | <b>Move lead through pipeline; WON → client</b><br>Pre: Lead exists.<br>1. Update lead status to WON<br>Data: — | Lead converts/links to a client with the story retained. |                 |

## Support 6 case(s)

| ID     | Area / Type                    | Scenario · Preconditions · Steps · Data                                                     | Expected result                                                | Actual / Status |
|--------|--------------------------------|---------------------------------------------------------------------------------------------|----------------------------------------------------------------|-----------------|
| TC-K01 | List/counts<br>Functional · P2 | <b>Ticket list shows status counts</b><br>Pre: Tickets exist.<br>1. Open Support<br>Data: — | open/in_progress/resolved/closed counts correct; newest first. |                 |



| ID     | Area / Type                     | Scenario · Preconditions · Steps · Data                                                                                                               | Expected result                                               | Actual / Status |
|--------|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------|-----------------|
| TC-K02 | Filter<br>Functional · P3       | <b>Filter tickets by status</b><br>Pre: —<br>1. Filter = open<br>Data: —                                                                              | Only open tickets shown.                                      |                 |
| TC-K03 | Reply email<br>Functional · P2  | <b>Reply emails the client</b><br>Pre: Ticket with client email.<br>1. Open ticket → add reply → Save & send<br>Data: reply text                      | Client receives 'Re: your SmartEPT support ticket #..' email. |                 |
| TC-K04 | Empty reply<br>Functional · P3  | <b>Status-only change (no reply) still logs timeline</b><br>Pre: Ticket open.<br>1. Change status without typing a reply<br>2. Save<br>Data: no reply | Status_change entry recorded; no email sent.                  |                 |
| TC-K05 | Reply length<br>Boundary · P3   | <b>Reply over 4000 chars rejected</b><br>Pre: —<br>1. Paste >4000 char reply<br>Data: long text                                                       | Validation error; nothing saved.                              |                 |
| TC-K06 | Client raise<br>Functional · P2 | <b>Client portal can raise a ticket that appears here</b><br>Pre: Client portal user.<br>1. Client raises ticket in portal<br>Data: —                 | New ticket appears in the admin support desk.                 |                 |

## Downloads 6 case(s)

| ID     | Area / Type                      | Scenario · Preconditions · Steps · Data                                                                                                                                        | Expected result                                                            | Actual / Status |
|--------|----------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------|-----------------|
| TC-L01 | Catalogue<br>Functional · P2     | <b>List download artifacts + files on disk</b><br>Pre: —<br>1. Open Downloads<br>Data: —                                                                                       | Catalogue, on-disk files and current upload limit shown.                   |                 |
| TC-L02 | Existing file<br>Functional · P2 | <b>Attach a file already in storage/app/downloads</b><br>Pre: File placed on server.<br>1. Add artifact → 'use a file already on the server' → pick<br>Data: installer on disk | Artifact points to it; size read from disk; no upload needed.              |                 |
| TC-L03 | Type guard<br>Negative · P3      | <b>Unsupported extension rejected</b><br>Pre: —<br>1. Upload a .txt as installer<br>Data: bad ext                                                                              | Clear 'unsupported file type' message.                                     |                 |
| TC-L04 | Limits<br>Functional · P3        | <b>Per-client daily/monthly download limits save</b><br>Pre: —<br>1. Set limits → Save<br>Data: free/paid caps                                                                 | Limits saved; enforced on client downloads.                                |                 |
| TC-L05 | Delete<br>Functional · P3        | <b>Remove an artifact</b><br>Pre: Artifact exists.<br>1. Delete artifact<br>Data: —                                                                                            | Artifact removed from catalogue.                                           |                 |
| TC-L06 | Post-max<br>Negative · P2        | <b>Over-limit upload gives a clear reason (pre-fix baseline)</b><br>Pre: Limit still low.<br>1. Upload a file bigger than post_max_size<br>Data: oversize                      | Friendly message to raise limit or use server-file path (not a blank/500). |                 |

Storage 2 case(s)

| ID     | Area / Type                   | Scenario · Preconditions · Steps · Data                                                                          | Expected result                        | Actual / Status |
|--------|-------------------------------|------------------------------------------------------------------------------------------------------------------|----------------------------------------|-----------------|
| TC-M01 | Record<br>Functional · P3     | <b>Record cloud storage usage for a tenant</b><br>Pre: Cloud tenant.<br>1. Storage → record usage<br>Data: 50 GB | Row saved; monthly charge estimated.   |                 |
| TC-M02 | Billable min<br>Boundary · P3 | <b>Billable GB respects the minimum</b><br>Pre: Low usage.<br>1. Record small usage<br>Data: 2 GB                | Billable = max(usage, storage_min_gb). |                 |

Plans 2 case(s)

| ID     | Area / Type                    | Scenario · Preconditions · Steps · Data                                                                                             | Expected result                                      | Actual / Status |
|--------|--------------------------------|-------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------|-----------------|
| TC-N01 | Edit annual<br>Functional · P2 | <b>Edit a plan's annual rate</b><br>Pre: Super admin.<br>1. Plans → edit → set annual rate → Save<br>Data: ₹/device/mo              | Saved; Quarterly & Half-Yearly derive from it.       |                 |
| TC-N02 | Derivation<br>Functional · P3  | <b>Derived cycles reflect discount settings</b><br>Pre: —<br>1. Change half-yearly/annual discount % in Settings<br>Data: discounts | Landing, calculator and quotes follow within ~5 min. |                 |

Settings 5 case(s)

| ID     | Area / Type                 | Scenario · Preconditions · Steps · Data                                                                                                       | Expected result                                                        | Actual / Status |
|--------|-----------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------|-----------------|
| TC-O01 | SMTP<br>Functional · P1     | <b>Save SMTP settings &amp; send test email</b><br>Pre: Super admin.<br>1. Settings → SMTP fields → Send test email<br>Data: host/port/user   | Settings saved (password encrypted); test email received/status shown. |                 |
| TC-O02 | WhatsApp<br>Functional · P2 | <b>WhatsApp business number is admin-editable</b><br>Pre: —<br>1. Settings → set WhatsApp number<br>Data: 919000098877                        | Saved; used on wa.me buttons/alerts.                                   |                 |
| TC-O03 | GST<br>Functional · P2      | <b>GST rate drives invoice tax</b><br>Pre: —<br>1. Settings → set gst_rate<br>Data: 18                                                        | Quotes/invoices use the configured rate for INR.                       |                 |
| TC-O04 | Timezone<br>Functional · P3 | <b>Display timezone controls ticket time display</b><br>Pre: —<br>1. Settings → display_timezone (default Asia/Kolkata)<br>Data: Asia/Kolkata | Ticket times render in the chosen timezone.                            |                 |
| TC-O05 | Encryption<br>Security · P2 | <b>Sensitive settings stored encrypted</b><br>Pre: —<br>1. Save SMTP password<br>2. Inspect DB value<br>Data: —                               | Password not stored in plaintext.                                      |                 |

WA Templates 2 case(s)

| ID     | Area / Type             | Scenario · Preconditions · Steps · Data                                                                        | Expected result                                    | Actual / Status |
|--------|-------------------------|----------------------------------------------------------------------------------------------------------------|----------------------------------------------------|-----------------|
| TC-P01 | CRUD<br>Functional · P3 | <b>Create/edit/delete a WhatsApp template</b><br>Pre: —<br>1. WA templates → create → edit → delete<br>Data: — | Template lifecycle works.                          |                 |
| TC-P02 | Test<br>Functional · P3 | <b>Send a test WhatsApp template</b><br>Pre: WA configured.<br>1. Template → Test<br>Data: —                   | Test send attempt reports success/failure clearly. |                 |

## Admin/RBAC 6 case(s)

| ID     | Area / Type                      | Scenario · Preconditions · Steps · Data                                                                                                                | Expected result                               | Actual / Status |
|--------|----------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------|-----------------|
| TC-Q01 | Create user<br>Functional · P1   | <b>Create admin user with a role</b><br>Pre: Super admin.<br>1. Admin users → add → role=support<br>Data: support                                      | User created with role.                       |                 |
| TC-Q02 | Support scope<br>Security · P1   | <b>Support role: read + tickets only</b><br>Pre: Support user.<br>1. Login as support<br>2. Attempt a licence/order write<br>Data: —                   | Write blocked (403); tickets + reads allowed. |                 |
| TC-Q03 | Sales scope<br>Security · P2     | <b>Sales role: business &amp; money, not system config</b><br>Pre: Sales user.<br>1. Login as sales<br>2. Attempt admin-user or diagnostics<br>Data: — | Restricted to sales-permitted actions.        |                 |
| TC-Q04 | Reset pw<br>Functional · P3      | <b>Reset an admin user's password</b><br>Pre: —<br>1. Admin users → reset password<br>Data: —                                                          | New password set; user can log in.            |                 |
| TC-Q05 | Delete<br>Functional · P3        | <b>Delete an admin user</b><br>Pre: —<br>1. Admin users → delete<br>Data: —                                                                            | User removed; cannot log in.                  |                 |
| TC-Q06 | Self-lock guard<br>Negative · P2 | <b>Cannot remove last super admin / self-lock</b><br>Pre: Only one super admin.<br>1. Attempt to delete/demote the last super admin<br>Data: —         | Blocked to avoid lockout (or clearly warned). |                 |

## Diagnostics 2 case(s)

| ID     | Area / Type               | Scenario · Preconditions · Steps · Data                                                                     | Expected result                                                                          | Actual / Status |
|--------|---------------------------|-------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------|-----------------|
| TC-R01 | Health<br>Functional · P2 | <b>System health self-check runs</b><br>Pre: Super admin.<br>1. Open Troubleshooting/Diagnostics<br>Data: — | Checks (DB, mail, storage, scheduler, keys) show green/red with plain-language guidance. |                 |
| TC-R02 | Logs<br>Functional · P3   | <b>Recent logs viewer works</b><br>Pre: —<br>1. Open logs<br>Data: —                                        | Recent log lines shown; no crash on large logs.                                          |                 |

Audit 2 case(s)

| ID     | Area / Type                     | Scenario · Preconditions · Steps · Data                                                                                            | Expected result                                            | Actual / Status |
|--------|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------|-----------------|
| TC-S01 | Records<br>Security · P2        | <b>Sensitive actions are audited</b><br>Pre: —<br>1. Perform licence.issue, order.paid, ticket.updated<br>2. Open Audit<br>Data: — | Each action logged with actor, subject, timestamp.         |                 |
| TC-S02 | Ticket audit<br>Functional · P3 | <b>Ticket update audit shows from → to status &amp; who</b><br>Pre: —<br>1. Update a ticket → open Audit<br>Data: —                | ticket.updated entry has status, from_status, replied, by. |                 |

Reports 4 case(s)

| ID     | Area / Type                     | Scenario · Preconditions · Steps · Data                                                                                                        | Expected result                                      | Actual / Status |
|--------|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------|-----------------|
| TC-T01 | GST register<br>Functional · P2 | <b>Export GST register CSV</b><br>Pre: Super/sales.<br>1. Reports → GST register → date range → export<br>Data: FY range                       | CSV downloads with correct GST rows.                 |                 |
| TC-T02 | Collections<br>Functional · P3  | <b>Export collections CSV</b><br>Pre: —<br>1. Reports → collections → export<br>Data: range                                                    | CSV of payments received.                            |                 |
| TC-T03 | Outstanding<br>Functional · P3  | <b>Export outstanding CSV</b><br>Pre: —<br>1. Reports → outstanding → export<br>Data: —                                                        | CSV of open balances.                                |                 |
| TC-T04 | CSV safety<br>Security · P2     | <b>Export neutralises formula-injection &amp; redacts secrets</b><br>Pre: —<br>1. Export a report containing leading =,+,-,@ values<br>Data: — | Leading =,+,-,@ neutralised; secrets/tokens blanked. |                 |

Checkout 2 case(s)

| ID     | Area / Type                 | Scenario · Preconditions · Steps · Data                                                                                   | Expected result                                     | Actual / Status |
|--------|-----------------------------|---------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------|-----------------|
| TC-U01 | Pay page<br>Functional · P2 | <b>Public pay link renders order for payment</b><br>Pre: Order with pay link.<br>1. Open /pay/{number}/{token}<br>Data: — | Order shown; Razorpay/Stripe options as configured. |                 |
| TC-U02 | Bad token<br>Security · P2  | <b>Tampered pay token rejected</b><br>Pre: —<br>1. Open pay link with wrong token<br>Data: bad token                      | Access denied; no order exposed.                    |                 |

Webhooks 2 case(s)

| ID     | Area / Type                 | Scenario · Preconditions · Steps · Data                                                                                                   | Expected result                   | Actual / Status |
|--------|-----------------------------|-------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------|-----------------|
| TC-U03 | Razorpay<br>Functional · P2 | <b>Razorpay webhook records payment idempotently</b><br>Pre: —<br>1. Send a razorpay webhook (same payment twice)<br>Data: dup payment_id | Recorded once; duplicate ignored. |                 |

| ID     | Area / Type            | Scenario · Preconditions · Steps · Data                                              | Expected result                   | Actual / Status |
|--------|------------------------|--------------------------------------------------------------------------------------|-----------------------------------|-----------------|
| TC-U04 | Log<br>Functional · P3 | <b>Webhook events appear in the log</b><br>Pre: —<br>1. Open Webhooks log<br>Data: — | Recent events listed with status. |                 |

Cross 5 case(s)

| ID     | Area / Type            | Scenario · Preconditions · Steps · Data                                                                                  | Expected result                                                            | Actual / Status |
|--------|------------------------|--------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------|-----------------|
| TC-V01 | Help<br>UI/UX · P3     | <b>Every screen has the ⓘ Screen Help popup</b><br>Pre: —<br>1. Open a few screens → click ⓘ<br>Data: —                  | 3-tab help (How to use / Why it matters / Do it right) opens, never empty. |                 |
| TC-V02 | Errors<br>UI/UX · P2   | <b>Server errors surface as friendly toasts</b><br>Pre: —<br>1. Trigger a validation error<br>Data: —                    | Clear message via toast; no raw stack traces.                              |                 |
| TC-V03 | Money<br>UI/UX · P2    | <b>₹ amounts and GST format correctly</b><br>Pre: —<br>1. Inspect totals across orders/invoices<br>Data: —               | Indian ₹ formatting; GST shown; totals reconcile.                          |                 |
| TC-V04 | Branding<br>UI/UX · P3 | <b>Real logo on screens, invoices &amp; PDFs</b><br>Pre: —<br>1. Open invoice/quote print<br>Data: —                     | SmartEPT logo present; Ocean Teal theme.                                   |                 |
| TC-V05 | Session<br>UI/UX · P3  | <b>Console persists across refresh; hard-refresh loads latest</b><br>Pre: —<br>1. Hard refresh (Ctrl+Shift+R)<br>Data: — | Latest console assets load; no stale cache issues.                         |                 |