ROVEXY
Your Workforce. In Motion.

Server Installation Guide

On-premises setup · secure connection (https) · phones · with a worked example

This guide takes a client from a fresh Windows server to a working ROVEXY system that staff phones and the ROVEXY Admin app can reach. Follow the sections in order. Section 3 covers the four connection choices; do **only the one you picked**.

WORKED EXAMPLE USED THROUGHOUT


Item	Example value (replace with the client's own)
Client company	Sunrise Credit Services Pvt Ltd
Client's domain	`sunrisecredit.in`
ROVEXY server name (what phones use)	`rovexy.sunrisecredit.in`
Administrator e-mail	`admin@sunrisecredit.in`
Server public IP (only for choices 2 and 3)	`203.0.113.25`
MySQL user / database	`rovexy` / `rovexy`

1 Before you start

	Check	Example
☐	Windows Server 2016 or newer (or Windows 10/11), 64-bit, signed in as **Administrator**	Windows Server 2022
☐	MySQL 5.7+ or MariaDB 10.3+ installed, with a user that has all rights	user `rovexy`, password `Sun#Db2026`
☐	`ROVEXY-Setup-x.y.exe` copied to the server	`C:\Install\ROVEXY-Setup-1.0.exe`
☐	Licence file (`.lic`) from Ametecs placed **in the same folder** as setup (optional — see 4.3)	`C:\Install\sunrise.lic`
☐	Access to the client's domain account (Cloudflare, or the domain provider)	Cloudflare login of Sunrise IT

2 Choose how the server gets https

Double-click the setup file. The first question is **Secure connection (https)**. Phones only connect over https with a public certificate, so this choice matters.



Setup page "Secure connection (https)"

A · Cloudflare Tunnel Recommended

Domain in the client's Cloudflare account. No open ports, no certificate on the server. Works behind any office router. → Section 3A

B · Let's Encrypt

Free automatic certificate. Needs a fixed public IP and ports 80 + 443 open to the internet. → Section 3B

C · Own certificate file

Client already bought an SSL certificate (.pfx or .crt + .key). Ports 80 + 443 open. Renew yearly. → Section 3C

D · No domain name

Demo / trial on one PC at `https://localhost:8443`. **Phones cannot connect.** → Section 3D

3A Cloudflare Tunnel (recommended)

Step 1 — In setup

1. Select **Cloudflare Tunnel** → **Next**.
2. **Server name** page: type `rovexy.sunrisecredit.in` (no https://). Leave the e-mail box **empty** → **Next**.
3. Fill the common pages (Section 4) → **Install**.
4. The last page says the https address *"does not answer yet"* — **this is normal** until Step 3.

Step 2 — Create the tunnel in Cloudflare (any computer)

1. Open **one.dash.cloudflare.com** and sign in with the client's Cloudflare account.
2. **Networks → Tunnels → Create a tunnel** → choose **Cloudflared** → name: `rovexy` → **Save tunnel**.
3. Choose **Windows**. Cloudflare shows a command such as:

   ```
   cloudflared.exe service install eyJhIjoiNGQ2YjE5…(very long)…In0=
   ```

   Copy the **long code after "install"** — this is the **token**. Keep it private.
4. **Next** → **Public hostname** → **Add a public hostname**:

Field	Type exactly
Subdomain	`rovexy`
Domain	`sunrisecredit.in`
Service type	`HTTP`
URL	`localhost:8088`

5. **Save hostname**. Cloudflare creates the DNS record itself.

Step 3 — Connect the server to Cloudflare (on the ROVEXY server)

1. Download **cloudflared-windows-amd64.msi** from Cloudflare's official site (developers.cloudflare.com → Cloudflare Tunnel → Downloads) and install it.
2. Start menu → type `cmd` → right-click **Command Prompt** → **Run as administrator**.
3. Type, pasting your own token, then press Enter:

```
cloudflared.exe service install eyJhIjoiNGQ2YjE5…In0=
```

4. Within a minute the tunnel shows **HEALTHY** in Cloudflare.

Step 4 — Cloudflare settings

- **SSL/TLS → Edge Certificates → Always Use HTTPS: On**.
- Keep **Rocket Loader** and **Email Obfuscation Off**.

> CHECK
> Open `https://rovexy.sunrisecredit.in/up` → green *"Application up"* page with a padlock. Then `https://rovexy.sunrisecredit.in/admin` → ROVEXY sign-in.

3B Let's Encrypt (free certificate)

1. **Before setup**, at the domain provider (GoDaddy, Hostinger, BigRock...) add a DNS record:

Type	Name / Host	Value / Points to	TTL
A	`rovexy`	`203.0.113.25` (server's public IP)	Auto / 1 hour

2. In the office router / firewall, forward **TCP 80** and **TCP 443** to the ROVEXY server's local IP (example `192.168.1.20`).
3. Make sure nothing else on the server uses ports 80/443 — stop IIS, Laragon, Apache or XAMPP.
4. Wait until `rovexy.sunrisecredit.in` points to the IP (check at **dnschecker.org**).
5. Setup: select **Let's Encrypt** → **Next**.
6. **Server name**: `rovexy.sunrisecredit.in` · **E-mail**: `it@sunrisecredit.in` (expiry notices) → **Next**.
7. Fill the common pages (Section 4) → **Install**. The certificate is obtained and renewed automatically.

> CHECK
> `https://rovexy.sunrisecredit.in/up` shows a padlock and *"Application up"*.

3C Own certificate file

1. Do steps 1–4 of Section 3B (DNS A record, ports 80/443, nothing else on those ports).
2. Keep the files ready — either `rovexy_sunrisecredit_in.pfx` + its password, **or** `rovexy_sunrisecredit_in.crt` (full chain) + `rovexy_sunrisecredit_in.key`.
3. Setup: select **Our own certificate file** → **Next**.
4. **Server name**: `rovexy.sunrisecredit.in` → **Next**.
5. **Certificate file** page:

Field	Example
Certificate	`C:\Install\rovexy_sunrisecredit_in.pfx`
Private key	empty for a .pfx — or `…\rovexy_sunrisecredit_in.key` with a .crt
Password	the .pfx / key password, or empty if none

6. Fill the common pages (Section 4) → **Install**.

> **REMEMBER**
> Bought certificates expire (usually yearly). Before expiry, run setup again with the new file.

3D No domain name (demo / one PC only)

1. Select **No domain name** → **Next** (the Server name page is skipped).
2. Fill the common pages (Section 4) → **Install**.
3. Open `https://localhost:8443/admin` on **that computer only**.

> **LIMITATION**
> The caller app and the ROVEXY Admin app **cannot connect** in this mode. To add phones later, run setup again and choose A, B or C.

4 Common setup pages (all choices)

4.1 Database

Field	Example	Note
MySQL server	`127.0.0.1`	MySQL on this same server
Port	`3306`	default
Database name	`rovexy`	created if missing; a database with other data is never used
User	`rovexy`	needs all rights on this database
Password	`Sun#Db2026`	the MySQL user's password

4.2 Company and administrator

Field	Example
Company name	Sunrise Credit Services Pvt Ltd
Administrator e-mail	`admin@sunrisecredit.in` (this is the console sign-in)
Password / again	12+ characters, e.g. `Sunrise@Admin2026`

4.3 Licence

- If `sunrise.lic` sits next to setup, it is filled in automatically.
- No licence yet? Leave empty → ROVEXY runs in **trial mode (14 days, 10 users)**. The last page shows the **Server ID** (e.g. `RVX-7F3A-91C2-55D0`): send it to Ametecs, then add the licence in the console: **Plan & licence → Import & activate**.

4.4 Install and result

Click **Install** and wait a few minutes. The last page shows: status of each check, the Server ID and the licence status. Desktop / Start menu now has **ROVEXY Console**.

Installed on the server	Detail
Program folder	`C:\ROVEXY`
Windows services (start with Windows)	ROVEXY-Web, ROVEXY-PHP, ROVEXY-Scheduler, ROVEXY-Queue
Nightly backup (00:30, newest 7 kept)	`C:\ROVEXY\backups` — copy it to another disk regularly
Logs	`C:\ROVEXY\logs` and `C:\ROVEXY\rovexy\storage\logs`

5 Connect the phones

5.1 Field staff — ROVEXY caller app

1. Play Store: install **ROVEXY**. On the first screen: Server `rovexy.sunrisecredit.in`, Workspace **empty**.
2. All-day location version: on the phone open `https://rovexy.sunrisecredit.in/get-app` and install (uninstall the Play version first). The link and QR code are also in the console → **Devices & approvals**.
3. Employee signs in → the phone shows a code → admin approves it in **Devices & approvals** after matching the code.

5.2 Admins — ROVEXY Admin app

1. Install **ROVEXY Admin** and open it.
2. **Server address**: `rovexy.sunrisecredit.in` · **Company workspace**: **empty** → **Open console**.
3. Sign in with `admin@sunrisecredit.in` and the admin password.

> **CLOUD CLIENTS (ROVEXY.APP) FOR COMPARISON**
> Server `rovexy.app` and Workspace = the name from their console address, e.g. `rovexy.app/w/sunrise-credit/admin` → workspace `sunrise-credit`.

6 Final checks

	Test	Expected
☐	`https://rovexy.sunrisecredit.in/up` in a browser	Green "Application up", padlock
☐	Sign in at `/admin`	Dashboard opens
☐	Console → Audit logs after sign-in	Shows your real internet IP, not 127.0.0.1
☐	Caller app on a phone (mobile data, not office Wi-Fi)	Connects, asks for approval
☐	ROVEXY Admin app on a phone	Console opens, lists show as cards
☐	Console → System health	All green; backup time shown after the first night
☐	Choice A only: scan the server's public IP for ports 80/443	Closed

7 Problems and fixes

Problem	Fix
Cloudflare "Bad gateway" (502)	Windows Services → start **ROVEXY Web server**. Cloudflare hostname URL must be `localhost:8088`.
Tunnel shows DOWN / INACTIVE	Windows Services → start **Cloudflared agent**, or run the install command again with the right token.
Cloudflare error 1033	Server has no internet, or a firewall blocks outgoing port 7844. Allow outgoing TCP/UDP 7844 and 443.
Sign-in loops / "page expired"	Turn on **Always Use HTTPS**; the Cloudflare name must equal the Server name typed in setup.
Let's Encrypt fails	DNS not pointing to this server yet, or ports 80/443 closed or used by IIS/Laragon.
Setup says database check failed	Wrong MySQL password, or the user lacks rights. Test the login in MySQL Workbench / HeidiSQL first.
Phone says it can't connect	Choice D was used, or the https address doesn't open in the phone's browser — fix that first.
Licence shows evaluation	Send the Server ID to Ametecs; import the `.lic` in Plan & licence.

Logs for support: `C:\ROVEXY\logs\install.log` (no passwords) and `C:\ROVEXY\rovexy\storage\logs\ammp-<date>.log`. Run PowerShell as Administrator to open them.

INSTALLED BY (Ametecs)

Name: _____
Signature: _____
Date: ___ / ___ / _____

ACCEPTED BY (Client)

Name: _____
Signature: _____
Date: ___ / ___ / _____