

Web Development Application Lab

Assn-1A

Name : Akash Kulkarni

Roll No : 33241

Class : TE-10

Problem Statement :

Create a responsive web page which shows the ecommerce/college/exam admin dashboard with sidebar and statistics in cards using HTML, CSS and Bootstrap.

// File 1:

index.html

```
=====
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8" />
<meta http-equiv="X-UA-Compatible" content="IE=edge" />
<meta name="viewport" content="width=device-width, initial-scale=1.0" />

<!-- Bootstrap CSS -->
<link
href="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/css/bootstrap.min.css"
rel="stylesheet"
integrity="sha384-
1BmE4kWBq78iYhFldvKuhfTAU6auU8tT94WrHftjDbrCEXSU1oBoqyl2QvZ6jIW3"
crossorigin="anonymous"
/>

<link
href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/4.7.0/css/font-
awesome.min.css"
/>

<link rel="stylesheet" href="index.css" />
<script src="index.js"></script>

<title>Finance World</title>
</head>
<body id="main">
<nav class="navbar navbar-expand-lg navbar-dark bg-dark">
<div class="container-fluid">
<a class="navbar-brand" href="#" onclick="openNav()">FinWorld</a>
<button
class="navbar-toggler"
type="button"
data-bs-toggle="collapse"
data-bs-target="#navbarTogglerDemo02"
aria-controls="navbarTogglerDemo02"
aria-expanded="false"
aria-label="Toggle navigation"
>
<span class="navbar-toggler-icon"></span>
```

```
</button>
<div class="collapse navbar-collapse" id="navbarTogglerDemo02"></div>
<button class="btn btn-outline-info" type="login">Login</button>
</div>
</nav>
```

```
<div id="mySidenav" class="sidenav">
<a href="javascript:void(0)" class="closebtn" onclick="closeNav()"
>&times;</a>
<
<a class="nav-link" href="index.html">Home</a>
<a class="nav-link" href="stats.html">Stats</a>
<a class="nav-link" href="#learn">Learn</a>
<a class="nav-link" href="#invest">Invest</a>
</div>
```

```
<div class="sections" style="margin: 20px">
<h2>Markets</h2>
<br />
```

```
<div container="container">
<div class="row">
<div class="col-3">
<div class="card" style="margin: 10px">

<div class="card-body">
<h5 class="card-title">BSE Sensex</h5>
<p class="card-text">
<i class="far fa-angle-double-up"></i>
58,198.34
</p>
</div>
```

```
<div class="card-body">
<a
href="https://www.bseindia.com/"
target="_blank"
class="card-link"
```

```
>
```

```
Visit BSE Site
```

```
</a>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
<div class="col-3">
```

```
<div class="card" style="margin: 10px">
```

```

```

```
<div class="card-body">
```

```
<h5 class="card-title">BSE Sensex</h5>
```

```
<p class="card-text">
```

```
<i class="far fa-angle-double-up"></i>
```

```
17,393.75
```

```
</p>
```

```
</div>
```

```
<div class="card-body">
```

```
<a
```

```
href="https://www.nseindia.com/"
```

```
target="_blank"
```

```
class="card-link"
```

```
>
```

```
Visit NSE Site
```

```
</a>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
<div class="col-3">
```

```
<div class="card" style="margin: 10px">
```

```

<div class="card-body">
<h5 class="card-title">NYSE NASDAQ</h5>
<p class="card-text">
<i class="far fa-angle-double-up"></i>
13,770.57
</p>
</div>
```

```
<div class="card-body">
<a
href="https://www.nasdaq.com/"
target="_blank"
class="card-link"
>
Visit NASDAQ Site
</a>
</div>
</div>
</div>
```

```
<div class="col-3">
<div class="card" style="margin: 10px">

<div class="card-body">
<h5 class="card-title">LSE FTSE</h5>
<p class="card-text">
<i class="far fa-angle-double-up"></i>
21643.56
</p>
</div>
```

```
<div class="card-body">
<a
href="https://www.lseg.com/"
target="_blank"
class="card-link"
```

```
>
```

```
Visit BSE Site
```

```
</a>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
<div class="sections" style="margin: 20px">
```

```
<h2>CryptoCurrency</h2>
```

```
<br />
```

```
<div container="container">
```

```
<div class="row">
```

```
<div class="col-3">
```

```
<div class="card" style="margin: 10px">
```

```

```

```
<div class="card-body">
```

```
<h5 class="card-title">Bitcoin</h5>
```

```
<p class="card-text">
```

```
<i class="far fa-angle-double-up"></i>
```

```
27,86,366.02
```

```
</p>
```

```
</div>
```

```
<div class="card-body">
```

```
<a
```

```
href="https://bitcoin.org/en/"
```

```
target="_blank"
```

```
class="card-link"
```

```
>
```

```
Visit Bitcoin Site
```

```
</a>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
<div class="col-3">
<div class="card" style="margin: 10px">

<div class="card-body">
<h5 class="card-title">BSE Sensex</h5>
<p class="card-text">
<i class="far fa-angle-double-up"></i>
1,89,335.17
</p>
</div>
```

```
<div class="card-body">
<a
href="https://ethereum.org/en/"
target="_blank"
class="card-link"
>
Visit Ethereum Site
</a>
</div>
</div>
</div>
```

```
<div class="col-3">
<div class="card" style="margin: 10px">

<div class="card-body">
<h5 class="card-title">Polygon</h5>
<p class="card-text">
<i class="far fa-angle-double-up"></i>
125.90
</p>
```

```
</div>
```

```
<div class="card-body">
```

```
<a
```

```
href="https://polygon.technology/"
```

```
target="_blank"
```

```
class="card-link"
```

```
>
```

```
Visit Polygon Site
```

```
</a>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
<div class="col-3">
```

```
<div class="card" style="margin: 10px">
```

```

```

```
<div class="card-body">
```

```
<h5 class="card-title">Solana</h5>
```

```
<p class="card-text">
```

```
<i class="far fa-angle-double-up"></i>
```

```
7240.87
```

```
</p>
```

```
</div>
```

```
<div class="card-body">
```

```
<a href="https://solana.com/" target="_blank" class="card-link">
```

```
Visit Solana Site
```

```
</a>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
<!-- Bootstrap JS -->
```

```
<script
```



```

src="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/js/
bootstrap.bundle.min.js"
integrity="sha384-
ka7Sk0Gln4gmtz2MlQnikT1wXgYsOg+OMhuP+IlRH9sENBO0LRn5q+8nbTov4+1
p"
crossorigin="anonymous"
></script>

<script
src="https://cdnjs.cloudflare.com/ajax/libs/jquery/3.2.1/jquery.min.js"></
script>
</body>
</html>

```

=====

File 2 : index.css

```

body {
background-color: #eee;
}

.nav-link:hover {
background-color: #525252 !important;
}

.nav-link .fa {
transition: all 1s;
}

.nav-link:hover .fa {
transform: rotate(360deg);
}

.card {
border-radius: 4px;
background: #fff;
box-shadow: 0 6px 10px rgba(0, 0, 0, 0.08), 0 0 6px rgba(0, 0, 0, 0.05);
transition: 0.3s transform cubic-bezier(0.155, 1.105, 0.295, 1.12),
0.3s box-shadow,
0.3s -webkit-transform cubic-bezier(0.155, 1.105, 0.295, 1.12);
padding: 14px 80px 18px 36px;
cursor: pointer;
}

```

```
.card:hover {  
transform: scale(1.05);  
box-shadow: 0 10px 20px rgba(0, 0, 0, 0.12), 0 4px 8px rgba(0, 0, 0, 0.06);  
}
```

```
/* The side navigation menu */  
.sidenav {  
height: 100%; /* 100% Full-height */  
width: 0; /* 0 width - change this with JavaScript */  
position: fixed; /* Stay in place */  
z-index: 1; /* Stay on top */  
top: 0; /* Stay at the top */  
left: 0;  
background-color: #111; /* Black*/  
overflow-x: hidden; /* Disable horizontal scroll */  
padding-top: 60px; /* Place content 60px from the top */  
transition: 0.5s; /* 0.5 second transition effect to slide in the sidenav */  
}
```

```
/* The navigation menu links */  
.sidenav a {  
padding: 8px 8px 8px 32px;  
text-decoration: none;  
font-size: 25px;  
color: #818181;  
display: block;  
transition: 0.3s;  
}
```

```
/* When you mouse over the navigation links, change their color */  
.sidenav a:hover {  
color: #f1f1f1;  
}
```

```
/* Position and style the close button (top right corner) */  
.sidenav .closebtn {  
position: absolute;  
top: 0;  
right: 25px;  
font-size: 36px;  
margin-left: 50px;  
}
```

```
/* Style page content - use this if you want to push the page content to the
right when you open the side navigation */
#main {
transition: margin-left 0.5s;
/* padding: 20px; */
}
```

```
/* On smaller screens, where height is less than 450px, change the style of the
sidenav (less padding and a smaller font size) */
@media screen and (max-height: 450px) {
.sidenav {
padding-top: 15px;
}
.sidenav a {
font-size: 18px;
}
}
```

=====

File 3 : index.js

```
/* Set the width of the side navigation to 250px and the left margin of the page
content to 250px */
function openNav() {
document.getElementById("mySidenav").style.width = "250px";
document.getElementById("main").style.marginLeft = "250px";
}
```

```
/* Set the width of the side navigation to 0 and the left margin of the page
content to 0 */
function closeNav() {
document.getElementById("mySidenav").style.width = "0";
document.getElementById("main").style.marginLeft = "0";
}
```

=====

File 4 : stats.html

```
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8" />
<meta http-equiv="X-UA-Compatible" content="IE=edge" />
<meta name="viewport" content="width=device-width, initial-scale=1.0" />
```

```
<title>Document</title>
```

```
<!-- Bootstrap CSS -->
```

```
<link
```

```
href="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/css/bootstrap.min.css"
```

```
rel="stylesheet"
```

```
integrity="sha384-
```

```
1BmE4kWBq78iYhFldvKuhfTAU6auU8tT94WrHftjDbrCEXSU1oBoqyl2QvZ6jIW3"
```

```
crossorigin="anonymous"
```

```
/>
```

```
<!-- Font Awesome -->
```

```
<link
```

```
href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/4.7.0/css/font-
```

```
awesome.min.css"
```

```
/>
```

```
<link rel="stylesheet" href="index.css" />
```

```
<script src="index.js"></script>
```

```
</head>
```

```
<body id="main">
```

```
<nav class="navbar navbar-expand-lg navbar-dark bg-dark">
```

```
<div class="container-fluid">
```

```
<a class="navbar-brand" href="#" onclick="openNav()">FinWorld</a>
```

```
<button
```

```
class="navbar-toggler"
```

```
type="button"
```

```
data-bs-toggle="collapse"
```

```
data-bs-target="#navbarTogglerDemo02"
```

```
aria-controls="navbarTogglerDemo02"
```

```
aria-expanded="false"
```

```
aria-label="Toggle navigation"
```

```
>
```

```
<span class="navbar-toggler-icon"></span>
```

```
</button>
```

```
<div class="collapse navbar-collapse" id="navbarTogglerDemo02"></div>
```

```
<button class="btn btn-outline-info" type="login">Login</button>
```

```
</div>
```

```
</nav>
```

```
<div id="mySidenav" class="sidenav">
```

```
<a href="javascript:void(0)" class="closebtn" onclick="closeNav()"
```

```
>&times;</a>
```

```
>
```

```
<a class="nav-link" href="index.html">Home</a>
<a class="nav-link" href="stats.html">Stats</a>
<a class="nav-link" href="#learn">Learn</a>
<a class="nav-link" href="#invest">Invest</a>
</div>
```

```
<div container="container" style="margin: 20px">
<div class="row" style="margin: 10px">
<div class="col-6">
<div
class="card"
style="margin: 10px; background-color: rgb(179, 245, 223)"
>
<canvas id="myChart1" style="width: 100%; max-width: 600px">
</canvas>
</div>
</div>
```

```
<div class="col-6">
<div
class="card"
style="margin: 10px; background-color: rgb(241, 169, 229)"
>
<canvas id="myChart2" style="width: 100%; max-width: 600px">
</canvas>
</div>
</div>
```

```
<div class="col-6">
<div
class="card"
style="margin: 10px; background-color: rgb(160, 236, 170)"
>
<canvas id="myChart3" style="width: 100%; max-width: 600px">
</canvas>
</div>
</div>
```

```
<div class="col-6">
<div
class="card"
style="margin: 10px; background-color: rgb(223, 231, 147)"
>
<canvas id="myChart4" style="width: 100%; max-width: 600px">
```

```
</canvas>
</div>
</div>
</div>
</div>
</body>
```

```
<!-- doughnut -->
```

```
<script>
```

```
var xValues = ["USA", "Canada", "UK", "India", "Singapore"];
```

```
var yValues = [55, 49, 44, 24, 15];
```

```
var barColors = ["#b91d47", "#00aba9", "#2b5797", "#e8c3b9", "#1e7145"];
```

```
new Chart("myChart1", {
```

```
type: "doughnut",
```

```
data: {
```

```
labels: xValues,
```

```
datasets: [
```

```
{
```

```
backgroundColor: barColors,
```

```
data: yValues,
```

```
},
```

```
],
```

```
},
```

```
options: {
```

```
title: {
```

```
display: true,
```

```
text: "Crypto Market in 2021",
```

```
},
```

```
},
```

```
});
```

```
</script>
```

```
<!-- line graph -->
```

```
<script>
```

```
var xValues = [100, 200, 300, 400, 500, 600, 700, 800, 900, 1000];
```

```
new Chart("myChart2", {
```

```
type: "line",
```

```
data: {
```

```
labels: xValues,
```

```
datasets: [
```

```
{
```

```
data: [860, 1140, 1060, 1060, 1070, 1110, 1330, 2210, 7830, 2478],
```

```

borderColor: "red",
fill: false,
},
{
data: [1600, 1700, 1700, 1900, 2000, 2700, 4000, 5000, 6000, 5500],
borderColor: "green",
fill: false,
},
],
},
options: {
legend: { display: false },
title: {
display: true,
text: "Crypto Vs Stock Markets",
},
},
});
</script>

```

```

<!-- bar graph -->
<script>
var xValues = ["Bitcoin", "Ethereum", "Cardano", "Solana", "Matic"];
var yValues = [85, 65, 23, 45, 30];
var barColors = ["red", "green", "blue", "orange", "brown"];

```

```

new Chart("myChart3", {
type: "bar",
data: {
labels: xValues,
datasets: [
{
backgroundColor: barColors,
data: yValues,
},
],
},
options: {
legend: { display: false },
title: {
display: true,
text: "Crypto Currency Market Cap",
},
},

```

```
});
```

```
</script>
```

```
<script>
```

```
var xValues = [];
```

```
var yValues = [];
```

```
generateData("x*3+x*2+8", 0, 10, 0.5);
```

```
new Chart("myChart4", {
```

```
type: "line",
```

```
data: {
```

```
labels: xValues,
```

```
datasets: [
```

```
{
```

```
fill: false,
```

```
pointRadius: 1,
```

```
borderColor: "rgba(255,0,0,0.5)",
```

```
data: yValues,
```

```
},
```

```
],
```

```
},
```

```
options: {
```

```
legend: { display: false },
```

```
title: {
```

```
display: true,
```

```
text: "Steep Increase In Crypto Markets",
```

```
fontSize: 16,
```

```
},
```

```
},
```

```
});
```

```
function generateData(value, i1, i2, step = 1) {
```

```
for (let x = i1; x <= i2; x += step) {
```

```
yValues.push(eval(value));
```

```
xValues.push(x);
```

```
}
```

```
}
```

```
</script>
```

```
<script src="https://cdnjs.cloudflare.com/ajax/libs/Chart.js/2.9.4/Chart.js"></script>
```

```
<script
```

```
src="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/js/
```

```
bootstrap.bundle.min.js"
```



```
integrity="sha384-  
ka7Sk0Gln4gmtz2MlQnikT1wXgYsOg+OMhuP+IIRH9sENBO0LRn5q+8nbTov4+1  
p"  
crossorigin="anonymous"  
></script>
```

```
<script  
src="https://cdnjs.cloudflare.com/ajax/libs/jquery/3.2.1/jquery.min.js"></  
script>  
</html>
```

=====

Screenshots :



