

Results

Full Name	UNH id	Webcat Username
Austin Fishbaugh	986886495	amf2015
Bindu Kumari	978952599	bk1044
Daniel Lamkin	952018235	Dtl2000
Kevin Zhang	974525364	zcx0804

1 Implement TF-IDF

Which variant performs best?

Of our three variants, only one of them was able to be analyzed by trec_eval; the other two have run files, but they give errors when trying to analyze them with trec_eval. This would suggest an issue with our implementations of those two variants, but we were unable to get the evaluations done by submit time.

The ranking system that we were able to get results for was **TF-IDF (anc.apc)**. Since we do not have other measures to compare it to, I will compare it to lucenes scorer to see how it compares.

How does it compare to Lucene?

TF-IDF (anc.apc)

Statistic	MAP	Precision @ R	NDCG@20
Mean	0.319403046	.359947	0.445314
Standard Error	0.0203	.0201	0.0231

Lucene Scoring

Statistic	MAP	Precision @ R	NDCG@20
Mean	0.577585	0.359947	0.741686
Standard Error	0.0184	.0201	0.0159

When looking at the two results from above, it is obvious that Lucenes scoring function gives a higher mean for the MAP and [NDCG@20](#) scores, as well as boasting a better standard error. This would

imply that Lucenes scoring function is doing a better job at returning relevant documents, at least with the given test documents for this sample.

The Standard Error Method

The standard error statistics above suggest that Lucenes scoring function has less of a percent error than our implementation of TF-IDF (anc.apc). This would suggest that, on average, Lucenes ranking function would produce results closer to what the user was actually looking for.

2.SpearMans Rank Corelation:

SpearMan Rank Corelation (lucene-default, bnn.bnn) = 0.626

SpearMan Rank Corelation (lucene-default, Inc.ltn) = 0.637

SpearMan Rank Corelation (lucene-default, anc.apc) = 0.529

As per the result Inc.ltn is the closest to lucene default.