## **Shortcuts for Kate**

## externaltools

Action Name	Shortcuts	Description
Compile and Run cpp		
Insert UUID		
git blame		
About KDE		
About Kate		
Clear Diagnostics Filter	Main: Alt+Shift+C	
Close	Main: Ctrl+W Alternate: Ctrl+Esc	Close the current document.
Close All		Close all open documents.
Close Current View	Main: Ctrl+Shift+R	Close the currently active split view
Close Inactive Views		Close every view but the active one
Close Orphaned		Close all documents in the file list that could not be reopened, because they are not accessible anymore.
Close Other		Close other open documents.
Compare		Shows a hint how to compare documents.
Configure Kate	Main: Ctrl+Shift+,	Configure various aspects of this application and the editing component.
Configure Keyboard Shortcuts	Main: Ctrl+Alt+,	Configure the application's keyboard shortcut assignments.
Configure Language		
Configure Toolbars		Configure which items should appear in the toolbar(s).
Copy Location		Copies the file path of the current file to clipboard.
Delete		Deletes the file belonging to the current document.
Donate		
Downward Split View		Make the split view intuitively downward the active one.
Find Action	Main: Ctrl+Alt+I	
Focus Navigation Bar	Main: Ctrl+Shift+.	
Full Screen Mode	Main: F11	

Action Name	Shortcuts	Description
Go to Next Location	Main: Ctrl+Shift+1	
Go to Previous Location	Main: Ctrl+1	
Hamburger Menu Toolbar		
Hide Inactive Views		Hide every view but the active one
Kate Handbook	Main: F1	
Left Split View		Make the split view intuitively on the left the active one.
Main Toolbar		
Manage Sessions		
Move Document to New Horizontal Split		Split the currently active view horizontally into two views and move the currently active document to view below.
Move Document to New Vertical Split		Split the currently active view vertically into two views and move the currently active document to right view.
Move Splitter Down		Move the splitter of the current view down
Move Splitter Left		Move the splitter of the current view to the left
Move Splitter Right		Move the splitter of the current view to the right
Move Splitter Up		Move the splitter of the current view up
New	Main: Ctrl+N	Create a new document
New Session		
New Window	Main: Ctrl+Shift+N	Create a new window.
Next Item	Main: Alt+Shift+Right	
Next Split View	Main: F8	Make the next split view the active one.
Next Tab	Main: Alt+Right Alternate: Forward	Focus the next tab.
Open Containing Folder		Copies the file path of the current file to clipboard.
Open Menu		
Open Recent		This lists files which you have opened recently, and allows you to easily open them again.
Open	Main: Ctrl+O	Open an existing document for editing

Action Name	Shortcuts	Description
Plugins Handbook		This shows help files for various available plugins.
Previous Item	Main: Alt+Shift+Left	
Previous Split View	Main: Shift+F8	Make the previous split view the active one.
Previous Tab	Main: Alt+Left Alternate: Back	Focus the previous tab.
Properties		Deletes the file belonging to the current document.
Quick Fix	Main: Ctrl+.	
Quick Open	Main: Ctrl+Alt+O	Open a form to quick open documents.
Quit	Main: Ctrl+Q	Close this window
Reload All		Reload all open documents.
Rename		Renames the file belonging to the current document.
Report Bug		
Right Split View		Make the split view intuitively on the right the active one.
Save All	Main: Ctrl+L	Save all open, modified documents to disk.
Save Session		
Save Session As		
Sessions		
Show File Git History		
Show Menubar	Main: Ctrl+M	Show Menubar
		Shows the menubar again after it has been hidden
Show Navigation Bar		
Show Path in Titlebar		Show the complete document path in the window caption
Show Statusbar		Use this command to show or hide the view's statusbar
Show Tabs		Use this command to show or hide the tabs for the views
Split Horizontal	Main: Ctrl+Shift+T	Split the currently active view horizontally into two views.
Split Vertical	Main: Ctrl+Shift+L	Split the currently active view vertically into two views.
Toggle Orientation		Toggles the orientation of the current split view

Action Name	Shortcuts	Description
Upward Split View		Make the split view intuitively upward the active one.
Welcome Page		Show the welcome page
What's This?	Main: Shift+F1	
Next Document	Main: Alt+Down	
Previous Document	Main: Alt+Up	
Save		
Save As		
Show Active Document		
Focus Terminal Panel	Main: Ctrl+Shift+F4	
Pipe to Terminal		
Run Current Document		
Show Terminal Panel	Main: F4	
Synchronize Terminal with Current Document		
Add Byte Order Mark (BOM)		Enable/disable adding of byte order marks for UTF-8/UTF-16 encoded files while saving
Add Caret above Cursor	Main: Ctrl+Alt+Up	Adds a caret in the line above the current caret.
Add Caret below Cursor	Main: Ctrl+Alt+Down	Adds a caret in the line below the current caret.
Add Cursors to Line Ends	Main: Alt+Shift+I	Creates a cursor at the end of every line in selection.
Align On		This command aligns lines in the selected block or whole document on the column given by a regular expression that you will be prompted for.
		If you give an empty pattern it will align on the first non-blank character by default. If the pattern has a capture it will indent on the captured match.
		Examples: With '-' it will insert spaces before the first '-' of each lines to align them all on the same column. With ':\s+(.)' it will insert spaces before the first non-blank character that occurs after a colon to align them all on the same column.
Apply Word Wrap		Use this to wrap the current line, or to reformat the selected lines as

Action Name	Shortcuts	Description
		paragraph, to fit the 'Wrap words at' setting in the configuration dialog.
		This is a static word wrap, meaning the document is changed.
Auto Reload Document		Automatic reload the document when it was changed on disk
Automatic Spell Checking	Main: Ctrl+Shift+O	Enable/disable automatic spell checking
Backspace	Main: Backspace Alternate: Shift+Backspace	
Block Selection Mode	Main: Ctrl+Shift+B	This command allows switching between the normal (line based) selection mode and the block selection mode.
Capitalize	Main: Ctrl+Alt+U	Capitalize the selection, or the word under the cursor if no text is selected.
Change Dictionary		Change the dictionary that is used for spell checking.
Clean Indentation		Use this to clean the indentation of a selected block of text (only tabs/only spaces).
		You can configure whether tabs should be honored and used or replaced with spaces, in the configuration dialog.
Clear All Bookmarks		Remove all bookmarks of the current document.
Clear Dictionary Ranges		Remove all the separate dictionary ranges that were set for spell checking.
Clipboard History Paste	Main: Ctrl+Alt+Shift+V	
Comment	Main: Ctrl+D	This command comments out the current line or a selected block of text.
		The characters for single/multiple line comments are defined within the language's highlighting.
Сору	Main: Ctrl+C Alternate: Ctrl+Ins	Use this command to copy the currently selected text to the system clipboard.
Copy as HTML		Use this command to copy the currently selected text as HTML to the system clipboard.
Cut	Main: Ctrl+X Alternate: Shift+Del	Cut the selected text and move it to the clipboard

Action Name	Shortcuts	Description
Decrement Number by 0.1		
Decrement Number by 1		
Decrement Number by 10		
Delete Line	Main: Ctrl+K	
Delete Next Character	Main: Del	
Delete Tag Under Cursor		
Delete Word Left	Main: Ctrl+Backspace	
Delete Word Right	Main: Ctrl+Del	
Deselect	Main: Ctrl+Shift+A	If you have selected something within the current document, this will no longer be selected.
Duplicate Selected Lines Down		
Duplicate Selected Lines Up		
Dynamic Word Wrap		If this option is checked, the text lines will be wrapped at the view border on the screen.
		This is only a view option, meaning the document will not changed.
Dynamic Word Wrap Indicators		Choose when the Dynamic Word Wrap Indicators should be displayed
Editing		
Emmet		
Encoding		
End of Line		Choose which line endings should be used, when you save the document
Enlarge Font	Main: Ctrl++ Alternate: Ctrl+=	This increases the display font size.
Evaluate a Simple Math Expression		
Expand Abbreviation		
Export as HTML		This command allows you to export the current document with all highlighting information into a HTML document.
Find Next	Main: F3	Look up the next occurrence of the search phrase.
Find Previous	Main: Shift+F3	Look up the previous occurrence of the search phrase.
Find Selected	Main: Ctrl+H	Finds next occurrence of selected text.

Action Name	Shortcuts	Description
Find Selected Backwards	Main: Ctrl+Shift+H	Finds previous occurrence of selected text.
Find and Select All Occurrences	Main: Ctrl+Alt+Shift+J	Finds all occurrences of the word under cursor and select them.
Find and Select Next Occurrence	Main: Alt+J	Finds next occurrence of the word under cursor and add it to selection.
Find	Main: Ctrl+F	Look up the first occurrence of a piece of text or regular expression.
Fold Toplevel Nodes	Main: Ctrl+Shift+-	
Format Indentation		Use this to auto indent the current line or block of text to its proper indent level.
Go to Line	Main: Ctrl+G	This command opens a dialog and lets you choose a line that you want the cursor to move to.
Go to Matching Bracket	Main: Ctrl+6	
Go to Next Edit Point		
Go to Next Editing Location	Main: Ctrl+Shift+E	
Go to Next Modified Line		Move downwards to the next modified line.
Go to Previous Edit Point		
Go to Previous Editing Location	Main: Ctrl+E	
Go to Previous Modified Line		Move upwards to the previous modified line.
Increment Number by 0.1		
Increment Number by 1		
Increment Number by 10		
Indent	Main: Ctrl+I	Use this to indent a selected block of text.
		You can configure whether tabs should be honored and used or replaced with spaces, in the configuration dialog.
Insert Smart Newline	Main: Shift+Return Alternate: Shift+Enter	Insert newline including leading characters of the current line which are not letters or numbers.
Insert Tab Character		
Insert a Newline Above Current Line	Main: Ctrl+Alt+Return Alternate: Ctrl+Alt+Enter	Insert a new line above current line without modifying the current line.
Insert a Newline Below Current Line	Main: Ctrl+Shift+Return Alternate: Ctrl+Shift+Enter	Insert a new line below current line without modifying the current line.

Action Name	Shortcuts	Description
Insert a Non-Indented Newline	Main: Ctrl+Return Alternate: Ctrl+Enter	Insert a new line without indentation, regardless of indentation settings.
Invoke Code Completion	Main: Ctrl+Space	Manually invoke command completion, usually by using a shortcut bound to this action.
Join Lines	Main: Ctrl+J	
Lowercase	Main: Ctrl+Shift+U	Convert the selection to lowercase, or the character to the right of the cursor if no text is selected.
Mark Currently Selected Occurrence as Skipped	Main: Alt+K	Marks the currently selected word as skipped.
Move Cursor Left	Main: Left	
Move Cursor Right	Main: Right	
Move Cursor to Matching Tag		
Move Cursor to Next Matching Indent	Main: Alt+Shift+Down	
Move Cursor to Previous Matching Indent	Main: Alt+Shift+Up	
Move Lines Down	Main: Ctrl+Shift+Down	
Move Lines Up	Main: Ctrl+Shift+Up	
Move Word Left	Main: Ctrl+Left	
Move Word Right	Main: Ctrl+Right	
Move to Beginning of Document	Main: Ctrl+Home	
Move to Beginning of Line	Main: Home	
Move to Bottom of View	Main: Alt+End	
Move to End of Document	Main: Ctrl+End	
Move to End of Line	Main: End	
Move to Next Line	Main: Down	
Move to Previous Line	Main: Up	
Move to Top of View	Main: Alt+Home	
Navigation		
Next Bookmark	Main: Alt+PgDown	Go to the next bookmark.
Overwrite Mode	Main: Ins	Choose whether you want the text you type to be inserted or to overwrite existing text.

Action Name	Shortcuts	Description
Paste	Main: Ctrl+V Alternate: Shift+Ins	Paste previously copied or cut clipboard contents
Paste Selection	Main: Ctrl+Shift+Ins	Paste previously mouse selection contents
Previous Bookmark	Main: Alt+PgUp	Go to the previous bookmark.
Print Preview		Show print preview of current document
Print	Main: Ctrl+P	Print the current document.
Read Only Mode		Lock/unlock the document for writing
Redo	Main: Ctrl+Shift+Z	Revert the most recent undo operation
Reload	Main: F5 Alternate: Refresh	Reload the current document from disk.
Remove Cursors from Empty Lines		Remove cursors from empty lines
Remove Duplicates and Sort Selected Text Alphabetically		
Replace	Main: Ctrl+R	Look up a piece of text or regular expression and replace the result with some given text.
Reset Font Size	Main: Ctrl+0	This resets the display font size.
Reuse Word Above	Main: Ctrl+8	
Reuse Word Below	Main: Ctrl+9	
Save	Main: Ctrl+S	Save the current document
Save As with Encoding		
Save As	Main: Ctrl+Shift+S	Save the current document to disk, with a name of your choice.
Save Copy As		Save a copy of the current document to disk.
Scroll Line Down	Main: Ctrl+Down	
Scroll Line Up	Main: Ctrl+Up	
Scroll Page Down	Main: PgDown	
Scroll Page Up	Main: PgUp	
Select All	Main: Ctrl+A	
Select Character Left	Main: Shift+Left	

Action Name	Shortcuts	Description
Select Character Right	Main: Shift+Right	
Select HTML/XML Tag Contents Inwards		
Select HTML/XML Tag Contents Outwards		
Select Next Edit Point		
Select Page Down	Main: Shift+PgDown	
Select Page Up	Main: Shift+PgUp	
Select Previous Edit Point		
Select Word Left	Main: Ctrl+Shift+Left	
Select Word Right	Main: Ctrl+Shift+Right	
Select to Beginning of Document	Main: Ctrl+Shift+Home	
Select to Beginning of Line	Main: Shift+Home	
Select to Bottom of View	Main: Alt+Shift+End	
Select to End of Document	Main: Ctrl+Shift+End	
Select to End of Line	Main: Shift+End	
Select to Matching Bracket	Main: Ctrl+Shift+6	
Select to Next Line	Main: Shift+Down	
Select to Previous Line	Main: Shift+Up	
Select to Top of View	Main: Alt+Shift+Home	
Set Bookmark	Main: Ctrl+B	If a line has no bookmark then add one, otherwise remove it.
Shell Completion		
Show Folding Markers		You can choose if the codefolding marks should be shown, if codefolding is possible.
Show Icon Border		Show/hide the icon border.
		The icon border shows bookmark symbols, for instance.
Show Line Numbers		Show/hide the line numbers on the left hand side of the view.
Show Non-Printable Spaces		Show/hide bounding box around non-printable spaces
Show Scrollbar Marks		Show/hide the marks on the vertical scrollbar.

Action Name	Shortcuts	Description
		The marks show bookmarks, for instance.
Show Scrollbar Mini-Map		Show/hide the mini-map on the vertical scrollbar.
		The mini-map shows an overview of the whole document.
Show Static Word Wrap Marker		Show/hide the Word Wrap Marker, a vertical line drawn at the word wrap column as defined in the editing properties
Shrink Font	Main: Ctrl+-	This decreases the display font size.
Sort Selected Text Alphabetically		
Spelling (from Cursor)		Check the document's spelling from the cursor and forward
Spelling		
Split or Join a Tag		
Static Word Wrap		If this option is checked, the text lines will be wrapped at the column defined in the editing properties.
Swap with Clipboard Contents		Swap the selected text with the clipboard contents
Switch to Command Line	Main: F7	Show/hide the command line on the bottom of the view.
Switch to Next Input Mode	Main: Ctrl+Alt+V	Switch to the next input mode.
Toggle Camel Case Cursor Movement		Toggle between normal word movement and camel case cursor movement.
Toggle Comment		
Toggle Comment	Main: Ctrl+/	
Toggle Contained Nodes		
Toggle Current Node		
Transpose Characters		
Transpose Words		
URI-decode Selected Text		
URI-encode Selected Text		
Uncomment	Main: Ctrl+Shift+D	This command removes comments from the current line or a selected block of text.
		The characters for single/multiple line comments are defined within the language's highlighting.

Action Name	Shortcuts	Description
Undo	Main: Ctrl+Z	Revert the most recent editing actions
Unfold Toplevel Nodes	Main: Ctrl+Shift++	
Unindent	Main: Ctrl+Shift+I	Use this to unindent a selected block of text.
Uppercase	Main: Ctrl+U	Convert the selection to uppercase, or the character to the right of the cursor if no text is selected.
Wrap with Tag		
Activate Next Project	Main: Ctrl+Alt+Right	
Activate Previous Project	Main: Ctrl+Alt+Left	
Checkout Git Branch		
Close All Projects		
Close Orphaned Projects		
Close Project		
Go То		
Lookup	Main: Alt+1	
Open Folder	Main: Ctrl+T, O	
Project TODOs		
Copy Matching Lines		This will copy all highlighted search match lines in the current document to the clipboard
Cut Matching Lines		This will cut all highlighted search match lines from the current document to the clipboard
Find in Files	Main: Ctrl+Shift+F	
Find in Files (in a New Tab)		
Go to Next Match	Main: F6	
Go to Previous Match	Main: Shift+F6	
Add parentheses upon function completion		
Close All Dynamic Reference Tabs		
Enable signature help with auto completion		
Expand Macro		
Expand Selection	Main: Ctrl+2	
Find Implementations		

Action Name	Shortcuts	Description
Find References	Main: Ctrl+Alt+L	
Format	Main: Ctrl+T, F	
Format on typing		
Go to Declaration		
Go to Definition		
Go to Type Definition		
Highlight		
Highlight goto location		
Include declaration in references		
Incremental document synchronization		
Rename	Main: F2	
Restart All LSP Servers		
Restart LSP Server		
Search and Go to Symbol	Main: Ctrl+Alt+P	
Server Memory Usage		
Show Diagnostics Notifications		
Show Inlay Hints		
Show Messages		
Show hover information		
Show selected completion documentation		
Shrink Selection	Main: Ctrl+Shift+2	
Switch Source Header	Main: F12	
Symbol Info		
Close View	Main: Ctrl+W	Closes the selected view in the list of last used views.
Last Used Views	Main: Ctrl+Tab	Opens a list to walk through the list of last used views.
Last Used Views (Reverse)	Main: Ctrl+Shift+Tab	Opens a list to walk through the list of last used views in reverse.
Filter Through Command	Main: Ctrl+\	
Focus Diagnostics		
Focus Documents		
Focus Git		
Focus Output		

Action Name	Shortcuts	Description
Focus Project		
Focus Projects		
Focus Search		
Focus Symbol Outline		
Focus Terminal		
Hide All Tool Views		
Show Diagnostics		
Show Diagnostics Button		
Show Documents		
Show Documents Button		
Show Git		
Show Git Button		
Show Output		
Show Output Button		
Show Project		
Show Project Button		
Show Projects		
Show Projects Button		
Show Search		
Show Search Button		
Show Sidebars	Main: Ctrl+Alt+Shift+F	
Show Symbol Outline		
Show Symbol Outline Button		
Show Terminal		
Show Terminal Button		

## kate

Action Name	Shortcuts	Description
About KDE		
About Kate		
Clear Diagnostics Filter	Main: Alt+Shift+C	
Close	Main: Ctrl+W Alternate: Ctrl+Esc	Close the current document.
Close All		Close all open documents.
Close Current View	Main: Ctrl+Shift+R	Close the currently active split view

Action Name	Shortcuts	Description
Close Inactive Views		Close every view but the active one
Close Orphaned		Close all documents in the file list that could not be reopened, because they are not accessible anymore.
Close Other		Close other open documents.
Compare		Shows a hint how to compare documents.
Configure Kate	Main: Ctrl+Shift+,	Configure various aspects of this application and the editing component.
Configure Keyboard Shortcuts	Main: Ctrl+Alt+,	Configure the application's keyboard shortcut assignments.
Configure Language		
Configure Toolbars		Configure which items should appear in the toolbar(s).
Copy Location		Copies the file path of the current file to clipboard.
Delete		Deletes the file belonging to the current document.
Donate		
Downward Split View		Make the split view intuitively downward the active one.
Find Action	Main: Ctrl+Alt+I	
Focus Navigation Bar	Main: Ctrl+Shift+.	
Full Screen Mode	Main: F11	
Go to Next Location	Main: Ctrl+Shift+1	
Go to Previous Location	Main: Ctrl+1	
Hamburger Menu Toolbar		
Hide Inactive Views		Hide every view but the active one
Kate Handbook	Main: F1	
Left Split View		Make the split view intuitively on the left the active one.
Main Toolbar		
Manage Sessions		
Move Document to New Horizontal Split		Split the currently active view horizontally into two views and move the currently active document to view below.
Move Document to New Vertical Split		Split the currently active view vertically into two views and move

Action Name	Shortcuts	Description
		the currently active document to right view.
Move Splitter Down		Move the splitter of the current view down
Move Splitter Left		Move the splitter of the current view to the left
Move Splitter Right		Move the splitter of the current view to the right
Move Splitter Up		Move the splitter of the current view up
New	Main: Ctrl+N	Create a new document
New Session		
New Window	Main: Ctrl+Shift+N	Create a new window.
Next Item	Main: Alt+Shift+Right	
Next Split View	Main: F8	Make the next split view the active one.
Next Tab	Main: Alt+Right Alternate: Forward	Focus the next tab.
Open Containing Folder		Copies the file path of the current file to clipboard.
Open Menu		
Open Recent		This lists files which you have opened recently, and allows you to easily open them again.
Open	Main: Ctrl+O	Open an existing document for editing
Plugins Handbook		This shows help files for various available plugins.
Previous Item	Main: Alt+Shift+Left	
Previous Split View	Main: Shift+F8	Make the previous split view the active one.
Previous Tab	Main: Alt+Left Alternate: Back	Focus the previous tab.
Properties		Deletes the file belonging to the current document.
Quick Fix	Main: Ctrl+.	
Quick Open	Main: Ctrl+Alt+O	Open a form to quick open documents.
Quit	Main: Ctrl+Q	Close this window
Reload All		Reload all open documents.

Action Name	Shortcuts	Description
Rename		Renames the file belonging to the current document.
Report Bug		
Right Split View		Make the split view intuitively on the right the active one.
Save All	Main: Ctrl+L	Save all open, modified documents to disk.
Save Session		
Save Session As		
Sessions		
Show File Git History		
Show Menubar	Main: Ctrl+M	Show Menubar
		Shows the menubar again after it has been hidden
Show Navigation Bar		
Show Path in Titlebar		Show the complete document path in the window caption
Show Statusbar		Use this command to show or hide the view's statusbar
Show Tabs		Use this command to show or hide the tabs for the views
Split Horizontal	Main: Ctrl+Shift+T	Split the currently active view horizontally into two views.
Split Vertical	Main: Ctrl+Shift+L	Split the currently active view vertically into two views.
Toggle Orientation		Toggles the orientation of the current split view
Upward Split View		Make the split view intuitively upward the active one.
Welcome Page		Show the welcome page
What's This?	Main: Shift+F1	
Next Document	Main: Alt+Down	
Previous Document	Main: Alt+Up	
Save		
Save As		
Show Active Document		
Focus Terminal Panel	Main: Ctrl+Shift+F4	
Pipe to Terminal		
Run Current Document		
Show Terminal Panel		

Action Name	Shortcuts	Description
	Main: F4	
Synchronize Terminal with Current Document		
Add Byte Order Mark (BOM)		Enable/disable adding of byte order marks for UTF-8/UTF-16 encoded files while saving
Add Caret above Cursor	Main: Ctrl+Alt+Up	Adds a caret in the line above the current caret.
Add Caret below Cursor	Main: Ctrl+Alt+Down	Adds a caret in the line below the current caret.
Add Cursors to Line Ends	Main: Alt+Shift+I	Creates a cursor at the end of every line in selection.
Align On		This command aligns lines in the selected block or whole document on the column given by a regular expression that you will be prompted for.
		If you give an empty pattern it will align on the first non-blank character by default. If the pattern has a capture it will indent on the captured match.
		Examples: With '-' it will insert spaces before the first '-' of each lines to align them all on the same column. With ':\s+(.)' it will insert spaces before the first non-blank character that occurs after a colon to align them all on the same column.
Apply Word Wrap		Use this to wrap the current line, or to reformat the selected lines as paragraph, to fit the 'Wrap words at' setting in the configuration dialog.
		This is a static word wrap, meaning the document is changed.
Auto Reload Document		Automatic reload the document when it was changed on disk
Automatic Spell Checking	Main: Ctrl+Shift+O	Enable/disable automatic spell checking
Backspace	Main: Backspace Alternate: Shift+Backspace	
Block Selection Mode	Main: Ctrl+Shift+B	This command allows switching between the normal (line based) selection mode and the block selection mode.
Capitalize	Main: Ctrl+Alt+U	Capitalize the selection, or the word under the cursor if no text is

Action Name	Shortcuts	Description
		selected.
Change Dictionary		Change the dictionary that is used for spell checking.
Clean Indentation		Use this to clean the indentation of a selected block of text (only tabs/only spaces).
		You can configure whether tabs should be honored and used or replaced with spaces, in the configuration dialog.
Clear All Bookmarks		Remove all bookmarks of the current document.
Clear Dictionary Ranges		Remove all the separate dictionary ranges that were set for spell checking.
Clipboard History Paste	Main: Ctrl+Alt+Shift+V	
Comment	Main: Ctrl+D	This command comments out the current line or a selected block of text.
		The characters for single/multiple line comments are defined within the language's highlighting.
Сору	Main: Ctrl+C Alternate: Ctrl+Ins	Use this command to copy the currently selected text to the system clipboard.
Copy as HTML		Use this command to copy the currently selected text as HTML to the system clipboard.
Cut	Main: Ctrl+X Alternate: Shift+Del	Cut the selected text and move it to the clipboard
Decrement Number by 0.1		
Decrement Number by 1		
Decrement Number by 10		
Delete Line	Main: Ctrl+K	
Delete Next Character	Main: Del	
Delete Tag Under Cursor		
Delete Word Left	Main: Ctrl+Backspace	
Delete Word Right	Main: Ctrl+Del	
Deselect	Main: Ctrl+Shift+A	If you have selected something within the current document, this will no longer be selected.
Duplicate Selected Lines Down		

Action Name	Shortcuts	Description
Duplicate Selected Lines Up		
Dynamic Word Wrap		If this option is checked, the text lines will be wrapped at the view border on the screen.
		This is only a view option, meaning the document will not changed.
Dynamic Word Wrap Indicators		Choose when the Dynamic Word Wrap Indicators should be displayed
Editing		
Emmet		
Encoding		
End of Line		Choose which line endings should be used, when you save the document
Enlarge Font	Main: Ctrl++ Alternate: Ctrl+=	This increases the display font size.
Evaluate a Simple Math Expression		
Expand Abbreviation		
Export as HTML		This command allows you to export the current document with all highlighting information into a HTML document.
Find Next	Main: F3	Look up the next occurrence of the search phrase.
Find Previous	Main: Shift+F3	Look up the previous occurrence of the search phrase.
Find Selected	Main: Ctrl+H	Finds next occurrence of selected text.
Find Selected Backwards	Main: Ctrl+Shift+H	Finds previous occurrence of selected text.
Find and Select All Occurrences	Main: Ctrl+Alt+Shift+J	Finds all occurrences of the word under cursor and select them.
Find and Select Next Occurrence	Main: Alt+J	Finds next occurrence of the word under cursor and add it to selection.
Find	Main: Ctrl+F	Look up the first occurrence of a piece of text or regular expression.
Fold Toplevel Nodes	Main: Ctrl+Shift+-	
Format Indentation		Use this to auto indent the current line or block of text to its proper indent level.
Go to Line	Main: Ctrl+G	This command opens a dialog and lets you choose a line that you want the cursor to move to.

Action Name	Shortcuts	Description
Go to Matching Bracket	Main: Ctrl+6	
Go to Next Edit Point		
Go to Next Editing Location	Main: Ctrl+Shift+E	
Go to Next Modified Line		Move downwards to the next modified line.
Go to Previous Edit Point		
Go to Previous Editing Location	Main: Ctrl+E	
Go to Previous Modified Line		Move upwards to the previous modified line.
Increment Number by 0.1		
Increment Number by 1		
Increment Number by 10		
Indent	Main: Ctrl+I	Use this to indent a selected block of text.
		You can configure whether tabs should be honored and used or replaced with spaces, in the configuration dialog.
Insert Smart Newline	Main: Shift+Return Alternate: Shift+Enter	Insert newline including leading characters of the current line which are not letters or numbers.
Insert Tab Character		
Insert a Newline Above Current Line	Main: Ctrl+Alt+Return Alternate: Ctrl+Alt+Enter	Insert a new line above current line without modifying the current line.
Insert a Newline Below Current Line	Main: Ctrl+Shift+Return Alternate: Ctrl+Shift+Enter	Insert a new line below current line without modifying the current line.
Insert a Non-Indented Newline	Main: Ctrl+Return Alternate: Ctrl+Enter	Insert a new line without indentation, regardless of indentation settings.
Invoke Code Completion	Main: Ctrl+Space	Manually invoke command completion, usually by using a shortcut bound to this action.
Join Lines	Main: Ctrl+J	
Lowercase	Main: Ctrl+Shift+U	Convert the selection to lowercase, or the character to the right of the cursor if no text is selected.
Mark Currently Selected Occurrence as Skipped	Main: Alt+K	Marks the currently selected word as skipped.
Move Cursor Left	Main: Left	
Move Cursor Right	Main: Right	

Action Name	Shortcuts	Description
Move Cursor to Matching Tag		
Move Cursor to Next Matching Indent	Main: Alt+Shift+Down	
Move Cursor to Previous Matching Indent	Main: Alt+Shift+Up	
Move Lines Down	Main: Ctrl+Shift+Down	
Move Lines Up	Main: Ctrl+Shift+Up	
Move Word Left	Main: Ctrl+Left	
Move Word Right	Main: Ctrl+Right	
Move to Beginning of Document	Main: Ctrl+Home	
Move to Beginning of Line	Main: Home	
Move to Bottom of View	Main: Alt+End	
Move to End of Document	Main: Ctrl+End	
Move to End of Line	Main: End	
Move to Next Line	Main: Down	
Move to Previous Line	Main: Up	
Move to Top of View	Main: Alt+Home	
Navigation		
Next Bookmark	Main: Alt+PgDown	Go to the next bookmark.
Overwrite Mode	Main: Ins	Choose whether you want the text you type to be inserted or to overwrite existing text.
Paste	Main: Ctrl+V Alternate: Shift+Ins	Paste previously copied or cut clipboard contents
Paste Selection	Main: Ctrl+Shift+Ins	Paste previously mouse selection contents
Previous Bookmark	Main: Alt+PgUp	Go to the previous bookmark.
Print Preview		Show print preview of current document
Print	Main: Ctrl+P	Print the current document.
Read Only Mode		Lock/unlock the document for writing
Redo	Main: Ctrl+Shift+Z	Revert the most recent undo operation
Reload		Reload the current document from

Action Name	Shortcuts	Description
	Main: F5 Alternate: Refresh	disk.
Remove Cursors from Empty Lines		Remove cursors from empty lines
Remove Duplicates and Sort Selected Text Alphabetically		
Replace	Main: Ctrl+R	Look up a piece of text or regular expression and replace the result with some given text.
Reset Font Size	Main: Ctrl+0	This resets the display font size.
Reuse Word Above	Main: Ctrl+8	
Reuse Word Below	Main: Ctrl+9	
Save	Main: Ctrl+S	Save the current document
Save As with Encoding		
Save As	Main: Ctrl+Shift+S	Save the current document to disk, with a name of your choice.
Save Copy As		Save a copy of the current document to disk.
Scroll Line Down	Main: Ctrl+Down	
Scroll Line Up	Main: Ctrl+Up	
Scroll Page Down	Main: PgDown	
Scroll Page Up	Main: PgUp	
Select All	Main: Ctrl+A	
Select Character Left	Main: Shift+Left	
Select Character Right	Main: Shift+Right	
Select HTML/XML Tag Contents Inwards		
Select HTML/XML Tag Contents Outwards		
Select Next Edit Point		
Select Page Down	Main: Shift+PgDown	
Select Page Up	Main: Shift+PgUp	
Select Previous Edit Point		
Select Word Left	Main: Ctrl+Shift+Left	
Select Word Right	Main: Ctrl+Shift+Right	

Action Name	Shortcuts	Description
Select to Beginning of Document	Main: Ctrl+Shift+Home	
Select to Beginning of Line	Main: Shift+Home	
Select to Bottom of View	Main: Alt+Shift+End	
Select to End of Document	Main: Ctrl+Shift+End	
Select to End of Line	Main: Shift+End	
Select to Matching Bracket	Main: Ctrl+Shift+6	
Select to Next Line	Main: Shift+Down	
Select to Previous Line	Main: Shift+Up	
Select to Top of View	Main: Alt+Shift+Home	
Set Bookmark	Main: Ctrl+B	If a line has no bookmark then add one, otherwise remove it.
Shell Completion		
Show Folding Markers		You can choose if the codefolding marks should be shown, if codefolding is possible.
Show Icon Border		Show/hide the icon border.
		The icon border shows bookmark symbols, for instance.
Show Line Numbers		Show/hide the line numbers on the left hand side of the view.
Show Non-Printable Spaces		Show/hide bounding box around non-printable spaces
Show Scrollbar Marks		Show/hide the marks on the vertical scrollbar.
		The marks show bookmarks, for instance.
Show Scrollbar Mini-Map		Show/hide the mini-map on the vertical scrollbar.
		The mini-map shows an overview of the whole document.
Show Static Word Wrap Marker		Show/hide the Word Wrap Marker, a vertical line drawn at the word wrap column as defined in the editing properties
Shrink Font	Main: Ctrl+-	This decreases the display font size.
Sort Selected Text Alphabetically		
Spelling (from Cursor)		Check the document's spelling from the cursor and forward

Action Name	Shortcuts	Description
Spelling		
Split or Join a Tag		
Static Word Wrap		If this option is checked, the text lines will be wrapped at the column defined in the editing properties.
Swap with Clipboard Contents		Swap the selected text with the clipboard contents
Switch to Command Line	Main: F7	Show/hide the command line on the bottom of the view.
Switch to Next Input Mode	Main: Ctrl+Alt+V	Switch to the next input mode.
Toggle Camel Case Cursor Movement		Toggle between normal word movement and camel case cursor movement.
Toggle Comment		
Toggle Comment	Main: Ctrl+/	
Toggle Contained Nodes		
Toggle Current Node		
Transpose Characters		
Transpose Words		
URI-decode Selected Text		
URI-encode Selected Text		
Uncomment	Main: Ctrl+Shift+D	This command removes comments from the current line or a selected block of text.
		The characters for single/multiple line comments are defined within the language's highlighting.
Undo	Main: Ctrl+Z	Revert the most recent editing actions
Unfold Toplevel Nodes	Main: Ctrl+Shift++	
Unindent	Main: Ctrl+Shift+I	Use this to unindent a selected block of text.
Uppercase	Main: Ctrl+U	Convert the selection to uppercase, or the character to the right of the cursor if no text is selected.
Wrap with Tag		
Activate Next Project	Main: Ctrl+Alt+Right	
Activate Previous Project	Main: Ctrl+Alt+Left	
Checkout Git Branch		
Close All Projects		

Action Name	Shortcuts	Description
Close Orphaned Projects		
Close Project		
Go То		
Lookup	Main: Alt+1	
Open Folder	Main: Ctrl+T, O	
Project TODOs		
Copy Matching Lines		This will copy all highlighted search match lines in the current document to the clipboard
Cut Matching Lines		This will cut all highlighted search match lines from the current document to the clipboard
Find in Files	Main: Ctrl+Shift+F	
Find in Files (in a New Tab)		
Go to Next Match	Main: F6	
Go to Previous Match	Main: Shift+F6	
Add parentheses upon function completion		
Close All Dynamic Reference Tabs		
Enable signature help with auto completion		
Expand Macro		
Expand Selection	Main: Ctrl+2	
Find Implementations		
Find References	Main: Ctrl+Alt+L	
Format	Main: Ctrl+T, F	
Format on typing		
Go to Declaration		
Go to Definition		
Go to Type Definition		
Highlight		
Highlight goto location		
Include declaration in references		
Incremental document synchronization		
Rename		

Action Name	Shortcuts	Description
	Main: F2	
Restart All LSP Servers		
Restart LSP Server		
Search and Go to Symbol	Main: Ctrl+Alt+P	
Server Memory Usage		
Show Diagnostics Notifications		
Show Inlay Hints		
Show Messages		
Show hover information		
Show selected completion documentation		
Shrink Selection	Main: Ctrl+Shift+2	
Switch Source Header	Main: F12	
Symbol Info		
Close View	Main: Ctrl+W	Closes the selected view in the list of last used views.
Last Used Views	Main: Ctrl+Tab	Opens a list to walk through the list of last used views.
Last Used Views (Reverse)	Main: Ctrl+Shift+Tab	Opens a list to walk through the list of last used views in reverse.
Filter Through Command	Main: Ctrl+\	
Focus Diagnostics		
Focus Documents		
Focus Git		
Focus Output		
Focus Project		
Focus Projects		
Focus Search		
Focus Symbol Outline		
Focus Terminal		
Hide All Tool Views		
Show Diagnostics		
Show Diagnostics Button		
Show Documents		
Show Documents Button		
Show Git		

Action Name	Shortcuts	Description
Show Git Button		
Show Output		
Show Output Button		
Show Project		
Show Project Button		
Show Projects		
Show Projects Button		
Show Search		
Show Search Button		
Show Sidebars	Main: Ctrl+Alt+Shift+F	
Show Symbol Outline		
Show Symbol Outline Button		
Show Terminal		
Show Terminal Button		

## katefiletree

Action Name	Shortcuts	Description
Next Document	Main: Alt+Down	
Previous Document	Main: Alt+Up	
Save		
Save As		
Show Active Document		
Focus Terminal Panel	Main: Ctrl+Shift+F4	
Pipe to Terminal		
Run Current Document		
Show Terminal Panel	Main: F4	
Synchronize Terminal with Current Document		
Add Byte Order Mark (BOM)		Enable/disable adding of byte order marks for UTF-8/UTF-16 encoded files while saving
Add Caret above Cursor	Main: Ctrl+Alt+Up	Adds a caret in the line above the current caret.
Add Caret below Cursor	Main: Ctrl+Alt+Down	Adds a caret in the line below the current caret.
Add Cursors to Line Ends	Main: Alt+Shift+I	Creates a cursor at the end of every line in selection.
Align On		This command aligns lines in the

Action Name	Shortcuts	Description
		selected block or whole document on the column given by a regular expression that you will be prompted for.
		If you give an empty pattern it will align on the first non-blank character by default. If the pattern has a capture it will indent on the captured match.
		Examples: With '-' it will insert spaces before the first '-' of each lines to align them all on the same column. With ':\s+(.)' it will insert spaces before the first non-blank character that occurs after a colon to align them all on the same column.
Apply Word Wrap		Use this to wrap the current line, or to reformat the selected lines as paragraph, to fit the 'Wrap words at' setting in the configuration dialog.
		This is a static word wrap, meaning the document is changed.
Auto Reload Document		Automatic reload the document when it was changed on disk
Automatic Spell Checking	Main: Ctrl+Shift+O	Enable/disable automatic spell checking
Backspace	Main: Backspace Alternate: Shift+Backspace	
Block Selection Mode	Main: Ctrl+Shift+B	This command allows switching between the normal (line based) selection mode and the block selection mode.
Capitalize	Main: Ctrl+Alt+U	Capitalize the selection, or the word under the cursor if no text is selected.
Change Dictionary		Change the dictionary that is used for spell checking.
Clean Indentation		Use this to clean the indentation of a selected block of text (only tabs/only spaces).
		You can configure whether tabs should be honored and used or replaced with spaces, in the configuration dialog.
Clear All Bookmarks		Remove all bookmarks of the current document.
Clear Dictionary Ranges		Remove all the separate dictionary ranges that were set for spell

Action Name	Shortcuts	Description
		checking.
Clipboard History Paste	Main: Ctrl+Alt+Shift+V	
Comment	Main: Ctrl+D	This command comments out the current line or a selected block of text.
		The characters for single/multiple line comments are defined within the language's highlighting.
Сору	Main: Ctrl+C Alternate: Ctrl+Ins	Use this command to copy the currently selected text to the system clipboard.
Copy as HTML		Use this command to copy the currently selected text as HTML to the system clipboard.
Cut	Main: Ctrl+X Alternate: Shift+Del	Cut the selected text and move it to the clipboard
Decrement Number by 0.1		
Decrement Number by 1		
Decrement Number by 10		
Delete Line	Main: Ctrl+K	
Delete Next Character	Main: Del	
Delete Tag Under Cursor		
Delete Word Left	Main: Ctrl+Backspace	
Delete Word Right	Main: Ctrl+Del	
Deselect	Main: Ctrl+Shift+A	If you have selected something within the current document, this will no longer be selected.
Duplicate Selected Lines Down		
Duplicate Selected Lines Up		
Dynamic Word Wrap		If this option is checked, the text lines will be wrapped at the view border on the screen.
		This is only a view option, meaning the document will not changed.
Dynamic Word Wrap Indicators		Choose when the Dynamic Word Wrap Indicators should be displayed
Editing		
Emmet		
Encoding		
End of Line		Choose which line endings should

Action Name	Shortcuts	Description
		be used, when you save the document
Enlarge Font	Main: Ctrl++ Alternate: Ctrl+=	This increases the display font size.
Evaluate a Simple Math Expression		
Expand Abbreviation		
Export as HTML		This command allows you to export the current document with all highlighting information into a HTML document.
Find Next	Main: F3	Look up the next occurrence of the search phrase.
Find Previous	Main: Shift+F3	Look up the previous occurrence of the search phrase.
Find Selected	Main: Ctrl+H	Finds next occurrence of selected text.
Find Selected Backwards	Main: Ctrl+Shift+H	Finds previous occurrence of selected text.
Find and Select All Occurrences	Main: Ctrl+Alt+Shift+J	Finds all occurrences of the word under cursor and select them.
Find and Select Next Occurrence	Main: Alt+J	Finds next occurrence of the word under cursor and add it to selection.
Find	Main: Ctrl+F	Look up the first occurrence of a piece of text or regular expression.
Fold Toplevel Nodes	Main: Ctrl+Shift+-	
Format Indentation		Use this to auto indent the current line or block of text to its proper indent level.
Go to Line	Main: Ctrl+G	This command opens a dialog and lets you choose a line that you want the cursor to move to.
Go to Matching Bracket	Main: Ctrl+6	
Go to Next Edit Point		
Go to Next Editing Location	Main: Ctrl+Shift+E	
Go to Next Modified Line		Move downwards to the next modified line.
Go to Previous Edit Point		
Go to Previous Editing Location	Main: Ctrl+E	
Go to Previous Modified Line		Move upwards to the previous modified line.
Increment Number by 0.1		

Action Name	Shortcuts	Description
Increment Number by 1		
Increment Number by 10		
Indent	Main: Ctrl+I	Use this to indent a selected block of text.  You can configure whether tabs should be honored and used or replaced with spaces, in the configuration dialog.
Insert Smart Newline	Main: Shift+Return Alternate: Shift+Enter	Insert newline including leading characters of the current line which are not letters or numbers.
Insert Tab Character		
Insert a Newline Above Current Line	Main: Ctrl+Alt+Return Alternate: Ctrl+Alt+Enter	Insert a new line above current line without modifying the current line.
Insert a Newline Below Current Line	Main: Ctrl+Shift+Return Alternate: Ctrl+Shift+Enter	Insert a new line below current line without modifying the current line.
Insert a Non-Indented Newline	Main: Ctrl+Return Alternate: Ctrl+Enter	Insert a new line without indentation, regardless of indentation settings.
Invoke Code Completion	Main: Ctrl+Space	Manually invoke command completion, usually by using a shortcut bound to this action.
Join Lines	Main: Ctrl+J	
Lowercase	Main: Ctrl+Shift+U	Convert the selection to lowercase, or the character to the right of the cursor if no text is selected.
Mark Currently Selected Occurrence as Skipped	Main: Alt+K	Marks the currently selected word as skipped.
Move Cursor Left	Main: Left	
Move Cursor Right	Main: Right	
Move Cursor to Matching Tag		
Move Cursor to Next Matching Indent	Main: Alt+Shift+Down	
Move Cursor to Previous Matching Indent	Main: Alt+Shift+Up	
Move Lines Down	Main: Ctrl+Shift+Down	
Move Lines Up	Main: Ctrl+Shift+Up	
Move Word Left	Main: Ctrl+Left	
Move Word Right	Main: Ctrl+Right	
Move to Beginning of	Main: Ctrl+Home	

End FEnd
End
-End
n
Home
PgDown Go to the next bookmark.
Choose whether you want the text you type to be inserted or to overwrite existing text.
Ctrl+V Paste previously copied or cut clipboard contents
Paste previously mouse selection contents
PgUp Go to the previous bookmark.
Show print preview of current document
Print the current document.
Lock/unlock the document for writing
+Shift+Z Revert the most recent undo operation
Reload the current document from disk.
Remove cursors from empty lines
Look up a piece of text or regular expression and replace the result with some given text.
This resets the display font size.

Action Name	Shortcuts	Description
Reuse Word Below	Main: Ctrl+9	
Save	Main: Ctrl+S	Save the current document
Save As with Encoding		
Save As	Main: Ctrl+Shift+S	Save the current document to disk, with a name of your choice.
Save Copy As		Save a copy of the current document to disk.
Scroll Line Down	Main: Ctrl+Down	
Scroll Line Up	Main: Ctrl+Up	
Scroll Page Down	Main: PgDown	
Scroll Page Up	Main: PgUp	
Select All	Main: Ctrl+A	
Select Character Left	Main: Shift+Left	
Select Character Right	Main: Shift+Right	
Select HTML/XML Tag Contents Inwards		
Select HTML/XML Tag Contents Outwards		
Select Next Edit Point		
Select Page Down	Main: Shift+PgDown	
Select Page Up	Main: Shift+PgUp	
Select Previous Edit Point		
Select Word Left	Main: Ctrl+Shift+Left	
Select Word Right	Main: Ctrl+Shift+Right	
Select to Beginning of Document	Main: Ctrl+Shift+Home	
Select to Beginning of Line	Main: Shift+Home	
Select to Bottom of View	Main: Alt+Shift+End	
Select to End of Document	Main: Ctrl+Shift+End	
Select to End of Line	Main: Shift+End	
Select to Matching Bracket	Main: Ctrl+Shift+6	
Select to Next Line	Main: Shift+Down	

Action Name	Shortcuts	Description
Select to Previous Line	Main: Shift+Up	
Select to Top of View	Main: Alt+Shift+Home	
Set Bookmark	Main: Ctrl+B	If a line has no bookmark then add one, otherwise remove it.
Shell Completion		
Show Folding Markers		You can choose if the codefolding marks should be shown, if codefolding is possible.
Show Icon Border		Show/hide the icon border.
		The icon border shows bookmark symbols, for instance.
Show Line Numbers		Show/hide the line numbers on the left hand side of the view.
Show Non-Printable Spaces		Show/hide bounding box around non-printable spaces
Show Scrollbar Marks		Show/hide the marks on the vertical scrollbar.
		The marks show bookmarks, for instance.
Show Scrollbar Mini-Map		Show/hide the mini-map on the vertical scrollbar.
		The mini-map shows an overview of the whole document.
Show Static Word Wrap Marker		Show/hide the Word Wrap Marker, a vertical line drawn at the word wrap column as defined in the editing properties
Shrink Font	Main: Ctrl+-	This decreases the display font size.
Sort Selected Text Alphabetically		
Spelling (from Cursor)		Check the document's spelling from the cursor and forward
Spelling		
Split or Join a Tag		
Static Word Wrap		If this option is checked, the text lines will be wrapped at the column defined in the editing properties.
Swap with Clipboard Contents		Swap the selected text with the clipboard contents
Switch to Command Line	Main: F7	Show/hide the command line on the bottom of the view.
Switch to Next Input Mode	Main: Ctrl+Alt+V	Switch to the next input mode.

Action Name	Shortcuts	Description
Toggle Camel Case Cursor Movement		Toggle between normal word movement and camel case cursor movement.
Toggle Comment		
Toggle Comment	Main: Ctrl+/	
Toggle Contained Nodes		
Toggle Current Node		
Transpose Characters		
Transpose Words		
URI-decode Selected Text		
URI-encode Selected Text		
Uncomment	Main: Ctrl+Shift+D	This command removes comments from the current line or a selected block of text.  The characters for single/multiple line comments are defined within the language's highlighting.
Undo	Main: Ctrl+Z	Revert the most recent editing actions
Unfold Toplevel Nodes	Main: Ctrl+Shift++	
Unindent	Main: Ctrl+Shift+I	Use this to unindent a selected block of text.
Uppercase	Main: Ctrl+U	Convert the selection to uppercase, or the character to the right of the cursor if no text is selected.
Wrap with Tag		
Activate Next Project	Main: Ctrl+Alt+Right	
Activate Previous Project	Main: Ctrl+Alt+Left	
Checkout Git Branch		
Close All Projects		
Close Orphaned Projects		
Close Project		
Go То		
Lookup	Main: Alt+1	
Open Folder	Main: Ctrl+T, O	
Project TODOs		
Copy Matching Lines		This will copy all highlighted search match lines in the current document to the clipboard

Action Name	Shortcuts	Description
Cut Matching Lines		This will cut all highlighted search match lines from the current document to the clipboard
Find in Files	Main: Ctrl+Shift+F	
Find in Files (in a New Tab)		
Go to Next Match	Main: F6	
Go to Previous Match	Main: Shift+F6	
Add parentheses upon function completion		
Close All Dynamic Reference Tabs		
Enable signature help with auto completion		
Expand Macro		
Expand Selection	Main: Ctrl+2	
Find Implementations		
Find References	Main: Ctrl+Alt+L	
Format	Main: Ctrl+T, F	
Format on typing		
Go to Declaration		
Go to Definition		
Go to Type Definition		
Highlight		
Highlight goto location		
Include declaration in references		
Incremental document synchronization		
Rename	Main: F2	
Restart All LSP Servers		
Restart LSP Server		
Search and Go to Symbol	Main: Ctrl+Alt+P	
Server Memory Usage		
Show Diagnostics Notifications		
Show Inlay Hints		
Show Messages		
Show hover information		

Action Name	Shortcuts	Description
Show selected completion documentation		
Shrink Selection	Main: Ctrl+Shift+2	
Switch Source Header	Main: F12	
Symbol Info		
Close View	Main: Ctrl+W	Closes the selected view in the list of last used views.
Last Used Views	Main: Ctrl+Tab	Opens a list to walk through the list of last used views.
Last Used Views (Reverse)	Main: Ctrl+Shift+Tab	Opens a list to walk through the list of last used views in reverse.
Filter Through Command	Main: Ctrl+\	
Focus Diagnostics		
Focus Documents		
Focus Git		
Focus Output		
Focus Project		
Focus Projects		
Focus Search		
Focus Symbol Outline		
Focus Terminal		
Hide All Tool Views		
Show Diagnostics		
Show Diagnostics Button		
Show Documents		
Show Documents Button		
Show Git		
Show Git Button		
Show Output		
Show Output Button		
Show Project		
Show Project Button		
Show Projects		
Show Projects Button		
Show Search		
Show Search Button		
Show Sidebars	Main: Ctrl+Alt+Shift+F	

Action Name	Shortcuts	Description
Show Symbol Outline		
Show Symbol Outline Button		
Show Terminal		
Show Terminal Button		

#### katekonsole

Action Name	Shortcuts	Description
Focus Terminal Panel	Main: Ctrl+Shift+F4	
Pipe to Terminal		
Run Current Document		
Show Terminal Panel	Main: F4	
Synchronize Terminal with Current Document		
Add Byte Order Mark (BOM)		Enable/disable adding of byte order marks for UTF-8/UTF-16 encoded files while saving
Add Caret above Cursor	Main: Ctrl+Alt+Up	Adds a caret in the line above the current caret.
Add Caret below Cursor	Main: Ctrl+Alt+Down	Adds a caret in the line below the current caret.
Add Cursors to Line Ends	Main: Alt+Shift+I	Creates a cursor at the end of every line in selection.
Align On		This command aligns lines in the selected block or whole document on the column given by a regular expression that you will be prompted for.
		If you give an empty pattern it will align on the first non-blank character by default. If the pattern has a capture it will indent on the captured match.
		Examples: With '-' it will insert spaces before the first '-' of each lines to align them all on the same column. With ':\s+(.)' it will insert spaces before the first non-blank character that occurs after a colon to align them all on the same column.
Apply Word Wrap		Use this to wrap the current line, or to reformat the selected lines as paragraph, to fit the 'Wrap words at' setting in the configuration dialog.
		This is a static word wrap, meaning the document is changed.

Action Name	Shortcuts	Description
Auto Reload Document		Automatic reload the document when it was changed on disk
Automatic Spell Checking	Main: Ctrl+Shift+O	Enable/disable automatic spell checking
Backspace	Main: Backspace Alternate: Shift+Backspace	
Block Selection Mode	Main: Ctrl+Shift+B	This command allows switching between the normal (line based) selection mode and the block selection mode.
Capitalize	Main: Ctrl+Alt+U	Capitalize the selection, or the word under the cursor if no text is selected.
Change Dictionary		Change the dictionary that is used for spell checking.
Clean Indentation		Use this to clean the indentation of a selected block of text (only tabs/only spaces).
		You can configure whether tabs should be honored and used or replaced with spaces, in the configuration dialog.
Clear All Bookmarks		Remove all bookmarks of the current document.
Clear Dictionary Ranges		Remove all the separate dictionary ranges that were set for spell checking.
Clipboard History Paste	Main: Ctrl+Alt+Shift+V	
Comment	Main: Ctrl+D	This command comments out the current line or a selected block of text.
		The characters for single/multiple line comments are defined within the language's highlighting.
Сору	Main: Ctrl+C Alternate: Ctrl+Ins	Use this command to copy the currently selected text to the system clipboard.
Copy as HTML		Use this command to copy the currently selected text as HTML to the system clipboard.
Cut	Main: Ctrl+X Alternate: Shift+Del	Cut the selected text and move it to the clipboard
Decrement Number by 0.1		
Decrement Number by 1		
Decrement Number by 10		
Delete Line		

Action Name	Shortcuts	Description
	Main: Ctrl+K	
Delete Next Character	Main: Del	
Delete Tag Under Cursor		
Delete Word Left	Main: Ctrl+Backspace	
Delete Word Right	Main: Ctrl+Del	
Deselect	Main: Ctrl+Shift+A	If you have selected something within the current document, this will no longer be selected.
Duplicate Selected Lines Down		
Duplicate Selected Lines Up		
Dynamic Word Wrap		If this option is checked, the text lines will be wrapped at the view border on the screen.
		This is only a view option, meaning the document will not changed.
Dynamic Word Wrap Indicators		Choose when the Dynamic Word Wrap Indicators should be displayed
Editing		
Emmet		
Encoding		
End of Line		Choose which line endings should be used, when you save the document
Enlarge Font	Main: Ctrl++ Alternate: Ctrl+=	This increases the display font size.
Evaluate a Simple Math Expression		
Expand Abbreviation		
Export as HTML		This command allows you to export the current document with all highlighting information into a HTML document.
Find Next	Main: F3	Look up the next occurrence of the search phrase.
Find Previous	Main: Shift+F3	Look up the previous occurrence of the search phrase.
Find Selected	Main: Ctrl+H	Finds next occurrence of selected text.
Find Selected Backwards	Main: Ctrl+Shift+H	Finds previous occurrence of selected text.
Find and Select All Occurrences	Main: Ctrl+Alt+Shift+J	Finds all occurrences of the word under cursor and select them.

Action Name	Shortcuts	Description
Find and Select Next Occurrence	Main: Alt+J	Finds next occurrence of the word under cursor and add it to selection.
Find	Main: Ctrl+F	Look up the first occurrence of a piece of text or regular expression.
Fold Toplevel Nodes	Main: Ctrl+Shift+-	
Format Indentation		Use this to auto indent the current line or block of text to its proper indent level.
Go to Line	Main: Ctrl+G	This command opens a dialog and lets you choose a line that you want the cursor to move to.
Go to Matching Bracket	Main: Ctrl+6	
Go to Next Edit Point		
Go to Next Editing Location	Main: Ctrl+Shift+E	
Go to Next Modified Line		Move downwards to the next modified line.
Go to Previous Edit Point		
Go to Previous Editing Location	Main: Ctrl+E	
Go to Previous Modified Line		Move upwards to the previous modified line.
Increment Number by 0.1		
Increment Number by 1		
Increment Number by 10		
Indent	Main: Ctrl+I	Use this to indent a selected block of text.  You can configure whether tabs should be honored and used or replaced with spaces, in the configuration dialog.
Insert Smart Newline	Main: Shift+Return Alternate: Shift+Enter	Insert newline including leading characters of the current line which are not letters or numbers.
Insert Tab Character		
Insert a Newline Above Current Line	Main: Ctrl+Alt+Return Alternate: Ctrl+Alt+Enter	Insert a new line above current line without modifying the current line.
Insert a Newline Below Current Line	Main: Ctrl+Shift+Return Alternate: Ctrl+Shift+Enter	Insert a new line below current line without modifying the current line.
Insert a Non-Indented Newline	Main: Ctrl+Return Alternate: Ctrl+Enter	Insert a new line without indentation, regardless of indentation settings.
Invoke Code Completion		Manually invoke command

Action Name	Shortcuts	Description
	Main: Ctrl+Space	completion, usually by using a shortcut bound to this action.
Join Lines	Main: Ctrl+J	
Lowercase	Main: Ctrl+Shift+U	Convert the selection to lowercase, or the character to the right of the cursor if no text is selected.
Mark Currently Selected Occurrence as Skipped	Main: Alt+K	Marks the currently selected word as skipped.
Move Cursor Left	Main: Left	
Move Cursor Right	Main: Right	
Move Cursor to Matching Tag		
Move Cursor to Next Matching Indent	Main: Alt+Shift+Down	
Move Cursor to Previous Matching Indent	Main: Alt+Shift+Up	
Move Lines Down	Main: Ctrl+Shift+Down	
Move Lines Up	Main: Ctrl+Shift+Up	
Move Word Left	Main: Ctrl+Left	
Move Word Right	Main: Ctrl+Right	
Move to Beginning of Document	Main: Ctrl+Home	
Move to Beginning of Line	Main: Home	
Move to Bottom of View	Main: Alt+End	
Move to End of Document	Main: Ctrl+End	
Move to End of Line	Main: End	
Move to Next Line	Main: Down	
Move to Previous Line	Main: Up	
Move to Top of View	Main: Alt+Home	
Navigation		
Next Bookmark	Main: Alt+PgDown	Go to the next bookmark.
Overwrite Mode	Main: Ins	Choose whether you want the text you type to be inserted or to overwrite existing text.
Paste	Main: Ctrl+V Alternate: Shift+Ins	Paste previously copied or cut clipboard contents

Action Name	Shortcuts	Description
Paste Selection	Main: Ctrl+Shift+Ins	Paste previously mouse selection contents
Previous Bookmark	Main: Alt+PgUp	Go to the previous bookmark.
Print Preview		Show print preview of current document
Print	Main: Ctrl+P	Print the current document.
Read Only Mode		Lock/unlock the document for writing
Redo	Main: Ctrl+Shift+Z	Revert the most recent undo operation
Reload	Main: F5 Alternate: Refresh	Reload the current document from disk.
Remove Cursors from Empty Lines		Remove cursors from empty lines
Remove Duplicates and Sort Selected Text Alphabetically		
Replace	Main: Ctrl+R	Look up a piece of text or regular expression and replace the result with some given text.
Reset Font Size	Main: Ctrl+0	This resets the display font size.
Reuse Word Above	Main: Ctrl+8	
Reuse Word Below	Main: Ctrl+9	
Save	Main: Ctrl+S	Save the current document
Save As with Encoding		
Save As	Main: Ctrl+Shift+S	Save the current document to disk, with a name of your choice.
Save Copy As		Save a copy of the current document to disk.
Scroll Line Down	Main: Ctrl+Down	
Scroll Line Up	Main: Ctrl+Up	
Scroll Page Down	Main: PgDown	
Scroll Page Up	Main: PgUp	
Select All	Main: Ctrl+A	
Select Character Left	Main: Shift+Left	
Select Character Right	Main: Shift+Right	
Select HTML/XML Tag Contents Inwards		

Action Name	Shortcuts	Description
Select HTML/XML Tag Contents Outwards		
Select Next Edit Point		
Select Page Down	Main: Shift+PgDown	
Select Page Up	Main: Shift+PgUp	
Select Previous Edit Point		
Select Word Left	Main: Ctrl+Shift+Left	
Select Word Right	Main: Ctrl+Shift+Right	
Select to Beginning of Document	Main: Ctrl+Shift+Home	
Select to Beginning of Line	Main: Shift+Home	
Select to Bottom of View	Main: Alt+Shift+End	
Select to End of Document	Main: Ctrl+Shift+End	
Select to End of Line	Main: Shift+End	
Select to Matching Bracket	Main: Ctrl+Shift+6	
Select to Next Line	Main: Shift+Down	
Select to Previous Line	Main: Shift+Up	
Select to Top of View	Main: Alt+Shift+Home	
Set Bookmark	Main: Ctrl+B	If a line has no bookmark then add one, otherwise remove it.
Shell Completion		
Show Folding Markers		You can choose if the codefolding marks should be shown, if codefolding is possible.
Show Icon Border		Show/hide the icon border.
		The icon border shows bookmark symbols, for instance.
Show Line Numbers		Show/hide the line numbers on the left hand side of the view.
Show Non-Printable Spaces		Show/hide bounding box around non-printable spaces
Show Scrollbar Marks		Show/hide the marks on the vertical scrollbar.
		The marks show bookmarks, for instance.
Show Scrollbar Mini-Map		Show/hide the mini-map on the vertical scrollbar.

Action Name	Shortcuts	Description
		The mini-map shows an overview of the whole document.
Show Static Word Wrap Marker		Show/hide the Word Wrap Marker, a vertical line drawn at the word wrap column as defined in the editing properties
Shrink Font	Main: Ctrl+-	This decreases the display font size.
Sort Selected Text Alphabetically		
Spelling (from Cursor)		Check the document's spelling from the cursor and forward
Spelling		
Split or Join a Tag		
Static Word Wrap		If this option is checked, the text lines will be wrapped at the column defined in the editing properties.
Swap with Clipboard Contents		Swap the selected text with the clipboard contents
Switch to Command Line	Main: F7	Show/hide the command line on the bottom of the view.
Switch to Next Input Mode	Main: Ctrl+Alt+V	Switch to the next input mode.
Toggle Camel Case Cursor Movement		Toggle between normal word movement and camel case cursor movement.
Toggle Comment		
Toggle Comment	Main: Ctrl+/	
Toggle Contained Nodes		
Toggle Current Node		
Transpose Characters		
Transpose Words		
URI-decode Selected Text		
URI-encode Selected Text		
Uncomment	Main: Ctrl+Shift+D	This command removes comments from the current line or a selected block of text.
		The characters for single/multiple line comments are defined within the language's highlighting.
Undo	Main: Ctrl+Z	Revert the most recent editing actions
Unfold Toplevel Nodes	Main: Ctrl+Shift++	
Unindent		Use this to unindent a selected

Action Name	Shortcuts	Description
	Main: Ctrl+Shift+I	block of text.
Uppercase	Main: Ctrl+U	Convert the selection to uppercase, or the character to the right of the cursor if no text is selected.
Wrap with Tag		
Activate Next Project	Main: Ctrl+Alt+Right	
Activate Previous Project	Main: Ctrl+Alt+Left	
Checkout Git Branch		
Close All Projects		
Close Orphaned Projects		
Close Project		
Go То		
Lookup	Main: Alt+1	
Open Folder	Main: Ctrl+T, O	
Project TODOs		
Copy Matching Lines		This will copy all highlighted search match lines in the current document to the clipboard
Cut Matching Lines		This will cut all highlighted search match lines from the current document to the clipboard
Find in Files	Main: Ctrl+Shift+F	
Find in Files (in a New Tab)		
Go to Next Match	Main: F6	
Go to Previous Match	Main: Shift+F6	
Add parentheses upon function completion		
Close All Dynamic Reference Tabs		
Enable signature help with auto completion		
Expand Macro		
Expand Selection	Main: Ctrl+2	
Find Implementations		
Find References	Main: Ctrl+Alt+L	
Format	Main: Ctrl+T, F	

Action Name	Shortcuts	Description
Format on typing		
Go to Declaration		
Go to Definition		
Go to Type Definition		
Highlight		
Highlight goto location		
Include declaration in references		
Incremental document synchronization		
Rename	Main: F2	
Restart All LSP Servers		
Restart LSP Server		
Search and Go to Symbol	Main: Ctrl+Alt+P	
Server Memory Usage		
Show Diagnostics Notifications		
Show Inlay Hints		
Show Messages		
Show hover information		
Show selected completion documentation		
Shrink Selection	Main: Ctrl+Shift+2	
Switch Source Header	Main: F12	
Symbol Info		
Close View	Main: Ctrl+W	Closes the selected view in the list of last used views.
Last Used Views	Main: Ctrl+Tab	Opens a list to walk through the list of last used views.
Last Used Views (Reverse)	Main: Ctrl+Shift+Tab	Opens a list to walk through the list of last used views in reverse.
Filter Through Command	Main: Ctrl+\	
Focus Diagnostics		
Focus Documents		
Focus Git		
Focus Output		
Focus Project		
Focus Projects		

Action Name	Shortcuts	Description
Focus Search		
Focus Symbol Outline		
Focus Terminal		
Hide All Tool Views		
Show Diagnostics		
Show Diagnostics Button		
Show Documents		
Show Documents Button		
Show Git		
Show Git Button		
Show Output		
Show Output Button		
Show Project		
Show Project Button		
Show Projects		
Show Projects Button		
Show Search		
Show Search Button		
Show Sidebars	Main: Ctrl+Alt+Shift+F	
Show Symbol Outline		
Show Symbol Outline Button		
Show Terminal		
Show Terminal Button		

# katepart

Action Name	Shortcuts	Description
Add Byte Order Mark (BOM)		Enable/disable adding of byte order marks for UTF-8/UTF-16 encoded files while saving
Add Caret above Cursor	Main: Ctrl+Alt+Up	Adds a caret in the line above the current caret.
Add Caret below Cursor	Main: Ctrl+Alt+Down	Adds a caret in the line below the current caret.
Add Cursors to Line Ends	Main: Alt+Shift+I	Creates a cursor at the end of every line in selection.
Align On		This command aligns lines in the selected block or whole document on the column given by a regular expression that you will be prompted for.

Action Name	Shortcuts	Description
		If you give an empty pattern it will align on the first non-blank character by default. If the pattern has a capture it will indent on the captured match.
		Examples: With '-' it will insert spaces before the first '-' of each lines to align them all on the same column. With ':\s+(.)' it will insert spaces before the first non-blank character that occurs after a colon to align them all on the same column.
Apply Word Wrap		Use this to wrap the current line, or to reformat the selected lines as paragraph, to fit the 'Wrap words at' setting in the configuration dialog.
		This is a static word wrap, meaning the document is changed.
Auto Reload Document		Automatic reload the document when it was changed on disk
Automatic Spell Checking	Main: Ctrl+Shift+O	Enable/disable automatic spell checking
Backspace	Main: Backspace Alternate: Shift+Backspace	
Block Selection Mode	Main: Ctrl+Shift+B	This command allows switching between the normal (line based) selection mode and the block selection mode.
Capitalize	Main: Ctrl+Alt+U	Capitalize the selection, or the word under the cursor if no text is selected.
Change Dictionary		Change the dictionary that is used for spell checking.
Clean Indentation		Use this to clean the indentation of a selected block of text (only tabs/only spaces).
		You can configure whether tabs should be honored and used or replaced with spaces, in the configuration dialog.
Clear All Bookmarks		Remove all bookmarks of the current document.
Clear Dictionary Ranges		Remove all the separate dictionary ranges that were set for spell checking.
Clipboard History Paste	Main: Ctrl+Alt+Shift+V	
Comment	Main: Ctrl+D	This command comments out the

Action Name	Shortcuts	Description
		current line or a selected block of text.
		The characters for single/multiple line comments are defined within the language's highlighting.
Сору	Main: Ctrl+C Alternate: Ctrl+Ins	Use this command to copy the currently selected text to the system clipboard.
Copy as HTML		Use this command to copy the currently selected text as HTML to the system clipboard.
Cut	Main: Ctrl+X Alternate: Shift+Del	Cut the selected text and move it to the clipboard
Decrement Number by 0.1		
Decrement Number by 1		
Decrement Number by 10		
Delete Line	Main: Ctrl+K	
Delete Next Character	Main: Del	
Delete Tag Under Cursor		
Delete Word Left	Main: Ctrl+Backspace	
Delete Word Right	Main: Ctrl+Del	
Deselect	Main: Ctrl+Shift+A	If you have selected something within the current document, this will no longer be selected.
Duplicate Selected Lines Down		
Duplicate Selected Lines Up		
Dynamic Word Wrap		If this option is checked, the text lines will be wrapped at the view border on the screen.
		This is only a view option, meaning the document will not changed.
Dynamic Word Wrap Indicators		Choose when the Dynamic Word Wrap Indicators should be displayed
Editing		
Emmet		
Encoding		
End of Line		Choose which line endings should be used, when you save the document
Enlarge Font	Main: Ctrl++	This increases the display font size.

Action Name	Shortcuts	Description
	Alternate: Ctrl+=	
Evaluate a Simple Math Expression		
Expand Abbreviation		
Export as HTML		This command allows you to export the current document with all highlighting information into a HTML document.
Find Next	Main: F3	Look up the next occurrence of the search phrase.
Find Previous	Main: Shift+F3	Look up the previous occurrence of the search phrase.
Find Selected	Main: Ctrl+H	Finds next occurrence of selected text.
Find Selected Backwards	Main: Ctrl+Shift+H	Finds previous occurrence of selected text.
Find and Select All Occurrences	Main: Ctrl+Alt+Shift+J	Finds all occurrences of the word under cursor and select them.
Find and Select Next Occurrence	Main: Alt+J	Finds next occurrence of the word under cursor and add it to selection.
Find	Main: Ctrl+F	Look up the first occurrence of a piece of text or regular expression.
Fold Toplevel Nodes	Main: Ctrl+Shift+-	
Format Indentation		Use this to auto indent the current line or block of text to its proper indent level.
Go to Line	Main: Ctrl+G	This command opens a dialog and lets you choose a line that you want the cursor to move to.
Go to Matching Bracket	Main: Ctrl+6	
Go to Next Edit Point		
Go to Next Editing Location	Main: Ctrl+Shift+E	
Go to Next Modified Line		Move downwards to the next modified line.
Go to Previous Edit Point		
Go to Previous Editing Location	Main: Ctrl+E	
Go to Previous Modified Line		Move upwards to the previous modified line.
Increment Number by 0.1		
Increment Number by 1		
Increment Number by 10		
Indent		Use this to indent a selected block

Action Name	Shortcuts	Description
	Main: Ctrl+I	of text.
		You can configure whether tabs should be honored and used or replaced with spaces, in the configuration dialog.
Insert Smart Newline	Main: Shift+Return Alternate: Shift+Enter	Insert newline including leading characters of the current line which are not letters or numbers.
Insert Tab Character		
Insert a Newline Above Current Line	Main: Ctrl+Alt+Return Alternate: Ctrl+Alt+Enter	Insert a new line above current line without modifying the current line.
Insert a Newline Below Current Line	Main: Ctrl+Shift+Return Alternate: Ctrl+Shift+Enter	Insert a new line below current line without modifying the current line.
Insert a Non-Indented Newline	Main: Ctrl+Return Alternate: Ctrl+Enter	Insert a new line without indentation, regardless of indentation settings.
Invoke Code Completion	Main: Ctrl+Space	Manually invoke command completion, usually by using a shortcut bound to this action.
Join Lines	Main: Ctrl+J	
Lowercase	Main: Ctrl+Shift+U	Convert the selection to lowercase, or the character to the right of the cursor if no text is selected.
Mark Currently Selected Occurrence as Skipped	Main: Alt+K	Marks the currently selected word as skipped.
Move Cursor Left	Main: Left	
Move Cursor Right	Main: Right	
Move Cursor to Matching Tag		
Move Cursor to Next Matching Indent	Main: Alt+Shift+Down	
Move Cursor to Previous Matching Indent	Main: Alt+Shift+Up	
Move Lines Down	Main: Ctrl+Shift+Down	
Move Lines Up	Main: Ctrl+Shift+Up	
Move Word Left	Main: Ctrl+Left	
Move Word Right	Main: Ctrl+Right	
Move to Beginning of Document	Main: Ctrl+Home	
Move to Beginning of Line	Main: Home	
Move to Bottom of View		

Action Name	Shortcuts	Description
	Main: Alt+End	
Move to End of Document	Main: Ctrl+End	
Move to End of Line	Main: End	
Move to Next Line	Main: Down	
Move to Previous Line	Main: Up	
Move to Top of View	Main: Alt+Home	
Navigation		
Next Bookmark	Main: Alt+PgDown	Go to the next bookmark.
Overwrite Mode	Main: Ins	Choose whether you want the text you type to be inserted or to overwrite existing text.
Paste	Main: Ctrl+V Alternate: Shift+Ins	Paste previously copied or cut clipboard contents
Paste Selection	Main: Ctrl+Shift+Ins	Paste previously mouse selection contents
Previous Bookmark	Main: Alt+PgUp	Go to the previous bookmark.
Print Preview		Show print preview of current document
Print	Main: Ctrl+P	Print the current document.
Read Only Mode		Lock/unlock the document for writing
Redo	Main: Ctrl+Shift+Z	Revert the most recent undo operation
Reload	Main: F5 Alternate: Refresh	Reload the current document from disk.
Remove Cursors from Empty Lines		Remove cursors from empty lines
Remove Duplicates and Sort Selected Text Alphabetically		
Replace	Main: Ctrl+R	Look up a piece of text or regular expression and replace the result with some given text.
Reset Font Size	Main: Ctrl+0	This resets the display font size.
Reuse Word Above	Main: Ctrl+8	
Reuse Word Below	Main: Ctrl+9	
Save	Main: Ctrl+S	Save the current document

Action Name	Shortcuts	Description
Save As with Encoding		
Save As	Main: Ctrl+Shift+S	Save the current document to disk, with a name of your choice.
Save Copy As		Save a copy of the current document to disk.
Scroll Line Down	Main: Ctrl+Down	
Scroll Line Up	Main: Ctrl+Up	
Scroll Page Down	Main: PgDown	
Scroll Page Up	Main: PgUp	
Select All	Main: Ctrl+A	
Select Character Left	Main: Shift+Left	
Select Character Right	Main: Shift+Right	
Select HTML/XML Tag Contents Inwards		
Select HTML/XML Tag Contents Outwards		
Select Next Edit Point		
Select Page Down	Main: Shift+PgDown	
Select Page Up	Main: Shift+PgUp	
Select Previous Edit Point		
Select Word Left	Main: Ctrl+Shift+Left	
Select Word Right	Main: Ctrl+Shift+Right	
Select to Beginning of Document	Main: Ctrl+Shift+Home	
Select to Beginning of Line	Main: Shift+Home	
Select to Bottom of View	Main: Alt+Shift+End	
Select to End of Document	Main: Ctrl+Shift+End	
Select to End of Line	Main: Shift+End	
Select to Matching Bracket	Main: Ctrl+Shift+6	
Select to Next Line	Main: Shift+Down	
Select to Previous Line	Main: Shift+Up	
Select to Top of View	Main: Alt+Shift+Home	

Action Name	Shortcuts	Description
Set Bookmark	Main: Ctrl+B	If a line has no bookmark then add one, otherwise remove it.
Shell Completion		
Show Folding Markers		You can choose if the codefolding marks should be shown, if codefolding is possible.
Show Icon Border		Show/hide the icon border.
		The icon border shows bookmark symbols, for instance.
Show Line Numbers		Show/hide the line numbers on the left hand side of the view.
Show Non-Printable Spaces		Show/hide bounding box around non-printable spaces
Show Scrollbar Marks		Show/hide the marks on the vertical scrollbar.
		The marks show bookmarks, for instance.
Show Scrollbar Mini-Map		Show/hide the mini-map on the vertical scrollbar.
		The mini-map shows an overview of the whole document.
Show Static Word Wrap Marker		Show/hide the Word Wrap Marker, a vertical line drawn at the word wrap column as defined in the editing properties
Shrink Font	Main: Ctrl+-	This decreases the display font size.
Sort Selected Text Alphabetically		
Spelling (from Cursor)		Check the document's spelling from the cursor and forward
Spelling		
Split or Join a Tag		
Static Word Wrap		If this option is checked, the text lines will be wrapped at the column defined in the editing properties.
Swap with Clipboard Contents		Swap the selected text with the clipboard contents
Switch to Command Line	Main: F7	Show/hide the command line on the bottom of the view.
Switch to Next Input Mode	Main: Ctrl+Alt+V	Switch to the next input mode.
Toggle Camel Case Cursor Movement		Toggle between normal word movement and camel case cursor movement.
Toggle Comment		

Action Name	Shortcuts	Description
Toggle Comment	Main: Ctrl+/	
Toggle Contained Nodes		
Toggle Current Node		
Transpose Characters		
Transpose Words		
URI-decode Selected Text		
URI-encode Selected Text		
Uncomment	Main: Ctrl+Shift+D	This command removes comments from the current line or a selected block of text.  The characters for single/multiple
		line comments are defined within the language's highlighting.
Undo	Main: Ctrl+Z	Revert the most recent editing actions
Unfold Toplevel Nodes	Main: Ctrl+Shift++	
Unindent	Main: Ctrl+Shift+I	Use this to unindent a selected block of text.
Uppercase	Main: Ctrl+U	Convert the selection to uppercase, or the character to the right of the cursor if no text is selected.
Wrap with Tag		
Activate Next Project	Main: Ctrl+Alt+Right	
Activate Previous Project	Main: Ctrl+Alt+Left	
Checkout Git Branch		
Close All Projects		
Close Orphaned Projects		
Close Project		
Go То		
Lookup	Main: Alt+1	
Open Folder	Main: Ctrl+T, O	
Project TODOs		
Copy Matching Lines		This will copy all highlighted search match lines in the current document to the clipboard
Cut Matching Lines		This will cut all highlighted search match lines from the current document to the clipboard
Find in Files	Main: Ctrl+Shift+F	

Action Name	Shortcuts	Description
Find in Files (in a New Tab)		
Go to Next Match	Main: F6	
Go to Previous Match	Main: Shift+F6	
Add parentheses upon function completion		
Close All Dynamic Reference Tabs		
Enable signature help with auto completion		
Expand Macro		
Expand Selection	Main: Ctrl+2	
Find Implementations		
Find References	Main: Ctrl+Alt+L	
Format	Main: Ctrl+T, F	
Format on typing		
Go to Declaration		
Go to Definition		
Go to Type Definition		
Highlight		
Highlight goto location		
Include declaration in references		
Incremental document synchronization		
Rename	Main: F2	
Restart All LSP Servers		
Restart LSP Server		
Search and Go to Symbol	Main: Ctrl+Alt+P	
Server Memory Usage		
Show Diagnostics Notifications		
Show Inlay Hints		
Show Messages		
Show hover information		
Show selected completion documentation		
Shrink Selection	Main: Ctrl+Shift+2	

Action Name	Shortcuts	Description
Switch Source Header	Main: F12	
Symbol Info		
Close View	Main: Ctrl+W	Closes the selected view in the list of last used views.
Last Used Views	Main: Ctrl+Tab	Opens a list to walk through the list of last used views.
Last Used Views (Reverse)	Main: Ctrl+Shift+Tab	Opens a list to walk through the list of last used views in reverse.
Filter Through Command	Main: Ctrl+\	
Focus Diagnostics		
Focus Documents		
Focus Git		
Focus Output		
Focus Project		
Focus Projects		
Focus Search		
Focus Symbol Outline		
Focus Terminal		
Hide All Tool Views		
Show Diagnostics		
Show Diagnostics Button		
Show Documents		
Show Documents Button		
Show Git		
Show Git Button		
Show Output		
Show Output Button		
Show Project		
Show Project Button		
Show Projects		
Show Projects Button		
Show Search		
Show Search Button		
Show Sidebars	Main: Ctrl+Alt+Shift+F	
Show Symbol Outline		
Show Symbol Outline Button		
Show Terminal		

Action Name	Shortcuts	Description
Show Terminal Button		

# kateproject

Action Name	Shortcuts	Description
Activate Next Project	Main: Ctrl+Alt+Right	
Activate Previous Project	Main: Ctrl+Alt+Left	
Checkout Git Branch		
Close All Projects		
Close Orphaned Projects		
Close Project		
Go То		
Lookup	Main: Alt+1	
Open Folder	Main: Ctrl+T, O	
Project TODOs		
Copy Matching Lines		This will copy all highlighted search match lines in the current document to the clipboard
Cut Matching Lines		This will cut all highlighted search match lines from the current document to the clipboard
Find in Files	Main: Ctrl+Shift+F	
Find in Files (in a New Tab)		
Go to Next Match	Main: F6	
Go to Previous Match	Main: Shift+F6	
Add parentheses upon function completion		
Close All Dynamic Reference Tabs		
Enable signature help with auto completion		
Expand Macro		
Expand Selection	Main: Ctrl+2	
Find Implementations		
Find References	Main: Ctrl+Alt+L	
Format	Main: Ctrl+T, F	
Format on typing		
Go to Declaration		

Action Name	Shortcuts	Description
Go to Definition		
Go to Type Definition		
Highlight		
Highlight goto location		
Include declaration in references		
Incremental document synchronization		
Rename	Main: F2	
Restart All LSP Servers		
Restart LSP Server		
Search and Go to Symbol	Main: Ctrl+Alt+P	
Server Memory Usage		
Show Diagnostics Notifications		
Show Inlay Hints		
Show Messages		
Show hover information		
Show selected completion documentation		
Shrink Selection	Main: Ctrl+Shift+2	
Switch Source Header	Main: F12	
Symbol Info		
Close View	Main: Ctrl+W	Closes the selected view in the list of last used views.
Last Used Views	Main: Ctrl+Tab	Opens a list to walk through the list of last used views.
Last Used Views (Reverse)	Main: Ctrl+Shift+Tab	Opens a list to walk through the list of last used views in reverse.
Filter Through Command	Main: Ctrl+\	
Focus Diagnostics		
Focus Documents		
Focus Git		
Focus Output		
Focus Project		
Focus Projects		
Focus Search		
Focus Symbol Outline		

Action Name	Shortcuts	Description
Focus Terminal		
Hide All Tool Views		
Show Diagnostics		
Show Diagnostics Button		
Show Documents		
Show Documents Button		
Show Git		
Show Git Button		
Show Output		
Show Output Button		
Show Project		
Show Project Button		
Show Projects		
Show Projects Button		
Show Search		
Show Search Button		
Show Sidebars	Main: Ctrl+Alt+Shift+F	
Show Symbol Outline		
Show Symbol Outline Button		
Show Terminal		
Show Terminal Button		

### katesearch

Action Name	Shortcuts	Description
Copy Matching Lines		This will copy all highlighted search match lines in the current document to the clipboard
Cut Matching Lines		This will cut all highlighted search match lines from the current document to the clipboard
Find in Files	Main: Ctrl+Shift+F	
Find in Files (in a New Tab)		
Go to Next Match	Main: F6	
Go to Previous Match	Main: Shift+F6	
Add parentheses upon function completion		
Close All Dynamic Reference Tabs		

Action Name	Shortcuts	Description
Enable signature help with auto completion		
Expand Macro		
Expand Selection	Main: Ctrl+2	
Find Implementations		
Find References	Main: Ctrl+Alt+L	
Format	Main: Ctrl+T, F	
Format on typing		
Go to Declaration		
Go to Definition		
Go to Type Definition		
Highlight		
Highlight goto location		
Include declaration in references		
Incremental document synchronization		
Rename	Main: F2	
Restart All LSP Servers		
Restart LSP Server		
Search and Go to Symbol	Main: Ctrl+Alt+P	
Server Memory Usage		
Show Diagnostics Notifications		
Show Inlay Hints		
Show Messages		
Show hover information		
Show selected completion documentation		
Shrink Selection	Main: Ctrl+Shift+2	
Switch Source Header	Main: F12	
Symbol Info		
Close View	Main: Ctrl+W	Closes the selected view in the list of last used views.
Last Used Views	Main: Ctrl+Tab	Opens a list to walk through the list of last used views.
Last Used Views (Reverse)	Main: Ctrl+Shift+Tab	Opens a list to walk through the list of last used views in reverse.

Action Name	Shortcuts	Description
Filter Through Command	Main: Ctrl+\	
Focus Diagnostics		
Focus Documents		
Focus Git		
Focus Output		
Focus Project		
Focus Projects		
Focus Search		
Focus Symbol Outline		
Focus Terminal		
Hide All Tool Views		
Show Diagnostics		
Show Diagnostics Button		
Show Documents		
Show Documents Button		
Show Git		
Show Git Button		
Show Output		
Show Output Button		
Show Project		
Show Project Button		
Show Projects		
Show Projects Button		
Show Search		
Show Search Button		
Show Sidebars	Main: Ctrl+Alt+Shift+F	
Show Symbol Outline		
Show Symbol Outline Button		
Show Terminal		
Show Terminal Button		

## Ispclient

Action Name	Shortcuts	Description
Add parentheses upon function completion		
Close All Dynamic Reference Tabs		

Action Name	Shortcuts	Description
Enable signature help with auto completion		
Expand Macro		
Expand Selection	Main: Ctrl+2	
Find Implementations		
Find References	Main: Ctrl+Alt+L	
Format	Main: Ctrl+T, F	
Format on typing		
Go to Declaration		
Go to Definition		
Go to Type Definition		
Highlight		
Highlight goto location		
Include declaration in references		
Incremental document synchronization		
Rename	Main: F2	
Restart All LSP Servers		
Restart LSP Server		
Search and Go to Symbol	Main: Ctrl+Alt+P	
Server Memory Usage		
Show Diagnostics Notifications		
Show Inlay Hints		
Show Messages		
Show hover information		
Show selected completion documentation		
Shrink Selection	Main: Ctrl+Shift+2	
Switch Source Header	Main: F12	
Symbol Info		
Close View	Main: Ctrl+W	Closes the selected view in the list of last used views.
Last Used Views	Main: Ctrl+Tab	Opens a list to walk through the list of last used views.
Last Used Views (Reverse)	Main: Ctrl+Shift+Tab	Opens a list to walk through the list of last used views in reverse.

Action Name	Shortcuts	Description
Filter Through Command	Main: Ctrl+\	
Focus Diagnostics		
Focus Documents		
Focus Git		
Focus Output		
Focus Project		
Focus Projects		
Focus Search		
Focus Symbol Outline		
Focus Terminal		
Hide All Tool Views		
Show Diagnostics		
Show Diagnostics Button		
Show Documents		
Show Documents Button		
Show Git		
Show Git Button		
Show Output		
Show Output Button		
Show Project		
Show Project Button		
Show Projects		
Show Projects Button		
Show Search		
Show Search Button		
Show Sidebars	Main: Ctrl+Alt+Shift+F	
Show Symbol Outline		
Show Symbol Outline Button		
Show Terminal		
Show Terminal Button		

### tabswitcher

Action Name	Shortcuts	Description
Close View	Main: Ctrl+W	Closes the selected view in the list of last used views.
Last Used Views	Main: Ctrl+Tab	Opens a list to walk through the list of last used views.

Action Name	Shortcuts	Description
Last Used Views (Reverse)	Main: Ctrl+Shift+Tab	Opens a list to walk through the list of last used views in reverse.
Filter Through Command	Main: Ctrl+\	
Focus Diagnostics		
Focus Documents		
Focus Git		
Focus Output		
Focus Project		
Focus Projects		
Focus Search		
Focus Symbol Outline		
Focus Terminal		
Hide All Tool Views		
Show Diagnostics		
Show Diagnostics Button		
Show Documents		
Show Documents Button		
Show Git		
Show Git Button		
Show Output		
Show Output Button		
Show Project		
Show Project Button		
Show Projects		
Show Projects Button		
Show Search		
Show Search Button		
Show Sidebars	Main: Ctrl+Alt+Shift+F	
Show Symbol Outline		
Show Symbol Outline Button		
Show Terminal		
Show Terminal Button		

### textfilter

Action Name	Shortcuts	Description
Filter Through Command	Main: Ctrl+\	

Action Name	Shortcuts	Description
Focus Diagnostics		
Focus Documents		
Focus Git		
Focus Output		
Focus Project		
Focus Projects		
Focus Search		
Focus Symbol Outline		
Focus Terminal		
Hide All Tool Views		
Show Diagnostics		
Show Diagnostics Button		
Show Documents		
Show Documents Button		
Show Git		
Show Git Button		
Show Output		
Show Output Button		
Show Project		
Show Project Button		
Show Projects		
Show Projects Button		
Show Search		
Show Search Button		
Show Sidebars	Main: Ctrl+Alt+Shift+F	
Show Symbol Outline		
Show Symbol Outline Button		
Show Terminal		
Show Terminal Button		

## toolviewmanager

Action Name	Shortcuts	Description
Focus Diagnostics		
Focus Documents		
Focus Git		
Focus Output		

Action Name	Shortcuts	Description
Focus Project		
Focus Projects		
Focus Search		
Focus Symbol Outline		
Focus Terminal		
Hide All Tool Views		
Show Diagnostics		
Show Diagnostics Button		
Show Documents		
Show Documents Button		
Show Git		
Show Git Button		
Show Output		
Show Output Button		
Show Project		
Show Project Button		
Show Projects		
Show Projects Button		
Show Search		
Show Search Button		
Show Sidebars	Main: Ctrl+Alt+Shift+F	
Show Symbol Outline		
Show Symbol Outline Button		
Show Terminal		
Show Terminal Button		