

Functions -Exercises

1.	Smallest of Three Numbers	1
2.	Add and Subtract	2
3.	Characters in Range	2
4.	Odd and Even Sum	3
5.	Palindrome Numbers	3
6.	Password Validator	3
7.	Shortest and Longest Word	4
8.	Perfect Number	4
9.	Progress Bar	5
10.	Factorial Division	5

1. Smallest of Three Numbers

Write a JS function which receive **three integer** numbers to print the **smallest** of the three integer numbers. Use appropriate name for the function.

Examples

Input	Output
2, 5, 3	2
600, 342, 123	123
25, 21, 4	4

2. Add and Subtract



You will receive 3 **integers**. Write a JS function **sum** to get the sum of the first two integers and **subtract** function that subtracts the third integer from the result from the Sum function.

Examples

Input	Output
23, 6, 10	19
1, 17, 30	-12
42, 58, 100	0

3. Characters in Range

Write a JS function that receives **two characters** and prints on a single line all the characters in between them according to the **ASCII** code.

Examples

Input	Output
'a', 'd'	b c
'#', ':'	\$ % & ' () * + , - . / 0 1 2 3 4 5 6 7 8 9
'C', '#'	\$ % & ' () * + , - . / 0 1 2 3 4 5 6 7 8 9 : ; < = > ? @ A B

4. Odd and Even Sum

You will receive a **single number**.



You have to write a JS function, that returns the **sum** of **all even** and **all odds** digits from that number.

Examples

Input	Output
1000435	Odd sum = 9, Even sum = 4
3495892137259234	Odd sum = 54, Even sum = 22

5. Palindrome Numbers

A palindrome is a number which reads the same **backward as forward**, such as 323 or 1001. Write a JS function which receives an **array of positive integer** and checks if each integer is a palindrome or not.

Write isPalindrome function.

Input	Output	Input	Output
[123,323,421,121]	false	[32,2,232,1010]	false
	true		true
	false		true
	true		false

6. Password Validator

Write a JS function that checks if a given password is valid. Password rules are:

- **6 – 10 characters (inclusive)**
- **Consists only of letters and digits**
- **Have at least 2 digits**

If a password is valid print "Password is valid". If it is not valid, for every unfulfilled rule print a message:

- **"Password must be between 6 and 10 characters"**
- **"Password must consist only of letters and digits"**
- **"Password must have at least 2 digits"**

Write a function for each rule.

Input	Output
-------	--------



'pass'	Password must be between 6 and 10 characters Password must have at least 2 digits
'APass123'	Password is valid
'Pa\$\$\$\$'	Password must consist only of letters and digits Password must have at least 2 digits

7. Shortest and Longest Word

You will receive a **single string**. This string will be a sentence. Your task here is to create JS function to find:

The **longest** and the **shortest** word in that sentence. If two words have **equal length** take the first occurrence.

Examples

Input	Output
'Hello how are you today? I hope you are fine '	Longest -> Hello Shortest -> I
'Lorem Ipsum is dummy text of the typesetting industry.'	Longest -> typesetting Shortest -> is

8. Perfect Number

Write a JS function that receive a **number** and return if this number is perfect or not.

A perfect number is a positive integer that is equal to the **sum of its proper positive divisors**. That is the sum of its positive divisors excluding the number itself (also known as its **aliquot sum**).

Equivalently, a perfect number is a number that is **half the sum** of all of its positive divisors (including itself) => 6 is a perfect number, because it is the sum of 1 + 2 + 3 (all of which are divided without remainder).

Examples

Input	Output
6	Perfect number! 1 + 2 + 3



28	Perfect number! 1 + 2 + 4 + 7 + 14
12364 98	It's not so perfect.

9. Progress Bar

You will receive a **single number** between 0 and 100 which is divided with 10 without residue (0, 10, 20, 30...).

Your task is to create a JS function that visualize a **loading bar** depending on that number you have received in the input. See examples for more clarity.

Examples

Input	Output
30	30% [%%%.....] Loading...
50	50% [%%%%%%%%....] Loading...
100	[%%%%%%%%%%%%%%%%%] Complete!

10. Factorial Division

Write a JS Function that receives **two** integer numbers. Calculate [factorial](#) of each number. Divide the first result by the second and print the division formatted to the **second decimal** point.

Examples

Input	Output	Input	Output
5	60.00	6	360.00
2		2	



--	--	--	--

Hints

Try to use [recursion](#)

